846

Section **A** for the entry of Dail
AIR MINISTRY.—M

846

WEST EALING

1931- 1939

480203

NFALL ORGANIZATION.

FORM 1091.

REGISTE 931.

Kept at WEST EALING
in the County of MIDDLESE

Diameter of Funnel of Gauge 5
Height of top of Gauge above Ground
,, Ground ,, Sea Level

THE MORNING MEASUREM… DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	/	2·8	TR	5·7	/	1·2	TR	0·2	2·2	/	/	/	1
2	2·8	1·6	/	9·2	/	/	0·1	0·1	10·6	0·6	/	1·6	2
3	0·7	/	0·8	9·4	9·5	/	/	8·4	21·1	/	0·3	2·7	3
4	TR	/	/	/	0·5	/	0·8	4·0	3·1	TR	1·6	/	4
5	/	TR	/	4·3	0·4	13·7	1·8	23·8	0·1	6·2	/	3·1	5
6	/	2·6	TR	1·7	/	/	/	TR	/	/	9·9	/	6
7	/	TR	/	/	3·2	2·2	/	16·1	/	1·7	2·8	1·0	7
8	0·3	1·2	1·1	/	/	5·2	/	6·6	/	TR	0·9	0·5	8
9	/	1·7	2·3	0·2	/	TR	/	TR	/	/	9·5	0·6	9
10	0·3	1·7	0·7	/	/	0·5	1·7	10·1	/	/	3·1	0·1	10
11	1·8	4·4	/	/	/	/	/	/	1·2	0·1	2·3	/	11
12	TR	0·3	/	TR	/	/	0·5	4·7	10·1	/	/	0·1	12
13	/	/	/	/	/	/	2·6	3·1	/	/	TR	/	13
14	0·1	2·4	/	/	/	/	37·9	32·9	/	TR	TR	/	14
15	0·7	0·1	/	2·5	2·6	/	4·0	10·8	/	/	0·2	1·3	15
16	/	2·7	/	2·2	5·8	1·0	/	11·1	4·1	/	/	/	16
17	0·8	0·5	/	5·3	1·4	/	4·0	TR	0·7	/	/	TR	17
18	1·1	1·6	/	6·0	TR	1·3	2·8	23·0	/	0·3	12·6	/	18
19	0·3	/	/	11·1	/	3·9	3·0	0·1	2·4	/	TR	0·2	19
20	TR	0·8	/	1·2	/	/	1·3	5·8	/	/	TR	/	20
21	0·3	/	0·7	/	9·8	/	/	0·1	/	/	/	/	21
22	5·9	/	TR	0·1	/	/	/	/	0·1	/	/	/	22
23	3·4	/	/	1·1	13·5	0·6	/	/	2·8	/	2·0	0·9	23
24	/	/	/	5·7	1·3	2·0	1·0	0·1	0·1	/	/	/	24
25	2·5	/	0·3	9·8	1·0	/	10·4	/	/	/	0·1	TR	25
26	/	1·9	/	4·1	/	/	8·2	/	TR	/	3·8	/	26
27	3·6	11·1	/	2·0	5·1	/	3·5	/	/	/	1·7	/	27
28	0·7	3·5	/	1·6	/	/	/	/	/	0·2	TR	2·2	28
29	1·5	×	/	TR	2·2	/	3·2	/	/	5·5	0·2	0·8	29
30	0·7	×	/	/	0·3	/	TR	2·1	TR	/	/	/	30
31	3·2	×	/	×	1·6	×	/	TR	×	/	×	0·4	31 25·20
TOTAL	1·21 30·7	1·61 40·9	·23 5·9	3·28 83·2	3·29 58·2	1·24 31·6	3·42 86·8	6·42 163·1	2·31 58·6	·57 14·6	2·01 51·0	·61 15·5	YEAR'S TOTAL 640·1
Days with 0·2 mm. or more.	18	16	6	18	15	10	10	15	10	6	14	12	156
Days with 1·0 mm. or more.	9	13	2	17	12	8	14	14	9	3	10	6	117

(144W)

40-9999

(Signed) S Whinnett

P.T.O.

846

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1931.

Kept at WEST EALING. W13

in the County of MIDDLESEX.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 156 ft.

conform

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	/	2·8	TR	5·7	/	1·2	TR	0·2	2·2	/	/	/	1
2	2·8	1·6	/	9·2	/	/	0·1	0·1	10·6	0·6	/	1·6	2
3	0·7	/	0·8	9·4	9·5	/	/	8·4	21·1	/	0·3	2·7	3
4	TR	/	/	/	0·5	/	0·8	4·0	3·1	TR	1·6	/	4
5	/	TR	/	4·3	0·4	13·7	1·8	23·8	0·1	6·2	/	3·1	5
6	/	2·6	TR	1·7	/	/	/	TR	/	/	9·9	/	6
7	/	TR	/	/	3·2	2·2	/	16·1	/	1·7	2·8	1·0	7
8	0·3	1·2	1·1	/	/	5·2	/	6·6	/	TR	0·9	0·5	8
9	/	1·7	2·3	0·2	/	TR	/	TR	/	/	9·5	0·6	9
10	0·3	1·7	0·7	/	/	0·5	1·7	10·1	/	/	3·1	0·1	10
11	1·8	4·4	/	/	/	/	/	/	1·2	0·1	2·3	/	11
12	TR	0·3	/	TR	/	/	0·5	4·7	10·1	/	/	0·1	12
13	/	/	/	/	/	/	2·6	3·1	/	/	TR	/	13
14	0·1	2·4	/	/	/	/	37·9	32·9	/	TR	TR	/	14
15	0·7	0·1	/	2·5	2·6	/	4·0	10·8	/	/	0·2	1·3	15
16	/	2·7	/	2·2	5·8	1·0	/	11·1	4·1	/	/	/	16
17	0·8	0·5	/	5·3	1·4	/	4·0	TR	0·7	/	/	TR	17
18	1·1	1·6	/	6·0	TR	1·3	2·8	23·0	/	0·3	12·6	/	18
19	0·3	/	/	11·1	/	3·9	3·0	0·1	2·4	/	TR	0·2	19
20	TR	0·8	/	1·2	/	/	1·3	5·3	/	/	TR	/	20
21	0·3	/	0·7	/	9·8	/	/	0·1	/	/	/	/	21
22	5·9	/	TR	0·1	/	/	/	/	0·1	/	/	/	22
23	3·4	/	/	1·1	13·5	0·6	/	/	2·8	/	2·0	0·9	23
24	/	/	/	5·7	1·3	2·0	1·0	0·1	0·1	/	/	/	24
25	2·5	/	0·3	9·8	1·0	/	10·4	/	/	/	0·1	TR	25
26	/	1·9	/	4·1	/	/	8·2	/	TR	/	3·8	/	26
27	3·6	11·1	/	2·0	5·1	/	3·5	/	/	/	1·7	/	27
28	0·7	3·5	/	1·6	/	/	/	/	/	0·2	TR	2·2	28
29	1·5	×	/	TR	2·2	/	3·2	/	/	5·5	0·2	0·8	29
30	0·7	×	/	/	0·3	/	TR	2·1	TR	/	/	/	30
31	3·2	×	/	×	1·6	×	/	TR	×	/	×	0·4	31 25·20
TOTAL	1·21 30·7	1·61 40·9	·23 5·9	3·28 83·2	2·29 58·2	1·24 31·6	3·42 86·8	6·42 163·1	2·31 58·6	·57 14·6	2·01 51·0	·61 15·5	YEAR'S TOTAL 640·1
Days with 0·2 mm. or more.	18	16	6	18	15	10	16	15	10	6	14	12	156
Days with 1·0 mm. or more.	9	13	2	17	12	8	14	14	9	3	10	6	117

(144W)

40-9999

(Signed) .... [P.T.O.

846

FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1932.

Kept at EALING.

in the County of MIDDLESEX.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" Ground " Sea Level 156 ft.

Convert

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	1.2	/	/	2.7	8.5	/	0.8	11.5	0.3	5.8	0.8	TR	1
2	0.5	/	/	3.0	0.7	0.1	/	0.2	8.3	0.8	0.6	2.4	2
3	/	/	/	/	2.2	3.1	/	/	6.6	TR	/	/	3
4	TR	/	/	/	TR	/	/	/	/	/	2.5	/	4
5	2.1	/	0.2	/	0.1	/	3.8	/	2.0	/	/	TR	5
6	11.7	/	/	5.8	0.1	/	/	/	1.9	/	/	/	6
7	/	/	3.6	2.2	0.5	/	0.4	/	2.5	0.1	/	/	7
8	/	/	1.6	1.4	10.1	/	/	/	0.8	5.9	/	/	8
9	2.3	/	/	1.2	16.4	/	/	/	/	0.6	TR	TR	9
10	8.8	0.4	/	4.6	2.3	0.6	/	/	0.3	5.4	0.1	TR	10
11	0.9	TR	/	0.3	0.1	/	2.1	2.3	0.3	6.3	1.0	0.3	11
12	1.0	0.1	/	/	0.3	/	/	0.2	0.4	4.1	/	/	12
13	1.4	/	/	2.2	0.5	/	/	/	0.1	5.8	1.3	/	13
14	3.1	0.9	/	3.2	0.6	/	/	/	/	0.9	1.0	0.1	14
15	/	0.2	/	1.0	12.5	/	/	/	/	2.1	TR	/	15
16	4.4	/	/	3.9	2.5	/	/	/	/	/	/	/	16
17	/	/	/	TR	/	/	2.2	/	TR	1.0	/	/	17
18	/	/	/	/	TR	/	TR	/	13.2	/	1.6	/	18
19	/	/	/	/	/	/	/	/	0.3	5.9	0.3	/	19
20	/	/	/	2.6	1.5	/	/	6.8	2.5	16.4	3.9	/	20
21	0.8	0.1	/	1.6	21.0	/	/	2.2	/	5.1	/	1.1	21
22	0.1	/	7.3	TR	2.7	/	2.3	0.1	2.7	6.9	7.9	/	22
23	/	2.3	TR	/	1.2	/	/	/	1.7	20.4	/	2.6	23
24	/	0.2	/	/	/	/	10.0	/	2.6	1.3	2.2	1.0	24
25	/	/	/	0.3	TR	/	15.9	/	1.7	6.5	/	0.1	25
26	/	/	2.5	1.9	0.3	/	1.4	/	/	0.3	0.1	/	26
27	/	/	5.0	4.4	12.2	0.6	5.4	/	/	11.8	2.0	/	27
28	/	/	0.4	TR	3.3	/	3.8	TR	/	3.4	TR	0.4	28
29	/	/	6.9	0.4	3.4	0.5	TR	5.6	2.0	6.9	TR	/	29
30	/	×	1.7	2.3	/	16.5	0.3	0.1	2.6	0.2	4.5	2.9	30
31	/	×	0.3	×	/	×	1.9	/	×	/	×	0.7	31
TOTAL	1.51 38.3	.17 4.2	1.16 29.5	1.77 45.0	4.06 103.0	.84 21.4	1.98 50.3	1.14 29.0	2.08 52.8	4.88 123.9	1.17 29.7	.46 11.6	3121.22 YEAR'S TOTAL 538.8
Days with 0·2 mm. or more.	12	5	10	19	20	5	13	7	19	23	13	8	154.
Days with 1·0 mm. or more.	9	1	7	16	14	2	10	5	13	18	10	5	110

(144W)

40-9999

(Signed) S [illegible]etts.

Gardener to J W Peal

[P.T.O.

846

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1933.

Kept at EALING

in the County of MIDDLESEX.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 156 ft.

Correct ✓

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	0·6	2·7	3·6	—	5·9	—	—	—	—	TR	1·0	—	1
2	2·2	—	7·7	—	6·8	—	—	—	—	—	—	—	2
3	—	4·0	3·5	—	7·4	—	—	—	—	—	—	—	3
4	10·5	1·0	0·2	—	5·4	—	—	—	—	—	0·6	—	4
5	TR.	—	3·7	—	0·5	—	—	—	—	—	TR	—	5
6	—	1·7	0·2	—	11·2	—	—	—	—	1·5	1·8	—	6
7	3·7	1·3	1·4	—	0·2	—	—	—	—	2·3	0·1	0·7	7
8	0·8	TR	0·2	—	1·4	—	1·8	—	—	—	—	0·1	8
9	TR	—	—	—	1·7	—	3·5	—	—	0·9	1·6	—	9
10	0·1	23·3	—	—	0·1	TR	6·1	—	—	2·6	0·5	—	10
11	3·5	—	—	—	0·6	0·5	1·5	2·4	—	—	TR	—	11
12	TR	—	—	0·9	0·3	2·7	1·2	—	17·0	0·1	—	—	12
13	1·6	—	—	—	3·2	3·2	4·4	—	0·8	—	3·8	—	13
14	TR	—	—	—	TR	0·1	TR	—	—	5·2	13·0	0·1	14
15	6·4	—	2·4	—	0·2	16·9	1·0	4·5	—	—	0·1	—	15
16	0·3	0·2	14·1	—	0·9	6·5	4·7	—	0·3	0·4	1·8	—	16
17	0·2	TR	7·0	—	0·1	0·3	0·6	—	2·7	—	0·7	—	17
18	1·6	1·9	2·6	—	—	4·9	—	—	—	—	TR	—	18
19	TR	1·3	2·1	—	0·1	2·0	0·5	—	13·4	—	0·5	0·3	19
20	—	0·8	2·6	—	1·1	9·0	TR	—	TR	—	0·1	—	20
21	—	0·2	—	—	—	14·6	—	2·1	7·7	TR	—	TR	21
22	—	—	—	—	—	—	—	3·9	—	4·9	1·1	—	22
23	—	—	—	3·5	—	TR	—	—	9·0	0·2	0·1	—	23
24	—	9·2	—	3·2	—	1·5	—	—	12·5	TR	0·1	—	24
25	—	9·8	—	5·9	—	—	—	—	1·6	—	0·1	1·7	25
26	—	5·6	—	1·2	—	0·5	—	—	0·9	1·7	TR	1·5	26
27	—	—	—	—	—	—	0·1	—	—	6·2	1·0	1·0	27
28	1·9	—	—	0·1	—	—	TR	—	—	6·5	—	0·1	28
29	—	×	0·5	1·0	—	—	0·5	—	—	2·6	—	—	29
30	2·2	×	1·2	—	—	—	0·1	—	0·5	0·1	—	3·1	30
31	1·6	×	0·2	×	—	×	—	3·7	×	0·6	×	TR	31
TOTAL	37·2	63·0	53·2	15·8	47·1	62·7	26·0	16·6	66·4	35·8	28·0	8·6	YEAR'S TOTAL 460·4
*Days with 0·2 mm. or more.	14	14	17	6	15	12	11	5	11	13	12	6	136
*Days with 1·0 mm. or more.	10	11	12	5	9	9	8	5	7	9	8	4	97

18·12

(144w)

40-9999

(Signed) S Whinnett.

1·47 2·48 2·09 ·62 1·85 2·47 1·02 ·65 2·62 1·41 1·10 ·34

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 846

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 19~~34~~

Convert.

Kept at 18 Carlton Road Ealing W. 5

in the County of Middlesex Since the 29th August 1934 before then at Oakhurst St Stephens Road Ealing W.13

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 120 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·4	×	×	×	×	×	×	2·7	·8	·6	×	11·2	15·7	1
2	1·4	×	1·8	×	·4	×	×	TR	11·7	4·1	×	4·5	23·9	2
3	·1	·6	×	4·8	·4	×	×	·2	×	4·3	×	·8	11·2	3
4	2·0	×	2·8	·8	×	×	×	×	×	·9	1·6	8·1	16·2	4
5	·1	×	·4	×	·8	×	×	·2	×	×	·5	10·4	12·4	5
6	×	×	7·4	·1	6·8	2·0	×	1·5	×	3·6	×	9·2	30·6	6
7	·4	TR	×	×	×	×	×	2·1	×	3·4	×	3·2	9·1	7
8	TR	×	×	×	·2	×	×	·7	2·0	×	8·7	·1	11·7	8
9	·2	×	·4	×	×	×	×	×	×	×	23·5	8·0	32·1	9
10	×	×	5·8	3·0	×	×	×	·9	×	×	4·0	·1	13·8	10
11	4·6	×	9·2	1·2	×	×	×	1·4	×	×	×	2·3	18·7	11
12	1·3	TR	1·7	×	×	×	2·2	7·5	×	×	·3	·6	13·6	12
13	4·8	×	6·1	TR	×	×	4·9	·3	×	×	·3	2·0	18·4	13
14	1·6	×	4·6	TR	·3	×	×	×	×	·2	5·7	9·4	21·8	14
15	1·8	×	2·0	×	·9	×	×	×	·7	×	1·5	8·3	15·2	15
16	2·8	TR	3·2	×	·2	×	×	×	×	3·0	×	×	9·2	16
17	·1	TR	×	·6	×	×	×	×	×	1·7	·6	3·8	6·8	17
18	2·3	×	TR	2·7	×	×	4·6	×	×	×	×	2·0	11·6	18
19	×	×	4·1	×	×	·2	×	×	1·6	·3	·2	1·5	7·9	19
20	×	×	3·8	·1	×	·1	3·9	×	×	×	·1	·3	8·3	20
21	×	×	TR	3·3	×	4·0	×	·8	×	·3	×	×	8·4	21
22	×	×	×	×	×	×	·2	5·0	4·5	×	×	2·4	12·1	22
23	×	×	×	6·2	×	4·8	×	·6	×	×	·3	1·3	13·2	23
24	×	·2	1·3	5·6	×	·7	28·7	×	4·6	×	×	×	41·1	24
25	2·9	1·4	TR	2·7	×	2·6	×	×	×	×	×	9·4	19·0	25
26	1·3	×	×	4·2	×	2·1	×	×	·3	·5	×	2·1	10·5	26
27	·4	TR	×	4·1	×	4·6	×	×	×	·5	×	9·7	19·3	27
28	×	4·4	TR	·2	×	8·3	×	21·0	×	×	2·4	3·3	39·6	28
29	×	×	TR	×	×	×	·1	·9	3·6	×	×	×	4·6	29
30	·9	×	×	×	×	×	·7	×	×	×	×	3·8	5·4	30
31	1·0	×	×	×		×	·1	×	×	2·5	×	1·2	4·8	31
TOTAL	1.20 ~~30·4~~	·26 ~~6·6~~	2.15 ~~54·6~~	1.56 ~~39·6~~	·39 ~~10·0~~	1.16 ~~29·4~~	1·79 ~~45·4~~	1.80 ~~45·8~~	1·17 ~~29·8~~	1.02 ~~25·9~~	1·96 ~~49·7~~	4.69 ~~119·0~~	Year's Total 19·15 ~~486·2~~	
*Days with ·01 in. or more.	20	4	15	15	8	10	9	15	9	14	14	27	160	
*Days with ·04 in. or more.	12 ~~20~~	2 ~~4~~	11 ~~15~~	10 ~~15~~	1 ~~8~~	7 ~~10~~	5 ~~9~~	7 ~~15~~	6 ~~9~~	7 ~~14~~	7 ~~14~~	2~~7~~2	97 ~~160~~	

40-9999

Not: move on 10 yr sheet.

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) G. W. Peal

[P.T.O.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 846

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1935.

Kept at 18 Carlton Road Ealing W. 5

in the County of Middlesex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 120 ft.

Conforms

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1	2·2	1·1	—	·9	—	3·5	36·4	—	·1	2·4	6·3	·2		1
2	—	—	—	1·3	—	—	—	—	·9	3·8	·5	—		2
3	—	1·2	1·3	·6	—	5·7	—	—	9·1	13·7	4·	1·3		3
4	—	—	—	2·7	—	11·4	—	—	1·9	2·7	—	1·8		4
5	—	3·6	·7	1·4	—	—	Trace	—	—	Trace	—	·4		5
6	·2	—	—	6·7	—	8·5	—	—	7·4	—	Trace	—		6
7	—	—	—	13·6	·2	Trace	—	—	—	1·7	—	3·2		7
8	—	—	—	7·8	—	—	—	—	—	4·5	24·6	4·1		8
9	—	—	—	4·	—	16·4	—	—	—	11·7	8·9	Trace		9
10	·3	—	—	2·8	—	2·2	—	—	—	—	1·7	·5		10
11	4·8	—	—	—	—	2·6	7·	—	—	—	5·5	—		11
12	—	·1	—	—	—	—	—	1·8	·1	—	11·3	—		12
13	2·6	4·1	—	4·	2·7	1·4	—	—	—	—	—	—		13
14	—	—	—	·9	4·4	1·5	—	—	—	—	·6	2·4		14
15	—	4·9	—	8·7	—	8·1	—	—	·8	—	4·7	1·5		15
16	—	2·1	·6	·9	—	·4	—	—	6·4	—	13·2	—		16
17	—	—	Trace	·3	—	4·3	—	·5	·7	—	8·1	·7		17
18	—	—	—	4·5	·8	4·6	1·1	—	6·3	—	·9	—		18
19	—	Trace	—	·4	4·2	1·2	·8	—	·8	·7	2·4	1·1		19
20	·5	4·1	—	1·1	6·	1·5	4·1	—	·5	—	4·2	—		20
21	·2	5·6	—	—	—	—	—	—	·5	·8	·4	—		21
22	—	·6	·7	—	—	—	—	—	2·8	—	—	—		22
23	—	—	4·9	—	—	—	—	7·8	1·5	1·1	—	5·		23
24	1·5	12·2	·1	—	1·8	—	·8	10·3	—	—	—	—		24
25	3·5	1·2	—	5·9	·6	12·4	—	5·4	10·3	—	—	7·3		25
26	3·5	5·7	—	—	—	—	—	5·9	1·	—	—	8·2		26
27	—	6·4	—	—	·1		—	—	2·7	—	—	6·2		27
28	—	2·6	—	—	1·2	—	—	·4	3·1	1·2	2·5	2·8		28
29	—	—	—	—	—	—	—	—	12·6	—	·3	—		29
30	1·3	×	—	2·5	Trace	—	—	15·9	2·3	7·6	8·5	11·7		30
31	—	×	—	×	·7	×	—	—	×	7·4	×	4·6		31
TOTAL	·81 20·6	2.19 55·5	·33 8·3	2.80 71·	·89 22·7	3.37 85·7	1.98 50·2	1.89 48—	2.83 71·8	2.33 59·3	4.28 108·6	2.48 63·	Year's Total 26.18 664·7	
* Days with 0.2 mm. or more.	11	14	5	20	10	16	6	8	19	13	19	18	159	
* Days with 1.0 mm. or more.	7	13	2	14	6	15	4	6	13	11	14	14	119	

(144w) * See Instructions 2 (f) on other side.

† Spare column, no entries required

40-9999

(Signed) H. W. Peal.

[P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No. 846

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1936.

Kept at 18 Carlton Road Ealing W.5

in the County of Middlesex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 120 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1	10·8	1·7	1·1	2·2		5·6	3·5				1·5	1·7	28·1	1
2	Tr.	5·1		·2		8·5	1·0	3·2			1·7		19·7	2
3						1·7	1·2		·4		7·5		10·8	3
4	5·1		2·3	3·5		2·6			5·0		1·3	·8	20·6	4
5			·7			4·1		·5	11·3		·1	2·8	19·5	5
6						·5		3·1	5·2		4·0		12·8	6
7	7·		·4				4·5		·9		2·4	·8	16·0	7
8	3·3		·4				·5			·2	7·6	3·9	15·9	8
9	15·1		·4				11·2		16·0	·7	tr		42·9	9
10							1·5	2·5	·3		·3	tr	4·6	10
11											20·4		20·4	11
12				1·9		15·4	3·8		1·3		6·2	2·5	31·1	12
13				2·1		6·7	·01			·4	4·2	1·7	15·1	13
14				·1		1·5	15·2			·9	tr	6·1	23·8	14
15		2·8				3·8			5·7		·2	·8	13·3	15
16	6·3	2·4					·6		·9		9·7	1·4	21·3	16
17	9·4	7·6			1·4	7·7			3·6	·3	4·4	3·0	37·4	17
18	Tr	2·4				2·3	2·7	tr		·8	·2	·9	9·3	18
19	5·4	·4	1·2	·8		7·4	2·2	·5		·4			18·3	19
20	·6	·7	1·4	8·3			1·3						12·3	20
21		·5			·9	8·9			23·5				33·8	21
22	3·2	9·4	1·1	4·5	5·9	·7	4·2		·4			1·6	31·0	22
23	·5	Tr	·8	1·8			·5			2·7		tr	6·3	23
24	2·3	3·3					3·6			8·5			17·7	24
25	1·9		4·0	4·4		4·5	·4		2·8	6·2	·8		25·0	25
26	·7	2·3	4·2	1·5		3·1			·7	1·1			13·6	26
27	2·8	·3	·3				·3			1·0			4·7	27
28	17·2		3·4				3·6		1·1			1·7	27·4	28
29	1·3	1·9				9·3	·3			·2	3·5		16·5	29
30	1·8	✕				2·5	1·5			7·0	tr		12·8	30
31	8·6	✕	7·2	✕	3·0	✕	2·4		✕	12·1	✕	11·0	44·3	31
TOTAL	103·3	40·8	28·9	31·3	11·2	96·8	66·0	9·8	79·1	42·0	76·0	40·7	Year's Total 625·9	
* Days with 0.2 mm. or more.	18	14	15	12	4	19	22	5	16	15	17	15	172	✓
* Days with 1.0 mm. or more.	15	10	9	9	3	17	16	3	10	7	13	11	123	✓

(141w) * See Instruction 2 (f) on other side.

† Spare column, no entries required, except year's total.

40-9999.

(Signed) .... [P.T.O.

4·07 1·61 1·14 1·23 ·44 3·81 2·60 ·39 3·11 1·65 2·99 1·60 24·64

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 846

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1937.

Cfec V 17

Convert Days UR.

Kept at 18 Carlton Road Ealing W.5

in the County of Middlesex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 120 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1	9·			2·6					✓		18·4			1
2	Tr	3·2		13·3					✓ 4·2	·1		23·5		2
3		6·2										8·9		3
4	·1	10·1										·9		4
5	5·1	Tr	5·8				2·					72		5
6		8·3	12·3		5·3									6
7		12·3	·3	2·4					1·3	2·2				7
8		1·3				2·2	·3			2·3		5·8		8
9					3·2	·7	2·		7·			·5		9
10			12·3	7·5	8·2	10·9	·5	5·5				8·6		10
11			1·3	1·	2·9		·8					·4		11
12	3·1	7·	3·2		5·	14·5	·9	2·7	1·2			4·1		12
13	3·7	1·3	·3			2·2		(1·44 in) 36·5	5·9			20·6		13
14		1·3	9·2	·3				6·	1·					14
15	4·	2·2		3·3			4·1		1·1					15
16	9·6		2·3	2·		·2			14·			·8		16
17		3·3	5·	11·2		1·8		4·4	4·1					17
18	4·	2·2			3·	9·1			·1		4·8			18
19	·3	2·1	1·	2·3	1·	2·9	5·1					4·4		19
20	Tr	·5	·9	6·8	15·	3·6			·6					20
21	13·2	13·6	·5	2·8	·3		1·3					·4		21
22	12·2				·2	3·1	1·3			17·2	8·1	·5		22
23	2·	·3			2·3					72				23
24	7·2	14·5	1·3		·2	·3		No observation until 2/9	3·5	4·3		·1		24
25	1·2	7·3	3·3		5·2				1·6	4·4				25
26		4·	1·1		1·1					4·		·6		26
27		Tr		2·3					·4	10·8				27
28		3·7		1·3		·6								28
29	Tr					·1				3·	1·6	1·0		29
30	7·3	✕									4·5			30
31	6·9	✕		✕		✕			✕	3·6	✕	·7		31
TOTAL	88·9	104·7	60·1	59·1	52·9	52·2	18·3	55·1	46·0	59·1	37·4	89·0	Year's Total 722·8	
* Days with 0.2 mm. or more.	15	20	16	14	14	13	10	~~5~~ 6	~~13~~ 14	10	5	17	~~152~~	154
* Days with 1.0 mm. or more.	14X	182	12	13	11	9X	5	5	11X	10X	5	9X	~~10~~	122

(141w) * See Instruction 2 (f) on other side.

40-9999.

† Spare column, no entries required, except year's total.

(*Signed*) H. W. Peal. [P.T.O.

3·50 4·12 2·37 2·33 2·08 2·06 ·72 2·17 1·81 2·33 1·47 3·50 28·46

X ACTON PUMPING

56142/34

Section **A** for the entry of Daily C
AIR MINISTRY.—MET

Station No. 846/5
ALL ORGANIZATION.

~~[illegible]~~

c 1934

FORM 1090.

REGISTER 934.

Kept at ~~Borough of Acton Sew~~ Stn. Warple W
in the County of Middlesex.

III/Middx /1

Diameter of Funnel of Gauge 6"
Height of top of Gauge above Ground 2
,, Ground ,, Sea Level

846/5
ACTON P. S.
1934-1940

1935 A/B

THE MORNING MEASUREMENT ~~IS CREDITED~~ TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	-	-	-	-	0.07	-	0.02	-	0.35		1
2	0.10.	-	0.08	-	-	-	-	-	051	0.16	-	0.22		2
3	-	0.02	-	0.18	-	-	-	0.01	→	0.08	-	-		3
4	0.66	-	0.07	0.01.	-	-	-	-	-	0.06	0.05	0.33		4
5	-	-	0.01	-	0.02	-	-	-	-	-	0.03	0.38		5
6	-	-	0.29	-	0.22	0.69	-	0.02	-	0.14	0.01	0.37		6
7	0.01.	-	-	-	-	-	-	0.09	-	0.14	-	0.09		7
8	-	-	-	-	0.04	-	-	0.03	0.06	-	0.30	-		8
9	-	-	0.02	-	-	-	-	-	-	-	0.78	0.30		9
10	0.01	-	0.09	0.09	-	-	-	0.02	-	-	0.31	0.01		10
11	0.21.	-	0.36	0.04	-	-	-	0.01	-	-	-	0.07		11
12	0.04	-	0.05	-	-	-	0.04.	0.25	-	-	-	0.04		12
13	0.21	-	0.23	-	-	-	0.18	0.01	-	-	0.02	0.09		13
14	0.04	-	0.18	-	-	-	-	-	-	-	0.20	0.46		14
15	0.06	-	0.07	-	0.02	-	-	-	0.02	-	0.05	0.29		15
16	0.10	-	0.69	-	0.62	-	-	-	-	0.09	-	-		16
17	-	-	-	0.01	-	-	-	-	-	0.06	0.01	0.09		17
18	0.05	-	-	0.07	-	-	0.35	-	-	-	-	0.67		18
19	-	-	0.15.	-	-	0.05	←	-	0.05	-	-	0.12		19
20	-	-	0.11	-	-	-	0.17	-	-	-	-	0.01		20
21	-	-	-	0.11	-	0.11	-	0.02	-	-	-	-		21
22	-	-	-	-	-	-	0.04	0.11	0.20	-	-	0.03		22
23	-	-	-	0.23	-	0.22	-	0.02	-	-	-	0.07		23
24	-	-	0.02	0.15	-	0.02	1.02	-	0.37	-	-	-		24
25	0.10	0.04	-	0.08	-	0.09	-	-	-	0.01	-	0.33		25
26	0.01.	-	-	0.09	-	0.06	-	-	-	-	-	0.05		26
27	0.02	0.02.	-	0.67	-	0.22	-	-	-	-	-	0.17		27
28	-	0.10.	-	-	-	0.22	-	0.79	-	-	0.09	0.22		28
29	-	×	-	-	-	-	0.01	0.01	0.14	-	-	0.02		29
30	0.04	×	-	-	-	-	-	0.02	-	-	-	0.12		30
31	-	×	-	×	-	×	-	-	×	0.06	×	0.03		31
TOTAL	1.06	0.18	1.82	1.13	0.32	1.08	1.81	1.48	1.35	0.82	1.85	4.33	Year's Total. 17.~~3~~23	
* Days with .01 in. or more.	15	4	15	12	5	9	7	15	7	10	11	26	136	
* Days with .04 in. or more.	11	2.	12	10.	2.	8	6	5	6	8	7	21	98	

n/p. Stations Graphs not in use in Sept

40-9999

* See Instruction 2 (f) on other side.

N

† Spare column, no entries required.

(Signed) ~~[illegible]~~ X THE BOROUGH ENGINEER X

P.T.O.

X ACTON PUMPING

f 356142/34

~~COPY FOR~~ OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 846/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

c 1934

III/Middx. /1

converted to wall

Kept at ~~Borough of Acton Sewage Pumping Stn. Warple Way. Acton.~~ W.3.
in the County of Middlesex.

Diameter of Funnel of Gauge 6" in.
Height of top of Gauge above Ground 2 ft 6 in.
,, Ground ,, Sea Level 22 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	-	-	-	-	0.07	-	0.02	-	0.35		1
2	0.10	-	0.08	-	-	-	-	-	051	0.16	-	0.22		2
3	-	0.02	-	0.18	-	-	-	0.01	-	0.08	-	-		3
4	0.66	-	0.07	0.01	-	-	-	-	-	0.06	0.05	0.33		4
5	-	-	0.01	-	0.02	-	-	-	-	-	0.03	0.38		5
6	-	-	0.29	-	0.22	0.69	-	0.02	-	0.14	0.01	0.37		6
7	0.01	-	-	-	-	-	-	0.09	-	0.14	-	0.09		7
8	-	-	-	-	0.04	-	-	0.03	0.06	-	0.30	-		8
9	-	-	0.02	-	-	-	-	-	-	-	0.78	0.30		9
10	0.01	-	0.09	0.09	-	-	-	0.02	-	-	0.31	0.01		10
11	0.21	-	0.36	0.04	-	-	-	0.01	-	-	-	0.07		11
12	0.04	-	0.05	-	-	-	0.04	0.25	-	-	-	0.04		12
13	0.21	-	0.23	-	-	-	0.18	0.01	-	-	0.02	0.09		13
14	0.04	-	0.18	-	-	-	-	-	-	-	0.20	0.46		14
15	0.06	-	0.07	-	0.02	-	-	-	0.02	-	0.05	0.29		15
16	0.10	-	0.69	-	0.62	-	-	-	-	0.09	-	-		16
17	-	-	-	0.01	-	-	-	-	-	0.06	0.01	0.09		17
18	0.05	-	-	0.07	-	-	0.35	-	-	-	-	0.67		18
19	-	-	0.15	-	-	0.05	-	-	0.05	-	-	0.12		19
20	-	-	0.11	-	-	-	0.17	-	-	-	-	0.01		20
21	-	-	-	0.11	-	0.11	-	0.02	-	-	-	-		21
22	-	-	-	-	-	-	0.04	0.11	0.20	-	-	0.03		22
23	-	-	-	0.23	-	0.22	-	0.02	-	-	-	0.07		23
24	-	-	0.02	0.15	-	0.02	1.02	-	0.37	-	-	-		24
25	0.10	0.04	-	0.08	-	0.09	-	-	-	0.01	-	0.33		25
26	0.01	-	-	0.09	-	0.06	-	-	-	-	-	0.05		26
27	0.02	0.02	-	0.67	-	0.22	-	-	-	-	-	0.17		27
28	-	0.10	-	-	-	0.22	-	0.79	-	-	0.09	0.22		28
29	-	×	-	-	-	-	0.01	0.01	0.14	-	-	0.02		29
30	0.04	×	-	-	-	-	-	0.02	-	-	-	0.12		30
31	-	×	-	×	-	×	-	-	×	0.06	×	0.03		31
TOTAL	1.06	0.18	1.82	1.13	0.32	1.08	1.81	1.48	1.35	0.82	1.85	4.33	Year's Total 17.33	
* Days with .01 in. or more.	15	4	15	12	5	9	7	15	7	10	11	26	136	
* Days with .04 in. or more.	11	2	12	10	2	8	6	5	6	8	7	21	98	

nf. showers grouped at use in Sept

40-9999

* See Instruction 2 (f) on other side.

N

† Spare column, no entries required.

(Signed) THE BOROUGH ENGINEER

P.T.O.

X ACTON PUMPING STATION (+A) X

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 846/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936. D)

Insert in proof

Kept at Warple Way, Acton

in the County of Middlesex

Diameter of Funnel of Gauge ~~8~~ 5 in.

Height of top of Gauge above Ground ~~2~~ 1 ft. ~~X~~ 0 in. — X

,, Ground ,, Sea Level 22 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.32	0.06	0.03	0.09	-	0.16	0.09	0.01	-	-	0.05	0.08		1
2	-	0.12	-	-	-	0.16	0.01	0.08	-	-	0.04	-		2
3	-	-	-	0.21	-	0.02	0.03	-	0.08	-	0.28	-		3
4	-	-	0.09	-	-	0.10	-	-	0.50	-	0.03	0.01		4
5	0.07	-	0.03	-	-	0.06	-	0.01	0.23	-	0.01	0.02		5
6	0.17	-	-	-	-	-	-	0.06	0.02	-	0.13	0.08		6
7	0.21	-	-	-	-	0.11	-	-	0.03	-	0.07	0.03		7
8	0.12	-	0.02	-	-	-	-	-	-	-	0.36	0.17		8
9	0.38	-	0.05	-	-	-	1.23	-	0.34	-	-	-		9
10	-	-	-	-	-	-	0.03	0.20	0.08	-	-	-		10
11	-	-	-	0.06	-	-	0.08	-	-	-	0.71	-		11
12	-	-	-	0.12	-	0.40	0.16	-	0.11	-	0.28	0.09		12
13	-	-	-	-	-	0.39	-	-	-	0.02	-	0.03		13
14	-	0.02	-	-	-	0.04	0.50	-	-	0.02	0.14	0.40		14
15	-	0.05	-	-	-	-	-	-	0.16	-	0.01	-		15
16	0.46	0.07	-	-	-	-	-	-	0.03	-	0.36	0.07		16
17	0.15	0.31	-	-	0.06	0.19	-	-	-	-	0.27	0.07		17
18	0.03	0.05	-	-	-	0.36	0.08	-	-	-	-	0.04		18
19	0.17	0.01	-	-	-	0.07	0.15	0.01	-	0.03	-	-		19
20	0.02	0.03	0.04	0.36	-	-	0.07	-	0.87	-	-	-		20
21	-	-	-	0.16	-	0.51	-	-	0.16	-	-	-		21
22	0.12	0.32	0.02	0.02	0.32	0.03	0.16	-	-	-	-	0.06		22
23	0.02	0.13	0.03	0.06		-	0.01	-	-	0.10	-	-		23
24	0.07	-	-	-	-	-	-	-	-	0.30	-	-		24
25	0.06	-	0.13	0.15	-	0.19	0.04	-	0.07	0.13	0.01	0.01		25
26	-	0.07	0.17	0.03	-	0.12	-	-	0.02	0.15	-	0.01		26
27	0.12	0.03	0.02	-		-	0.01	-	0.31	0.04	-	-		27
28	0.70	-	0.06	-	-	-	0.25	-	-	-	-	0.02		28
29	0.08	0.05	0.04	-	-	0.16	0.02	-	-	-	0.13	0.02		29
30	0.05	×	-	-	0.12	0.12	-	-	-	0.15	-	-		30 Print
31	0.35	×	0.19	×	-	×	0.11	-	×	0.55	×	0.19		31
													Year's Total	
TOTAL	3.67	1.32	0.92	1.26	0.50	3.19	3.03	0.37	3.01	1.49	2.88	1.40	23.04	
* Days with .01 in. or more.	20	14	14	10	3	18	18	6	15	10	16	18	162	
* Days with .04 in. or more.	17	10	8	8	3	16	12	3	11	7	13	10	118	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) W. G. Cross [P.T.O.

X W.G.CROSS ESQ C.E. X

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 846/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Warple Way

in the County of Middx

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

Standard Gauge Readings

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·38	-	-	·10	-	-	-	-	-	-	·61	·78		1
2	-	·08	·03	·47	-	-	-	-	0·15	-	-	·60		2
3	-	·14	-	-	-	-	-	-	-	-	-	·01		3
4	·03	·33	-	-	-	-	-	-	-	-	-	·28		4
5	·15	·06	·24	-	-	-	·07	-	-	-	-	-		5
6	·03	-	·54	-	·15	-	·01	-	-	·03	-	-		6
7	-	·63	·04	·08	-	-	-	-	·04	-	-	-		7
8	-	·01	-	-	·01	·05	-	-	-	-	·10	·28		8
9	-	·04	-	·31	·13	-	·04	-	·27	-	-	·02		9
10	-	-	·41	·03	·05	·43	·02	·19	-	-	-	·43		10
11	-	-	·12	-	·40	-	·01	-	-	-	-	·03		11
12	·11	·23	·15	-	·41	·22	·02	·02	·03	-	-	·08		12
13	·11	·04	·36	-	-	·16	-	1·33	·19	-	-	·77		13
14	-	·07	·13	·01	-	·01	-	·32	·04	-	-	-		14
15	·07	·09	-	·13	-	·01	·15	-	·10	-	-	·02		15
16	·03	·12	·16	·29	-	·15	-	·18	·29	-	-	·02		16
17	·20	-	·07	·06	-	·01	-	-	·26	-	-	-		17
18	·22	·04	·01	-	·06	·49	-	-	-	-	·16	·03		18
19	-	·08	·01	·09	·05	·10	·11	-	·04	-	-	·10		19
20	·21	-	·01	·23	·60 ~~·06~~	·06	-	-	·04	-	-	-		20
21	·25	·59	-	·06	·01	-	·02	-	-	-	-	-		21
22	·31	-	-	-	-	·11	·04	-	-	·60	·28	·02		22
23	·23	-	·02	-	·08	-	-	-	-	·49	-	-		23
24	·34	·51	·04	-	-	-	-	-	·08	·14	-	-		24
25	·04	·19	·14	-	·26	-	-	-	·03	·28	-	·01		25
26	-	·25	·04	-	·03	-	-	-	-	·02	-	·01		26
27	·04	·07	-	·12	-	-	-	-	-	·49	-	-		27
28	-	·06	-	·03	-	-	-	-	-	·09	-	·01		28
29	·04	X	-	-	-	-	-	-	-	·02	·03	·02		29
30	·18	✕	-	-	-	-	-	-	-	-	·15	·01		30
31	·27	✕	-	✕	-	✕	-	-	✕	·28	✕	·03		31
TOTAL	3·24	3·63	2·52	2·01	2·24 ~~1·70~~	1·80	0·49	2·04	1·56 ~~1·44~~	2·44	1·33	3·56	Year's Total ~~26·17~~	26·86
* Days with .01 in. or more.	20	20	18	14	13	12	10	5	13 ~~12~~	10	6	21	167	✓
* Days with .04 in. or more.	17	19	13	11	10	9	5	4	11 ~~10~~	7	5	8	~~118~~	119 ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

Borough Engineer.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 846/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Pumping Station, Warple Way W3

in the County of Middlesex

Diameter of Funnel of Gauge 5 6 in.

Height of top of Gauge above Ground 1 2 ft 0 6 in.

,, Ground ,, Sea Level 22 ft.

corr. for snow Dec 19–26. W.J.K. 20/4/39

Snow w.g.t.

Phoned Engineer who said the measurement of gauge should be recorded as now shown in red ink

17.3.39

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	–	–	0.01	0.09	–	–	Trace	–	–	0.03		1
2	0.08	–	–	0.04	0.05	–	–	–	–	0.15	–	0.03		2
3	–	–	–	–	0.27	–	–	–	Trace	0.41	–	–		3
4	0.02	–	–	–	–	–	–	–	–	0.01	–	0.10		4
5	–	–	–	–	–	–	0.12	–	–	0.09	–	–		5
6	0.04	–	–	–	–	–	0.01	–	0.63	–	–	–		6
7	–	–	–	–	–	–	0.03	1.17	0.24	0.09	–	0.03		7
8	0.08	–	–	–	–	–	0.06	–	–	0.15	–	0.01		8
9	0.04	–	–	–	–	–	Trace	0.26	–	–	–	0.41		9
10	0.12	0.03	–	–	–	–	–	0.06	–	–	–	0.02		10
11	0.27	–	–	–	–	–	–	0.74	–	–	0.12	0.05		11
12	0.21	0.02	–	–	–	–	–	0.48	–	0.17	0.02	–		12
13	0.17	0.02	–	–	–	–	–	–	–	0.04	0.03	0.09		13
14	0.19	–	–	–	0.08	–	–	–	0.02	–	–	0.01		14
15	0.02	0.01	–	–	–	–	0.16	–	–	0.29	–	0.22		15
16	0.27	–	–	–	–	–	Trace	–	–	–	–	0.77		16
17	–	0.07	–	–	0.10	–	–	–	–	0.07	–	–		17
18	0.02	–	–	–	0.03	–	–	–	0.14	0.02	0.20	–		18
19	–	–	–	–	–	–	–	0.02	0.09	–	0.14	–		19
20	–	–	–	–	–	–	–	–	–	–	0.43	~~0.08~~ ✓		20
21	–	–	–	–	–	–	–	0.03	0.04	–	0.02	– X		21
22	–	–	–	–	–	–	–	0.03	–	–	0.12	~~0.40~~ X (1.10)		22
23	–	–	–	–	–	–	–	–	–	–	–	~~0.01~~ ✓		23
24	–	–	0.08	–	0.02	–	–	–	0.54	–	0.04	~~0.02~~ X		24
25	0.07	–	0.09	–	0.02	–	–	0.16	Trace	0.02	0.95	~~0.01~~ X		25
26	0.11	0.11	0.04	–	–	–	–	–	0.25	0.18	–	~~0.31~~ X	✓	26
27	0.06	0.02	–	–	0.02	0.15	0.21	0.05	0.50	0.05	0.25	–		27
28	0.10	0.04	–	–	0.49	0.01	–	0.25	–	–	–	0.03		28
29	0.31	X	–	–	0.05	–	–	0.01	0.03	–	0.04	0.20		29
30	0.03	×	–	–	0.04	–	–	–	0.03	0.09	0.09	–		30
31	0.08	×	–	×	0.06	×	–	–	×	0.08	×	0.11		31
TOTAL	2.29	0.32	0.21	0.04	1.24	0.25	0.59	3.26	2.51	1.91	2.45	(3.21) ~~2.94~~	Year's Total ~~18.01~~ 18.28 ✓	
* Days with .01 in. or more.	20	8	3	1	13	3	6	12	11	16	13	2X 2	12X 8 ✓	
* Days with .04 in. or more.	16	3	3	1	8	2	4	8	8	13	10	X13	89 ✓	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) W. G. Cross

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 846/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Pumping Station Warple Way W.3.
in the County of Middlesex
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 6 in.
,, Ground ,, Sea Level 22 ft.

Entry on Nov 23rd adjusted to agree with nearby stns. [illegible]

Query sent today. [illegible] 8/4/40

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.01	–	–	0.33	0.36	–	0.02	0.79	0.23	–	–	–		1
2	–	–	–	0.01	0.01	–	–	0.56	0.67	–	0.02	–		2
3	0.26	–	–	0.18	–	–	–	0.28	–	–	0.16	0.15		3
4	0.11	–	0.16	0.15	–	–	0.07	0.91	–	0.38	0.04	0.01		4
5	–	–	–	0.31	0.01	–	0.02	0.01	–	0.09	0.17	0.03		5
6	0.35	–	–	–	–	–	0.17	0.02	–	–	0.69	0.01		6
7	–	0.05	–	–	–	–	–	0.01	–	–	0.02	0.05		7
8	–	0.02	0.12	–	–	–	–	0.28	–	0.44	0.12	0.30		8
9	0.01	0.03	–	–	–	–	–	0.02	–	0.26	0.05	0.14		9
10	0.15	–	–	–	–	0.36	–	0.09	–	0.03	–	–		10
11	–	–	0.20	–	0.01	0.19	–	–	0.02	0.29	–	–		11
12	–	–	–	–	–	–	–	–	–	–	–	–		12
13	–	–	–	–	–	–	0.02	–	–	1.29	–	–		13
14	0.36	–	–	–	0.09	–	–	–	–	0.21	0.40	0.03		14
15	0.24	–	–	–	0.55	0.10	0.11	–	0.06	0.84	0.02	0.01		15
16	0.40	–	0.06	0.02	0.09	0.10	–	–	0.01	–	0.44	–		16
17	0.16	0.03	0.01	–	0.15	–	0.02	–	–	–	0.03	–		17
18	0.13	–	0.03	–	–	0.19	0.28	–	–	0.05	0.27	–		18
19	0.18	–	–	–	–	–	0.04	–	–	0.28	0.01	–		19
20	0.18	–	–	–	–	0.28	0.62	0.02	–	–	–	–		20
21	0.06	–	0.02	–	–	0.04	0.18	0.19	0.09	–	–	–		21
22	0.09	0.18	0.13	–	–	0.06	–	–	–	–	0.09	–		22
23	0.01	–	0.01	0.05	–	–	0.01	0.01	–	0.02	(·60) ~~0.06~~	0.02		23
24	0.23	–	–	0.03	–	–	0.05	–	–	0.13	0.01	–		24
25	0.86	0.14	0.03	–	–	–	0.07	–	–	–	0.45	–		25
26	0.03	0.01	–	–	–	0.01	–	–	–	0.28	0.26	0.02		26
27	–	0.01	0.05	0.09	–	–	–	–	–	0.15	0.19	–		27
28	–	0.15	0.04	0.22	–	–	–	–	–	0.04	0.11	–		28
29	–	–	–	0.20	–	–	0.03	–	–	0.08	0.13	0.08		29
30	–	✕	–	0.52	–	0.04	–	–	–	–	0.24	0.02		30 Print WH
31	–	✕	–	✕	–	✕	0.02	0.02	✕	0.05	✕	–		31
TOTAL	3.82	0.62	1.04	2.11	1.27	1.37	1.73	3.21	1.08	4.91	4.52 ~~3.98~~	0.87	Year's Total 26 ~~01~~ 55	
* Days with .01 in. or more.	19	9	12	12	8	10	16	14	6	18	23	13	160	
* Days with .04 in. or more.	15	4	7	9	5	9	9	7	4	16	17	5	107	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 846/5 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Pumping Station Warple Way W.3

in the County of Middlesex

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground ~~12~~ ft. 6 in. X 1' 0"

,, Ground ,, Sea Level 22 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	–	–	–	–	–	–	–	–	0.10	–		1
2	–	0.03	–	0.11	–	–	0.06	–	–	0.12	0.34	–		2
3	–	0.16	–	0.12	–	–	–	–	–	0.07	1.02	0.07		3
4	–	0.09	–	0.03	–	–	–	–	–	0.13	0.13	0.03		4
5	–	–	–	–	–	–	0.02	–	–	0.04	0.22	0.07		5
6	0.14	0.06	–	–	0.02	–	0.17	–	–	0.14	0.16	–		6
7	0.26	0.04	–	–	0.04	–	0.13	–	–	–	–	–		7
8	–	–	–	–	–	–	–	–	–	0.11	0.02	0.24		8
9	–	–	–	–	–	0.30	–	–	0.02	0.05	0.07	0.03		9
10	–	–	–	–	–	–	0.25	0.04	–	0.15	0.07	0.02		10
11	–	–	0.02	0.02	–	–	0.25	–	–	–	0.90	0.01		11
12	–	–	0.09	–	–	–	0.07	–	0.21	–	–	–		12
13	–	–	0.72	–	–	–	0.02	–	0.16	–	0.85	–		13
14	–	–	0.16	0.11	–	–	–	–	–	–	–	0.22		14
15	–	–	0.03	0.01	0.09	–	0.30	–	0.02	–	0.24	–		15
16	–	–	0.29	0.06	–	0.04	0.20	–	0.12	0.86	0.79	0.03		16
17	–	0.06	0.38	–	–	–	0.04	–	–	–	0.65	–		17
18	–	0.37	0.12	0.26	–	–	0.09	–	–	0.10	0.45	0.12		18
19	–	0.21	0.04	0.04	–	–	0.03	–	0.69	–	0.04	0.03		19
20	–	0.02	–	0.02	–	–	0.05	0.01	–	–	0.10	–		20
21	–	–	–	–	0.27	–	0.08	0.02	–	0.04	0.30	–		21
22	0.04	–	0.02	–	0.55	0.20	–	–	0.07	0.01	–	–		22
23	–	0.14	0.01	0.18	0.01	–	–	–	–	–	–	0.01		23
24	–	–	0.60	0.14	–	–	0.19	–	–	–	–	0.02		24
25	–	–	0.66	–	–	–	0.07	–	–	–	–	–		25
26	1.00	0.05	0.01	0.01	0.13	0.09	0.01	–	–	–	–	–		26
27	0.08	0.21	0.01	0.08	0.02	–	0.36	–	–	–	–	–		27
28	–	–	–	–	0.05	–	–	–	–	–	–	–		28
29	–	0.02	0.06	–	0.03	–	–	–	–	–	–	0.18		29
30	0.09	✕	–	0.31	–	–	–	–	–	0.03	–	–		30
31	0.42	✕	–	✕	–	✕	–	–	✕	0.56	✕	0.03		31
TOTAL	2.03	1.46	3.22	1.50	1.21	0.63	2.39	0.07	1.29	2.41	6.35	1.11	Year's Total 23.67	
* Days with .01 in. or more.	7	13	16	15	10	4	19	3	7	14	18	15	141	
* Days with .04 in. or more.	7	10	10	10	6	4	15	1	5	12	17	6	103	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

X Acton Cemetery X C

356143/34

Section **A** for the entry of Daily

AIR MINISTRY.—ME ... FALL ORGANIZATION.

Station No. 846/6

846/6

ACTON CEMETERY

1935-1940

780203

FORM 1090.

REGISTE ... 1935.

Kept at The Cemetery, Park R

in the County of Middlesex.

Middlesex/1

Diameter of Funnel of Gauge 5"

Height of top of Gauge above Ground 1

,, Ground ,, Sea Level

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.08	0.03	-	0.04	-	0.20	0.03	-	Trace.	0.11	0.29	0.01		1
2	-	-	0.01	0.10	-	-	-	-	0.09	0.13	0.01	trace.		2
3	-	0.07	0.09	0.08	-	0.35	-	-	0.11	0.53	0.14	trace		3
4	-	-	-	0.12	-	0.27	-	-	0.20	0.14	-	0.15		4
5	-	0.19	0.03	0.08	-	0.15	trace.	-	0.27	-	Trace	Trace.		5
6	0.01	-	-	0.26	-	0.34	-	-	-	-	0.01	0.01		6
7	-	-	-	0.57	-	0.02	-	-	-	0.02	0.96	0.12		7
8	-	-	-	0.30	trace	-	-	-	-	0.25	0.23	0.20		8
9	-	-	-	0.21	trace	0.55	-	-	-	0.50	0.10	trace.		9
10	0.01	-	-	0.01	-	0.01	-	-	-	-	0.14	0.02		10
11	0.22	-	-	0.13	-	0.09	0.31	-	-	-	0.24	-		11
12	-	-	-	-	-	0.09	-	0.07	-	-	0.42	-		12
13	0.10	0.16	-	0.16	0.11	0.03	-,	-	-	-	trace	trace		13
14	-	-	-	0.02	0.16	0.07	-	-	-	-	0.02	0.10.		14
15	-	0.24	-	0.35	-	0.46	-	-	0.05	-	0.26	0.07		15
16	-	0.11	0.03	0.03	-	trace	-	-	0.21	trace	0.46	0.03		16
17	-	-	-	0.02	-	0.18	-	trace	0.02	-	0.37	trace		17
18	-	-	-	0.20	0.01	0.18	0.05	-	0.30	0.02	0.04	trace.		18
19	-	-	-	0.01	0.16	0.04	0.04	-	0.02	-	0.11	0.03		19
20	-	0.17	-	0.03	0.33	0.06	0.18	-	0.03	-	0.14	-		20
21	-	0.21	-	-	-	trace	-	-	0.02	0.03	0.02	-		21
22	-	0.04	0.03	-	-	-	-	0.27	0.13	-	trace	0.02		22
23	-	-	0.19	-	-	-	-	0.34	0.04	0.03	-	0.16		23
24	0.05	0.55	-	-	0.06	-	trace	0.22	0.47	trace	-	0.23		24
25	0.13	0.07	-	0.23	0.04	0.55	-	-	-	-	trace	0.07		25
26	0.06	0.17	-	-	-	-	-	0.20	0.04	-	-	0.27		26
27	0.09	0.37	-	-	-	-	-	trace	0.13	trace	0.12	0.23		27
28	-	-	-	-	0.04	-	-	-	0.01	0.06	-	0.16		28
29	-	-	-	-	-	-	-	-	0.55	trace	-	0.15		29
30	0.05	×	-	0.08	0.03	-	-	0.61	0.12	0.27	0.37	0.28		30
31	-	×	-	×	trace	×	-	trace	×	0.33	×	0.32		31
TOTAL	0.80	2.38	0.38	3.03	0.94	3.64	0.88	1.71	2.81	2.42	4.45	2.63	Year's Total. 26.07	
* Days with .01 in. or more.	10	13	6	21	9	18	5	6	19	13	20	20	160	
* Days with .04 in. or more.	8	12	2	15	7	15	5	6	14	9	16	14	123	

Part ✓

40-9999

* See Instruction 2 (f) on other side.

W.G. Crosby Eg. C.E.

N

† Spare column, no entries required.

(*Signed*) ~~[illegible]~~ 62.

[P.T.O.

X Acton Cemetery X

356143/34

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 846/6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at The Cemetery, Park Royal Rd. W.3

in the County of Middlesex.

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 100 ft.

+A

III/ Middlesex/1

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0.08	0.03	-	0.04	-	0.20	0.03	-	Trace.	0.11	0.29	0.01		1
2	-	-	0.01	0.10	-	-	-	-	0.09	0.13	0.01	trace.		2
3	-	0.07	0.09	0.08	-	0.35	-	-	0.11	0.53	0.14	trace		3
4	-	-	-	0.12	-	0.27	-	-	0.20	0.14	-	0.15		4
5	-	0.19	0.03	0.08	-	0.15	trace.	-	0.27	-	Trace	Trace.		5
6	0.01	-	-	0.26	-	0.34	-	-	-	-	0.01	0.01		6
7	-	-	-	0.57	-	0.02	-	-	-	0.02	0.96	6.12		7
8	-	-	-	0.30	trace	-	-	-	-	0.25	0.23	0.20		8
9	-	-	-	0.21	trace	0.55	-	-	-	0.50	0.10	trace.		9
10	0.01	-	-	0.01	-	0.01	-	-	-	-	0.14	0.02		10
11	0.22	-	-	0.13	-	0,09	0.31	-	-	-	0.24	-		11
12	-	-	-	-	-	0.09	-	0.07	-	-	0.42	-		12
13	0.10	0.16	-	0.16	0.11	0.03	-,	-	-	-	trace	trace		13
14	-	-	-	0.02	0.16	0.07	-	-	-	-	0.02	0.10.		14
15	-	0.24	-	0.35	-	0.46	-	-	0.05	-	0.26	0.07		15
16	-	0.11	0.03	0.03	-	trace	-	-	0.21	trace	0.46	0.03		16
17	-	-	-	0.02	-	0.18	-	trace	0.02	-	0.37	trace		17
18	-	-	-	0.20	0.01	0.18	0.05	-	0.30	0.02	0.04	trace.		18
19	-	-	-	0.01	0.16	0.04	0.04	-	0.02	-	0.11	0.03		19
20	-	0.17	-	0.03	0.33	0.06	0.18	-	0.03	-	0.14	-		20
21	-	0.21	-	-	-	trace	-	-	0.02	0.03	0.02	-		21
22	-	0.04	0.03	-	-	-	-	0.27	0.13	-	trace	0.02		22
23	-	-	0.19	-	-	-	-	0.34	0.04	0.03	-	0.16		23
24	0.05	0.55	-	-	0.06	-	trace	0.22	0.47	trace	-	0.23		24
25	0.13	0.07	-	0.23	0.04	0.55	-	-	-	-	trace	0.07		25
26	0.06	0.17	-	-	-	-	-	0.20	0.04	-	-	0.27		26
27	0.09	0.37	-	-	-	-	-	trace	0.13	trace	0.12	0.23		27
28	-	-	-	-	0.04	-	-	-	0.01	0.06	-	0.16		28
29	-	-	-	-	-	-	-	-	0.55	trace	-	0.15		29
30	0.05	×	-	0.08	0.03	-	-	0.61	0.12	0.27	0.37	0.28		30
31	-	×	-	×	trace	×	-	trace	×	0.33	×	0.32		31
TOTAL	0.80	2.38	0.38	3.03	0.94	3.64	0.88	1.71	2.81	2.42	4.45	2.63	Year's Total. 26.07	
* Days with .01 in. or more.	10	13	6	21	9	18	5	6	19	13	20	20	160	
* Days with .04 in. or more.	8	12	2	15	7	15	5	6	14	9	16	14	123	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 846/6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936. D

Kept at The Cemetery, Park Royal Road. W3.

in the County of Middlesex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" Ground " Sea Level 100 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.37	0.09	0.04	0.12	-	0.22	0.11	0.02	-	-	0.07	0.09		1
2	-	0.10	-	Trace	-	0.18	0.06	0.10	-	-	0.05	-		2
3	-	-	-	0.16	-	0.01	0.02	-	0.05	-	0.32	-		3
4	-	-	0.05	-	-	0.08	-	-	0.57	-	0.05	0.03		4
5	0.07	-	-	-	-	-	-	0.01	0.23	-	0.02	0.04		5
6	0.18	-	-	-	0.01	0.11	-	0.06	0.03	-	0.13	0.07		6
7	0.22	-	0.01	-	-	0.13	-	-	0.04	-	0.09	0.03		7
8	0.17	-	0.02	-	-	-	-	-	-	-	0.33	0.18		8
9	0.57	-	0.09	-	-	-	0.81	-	0.40	-	-	-		9
10	-	-	-	-	-	-	0.05	0.13	0.13	-	0.02	Trace		10
11	-	-	-	0.03	-	-	0.17	Trace	-	-	0.83	-		11
12	-	-	-	0.12	-	0.45	0.15	-	0.16	-	0.36	0.09		12
13	-	-	-	0.01	-	0.50	0.01	-	-	0.02	0.01	0.06		13
14	-	0.04	-	-	-	0.06	0.54	-	0.02	0.02	0.16	0.35		14
15	-	0.06	-	-	-	-	0.01	-	0.29	-	0.01	0.03		15
16	0.41	0.07	-	-	-	-	Trace	-	0.04	-	0.38	0.02		16
17	0.18	0.35	-	-	0.07	0.15	-	-	-	0.02	0.19	0.12		17
18	0.03	0.09	-	-	-	0.29	0.11	Trace	-	0.03	-	0.08		18
19	0.22	0.02	0.01	Trace	-	0.06	0.06	0.02	-	0.03	-	-		19
20	0.02	0.05	0.05	0.36	-	-	0.05	-	0.89	-	-	-		20
21	Trace	-	-	0.19	0.01	0.47	-	-	0.02	-	-	-		21
22	0.13	0.35	0.02	0.02	0.30	0.04	0.16	-	-	-	-	0.06		22
23	0.02	-	0.03	0.06	-	-	0.02	-	-	0.12	-	Trace		23
24	0.10	0.19	-	-	-	-	Trace	-	-	0.36	-	-		24
25	0.07	-	0.14	0.17	-	0.21	0.12	-	0.20	0.13	0.02	0.02		25
26	Trace	0.09	0.17	0.02	-	0.20	0.02	-	0.02	0.15	-	0.02		26
27	0.14	0.03	0.02	Trace	-	-	Trace	-	0.30	0.07	-	Trace		27
28	0.73	-	0.08	-	-	-	0.12	-	0.02	-	-	0.04		28
29	0.10	0.07	0.05	-	-	0.23	0.02	-	-	Trace	0.15	0.02		29
30	0.08	✕	-	-	0.12	0.14	0.04	-	-	0.19	-	Trace		30
31	0.34	✕	0.23	✕	-	✕	0.10	-	✕	0.50	✕	0.23		31
TOTAL	4.15	1.60	1.01	1.26	0.51	3.53	2.75	0.34	3.41	1.64	3.19	1.58	Year's Total 24.97	✓
* Days with .01 in. or more.	20	14	15	11	5	18	21	6	17	12	18	19	176	✓
* Days with .04 in. or more.	17	12	9	7	3	17	15	3	12	7	13	12	127	✓

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 846/6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at The Cemetery, Park Royal Road

in the County of Middlesex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" Ground " Sea Level 100 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·60	-	-	0·11	-	-	-	-	0·01	-	0·64	0·37		1
2	-	0·12	0·01	0·45	-	-	-	-	0·18	-	-	0·51		2
3	-	0·15	Trace	-	-	-	-	-	-	-	-	0·02		3
4	0·05	0·35	-	-	-	-	-	-	-	-	-	0·29		4
5	0·20	0·08	0·23	-	-	-	0·08	-	-	-	-	-		5
6	0·01	Trace	0·46	-	0·15	-	Trace	-	-	0·08	-	-		6
7	-	0·74	0·16	0·10	-	-	-	-	0·06	Trace	-	-		7
8	-	0·02	-	-	0·04	0·05	-	-	-	-	0·06	0·27		8
9	-	0·05	-	0·32	0·16	0·01	0·09	-	0·25	-	-	0·01		9
10	-	-	0·41	0·03	0·08	0·45	0·04	0·18	-	-	-	0·35		10
11	-	-	0·13	-	0·47	-	-	-	-	-	-	0·06		11
12	0·13	0·25	0·16	-	0·34	0·30	0·01	-	0·03	-	-	0·08		12
13	0·11	0·05	0·40	-	-	0·14	-	2·45	0·17	-	-	0·88		13
14	Trace	0·03	0·17	-	-	-	-	0·34	0·05	-	-	-		14
15	0·08	0·11	-	0·14	-	0·01	0·19	-	0·14	-	-	0·01		15
16	0·04	0·11	0·21	0·38	-	0·14	-	0·22	0·28	-	-	-		16
17	0·23	-	0·15	0·08	-	0·02	-	-	0·23	-	-	-		17
18	0·20	0·07	Trace	-	0·11	0·41	-	-	-	-	0·19	0·04		18
19	0·01	0·10	0·03	0·11	0·05	0·11	0·19	-	0·03	-	-	0·12		19
20	0·25	0·01	0·02	0·35	0·64	0·06	-	-	0·03	-	-	Trace		20
21	0·33	0·62	Trace	0·07	0·02	—	0·05	-	-	-		0·01		21
22	0·33	Trace	-	-	-	0·10	0·04	-	-	0·61	0·26	0·02		22
23	0·27	-	Trace	-	0·05	-	-	-	-	0·38	-	-		23
24	0·36	0·53	0·04	-	-	Trace	-	-	0·13	0·13	-	-		24
25	0·03	0·21	0·13	-	0·30	-	-	-	0·05	0·37	-	0·02		25
26	0·02	0·19	0·05	-	0·10	-	-	-	-	0·01	-	Trace		26
27	0·03	0·08	-	0·11	-	-	-	-	-	0·50	-	-		27
28	-	0·09	-	0·02	-	-	-	-	-	0·09	-	0·02		28
29	-	×	-	-	-	0·03	-	-	-	0·03	0·07	0·03		29
30	0·22	×	-	-	-	-	-	-	-	-	0·17	-		30
31	0·29	×	-	×	-	×	-	-	×	0·33	×	0·03		31
TOTAL	3·79	3·96	2·76	2·27	2·51	1·83	0·69	3·19	1·64	2·53	1·39	3·14	Year's Total 29·70	✓
* Days with .01 in. or more.	21	21	16	13	13	13	8	4	14	10	6	19	158	✓
* Days with .04 in. or more.	16	18	13	11	12	9	7	4	10	8	6	10	124	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 846/6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Cemetery, Park Royal Rd W.3

in the County of Middlesex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" Ground " Sea Level 100 ft.

Estimate Dec.

Oct. & Nov. Estimation, totals W.S.R.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	-	0.01	0.09	0.04	-	0.03	0.01	-	✗		1
2	0.12	Trace	-	0.07	0.06	-	-	-	-	0.18	-	✗	(·10)	2
3	-	-	-	-	0.26	-	0.01	-	0.02	0.56	✓	-		3
4	0.01	-	-	-	-	-	-	-	-	0.04	✓	0.08		4
5	0.01	-	-	-	-	-	0.09	0.01	-	0.13	-	-		5
6	0.03	-	-	-	-	-	0.02	-	0.70	0.01	-	-		6
7	-	-	-	-	-	-	0.04	1.35	0.05	0.15	-	0.04		7
8	0.11	-	-	-	-	-	0.16	-	-	0.30	-	0.01		8
9	0.04	0.01	-	-	-	Trace	0.03	0.28	-	Trace	-	0.49		9
10	0.15	0.05	-	-	-	Trace	Trace	0.13	-	-	-	0.02		10
11	0.25	-	-	-	-	-	-	1.32	-	-	✗	0.06		11
12	0.26	0.03	-	-	0.02	-	-	0.06	-	0.25	✓	-		12
13	0.16	0.01	-	-	-	-	-	-	-	0.03	✗	0.12		13
14	0.22	-	-	-	0.08	-	-	-	0.03	-	✓	0.01		14
15	0.05	0.01	Trace	-	-	-	0.17	-	-	0.31	✓	0.36		15
16	0.36	-	-	-	-	-	-	-	-	-	✓	0.84		16
17	-	0.06	-	-	0.04	-	-	-	Trace	0.12	-	-		17
18	0.03	-	-	-	0.05	-	-	-	0.12	0.01	✗	-		18
19	-	-	-	-	-	-	-	0.04	0.06	-	✗	-		19
20	-	-	-	-	-	-	-	-	0.01	-	✗	- ✓		20
21	0.01	-	-	-	-	-	-	0.05	0.05	-	✓	~~0.01~~ ✗		21
22	-	-	-	-	-	0.01	-	0.02	-	-	✗	~~0.22~~ ✗		22
23	-	-	-	Trace	-	-	-	-	-	-	✗	(1.10) ~~0.01~~ ✗		23
24	-	-	0.11	Trace	0.02	-	-	-	0.51	-	✗	~~0.18~~ ✗		24
25	0.10	0.01	0.13	0.01	0.01	-	0.02	Trace	0.01	✗	✗	- ✗		25
26	0.14	0.14	0.06	-	-	-	-	-	0.23	✗	-	~~0.33~~		26
27	0.08	0.03	-	-	0.02	0.17	0.27	0.06	0.49	✗	✗	-		27
28	0.28	0.04	-	-	0.72	0.03	-	0.23	0.02	·50 -	-	0.05		28
29	0.34	✗	-	-	0.13	-	-	-	0.03	-	✗	0.22		29
30	0.03	✗	-	0.01	0.10	0.04	-	-	0.06	✗	✗	0.01		30
31	0.11	✗	-	✗	0.06	✗	-	-	✗	✗	✗	0.20		31 "d"
TOTAL	2.89	0.39	0.30	0.09	1.58	0.34	0.85	3.55	2.42	2.60	(2.75)	3.61	Year's Total (21.37)	✓
* Days with .01 in. or more.	22	10	3	3	14	5	10	11	15	18	(19)	21	(151)	✓
* Days with .04 in. or more.	16	4	3	1	9	3	6	9	8	14	(12)	14	(99)	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) W. G. Cross

[P.T.O.

Gauge out of order 25 Oct to 2 Dec inclusive.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Station No. 846/6

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at The Cemetery Park Royal Road N.W.10
in the County of Middlesex
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
,, Ground ,, Sea Level 100 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·01	-	-	0·36	0·38	-	0·09	0·46	0·15	-	-	-		1
2	0·01	-	-	0·02	0·01	-	-	0·62	0·81	-	0·02	-		2
3	0·30	-	-	0·21	-	-	-	0·35	-	-	0·18	0·13		3
4	0·09	-	0·16	0·12	-	-	0·05	1·02	-	0·43	0·03	0·01		4
5	-	-	-	0·48	0·04	-	0·01	0·01	-	0·11	0·22	0·03		5
6	0·40	-	-	-	-	-	0·21	0·03	-	-	0·68	0·03		6
7	0·01	0·06	-	-	-	-	-	0·05	-	-	0·02	0·09		7
8	-	0·04	0·16	-	-	-	0·01	0·51	-	0·47	0·09	0·33		8
9	0·02	0·06	-	-	-	-	-	0·01	-	0·28	0·07	-		9
10	0·17	-	-	-	-	0·36	-	0·10	0·02	0·03	-	0·10		10
11	-	-	0·22	-	-	0·20	-	-	-	0·26	0·01	-		11
12	-	-	-	-	-	-	-	-	-	-	-	-		12
13	-	-	-	0·02	-	-	0·06	-	0·01	1·24	-	-		13
14	0·54	-	-	0·02	0·09	-	-	-	-	0·20	0·40	0·03		14
15	0·28	-	-	0·02	0·47	0·17	0·08	-	0·11	0·69	0·03	-		15
16	0·45	-	0·07	-	0·09	0·14	-	-	0·01	-	0·42	-		16
17	0·20	0·03	0·02	-	0·10	-	-	-	-	-	0·03	-		17
18	0·19	-	0·04	-	-	0·22	0·30	-	-	0·06	0·27	-		18
19	0·21	-	-	-	-	-	0·05	-	-	0·26	-	0·02		19
20	0·18	-	0·01	-	-	0·26	0·52	0·01	-	-	-	-		20
21	0·07	-	0·24	-	-	0·05	0·26	0·56	0·08	-	-	-		21
22	0·14	0·16	0·16	-	-	0·06	-	-	-	-	0·11	-		22
23	0·02	-	0·01	0·08	-	-	0·03	0·02	-	0·02	0·62	0·01		23
24	0·20	-	0·01	0·03	-	-	0·05	-	0·01	0·12	-	-		24
25	1·07	0·17	0·03	-	-	-	0·44	0·13	-	-	0·49	-		25
26	0·11	-	0·01	-	-	-	-	-	-	0·26	0·30	0·02		26
27	0·01	0·01	0·07	0·04	-	-	-	-	-	0·13	0·18	-		27
28	0·01	0·19	0·06	0·29	-	0·01	0·06	-	-	0·03	0·11	-		28
29	-	-	-	0·21	-	-	0·11	-	-	0·09	0·13	-		29
30	-	✕	-	0·61	-	0·01	-	-	-	-	0·24	0·02		30
31	-	✕	-	✕	-	✕	0·02	0·03	✕	0·06	✕	-		31
TOTAL	4·69	0·72	1·27	2·51	1·17	1·48	2·35	3·91	1·20	4·74	4·68	0·86	Year's Total 29·58	
* Days with .01 in. or more.	24	8	15	14	7	10	17	15	8	18	22	12	170	
* Days with .04 in. or more.	16	6	9	9	6	8	13	9	4	15	16	4	115	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 846/6 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Cemetery, Park Royal Road N.W.10.
in the County of Middlesex
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
,, Ground ,, Sea Level 100 ft.

Oct. 30-31 ~~[illegible]~~ cord for omission

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf ✓

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	–	–	–	–	–	–	–	–	–	0.07	–		1
2	–	0.06	–	0.10	–	–	0.06	–	–	0.13	0.41	–		2
3	–	0.16	–	0.16	–	–	–	–	–	0.07	1.01	0.08		3
4	–	0.11	–	0.01	–	–	–	–	–	0.15	0.12	0.02		4
5	–	–	–	–	–	–	0.03	–	–	0.04	0.27	0.07		5
6	0.11	0.08	–	–	0.04	–	0.17	–	–	0.16	0.16	–		6
7	0.25	0.05	–	–	0.04	–	0.12	–	–	–	–	–		7
8	–	–	–	–	–	–	–	–	trace	0.12	0.02	~~0.24~~		8
9	–	–	–	–	–	0.45	trace	–	0.02	0.16	0.09	0.03		9
10	–	–	0.01	0.03	–	–	0.31	0.01	0.01	0.07	0.05	0.02		10
11	–	–	0.01	0.03	–	–	0.19	–	–	–	0.89	0.01		11
12	–	–	0.08	–	–	0.02	0.08	–	0.06	–	–	–		12
13	–	–	0.66	–	–	–	–	–	0.13	–	0.89	–		13
14	–	–	0.10	0.17	–	–	–	–	–	–	–	~~0.24~~		14
15	–	–	0.03	0.03	0.10	–	0.31	–	0.01	0.02	0.20	–		15
16	–	–	0.32	0.05	–	0.04	0.22	–	0.21	0.85	0.82	0.03		16
17	–	0.01	0.47	–	–	–	0.01	–	–	–	0.58	–		17
18	–	0.42	0.13	0.23	–	–	0.26	–	–	0.10	0.37	0.12		18
19	–	0.22	0.02	0.06	–	–	0.04	–	0.53	–	0.08	0.04		19
20	–	–	–	–	–	–	0.04	0.02	–	trace	0.08	–		20
21	–	–	–	0.02	0.37	–	0.02	0.02	–	0.04	0.32	–		21
22	–	–	0.02	0.01	0.47	0.22	–	–	0.05	–	–	–		22
23	–	0.09	0.03	0.21	0.03	–	–	trace	–	–	–	–		23
24	–	–	–	0.15	–	–	0.18	–	–	–	–	0.03		24
25	–	–	0.56	–	–	–	0.07	–	–	–	–	–		25
26	1.09	0.06	0.54	0.01	0.08	0.07	–	–	–	–	–	–		26
27	0.05	0.21	–	0.08	0.04	–	0.22	–	–	–	–	–		27
28	–	–	–	0.01	0.05	–	–	–	–	–	–	–		28
29	–	0.02	0.07	–	0.04	–	–	–	–	–	–	0.30		29
30	0.05	✕	–	0.36	–	–	–	–	–	– (·61)	–	–		30
31	0.23	✕	–	✕	–	✕	–	–	✕		✕	0.01		31
TOTAL	1.78	1.48	3.05	1.72	1.26	0.80	2.53	0.05	1.02	[illegible] ~~2.52~~ ✓	6.43	1.24	Year's Total 23.88	✓ 4.48
* Days with .01 in. or more.	6	12	15	18	10	5	17	3	8	~~12~~ ✓	18	14	138	140 ✓
* Days with .04 in. or more.	6	10	9	10	9	4	14	0	5	11 ✓	17	7	102	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

P.T.O.

847

Section **A** for the entry o
AIR MINISTR

FORM 1090.

REGIS

847

HAYES S.W.

1931 – 1940

1938, A/B

FOR OFFICIAL USE.
RAINFALL ORGANIZATION.

193*1*.

Kept at Hayes Sewa
in the County of Mid

Diameter of Funnel of Gauge
Height of top of Gauge above Grou
,, Ground ,, Sea

THE MORNING MEAS **US DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·02	·14		·34		·02	·01				1
2	·09	·06		·24					·66	·01		·08	2
3			·03	·43	·29			·31	·80		·03	·12	3
4				·20				·17	·18		·10		4
5					·06	·50	·07	·47				·12	5
6		·10		·11						·28	·45		6
7					·12			·64		·07	·21	·04	7
8		·06				·22		·44			·10	·02	8
9		·05	·02				·01		·01		·41		9
10		·06	·03				·08	·20			·15		10
11	·05	·19							·03	·01	·07		11
12								·01	·30				12
13							·31	·11					13
14		·09					·84	1·07					14
15	·02			·13	·10	~~·05~~	·10	·14				·03	15
16	·02	·09		·10	·22	·05		·15	·08				16
17	·08	·01		·45	·01	·01	·13		·08				17
18	·03	·05	·01	·16		·11	·01	·88			·50		18
19	·02			·32		·27	·07	·10	·08				19
20		·04		·07			·12	·18				·02	20
21	·01				·41								21
22	·20		·02		·02								22
23	·16	·02		·02	·41	·01			·04		·10	·04	23
24				·26	·09	·12	·04						24
25	·06			·39	·07	·01	·65				·01		25
26		·05		·13			·31				·14		26
27	·14	·43		·04	·35		·16				·06		27
28	·04	·05		·04						·03		·07	28
29	·04	×			·02		·11			·26	·01	·04	29
30	·02	×						·12					30
31	·12	×		×	·03	×			×		×		31
TOTAL	1·10	1·35	·13	3·23	2·20	1·64	3·01	5·01	2·17	·66	2·34	·58	YEAR'S TOTAL 23.42
*Days with ·01 in. or more.	16	15	6	17	14	10	15	16	11	6	14	10	150
*Days with ·04 in. or more.	10	13	–	16	10	7	13	14	8	3	11	7	112

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) .... [P.T.O.

Section **A** for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Hayes Sewage Works.

in the County of Middlesex.

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 2 ft 3 in.

,, Ground ,, Sea Level 98·00 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·02	·14		·34		·02	·01				1
2	·09	·06		·24					·66	·01		·08	2
3			·03	·43	·29			·31	·80		·03	·12	3
4				·20				·17	·18		·10		4
5					·06	·50	·07	·47				·12	5
6		·10		·11						·28	·45		6
7					·12			·64		·07	·21	·04	7
8		·06				·22		·44			·10	·02	8
9		·05	·02				·01		·01		·41		9
10		·06	·03				·08	·20			·15		10
11	·05	·19							·03	·01	·07		11
12								·01	·30				12
13							·31	·11					13
14		·09					·84	1·07					14
15	·02			·13	·10	~~·05~~	·10	·14				·03	15
16	·02	·09		·10	·22	·05		·15	·08				16
17	·08	·01		·45	·01	·01	·13		·08				17
18	·03	·05	·01	·16		·11	·01	·88			·50		18
19	·02			·32		·27	·07	·10	·08				19
20		·04		·07			·12	·18				·02	20
21	·01				·41								21
22	·20		·02		·02								22
23	·16	·02		·02	·41	·01			·04		·10	·04	23
24				·26	·09	·12	·04						24
25	·06			·39	·07	·01	·65				·01		25
26		·05		·13			·31				·14		26
27	·14	·43		·04	·35		·16				·06		27
28	·04	·05		·04						·03		·07	28
29	·04	×			·02		·11			·26	·01	·04	29
30	·02	×						·12					30
31	·12	×		×	·03	×			×		×		31
TOTAL	1·10	1·35	·13	3·23	2·20	1·64	3·01	5·01	2·17	·66	2·34	·58	YEAR'S TOTAL 23.42
*Days with ·01 in. or more.	16	15	6	17	14	10	15	16	11	6	14	10	150
*Days with ·04 in. or more.	10	13	–	16	10	7	13	14	8	3	11	7	112

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) ....

P.T.O.

847

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Hayes Sewage Works

in the County of Middlesex

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 2 ft 3 in.

,, Ground ,, Sea Level 98.00 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	**Jan.**	**Feb.**	**March**	**April**	**May**	**June**	**July**	**August**	**Sept.**	**Oct.**	**Nov.**	**Dec.**	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07			·10	·41		·01	·35	·01	·21	·03		1
2	·02			·15	·03				·21	·09	·03	·08	2
3				·10	·07				·33	·08			3
4						·16					·11		4
5	·10		·01				·20		·01				5
6	·54		·01	·22	·01				·08				6
7			·10	·04	·02				·11	·01			7
8			·11	·05	·19				·02	·27			8
9	·11			·05	·84					·03			9
10	·54		·01	·17	·07	·03			·02	·21	·02		10
11	·02			·02			·63	·10		·26	·03	·02	11
12	·06				·01			·02		·12	·01		12
13	·04			·09	·01				·02	·23	·05		13
14	·13	·01		·03						·01	·06		14
15				·03	·44					·09			15
16	·22			·12	·08		·01						16
17							·08			·01			17
18					·01				·33		·09		18
19									·01	·20	·01		19
20				·10	·02			·80	·10	·62	·17		20
21	·04			·13	·93		·02	·16		·16		·03	21
22			·25		·09		·05		·14	·23	·29		22
23		·03	·02	·01	·01				·05	·76	·07	·10	23
24		·05					·30		·08	·05	·09		24
25							·75		·02	·14		·01	25
26			·02	·05	·02		·04			·05			26
27			·19	·15	·41		·09			·60	·08	·01	27
28				·01	·20		·11			·10			28
29			·29	·05	·15	·03		·10	·07	·26			29
30		×	·01	·09	·21	·66			·14		·18	·12	30
31		×	·02	×		×	·09		×		×	·02	31
TOTAL	1·89	·09	1·14	1·76	4·23	·88	2·38	1·53	1·75	4·69	1·31	·39	YEAR'S TOTAL 22·04
*Days with ·01 in. or more.	12	3	12	21	22	4	13	6	18	24	16	8	159
*Days with ·04 in. or more.	10	1	6	16	13	2	10	5	11	20	10	3	107

40-9999

(Signed)

*See Instruction 2 (*f*) on other side.

P.T.O.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 847

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Hayes Sewage Works.

in the County of Middlesex.

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 2 ft 3 in.

,, Ground ,, Sea Level 98.00 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06	·10	·18		·25						·14		1
2	·13		·26		·41								2
3		·16	·16										3
4	·46	·01	·01		·33						·06		4
5	·01		·21		·09								5
6		·06	·02		·29					·06	·04		6
7	·15	·05	·13		·01					·08		·02	7
8	·03		·02		·07		·09					·01	8
9					·05		·13			·05	·07		9
10		·46				·02	·09	~~·13~~		·13	·01		10
11	·19			·01	·05	·02	·03	·13	·10				11
12						·10			·60				12
13	·06				·06		·21		·06		·16		13
14								·01		·13	·52		14
15	·26		·09			·09	·53	·12			·01		15
16			·58			·26	·14			·01	·04		16
17	·01		·32			·01			·08		·06		17
18	·08	·01	·14			·11							18
19			·07			·05			·45		·02	·01	19
20			·04	·02		·29							20
21						·02		·13	·22				21
22								·15		·22	·02		22
23				·10		·01			·25	·01			23
24		·36		·10	·01	·29			·33				24
25		·60		·29					·03		·01	·05	25
26		·25		·02		·04			·06	·07		·16	26
27		·01			·04					·21		·04	27
28					·01					·28			28
29	·07						·18			·06			29
30	·07	×	·04	·06			·01		·02			·10	30
31	·10	×		×		×		·15	×	·02	×		31
TOTAL	1·68	2·07	2·27	·60	1·66	1·31	1·41	·69	2·20	1·33	1·16	·39	YEAR'S TOTAL 16·77
*Days with ·01 in. or more.	14	11	15	7	13	13	9	6	11	13	13	7	132
*Days with ·04 in. or more.	11	8	12	4	10	8	7	5	9	10	8	4	96

40-9999

*See Instruction 2 (*f*) on other side,

D

(*Signed*) W. H. Morgan

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 847

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Hayes Sewage Works

in the County of Middlesex

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 2 ft 3 in.

,, Ground ,, Sea Level 98.00 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02		·01					·11		·01	·01	·42		1
2	·03		·09		·01				·63	·17		·18		2
3	·01	·01		·17						·27		·02		3
4	·06		·10	·03	·02					·08	·07	·34		4
5					·02			·02			·02	·42		5
6	·01		·28		·25	·02		·06		·15		·38		6
7	·03							·12		·12		·14		7
8					·08			·02	·13		·29	·01		8
9	·01		·02								·73	·35		9
10			·12	·13				·04			·76	·01		10
11	·23		·40	·07				·03				·15		11
12	·04		·17				·07	·38			·01	·03		12
13	·23		·22				·26	·04			·01	·10		13
14	·05		·21		·01					·01	·25	·36		14
15	·07		·04		·03				·02		·05	·41		15
16	·11		·14		·01					·10		·01		16
17				·02						·06	·01	·11		17
18	·10		·01	·25			·15		·01			·08		18
19			·18			·08			·07	·02	·01	·09		19
20			·16	·01		·03	·29					·02		20
21				·13		·16		·01		·02				21
22							·37	·49	·17		·01	·05		22
23				·20		·24		·06				·05		23
24		·01	·06	·35		·04	·29		·18					24
25	·12	·11		·12		·08				·02		·35		25
26	·08			·17		·07			·01			·03		26
27	·01	·01		·29		·19				·01		·28		27
28		·08		·02		·10		·89			·07	·17		28
29							·04	~~·07~~	·17			·01		29
30	·03	×						·05				·15		30
31	·02	×		×		×			×	·17	×	·04		31
TOTAL	1·26	·22	2·21	1·96	·43	1·0[illegible]	1·47	2·3[illegible]	1·39	1·21	1·70	4·76	Year's Total 19.93	
*Days with ·01 in. or more.	19	5	16	14	8	10	7	14	9	14	14	29	159	
*Days with .04 in. or more.	10	2	13	10	2	8	7	11	6	8	7	21	105	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*)

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 847

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Hayes Sewage Works

in the County of Middlesex

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 2 ft 3 in.

,, Ground ,, Sea Level 98.00 ft.

Duration

Totals

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·10	·03		·04	·03	·09	·42			·03	·16			1
2	·01			·01					·16	·15	·03			2
3		·04	·03	·04		·22			·18	·50	·15	·01		3
4				·11		·26			·40	·13		·07		4
5		·13	·02	·04		·08			·29	·01		·01		5
6	·02			·25		·36						·01		6
7				·50		·07				·04	·97	·14		7
8				·30						·22	·15	·11		8
9				·14		·58				·56	·13			9
10	·01										·04	·01		10
11	·22			·07		·04	·04				·24			11
12						·07		·04	·01		·61			12
13	·08	·15		·16	·12	·01								13
14				·04	·11	·06					·04	·08		14
15		·18		·32	·01	·49			·11		·23	·07		15
16		·07	·02	·05		·04			·19		·46	·02		16
17						·19		·02	·03		·21			17
18				·17	·04	·17	·05		·23	·01	·03	·01		18
19				·01	·18	·07	·04		·01		·14	·04		19
20		·17		·05	·22	·06	·10		·02		·15			20
21		·27		·01					·02	·04	·01			21
22		·01	·03					·40	·07					22
23			·21	·01				·33	·05	·08		·16		23
24	·04	·45			·02			·23	·42			·29		24
25	·22	·21		·19	·03	·70						·11		25
26	·01	·12						·40	·04			·23		26
27		·36			·01			·01	·25		·09	·25		27
28		·02			·06				·03	·04		·18		28
29	·02								·63			·16		29
30	·03	×		·07	·02			·55	·14	·36	·28	·28		30
31		×		×	·01	×			×	·28	×	·33		31
TOTAL	·76	2·21	·31	2·58	·86	3·56	·65	1·98	3·28	2·45	4·12	2·57	Year's Total. 25·33	✓
* Days with .01 in. or more.	11	14	5	21	13	18	5	8	20	14	19	21	169	✓
* Days with .04 in. or more.	5	11	1	17	6	17	5	6	14	11	16	15	124	✓

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 847

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936. D

Mr. Buffey.

Kept at Hayes Sewage Works

in the County of Middlesex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 3 in.

,, Ground ,, Sea Level 98.00 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·32	·06	·04	·17		·12	·11	·04			·07	·07		1
2	·01	·18	·01	·01		·45	·05	·09			·05			2
3				·14		·20	·04		·17		·28	·02		3
4			·12			·09			·46		·03			4
5	·19		·04					·02	·10		·01	·06		5
6	·25					·07		·08	·03		·18	·02		6
7	·17					·09			·03		·13	·04		7
8	·14		·02								·25	·13		8
9	·75						·40		·43			·03		9
10							·07	·14	·03		·75			10
11				·04			·07				·31	·01		11
12				·12		·51	·13		·08		·02	·10		12
13				·02		·19	·01			·02	·02	·13		13
14		·11				·05	·40			·01	·03	·28		14
15		·08							·39		·10	·05		15
16	·26	·10					·02		·04		·40	·02		16
17	·14	·34			·02	·20					·14	·13		17
18		·06				·16	·11			·01	·02	·13		18
19	·29	·01		·01		·34	·07	·03		·02				19
20	·01	·03	·02	·33			·01		·89			·01		20
21				·18	·03	·28			·01			·13		21
22	·22	·42	·04		·40	·06	·15							22
23	·02		·03	·06			·03			·08	·03			23
24	·09	·07								·30				24
25	·05		·13	·16		·14	·18		·09	·17	·03			25
26		·08	·21	·14		·07			·01	·11				26
27	·15	·06					·01		·12	·09		·02		27
28	·72		·08				·20					·03		28
29	·06	·05	·04			·29	·15			·01	·17	·01		29
30	·05	✕			·10	·13	·03			·28				30
31	·36	✕	·21	✕	[illegible]	✕	·10		✕	·42	✕	·27		31
													Year's Total	
TOTAL	4·25	1·64	·99	1·38	·55	3·44	2·34	·40	2·88	1·52	3·02	1·69	24·10	✓
* Days with .01 in. or more.	20	14	13	12	4	18	21	6	15	12	20	21	~~236~~ 176	✓
* Days with .04 in. or more.	17	12	9	9	2	18	15	4	10	7	12	12	127	✓

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 847

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937

Kept at Hayes Town Hall

in the County of Middlesex

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground 2 ft. – in.

,, Ground ,, Sea Level 124·00 ft.

Oct. See April

1/y autographic g. values on this sheet no check gauge

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0·27	–	–	✗	–	–	–	–	0·06	–	0·59	0·76		1
2	0·45	0·10	0·01	✗	–	–	–	–	0·02	–	–	0·58		2
3	0·01	0·19	–		0·03	–	–	–	0·01	–	–	0·05		3
4	–	0·30	–		–	0·01	–	0·01	0·01	–	–	0·31		4
5	0·04	0·06	0·18		–	–	0·07	0·01	0·01	–	–	–		5
6	0·18	0·06	0·32		0·26	–	0·02	–	–	0·09	0·01	–		6
7	0·02	0·65	0·19	✗	0·01	–	0·01	–	0·05	–	–	–		7
8	–	0·01	–		0·08	0·04	–	–	–	–	0·04	0·14		8
9	–	0·01	–	✗	0·16	0·04	0·08	–	0·25	–	–	0·08		9
10	–	–	0·48	✗	0·10	0·33	0·03	0·11	–	–	–	–		10
11	–	–	0·11	✓	0·27	0·01	0·03	–	–	–	–	0·01		11
12	–	0·27	0·11		0·19	0·30	0·04	0·03	0·05	–	–	0·07		12
13	0·10	0·05	0·36		–	0·17	–	0·23	0·33	–	–	0·87		13
14	0·13	0·05	0·22	✓	–	–	–	0·52	0·05	–	–	–		14
15	0·01	0·09	–	✗	–	0·03	0·12	–	0·01	–	–	–		15
16	0·14	0·12	0·21	✗	–	0·04	0·01	0·18	0·67	–	–	–		16
17	0·01	–	0·14	✗	–	–	–	–	0·33	–	–	–		17
18	0·28	0·05	–		0·06	0·47	–	–	–	–	0·23	–		18
19	0·18	0·09	0·05		–	0·17	0·43	0·01	0·10	–	–	0·12		19
20	0·02	–	0·02		0·63	–	–	–	0·02	–	–	0·03		20
21	0·29	0·64	–		0·04	–	0·05	–	–	–	–	–		21
22	0·28	–	–		0·01	0·10	0·06	–	–	0·73	0·28	0·05		22
23	0·35	0·01	0·02		0·19	–	–	0·01	–	0·26	–	–		23
24	0·20	0·55	0·08		0·02	–	–	0·01	0·14	0·20	–	–		24
25	0·28	0·25	0·12		0·42	–	–	–	–	0·35	–	–		25
26	0·10	0·18	0·01		0·25	–	–	–	0·01	0·07	–	–		26
27	–	0·08	–		0·01	–	–	–	–	0·59	–	–		27
28	0·01	0·18	–		–	–	–	–	–	0·09	–	0·01		28
29	–	✕	0·01		–	0·05	–	–	–	0·02	0·06	–		29
30	–	✕	–		–	–	–	–	–	–	0·13	–		30
31	0·24	✕	0·01	✕	–	✕	–	–	✕	0·21	✕	0·02	Year's Total	31
TOTAL	3·59	3·99	2·65	(2·23)	2·73	1·76	0·95	1·12	2·12	2·61	1·34	3·04	28·13	
* Days with .01 in. or more.	22	22	19	(15)	17	13	12	10	17	10	7	14	178	
* Days with .04 in. or more.	16	19	13	(12)	12	10	7	4	10	9	6	10	128	

CHARTS LOST IN POST
FIGURE FOR APRIL IS AVERAGE OF
HANWELL, GREENFORD & SIPSON

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) .... [P.T.O.

HAYES (TOWN HALL PARK)

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 847

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Hayes (Town Hall Park)

in the County of Middlesex

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

NR. 1938

f 938462/29

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	·44	·31	-	-	·48	·31	-	-	-		1
2	·01	-	-	·03	·02	-	-	·86	·38	-	·06	-		2
3	·33	-	-	·22	-	-	-	·27	-	-	·29	·17		3
4	·08	-	·19	·29	-	-	·03	·65	-	·41	·02	-		4
5	-	-	-	·43	·06	-	-	·09	-	·27	·22	·10		5
6	·37	-	-	-	·03	-	·20	·05	-	-	·47	·04		6
7	·02	·09	-	-	-	-	-	TRACE	-	·04	·10	·13		7
8	-	·07	·15	-	-	-	·03	·32	-	·52	·26	·28		8
9	·02	·07	-	-	-	-	-	TRACE	-	·22	·05	·18		9
10	·24	-	-	-	-	·33	-	·14	·03	·28	-	-		10
11	-	-	·20	-	-	·04	-	-	-	·54	·02	-		11
12	-	-	-	-	-	-	-	-	-	-	-	-		12
13	-	-	-	·01	-	·01	-	-	·02	1·15	-	-		13
14	·38	-	·01	·06	·10	-	-	-	-	·20	·28	·03		14
15	·22	-	·06	-	·61	·31	-	-	·17	·85	·07	·02		15
16	·38	-	·06	·02	·08	·12	·01	-	·09	-	·44	-		16
17	·13	-	-	·02	·11	-	·01	-	-	-	·04	-		17
18	·19	-	·04	-	-	·12	·11	-	-	·05	·21	-		18
19	·22	-	·01	-	-	-	·81	-	-	·10	·01	-		19
20	·18	-	-	-	-	·18	·18	·03	-	-	-	·01		20
21	-	·02	·23	-	-	·02	·22	·30	·08	-	-	-		21
22	·11	·27	·06	-	-	-	·04	-	-	-	·08	-		22
23	-	-	·01	·10	-	-	·01	-	-	·02	·54	-		23
24	·11	-	·01	·03	-	·01	·15	-	-	·12	-	-		24
25	·59	·16	·05	-	-	-	·02	-	-	-	·44	-		25
26	·96	·01	·01	-	-	-	-	-	-	·23	·25	·02		26
27	-	·01	·07	·01	-	-	-	-	-	·03	·16	-		27
28	-	·13	·05	·02	-	-	·16	-	-	·07	·12	-		28
29	·01		-	·21	-	-	·05	-	-	·10	·12	·12		29
30	-	✕	-	·58	-	·07	-	-	-	-	·21	·03		30
31	-	✕	-	✕	-	✕	·05	-	✕	·02	✕	-		31
TOTAL	4·55	·83	1·21	2·47	1·32	1·21	2·08	3·19	1·09	5·22	4·46	1·13	Year's Total 28·76	Print
* Days with .01 in. or more.	19	9	16	15	8	10	16	10	7	19	23	12	164	SH.
* Days with .04 in. or more.	15	6	11	8	6	7	10	9	5	16	20	7	120	

MIDDLESEX COUNTY COUNCIL.

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) .... W H Morgan .... [P.T.O.

County Engineer [illegible] C.C.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 847

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Hayes

in the County of Middlesex

Diameter of Funnel of Gauge.................in.

Height of top of Gauge above Ground........ft.........in.

,, Ground ,, Sea Level ....ft.

Entry on Jan 26th adjusted by reference to nearby stations.

Dec total cord for anth 1966

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	-	-	-	-	-	-	-	.08	-		1
2	-	.09	-	.10	-	-	.09	-	-	.13	.37	~~.08~~		2
3	-	.19	-	.10	-	-	-	-	-	.09	1.04	.08 ~~.03~~		3
4	-	.10	-	.03	-	-	-	-	-	.15	.06	.03 ~~.07~~		4
5	-	.02	-	-	-	-	.03	-	-	.06	.33	.07		5
6	.16	.11	-	-	.03	-	.40	-	-	.16	.09	-		6
7	.27	.11	-	-	.05	-	.14	-	-	-	-	~~.07~~		7
8	-	-	-	.06	-	-	-	-	.02	.13	-	.27		8
9	-	-	-	-	-	.44	-	-	.03	.16	.09	.03		9
10	-	-	-	-	-	-	.19	.07	-	.20	.06	.02		10
11	-	-	-	.03	-	-	-	-	-	-	.79	-		11
12	-	-	.08	-	-	.06 ~~.03~~	.11	-	.08 ~~.12~~	-	-	-		12
13	-	-	.59	-	-	.04 ~~.46~~	-	-	.15	-	.95	-		13
14	-	-	.16	.13	.04	-	-	-	~~.01~~	.05	-	.21		14
15	~~-~~	-	.06	.04	.08	-	.46	-	.02	-	.25	-		15
16	.06	12	.43	.01	-	.02	.30	-	.21	.66	.76	.02		16
17	-	-	.40	-	-	-	.01	-	-	-	.60	-		17
18	-	.37	.08	.31	-	-	.35	-	.04	.15	.30	.12		18
19	-	.28	.02	.10	-	-	-	-	.44 ~~.20~~	-	.10	.01		19
20	-	-	.02	-	-	-	.03	.03	-	.03	.06	-		20
21	-	-	-	-	.34	-	.03	-	~~.01~~	.03	.28	-		21
22	-	-	-	-	.40	.45	-	-	.06	-	-	-		22
23	-	.08	.04	.21	.01	-	-	-	-	-	-	.02		23
24	-	-	-	.16	-	-	.15	-	-	-	-	-		24
25	-	-	.47	-	-	-	.10	-	-	-	-	-		25
26	(1.09) ~~1.40~~	.07	.33	.05	.22	.13	.04	-	-	-	-	-		26
27	.48	.15	-	.08	.07	-	.03	-	-	-	-	-		27
28	.24	-	-	-	.02	-	-	-	-	-	-	-		28
29	-	.08	.07	-	.14	-	-	-	-	-	-	.25		29
30	.11		-	.23	-	-	-	-	-	.10	-	-		30
31	.02		-		-		-	-		.58		.01 ~~.02~~		31
TOTAL	2.43 ~~2.74~~	1.77	2.75	1.64	1.40 ~~1.75~~	1.14	2.46	.10	1.05	2.78	6.21	1.14 ~~1.09~~	Year's Total ~~25.[illegible]~~	24.87
* Days with .01 in. or more.	8	13	13	15	11	6	16	2	9	15	17	13	138	
* Days with .04 in. or more.	7	12	11	12	8	5	11	1	6	13	17	6	109	

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

* See Instruction 3 (f) on other side.

X ACTON (LOWFIELD

COP

Section **A** for the entry of Daily O   Station No. 847/5

AIR MINISTRY.—METE   ORGANIZATION.

FORM 1090.

REGISTER

Msex/1.

Kept at 44 Lowfield Rd, Acton,

in the County of Middlesex

Diameter of Funnel of Gauge 5 in

Height of top of Gauge above Ground 4

,, Ground ,, Sea Level c

ov. est. by [illegible]

847/5

ACTON

(LOWFIELD RD)

1933 - 1936

78 02 03

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1												/		1
2												/		2
3												/		3
4												/		4
5												/		5
6												/		6
7												/		7
8											·20	·025		8
9											/	trace		9
10											·065	/		10
11											·02	/		11
12											/	/		12
13											/	/		13
14											·17	trace		14
15											·42	/		15
16											·025	/		16
17											/	/		17
18											·125	/		18
19											/	trace		19
20											·025	/		20
21											/	/		21
22											/	/		22
23											·025	/		23
24											/	/		24
25											trace	/		25
26											trace	·03		26
27											trace	·12		27
28											trace	·03		28
29											/	trace		29
30		×									/	·14		30
31		×		×		×			×		×			31
TOTAL											(1·07) ~~1·07~~	·35 ~~·345~~	Year's Total [illegible]	
*Days with ·01 in. or more.													–	
*Days with ·04 in. or more.													–	

40-9999

*See Instruction 2 (*f*) on other side.

D N

† Spare column, no entries required.

(*Signed*) Edwin J. Jones Esq.

[P.T.O.

X ACTON (LOWFIELD

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 847/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

222538/32

Msex/1.

Part Nov. est. by surrounding stns

Kept at 44 LOWFIELD RD, ACTON, W.3.

in the County of MIDDLESEX.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 4 ft 8 in.

,, Ground ,, Sea Level c 80' ft

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1												/		1
2												/		2
3												/		3
4												/		4
5												/		5
6												/		6
7												/		7
8											·20	·025		8
9											/	trace		9
10											·065	/		10
11											·02	/		11
12											/	/		12
13											/	/		13
14											·17	trace		14
15											·42	/		15
16											·025	/		16
17											/	/		17
18											·125	/		18
19											/	trace		19
20											·025	/		20
21											/	/		21
22											/	/		22
23											·025	/		23
24											/	/		24
25											trace	/		25
26											trace	·03		26
27											trace	·12		27
28											trace	·03		28
29											/	trace		29
30		×									/	·14		30
31		×		×		×			×		×			31
TOTAL											(1·07)	·35	Year's Total	
*Days with ·01 in. or more.														
*Days with ·04 in. or more.														

40-9999

*See Instruction 2 (f) on other side.

D N

† Spare column, no entries required.

(*Signed*) Edwin J. Jones Esq

P.T.O.

X ACTON (LOWFIELD ROAD) X

£222538/32

(847/5)

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.**

Station No. ~~222538/32~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

" /Misc 91
c imp 1903

Kept at 44 LOWFIELD RD., ACTON W.3.

in the County of MIDDLESEX

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 4 ft 6 in.

,, Ground ,, Sea Level 92 ft.

Totals & Days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·025 /	/	/	/	trace	/	/	·12	/	/	/	·305		1
2	·07	/	·07	/	trace	/	/	trace	·61	·17	trace	·25		2
3	trace	·03	/	·085	/	/	/	/	/	·15	trace	/		3
4	·075	/	·09	·12	trace	/	/	/	/	·045	trace	·38		4
5	trace	/	·025	/	·04	/	/	trace	/	/	·03	·4		5
6	/	/	·285	trace	·275	·075	/	trace	/	·15	trace	·575		6
7	trace	/	/	/	trace	/	/	·14	/	·165	·095	·305		7
8	/	/	trace	/	·07	/	/	·04	·08	/	·285	trace		8
9	trace	/	trace	/	trace	/	/	/	/	·055	·805	·25		9
10	trace	/	·195	·11	/	/	/	·04	/	/	·275	trace		10
11	·19	/	·37	·05	/	/	/	·05	/	/	trace	trace		11
12	·07	trace	·045	trace	/	/	·105	·3	/	/	trace	·07		12
13	·19	/	·24	trace	/	/	·25	·035	/	/	trace	·095		13
14	·04	trace	·185	/	·04	/	/	/	/	trace	·23	·34		14
15	·09	trace	·095	/	·055	/	/	/	·08	trace	·17	·35		15
16	·105 /	/	·105	/	trace	/	/	/	/	·115	trace	trace		16
17	trace	trace	/	/	/	/	/	/	/	·095	trace	·08		17
18	·095	/	trace	·09	/	/	·23	/	/	/	trace	·07		18
19	/	trace	·16	trace	/	trace	/	/	·08	trace	·02	·09		19
20	/	/	·185	·14	/	/	·19	trace	/	trace	trace	trace		20
21	/	trace	/	/	/	·12	·03	·075	/	·03	trace	·05		21
22	/	/	/	/	/	/	trace	·155	·18	trace	trace	trace		22
23	/	trace	/	·26	/	·23	/	·02	/	/	trace	·08		23
24	·09	trace	·05	·18	/	·025	1·44	/	·2	trace	·02	trace		24
25	·05	trace (snow)	trace	·12	/	·14	/	/	/	·035	trace	·65		25
26	·06	/	/	·16	/	·075	/	/	/	trace	trace	·15		26
27	·03	/	/	·16	/	·21	/	/	/	trace	·02	·31		27
28	/	·16	trace	trace	/	/	trace	·82	/	trace	trace	·27		28
29	·045	×	/	/	trace	/	·025	/	·035	trace	·08	trace		29
30	·03	×	/	/	/	/	/	·015	·18	/	/	·14		30 "d"
31	trace	×	/	×	/	×	·03	/	×	/	×	·04		31
TOTAL	1·31	·19	2·10	1·47	·48	·87	2·30	1·81	1·45	1·011	2·03	4·75	Year's Total 19·77	
*Days with ·01 in. or more.	~~16~~	~~2~~	~~14~~	~~11~~	~~5~~	~~7~~	~~8~~	~~12~~	~~8~~	~~10~~	~~10~~	~~22~~	~~125~~	
*Days with ·04 in. or more.	183	11	13	11	5	6	4	9	7	8	6	22	105	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) ~~A. R. Hall (RECORDER)~~ [P.T.O.

X E.J. JONES ESQ X

847/5

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 222538/32

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at 44 LOWFIELD Rd. ACTON, W.3.
in the County of MIDDLESEX.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 4 ft 6 in.
,, Ground ,, Sea Level 92 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·15	trace	trace	·05	/	·24	/	/	·05	·14	·28	/		1
2	trace	/	·05	trace	/	trace	/	/	/	·18	trace	trace		2
3	trace	·1	trace	·08	trace	trace	/	/	·05	·05	/	·17		3
4	trace	/	/	·15	trace	/	/	/	/	·33	/	trace		4
5	trace	/	/	·12	/	/	/	·09	/	trace	trace	/		5
6	/	trace	trace	·17	/	·17	/	/	/	/	·05	/		6
7	trace	·2	/	·86	/	/	/	/	/	·07	·96	·09		7
8	trace	trace	/	·27	/	trace	/	/	/	·23	·25	trace		8
9	/	/	trace	·15	/	·65	/	/	/	·55	·08	trace		9
10	trace	/	trace	·02	/	trace	trace	/	/	/	·15	·15		10
11	·21	/	/	·12	/	·09	·27	/	/	trace	·21	/		11
12	·05	/	/	·17	trace	·1	/	/	trace	/	·4	/		12
13	trace	/	/	·15	·1	/	/	/	trace	/	trace	/		13
14	/	·05	/	trace	trace	·11	/	/	trace	trace	trace	/		14
15	/	trace	/	trace	·28	trace	/	/	·05	/	·32	trace		15
16	/	·1	/	·12	trace	·48	·23	/	·18	/	·74	/		16
17	trace	·195	/	trace	·05	trace	/	/	trace	/	·42	/		17
18	/	trace	/	·17	·08	·05	/	/	·28	/	/	/		18
19	trace	/	/	·01	·18	trace	/	/	/	/	trace	trace		19
20	trace	/	/	/	·43	/	/	/	trace	/	·08	/		20
21	trace	trace	/	/	/	/	/	/	/	·05	·05	/		21
22	trace	trace	·03	/	/	/	/	} ·69	·15	/	trace	/		22
23	·21	·15	·17	·08	/	/	/	}	trace	trace	/	trace		23
24	·05	·44	/	/	trace	/	/	·29	·44	/	/	·15		24
25	trace	·1	/	/	·03	·44	/	/	trace	/	/	·05		25
26	·21	·1	/	·27	/	/	/	·27	·16	/	trace	·72		26
27	·05	·39	/	/	/	/	/	trace	·14	/	/	·16		27
28	/	trace	/	/	·12	/	·07	/	·43	·07	trace	·12		28
29	·05	X	/	/	/	/	/	/	·36	/	·15	·13		29
30	/	X	/	/	/	/	/	·6	·18	·28	/	·27		30
31	trace	X	/	X	/	X	/	/	X	·29	X	·34	"d"	31
TOTAL	·98	1·85	·25	2·96	1·22	2·33	·57	1·94	2·47	2·24	4·14	2·43	Year's Total 23·38	√
*Days with ·01 in. or more.	~~8~~	10	3	17	8	9	3	5	12	11	~~14~~	~~11~~		
*Days with ·04 in. or more.	8 √	10 √	2 √	15 √	7 √	9 √	3 √	~~5~~ 6 √	12 √	11 √	14 √	11 √	108 √	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) A. E. Hall (Recorder & Secretary) [P.T.O.

ACTON (CENTRAL SCHOOL)

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 847/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at ST. DUNSTANS GDNS. ACTON. W.3.
in the County of MIDDLESEX
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level 100 ft.

moved from Longfield Rd.

222538/32

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1					/	·22	·09	~~·13~~	/	/	·06	/		1
2					/	·20	·04	·03	/	/	/	/		2
3					/	·02	·01	·11	·03	/	·3	/		3
4					/	·08	/	/	·7	/	/	trace		4
5					/	trace	/	✓	·18	/	·07	·05		5
6					/	·07	/	×	·02	/	·13	·1		6
7					/	·17	/	·08	·03	/	·09	trace		7
8					/	trace	/	-	/	/	·36	·2		8
9					/	/	1·26	-	·37	/	/	/		9
10					/	/	·04	·13 -	·15	/	·1	/		10
11					/	/	·11	*	trace	/	·76	/		11
12					/	·41	·16	-	·18	/	·01	/		12
13					/	·5	trace	-	/	/	/	/		13
14					/	·07	·4	·03	trace	·03	·15	·4		14
15					/	trace	·15	-	·27	/	·02	·02		15
16					/	/	trace	-	·03	/	·3	·66		16
17					·05	13	/	-	/	/	/	/		17
18					/	·34	·11	-	/	trace	/	·07		18
19					/	·09	·11	4 /	/	trace	/	trace		19
20					/	/	·05	/	·98	·06	/	/		20
21					·01	·49	/	/	·09	/	/	/		21
22					·30	·04	·16	/	trace	/	/	·08		22
23					trace	/	/	/	trace	·12	/	/		23
24					/	/	/	/	trace	·34	/	/		24
25					/	·15	·02	/	·02	·17	/	/		25
26					/	·24	·03	/	·08	·13	/	trace		26
27					/	/	·02	/	·3	·06	/	/		27
28					/	/	·01	/	·01	/	/	trace		28
29					/	·19	·21	/	/	/	·16	/		29
30		×			·10	·13	·01	/	/	·2	/	·09		30
31		×		×	trace	×	·13 trace	/	×	·54	×	·34		31
TOTAL					·46	3·54	3·11 ~~2·99~~	·38 ~~·31~~	3·44	1·65	2·51	1·41	Year's Total ~~16·61~~	imp[illegible]
* Days with .01 in. or more.					3	18	20 ~~19~~	6	16	9	13	10	~~94~~	..
* Days with .04 in. or more.					3	17	14 ~~13~~	4	10	8	11	9	~~85~~	..

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Doreen [illegible] ~~THE HEADMASTER~~

[P.T.O.

Section **A** for the
AIR M

FORM 1090.

RE

—
848

EALING RES.

1931 – 1940

780203

8 848

FOR OFFICIAL USE.

TISH RAINFALL ORGANIZATION.

IN 193/.

days

Kept at Ealing

in the County of Mi

Diameter of Funnel of Ga

Height of top of Gauge abo

,, Ground ,,

THE MORNING **REVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		11		25		01			08	03			1
2	11	08		37				01	52			09	2
3	03		03	37	37			39	86		02	12	3
4					02			18	18				4
5				17	03	52	07	46			01	15	5
6		11		07		02	07			25	36		6
7		01			13	10		66		06	10	04	7
8	02	05	04			21		28			10	03	8
9		03	05								32	02	9
10	02	11	03			02	07	32			14		10
11	08	19							03		09		11
12		02					03	28	42			01	12
13							11	11					13
14	01	11					1.29	1.39					14
15	03			11	10		12	10					15
16		08		10	24	04		70	12			04	16
17	02	02		17	05		17	01	06	03			17
18	04	07		23		05	07	92			52		18
19	01			43		20	18		11				19
20		03		06			05	24					20
21	02				37			01					21
22	17		04						01		01	04	22
23	20			05	61	02			10		11		23
24			01	30	06	08	03		01				24
25	10			35	04		42				01		25
26		08		21			35				18		26
27	16	42		04			11				08		27
28	04	17		07								13	28
29	07				07		14			26		04	29
30	03	✕			01		01	08					30
31	14	✕		✕	05	✕			✕		✕	02	31
TOTAL	1.30	1.69	0.20	3.35	2.15	1.27	3.23	6.14	2.50	0 63	2.05	0.73	YEAR'S TOTAL 25.24
*Days with ·01 in. or more.	19 ~~9~~	17 ~~5~~	6 ~~2~~	17 ~~2~~	14 ~~2~~	11 ~~4~~	17 ~~4~~	17 ~~3~~	12 ~~3~~	5 2	14 ~~4~~	12 ~~4~~	161 ~~44~~
*Days with ·04 in. or more.	10	12	3	17	11	7	13	14	9	3	10	8	117

40-9999 M

*See Instruction 2 (*f*) on other side.

(*Signed*) W. G. Curtis

P.T.O.

Section **A** for the Entry of Daily Observations. 88389 3/28

FOR OFFICIAL USE. 848

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Ealing Reservoir
in the County of Middlesex

Diameter of Funnel of Gauge..........in.
Height of top of Gauge above Ground..........ft..........in.
,, Ground ,, Sea Level..........ft.

daf

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		11		25		01			08	03			1
2	11	08		37				01	52			09	2
3	03		03	37	37			39	86		02	12	3
4					02			18	18				4
5				17	03	52	07	46			01	15	5
6		11		07		02	04			25	36		6
7		01			13	10		66		06	10	04	7
8	02	05	04			21		28			10	03	8
9		03	05								32	02	9
10	02	11	03			02	07	32			14		10
11	08	19							03		09		11
12		02					03	28	42			01	12
13							11	11					13
14	01	11					1.29	1.39					14
15	03			11	10		12	10					15
16		08		10	24	04		70	12			04	16
17	02	02		17	05		17	01	06	03			17
18	04	07		23		05	07	92			52		18
19	01			43		20	18		11				19
20		03		06			05	24					20
21	02				37			01					21
22	17		04						01		01	04	22
23	20			05	61	02			10		11		23
24			01	30	06	08	03		01				24
25	10			35	04		42				01		25
26		08		21			35				18		26
27	16	42		04			11				08		27
28	04	17		07								13	28
29	07				07		14			26		04	29
30	03	✕			01		01	08					30
31	14	✕		✕	05	✕			✕		✕	02	31
TOTAL	1.30	1.69	0.20	3.35	2.15	1.27	3.23	6.14	2.50	0 63	2.05	0.73	YEAR'S TOTAL 25.24
*Days with ·01 in. or more.	19 ~~9~~	17 ~~5~~	6 ~~3~~	17 ~~2~~	14 ~~3~~	11 ~~4~~	17 ~~4~~	17 ~~3~~	12 ~~3~~	5 ~~2~~	14 ~~4~~	12 ~~4~~	161 ~~44~~
*Days with ·04 in. or more.	10	12	3	17	11	7	13	14	9	3	10	8	117

40-9999 M

*See Instruction 2 (*f*) on other side.

(*Signed*) W. G. Curtis

P.T.O.

848

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at EALING RESR (Met Water Board)

in the County of

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

,, Ground ,, Sea Level .... ft.

~~days~~

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	05	-	-	13	34	01	03	36	-	24	04	01	1
2	03	-	-	11	03	-	-	02	24	04	02	11	2
3	-	-	-	19	09	-	-	-	37	-	-	-	3
4	-	-	-	-	-	13	-	-	-	-	11	-	4
5	11	-	01	-	-	-	13	-	08	-	-	-	5
6	46	-	-	21	01	-	-	-	06	-	-	-	6
7	-	-	11	08	02	-	-	-	09	-	-	-	7
8	-	-	07	05	25	-	-	-	03	22	-	-	8
9	13	-	-	05	75	-	-	-	-	03	-	-	9
10	41	03	.01	19	09	02	-	-	01	21	02	-	10
11	04	-	-	01	01	-	12	12	01	28	04	03	11
12	06	-	-	-	01	-	-	01	-	18	02	-	12
13	07	-	-	10	32	-	-	-	02	23	05	-	13
14	13	03	-	15	02	-	-	-	-	03	06	-	14
15	-	01	-	04	49	-	-	-	-	-	-	-	15
16	20	-	-	16	09	-	-	-	-	09	-	-	16
17	-	-	-	-	-	-	09	-	-	02	-	-	17
18	-	-	-	01	-	-	-	-	55	-	07	-	18
19	-	-	-	-	-	-	-	-	01	26	01	-	19
20	-	-	-	12	07	-	-	26	10	70	15	-	20
21	03	-	-	07	80	-	-	10	-	22	-	06	21
22	-	-	.32	-	08	-	05	-	13	27	38	-	22
23	-	07	02	01	10	-	-	-	07	83	08	12	23
24	-	01	-	-	-	-	41	-	11	03	10	01	24
25	-	-	-	-	-	-	61	-	06	35	-	-	25
26	-	-	11	07	04	-	03	-	-	02	-	-	26
27	-	-	24	20	45	-	14	-	-	49	10	-	27
28	-	-	-	-	14	-	16	-	-	15	-	01	28
29	-	-	29	02	10	02	-	26	07	27	-	02	29
30	-	×	08	04	-	79	-	-	11	01	21	12	30
31	-	×	03	×	-	×	08	-	×	-	×	03	31
TOTAL	1.72	.15	1.29	2.01	4.00	.94	1.85	1.13	2.12	5.17	1.46	.52	YEAR'S TOTAL 22.39
*Days with ·01 in. or more.	12	5 ~~4~~	11 ~~4~~	21 ~~4~~	22 ~~9~~	5 ~~2~~	11 2	7 2	18 ~~5~~	23 ~~6~~	16 ~~4~~	10 ~~6~~	161 ~~49~~
*Days with ·04 in. or more.	10	1	7	17	15	2	9	5	13	17	12	4	112

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) W. G Curtis

[P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. **Station No.** 848

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Met. Water Board. Ealing Resr.

in the County of

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	.12	.13	-	.17	-	-	-	-	-	.02	-	1
2	.16	-	.34	-	.51	-	-	-	-	-	-	-	2
3	-	.18	.20	-	.01	-	-	-	-	-	-	-	3
4	.46	.02	.01	-	.17	-	-	-	-	-	.01	-	4
5	-	-	.20	-	.06	-	-	-	-	-	-	-	5
6	-	.08	.02	-	.49	-	-	-	-	.06	.08	-	6
7	.17	.06	.07	-	.01	-	-	-	-	.10	-	03	7
8	.04	.01	.01	-	.05	-	.06	-	-	-	-	-	8
9	-	-	-	-	.04	-	.15	-	-	.06	.07	-	9
10	-	1.30	-	-	.01	.02	.21	-	-	.14	.02	-	10
11	.15	-	-	-	.01	-	.04	.09	-	-	-	-	11
12	-	-	-	-	-	.08	.02	-	.69	.01	-	-	12
13	.08	-	-	.06	.12	.10	.22	-	.04	-	.18	-	13
14	-	-	-	-	.01	-	-	-	-	22	.53	02	14
15	.27	-	.08	-	-	.58	.07	.19	-	-	.01	-	15
16	.02	.01	.65	-	-	.27	.11	-	01	02	.07	-	16
17	.01	.01	.28	-	-	.01	.02	-	11	-	.04	-	17
18	.07	.09	.11	-	-	.11	-	-	-	-	-	-	18
19	-	.07	.09	-	-	.23	.02	-	.54	-	03	02	19
20	-	.02	.12	.02	-	.37	-	-	-	-	01	-	20
21	-	-	-	-	-	.33	-	.09	.29	-	-	-	21
22	-	-	-	-	-	-	-	.17	-	.18	03	-	22
23	-	-	-	.17	.04	-	-	-	.45	-	-	-	23
24	-	.37	-	.12	-	.07	-	-	.41	-	-	-	24
25	-	.39	-	.25	-	-	-	-	.07	-	-	07	25
26	-	.23	-	[illegible]	-	.01	-	-	.05	.05	01	07	26
27	-	-	-	-	-	-	.02	-	-	.28	01	04	27
28	-	.01	-	[illegible]	-	-	-	-	-	.26	-	-	28
29	.07		.01	.05	-	-	04	-	-	.08	-	-	29
30	.10	×	.06	-	-	-	-	-	.02	01	-	13	30
31	.11	×	.01	×		×	-	14	×	01	×	-	31
TOTAL	1.73	2.97	2.39	.74	1.70	2.18	.98	.68	2.68	1.48	1.12	.38	YEAR'S TOTAL 3 19.0X
*Days with ·01 in. or more.	14	16	17	8	14	12	11	5	11	14	15	7	144
*Days with .04 in. or more.	11	10	12	6	10	9	8	5	9	10	6	4	100

40-9999

*See Instruction 2 (*f*) on other side.

D M

(*Signed*) W. G. Curtis

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 848

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Met. Water Board Ealing

in the County of

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.02	.	-	-	.	.	-	.11	.	.03	.	.42		1
2	.07	-	09	-	-	.	-	.	.54	.16	.	.25		2
3	-	.03	-	.18	.	.	-	.02	.	.21	.	.01		3
4	.09	-	.12	.03	.05	-	-	.	.	.03	.07	.38		4
5	-	-	.03	-	.03	-	-	.	.	.	-	.42		5
6	.06	-	.31	-	.30	-	-	.10	.	.16	.02	.40		6
7	.02	-	-	-	.	.07	-	.05	.	.15	.	.15		7
8	.	-	.	-	.08	.	-	.02	.07	.	.32	-		8
9	.01	-	.02	-	-	.	-	-	.	.	.96	.31		9
10	-	-	.15	.12	.	.	-	.03	.	.01	.20	.02		10
11	.25	-	.37	.05	.	.	-	.06	-	.	.	.01		11
12	.08	-	.06	-	.	.	.10	.31	.	.	.01	.04		12
13	.24	-	.32	-	.	.	.20	.01	.	.	.02	.08		13
14	.05	-	.22	-	.	.	-	.	.	.	.24	.39		14
15	.08	-	.08	-	.	.	-	.	.02	.	.06	.33		15
16	.14	-	.15	-	.04	.	-	.	.	.11	.	-		16
17	.01	-	-	.04	.01	.	.	.	.	.09	.03	.18		17
18	12	-	.01	.12	.	.	.11	.	.	.	.	.09		18
19	-	-	.18	-	-	.01	.	.	.08	.01	.	.06		19
20	-	-	.17	.01		.	22	.	.01	.	02	.02		20
21	-	-	.	.13	-	.15	.	.03	.	.02	.	-		21
22	-	-	.	-	-	.	.	.22	27	.	.	.05		22
23	-	-	.	.27	-	.18	.	.02	.	.	.02	.09		23
24	-	.03	.06	.20	.	.04	1.37	.	19	.	.	-		24
25	.12	.05	.	.13	.	.08	.	.	.	.03	.	.40		25
26	.06	-	.	.18	-	.08	.	.	.01	-	.	.06		26
27	.02	.06	.	13	-	.10	.	-	.	.04	.	.35		27
28	-	.11	.	-	.	.49	-	.96	.	.	12	.23		28
29	-		.	-	.	.	-	-	16	.	.	.02		29
30	04	✕	.	-	.	.	-	03	.	.	.	.16		30
31	-	✕	.	✕		✕	03	06	✕	.10	✕	.04		31
TOTAL	1.48	.28	2.34	1.59	.49	1.20	2.03	2.03	1.35	1.15	2.09	4.96	Year's Total 2099 ✓	
*Days with ·01 in. or more.	18	5	16	13	6	9	6	15	9	14	13	27	151	
*Days with ·04 in. or more.	13	3	13	11	3	7	5	8	6	8	7	22	106	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) W. G. Curtis

[P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No. 848

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Ealing (MWB) Reservoir

in the County of Middx

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	09	04	-	04	-	16	60	-	-	08	25	03		1
2	-	-	01	07	-	-	-	-	06	08	-	·		2
3	-	05	07	04	-	30	-	-	19	58	16	·		3
4	-	-	-	12	-	44	-	-	25	64	-	13		4
5	-	18	03	07	-	03	-	-	29	-	-	-		5
6	01	-	-	29	-	35	-	-	-	-	01	.02		6
7	-	-	-	57	-	-	-	-	-	04	99	14		7
8	-	-	-	31	-	-	-	-	-	23	21	18		8
9	-	-	-	18	-	70	-	-	-	49	13	-		9
10	02	-	-	01	-	-	-	-	-	-	11	04		10
11	21	-	-	11	-	08	23	-	-	-	24	-		11
12	-	-	-	-	-	11	-	06	-	-	41	-		12
13	12	.16	-	16	11	05	-	-	-	-	-	-		13
14	-	-	-	03	18	07	-	-	-	-	04	.10		14
15	-	23	-	37	-	32	-	-	03	-	21	.07		15
16	-	08	02	05	-	01	-	-	25	-	50	.03		16
17	-	-	02	01	-	18	-	-	02	-	36	-		17
18	01	-	-	21	02	19	04	-	29	02	05	01		18
19	-	-	-	02	17	06	04	-	02	-	11	04		19
20	-	19	-	04	21	06	14	-	07	-	17	-		20
21	-	25	-	-	-	-	-	-	02	03	02	-		21
22	-	04	03	-	-	-	-	30	10	-	-	-		22
23	-	-	21	-	-	-	-	38	05	04	-	15		23
24	06	42	-	-	05	-	-	18	47	-	-	28		24
25	12	10	-	23	01	53	-	-	-	-	-	07		25
26	19	14	-	-	-	-	-	22	05	-	-	31		26
27	01	36	-	-	-	-	-	-	13	-	12	26		27
28	-	03	-	-	07	-	-	01	06	06	-	16		28
29	-	-	-	-	-	-	-	-	62	-	-	16		29
30	05	×	-	09	02	-	-	62	12	34	35	28		30
31	-	×	-	×	01	×	-	-	×	30	×	35		31
TOTAL	.89	2.27	.39	3.02	.85	3.64	1.05	1.77	3.09	2.46	4.44	2.81	Year's Total. 26.86	
* Days with .01 in. or more.	11	14	7	21	10	17	5	7	19	13	19	20	163	
* Days with .04 in. or more.	7	13	2	17	6	15	5	6	15	11.	17	16	130	

40-9999 W.G. Cross. Esq. C.E. M

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) W. G. Curtis ✓

[P.T.O.

COPY FOR ~~OFFICIAL~~ USE.

Section **A** for the entry of Daily Observations. Station No. 848

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Ealing Reservoir (M.W.B)

in the County of

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 11 in.

,, Ground ,, Sea Level ft.

Total

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.36	.09	.06	.15	-	.26	.16	.02	.	.	.07	.08		1
2	-	.14	-	.	-	.34	.05	.10	.	.	.05	.		2
3	.	.	-	.14	.	.06	03	.	.20	.	.32	.		3
4	.	-	.10	-	.	.14	.	.	.46	.	.03	.03		4
5	.08	-	.04	-	-	-	.	.02	.15	.	.03	.04		5
6	.25	.	.	-	.	.19	.	.09	.03	.	.16	.08		6
7	.19	.	.01	-	-	.03	.09	.	.03	.	.10	.03		7
8	.16	-	.02	-	-	.	-	.	.55	.	.32	.18		8
9	.72	-	.03	.	-	.	.50	.	.04	.	.	.01		9
10	-	-	.	.	-	.	.06	.	.	.	02	.		10
11	-	-	-	.08	-	.	.21	12	.	.	.75	-		11
12	-	-	.	.09	.	.60	.16	.	.04	.	.42	.11		12
13	-	-	.	.	-	.31	.02	.	.	.02	.02	.07		13
14	-	.05	.	.	-	08	.62	.	.	.04	.18	.30		14
15	-	.08	-	.	-	.	.	.	.27	.	.02	03		15
16	.30	.09	.	.	-	.	02	.	04	.	.40	03		16
17	.30	.33	.	.	.06	.15	.	.	.	.01	.18	.14		17
18	.02	.11	.	.	.	.18	.13	.	.	.04	.02	.10		18
19	.24	.03	.01	.02	.	.17	.11	.03	.	.03	.	.		19
20	.03	05	.09	.34	.	-	.06	.	.	.	.	.		20
21	-	-	.	.18	.06	.43	-	.	.77	.	.	.		21
22	.13	.38	.03	.	.24	.02	.16	.	.01	.	.	.07		22
23	.04	-	.02	.08	.	.	.04	.	.	.15	.	.		23
24	.10	18	.	-	.	-	-	.	.	.35	.	.		24
25	.08	-	.14	.19	-	.25	.15	.	.13	.12	.03	.02		25
26	.	.10	.19	.03	.	.12	.02	.	.03	.17	.	.03		26
27	.14	.02	.01	-	.	.	.01	.	.22	.06	.	.		27
28	.74	-	.09	.	.	-	.16	.	.06	.	.	.04		28
29	.06	08	.07	.	.	27	.02	.	[illegible]	01	.17	-		29
30	.09	×	-	.	.12	16	.06	.	.	21	.			30
31	35	×	.24	×	.	×	.10	.	×	65	×	.22		31
TOTAL	4.38	1.73	1.15	1.30	.48	3.76	2.94	.38	3.03	1.76	3.29	1.63	Year's Total [illegible]	25·81 ✓
* Days with .01 in. or more.	20	14	16	10	4	18	23	6	16	13	19	19	168	✓
* Days with .04 in. or more.	18	12	9	8	4	16	17	3	12	9	12	12	143	✓

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) W. G. Curtis

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 848

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at EALING RESERVOIR,

in the County of MIDDLESEX.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 206 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.66	.01		.10					.02		.66	.56		1
2		.13	.02	.54					.13			.60		2
3		.18										.04		3
4	.04	.40										.29		4
5	.22	.10	.21				.07							5
6	.02	.01	.55		.19		.02			.09	.02			6
7		.77	.05	.11					.05					7
8		.03			.07	.05					.06	.23		8
9		.04		.31	.15	.02	.08		.26			.02		9
10			.45	.04	.18	.42	.05	.23				.31		10
11			.14		.31		.01					.04		11
12	.14	.28	.14		.22	.46	.02	.10	.08			.08		12
13	.13	.07	.36			.08		1.56	.24			.95		13
14	.02	.03	.16	.01				.22	.05					14
15	.10	.10		.15			.18		.04			.02		15
16	.05	.15	.20	.45		.12		.23	.25					16
17	.27		.10	.08		.02			.24			.01		17
18	.20	.08			.11	.35					.21	.04		18
19	.02	.12	.05	.12	.06	.12	.12		.02			.10		19
20	.26	.03	.03	.32	.62	.22			.02			.04		20
21	.32	.62	.01	.09	.01		.06				.01	.01		21
22	.30	.01			.02	.12	.05			.53	.29	.03		22
23	.27		.01		.08					.48		.01		23
24	.28	.57	.04						.13	.16		.01		24
25	.04	.25	.13		.22				.08	.20		.02		25
26		.20	.04		.03					;03				26
27	.02	.09		.09					.02	.60				27
28	.01	.11		.04						.10		.03		28
29	.06					.02				.04	.08	.02		29
30	.21	✕									.20			30
31	.31	✕		✕		✕			✕	.26	✕	.02		31
TOTAL	3.95	4.38	2.69	2.45	2.27	2.00	0.66	2.34	1.58	2.49	1.53	3.48	Year's Total 29.82	
* Days with .01 in. or more.	23	24	18	14	14	12	10	5	15	10	8	23	176	
* Days with .04 in. or more.	18	18	14	13	11	10	7	5	10	9	6	12	133	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) V. H. Davies [P.T.O.

SUPPLY ENGINEER.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 848

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Ealing Reservoir
in the County of Middlesex
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 206 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						·10	·02		·02	·02	·02	·02		1
2	·10			·07	·12					·19		·06		2
3					·19		·02		·02	·56	·03			3
4	·02									·04		·08		4
5							·11			·13				5
6	·03						·03		·55					6
7							·06	1·75	·05	·14		·03		7
8	·13						·10			·29				8
9	·07	·01					·02	·27				·53		9
10	·15	·04						·11				·03		10
11	·30							·44			·18	·06		11
12	·25				·01			·04		·23				12
13	·16	·01								·04	·07	·12		13
14	·18				·04				·02			·02		14
15	·07	·02					·17			·31	·02	·26		15
16	·35										·03	·85		16
17		·06			·05					·07				17
18	·03				·05				·10	·01	·20			18
19								·04	·06		·18			19
20									·02		·47	·02		20
21								·08	·04		·02	·31		21
22	·01					·01		·01			·14	·30		22
23				·01							·01	·01		23
24			·12		·02				·42		·06			24
25	·10	·01	·13	·01	·02				·02	·03	·93	·22		25
26	·14	·16	·06						·25	·18		·13		26
27	·10	·03			·01	·33	·27	·07	·55	·07	·35			27
28	·21	·05			·95	·03		·23	·05			·05		28
29	·35				·15						·10	·21		29
30	·05	☒			·10	·02			·06	·07	·13	·01		30
31	·12	☒		☒	·08	☒			☒	·12	☒	·22		31
													Year's Total	
TOTAL	2·92	0·39	0·31	0·09	1·79	0·39	0·80	3·04	2·15	2·50	2·94	3·54	20·86	
* Days with .01 in. or more.	21	9	5	5	13	5	9	10	15	17	17	21	143	
* Days with .04 in. or more.	17	4	3	1	9	2	5	9	8	14	11	14	97	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Davis [P.T.O.

SUPPLY ENGINEER.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 848

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1939.

Kept at EALING

in the County of MIDDLESEX

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 206 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02			.50	.38			.23	.26					1
2	.01			.02	.02		.02	.73	.75					2
3	.29			.26				.32			.26	.12		3
4	.08		.18	.13			.04	.89		.47	.05	.02		4
5				.44	.04					.17	.23	.03		5
6	.39						.23	.07			.58	.03		6
7	.02	.06						.01		.03	.09	.16		7
8		.07	.13				.01	.55		.57	.17	.30		8
9	.02	.07						.02		.21	.05	.16		9
10	.20					.35		.09	.02	.07				10
11			.20			.18				.40	.01			11
12														12
13				.03	.03		.07		.02	1.26		.01		13
14	.56		.01		.09					.20	.38	.02		14
15	.27				.41	.22	.07		.10	.70	.10	.02		15
16	.45		.06	.03	.18	.12	.03		.02		.37			16
17	.18	.03	.05		.02		.01				.03			17
18	.25		.03			.19	.17			.13	.26			18
19	.23						.11			.12				19
20	.19					.25	.55	.03						20
21	.06		.23			.06	.17	1.46	.05					21
22	.16	.18	.11			.11	.02				.11			22
23	.02		.01	.10		.01	.03	.02		.02	.63	.04		23
24	.41			.02			.02			.09				24
25	1.00	.17	.03				.25	.05		.01	.49			25
26	.10					.02				.22	.28	.03		26
27		.02	.07	.07						.16	.21			27
28		.17	.05	.16			.17			.08	.12	.08		28
29				.25			.01			.01	.15			29
30		X		.59							.24			30
31		X		X		X	.02		X	.03	X			31
													Year's Total	
TOTAL	4.91	0077	1.16	2.60	1.17	1.51	2.00	4.47	1.22	4.95	4.81	1.02	30.59	
* Days with .01 in. or more.	21	8	13	13	8	10	19	13	7	20	21	13	166	
* Days with .04 in. or more.	16	6	9	9	5	8	10	9	4	15	19	6	116	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 848

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40.

Kept at EALING.

in the County of MIDDLESEX.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 206 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		.03									.08			1
2		.03		.09			.06			.15	.46			2
3		.25		.16						.10	.97	.09		3
4		.09								.17	.13			4
5		.02					.12			.06	.39	.08		5
6	.16	.08			.04		.21			.15	.08			6
7	.27	.06		.02	.05		.14							7
8				.01						.18		.28		8
9						.24	.02	.03	.02	.20	.04	.04		9
10							.19			.07	.12	.03		10
11			.01	.02			.13				.85	.03		11
12			.06			.03	.08		.08					12
13		.01	.66			.05					.89			13
14			.15	.16					.15	.01		.27		14
15			.04	.02	.08		.28		.05	.04	.16	.01		15
16	.02	.09	.34	.04		.04	.30		.25	.72	.81	.03		16
17			.49				.02			.01	.55			17
18		.40	.07	.25			.28		.01	.10	.36	.13		18
19		.24	.02	.08			.03		.02		.12	.02		19
20		.02	.01	.01		.01	.01	.02		.03	.05			20
21					.58		.02			.03	.33			21
22	.02		.02		.29	.26				.01				22
23		.09	.02	.18		.02		.02						23
24				.14			.21					.02		24
25			.61				.08							25
26	1.08	.06	.37	.02	.11	.09	.01							26
27	.46	.18		.09	.06		.10							27
28	.31			.04	.07									28
29	.08	.03	.08		.05							.31		29
30	.03	✕		.33						.05				30
31	.09	✕		✕		✕			✕	.54	✕			31
TOTAL	2.52	1.68	2.95	1.66	1.33	.74	2.29	.07	1.09	2.62	6.39	1.14	Year's Total 24.48	✓
* Days with .01 in. or more.	10	16	15	17	9	8	19	3	9	18	17	13	154	✓
* Days with .04 in. or more.	7	10	10	11	9	5	13	–	5	13	17	7	107	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

849

849

GREENFORD S.W.

1931 - 1938

78 02 03

Section **A** for the entry of D

AIR MINISTRY.-

FOR OFFICIAL USE.

INFALL ORGANIZATION.

FORM 1090.

REGIST

93/.

Kept at Greenford

in the County of Mid

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Leve

THE MORNING MEASURE

DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·03	·02	·21		·09		·01	·01		·01	·01	1
2	·11	·08	·02	·39	~~·34~~	·01			·50	·03	·01	·06	2
3	·03		·05	·46	·34			·35	1·05		·04	·14	3
4		·01			·08		·01	·20	·18		·09		4
5				·18	·05	·86	·08	1·00	·01		·01	·15	5
6	·01	·11		·09				·01		·28	·46	·01	6
7		·01		·02	·11	·07		·66		·08	·16	·06	7
8	·02	·04	·01	·01	·03	·21		·34		·01	·10	·02	8
9		·08	·10				·01			·01	·53	·02	9
10	·01	·14	·07		·01	·02	·06	·47		·02	·13	·01	10
11	·06	·20	·01					·01	·03	·02	·08		11
12	·01	·04					·01	·18	·36				12
13		·01					·13	·08					13
14	·01	·10	·01		·01		1·01	1·48					14
15	·02	·01		·11	·14		·13	·17				·06	15
16	·01	·14	·01	·10	·24	·03		·24	·09				16
17	·12	·04		·33	·06	·03	·18	·01	·17	·01			17
18	·06	·08		·15		·10	·01	·85	·01	·01	[illegible]		18
19	·01	·03	·01	·47		·15	·28	·05	·12				19
20	·01	·04		·11			·10	·20					20
21	·02		·01	·02	·39								21
22	·18		·04	·01	·02		·01		·01				22
23	·20	·01	·02	·04	·59	·01	·01		·05		·10	·05	23
24	·01		·01	·20	·08	·13	·05	·01					24
25	·11			·43	·07		·45				·01		25
26	·01	·09		·22			·35				·18		26
27	·14	·43		·05	·29		·12				·08		27
28	·05	·14		·06							·01	·09	28
29	·06	×		·01	·12		·15		·01	·28	·02	·06	29
30	·04	×			·01		·03	·13		·02	·01		30
31	·17	×		×	·08	×			×	·01	×		31
TOTAL	1·48	1·86	·39	3·67	2·65	1·41	3·18	6·45	2·60	·78	2·53	·72	YEAR'S TOTAL 28.02
*Days with ·01 in. or more.	~~25~~	~~22~~	14	~~22~~	19	12	20	20	14	12	19	13	212
*Days with ·04 in. or more.	12	15	4	17	13	7	13	15	8	3	12	8	127

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

[P.T.O.

93846/29 849

Section **A** for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Greenford Sewage Works.
in the County of Middlesex.
Diameter of Funnel of Gauge 5" in.
Height of top of Gauge above Ground 1 ft 3 in.
,, Ground ,, Sea Level 60.50 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·03	·02	·21		·09		·01	·01		·01	·01	1
2	·11	·08	·02	·39	~~·34~~	·01			·50	·03	·01	·06	2
3	·03		·05	·46	·34			·35	1·05		·04	·14	3
4		·01			·05		·01	·20	·18		·09		4
5				·18	·05	·86	·08	1·00	·01		·01	·15	5
6	·01	·11		·09				·01		·28	·46	·01	6
7		·01		·02	·11	·07		·66		·08	·16	·06	7
8	·02	·04	·01	·01	·03	·21		·34		·01	·10	·02	8
9		·08	·10				·01			·01	·53	·02	9
10	·01	·14	·07		·01	·02	·06	·47		·02	·13	·01	10
11	·06	·20	·01					·01	·03	·02	·08		11
12	·01	·04					·01	·18	·36				12
13		·01					·13	·08					13
14	·01	·10	·01		·01		1·01	1·48					14
15	·02	·01		·11	·14		·13	·17				·06	15
16	·01	·14	·01	·10	·24	·03		·24	·09				16
17	·12	·04		·33	·06	·03	·18	·01	·17	·01			17
18	·06	·08		·15		·10	·01	·85	·01	·01	·50		18
19	·01	·03	·01	·47		·15	·28	·05	·12				19
20	·01	·04		·11			·10	·20					20
21	·02		·01	·02	·39								21
22	·18		·04	·01	·02		·01		·01				22
23	·20	·01	·02	·04	·59	·01	·01		·05		·10	·05	23
24	·01		·01	·20	·08	·13	·05	·01					24
25	·11			·43	·07		·45				·01		25
26	·01	·09		·22			·35				·18		26
27	·14	·43		·05	·29		·12				·08		27
28	·05	·14		·06							·01	·09	28
29	·06	×		·01	·12		·15		·01	·28	·02	·06	29
30	·04	×			·01		·03	·13		·02	·01		30
31	·17	×		×	·08	×			×	·01	×		31
TOTAL	1·48	1·86	·39	3·67	2·65	1·71	3·18	6·45	2·60	·78	2·53	·72	YEAR'S TOTAL 28.02
*Days with ·01 in. or more.	~~25~~	22	14	~~22~~	19	12	20	20	14	12	19	13	212
*Days with ·04 in. or more.	12	15	4	17	13	7	13	15	8	3	12	8	127

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) .... [P.T.O.

849

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Greenford Sewage Works
in the County of Middlesex

Diameter of Funnel of Gauge 5" in.
Height of top of Gauge above Ground 1 ft 3 in.
,, Ground ,, Sea Level 60.50 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06			·14	·34	·01		·59	·02	·26	·04		1
2	·02			·17	·02				·29	·09	·03	·11	2
3				·27	·08				·41	·01		·01	3
4						·15				·01	·14		4
5	·10		·01			·01	·20		·10		·01		5
6	·46			·23					·07				6
7	·01		·10	·12	·02				·12				7
8	·01		·10	·06	·18				·03	·20			8
9	·12			·09	·89					·02			9
10	·48	·02	·01	·20	·07	·04			·01	·21	·01		10
11	·03			·01	·02	·01	·20	·03	·02	·22	·04	·03	11
12	·05				·01			·02		·14	·02		12
13	·06	·01		·11	·01				·02	·22	·07		13
14	·12	·01		·08	·01					·04	·06	·01	14
15		·02		·04	·52					·10	·01	·01	15
16	·31	·01		·15	·13					·01	·01		16
17							·10		·01	·04	·01		17
18		·01			·01				·28		·10		18
19			·01						·01	·21			19
20			·01	·12	·06			·28	·09	·68	·18		20
21	·03			·10	·86			·15		·23		·04	21
22			·29		·09		·12		·12	·30	·32		22
23		·06	·06	·01	·04				·08	·80	·11	·12	23
24		·02					·35		·08	·06	·09		24
25							·82		·04	·21	·01	·01	25
26			·11	·08	·04		·03			·02	·01	·01	26
27			·19	·18	·40		·09			·50	·08		27
28			·19		·19		·19			·15	·01		28
29			·20	·04	1·00	·02		·15	·09	·22	·02		29
30		×	·03	·13	·05	·61			·13	·01	·20	·14	30
31		×	·04	×	·02	×	·04		×		×	·03	31
TOTAL	1·85	·16	1·16	2·33	5·06	·85	2·14	1·22	1·92	4·96	1·58	·62	YEAR'S TOTAL 23·75
*Days with ·01 in. or more.	14	8	13	20	24	7	10	6	20	26	23	11	182
*Days with ·04 in. or more.	9	1	8	18	16	3	9	4	13	20	12	4	117

40-9999

(Signed)

P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 849

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Greenford Sewerage Works,

in the County of Middlesex.

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft 3 in.

,, Ground ,, Sea Level 60·60 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06	·12	·19	·01	·23						·08		1
2	·15	·01	·27		·29						·01		2
3	·02	·20	·18		·21						·02		3
4	·47		·01		·17						·07		4
5			·20		·14			·02					5
6		·08	·03		·43					·08	·05		6
7	·17	·07	·09		·03				·01	·10		·01	7
8	·05	·01	·02		·08		·07					·01	8
9			·01		·06		·15	·09		·05	·06		9
10	·02	·66			·02		·13			·15	·02		10
11	·19				·06	·01	·08	·13		·02	·02	·01	11
12					·01	·05			·22				12
13	·09				·12	·04	·25		·08		·17		13
14	·01				·01	·01	·01		·01	·13	·52	·01	14
15	·30		·09		·01	·72	·05	·16			·02		15
16	·'		·62			·29	·18	·01	·03	·03			16
17	·02		·29				·02		·13		·10	·01	17
18	·09	·01	·15			·10			·01			·01	18
19	·02	·06	·08			·06			·52		·04	·03	19
20		·08	·09	·03		·27			·01				20
21			·01	·01		·05		·09	·30				21
22						·01		·18		·24	·02		22
23				·13	·02	·01		·02	·32	·03	·01		23
24		·35		·11	·01	·34			·35	·01	·04		24
25		·50		·26		·01			·18	·02	·04	·05	25
26		·23		·03	·01	·03			·08			·11	26
27					·04	·02			·01	·20		·03	27
28						·01			·01	·32			28
29	·08		·01	·06		·01	·05		·01	·08		·01	29
30	·10	×	·05						·03	·01		·16	30
31	·11	×		×		×		·15	×	·03	×		31
TOTAL	1·95	2·38	2·39	·64	1·94	2·04	·99	·76	2·31	1·50	1·29	·45	YEAR'S TOTAL 18·64
*Days with ·01 in. or more.	17	13	18	8	19	18	10	8	18	16	17	12	174
*Days with .04 in. or more.	12	10	12	4	11	9	8	5	8	9	10	3	102

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 849

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Greenford Sewage Works,
in the County of Middlesex.

Diameter of Funnel of Gauge 5" in.
Height of top of Gauge above Ground 1' ft. 3" in.
,, Ground ,, Sea Level 60·50 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1								·12		·03	·01	·21		1
2	·05		·08		·05				·52	·18		·20		2
3	·01	·01		·19						·23	·01	·03		3
4	·09	·01	·14	·02	·01					·10	·07	·36		4
5	~~·01~~		·02		·07						·01	·40		5
6			·30	·02	·29	·02		·04		·16		·21		6
7	·03							·13		·27		·15		7
8					·08			·01	·14		·28	·01		8
9	·01		·03	·01							·52	·35		9
10	·01		·18	·12				·04			·18			10
11	·25		·40	·06	·01			·18				·11		11
12	·05		·08	·01			·10	·28				·04		12
13	·20		·20				·21	·03			·01	·10		13
14	·08	·01	·23		·02						·30	·34		14
15	·10	·01	·09		·03				·05		·06	·28		15
16	·13	·01	·15		·02					·10	·01			16
17		·01								·05	·02	·15		17
18	·14			·20			·23				·01	·10		18
19			·19	·01		·01			·05	·02		·10		19
20		·01	·17	·03			·19	·01	·02	·01		·01		20
21				·15		·17	[illegible]	·03		·03				21
22							·02	·51	·28	·01		·04		22
23				·26		·19			·02			·10		23
24			·06	·28		·05	·86		·18					24
25	·08	·09		·12		·12				·03		·21		25
26	·07			·20		·07			·01			·05		26
27	·01			·19		·15			·01	·04		·22		27
28		·20		·03		·08		·87		·01	·11	·18		28
29								·00	·14					29
30	·04	×						·09	·01			·18		30
31	·02	×		×		×		·09	×	·17	×	·03	6	31
TOTAL	1·36	·36	2·33	1·90	·58	·86	1·71	2·43	1·43	1·44	1·60	4·16	Year's Total 20·16	20·16
*Days with ·01 in. or more.	17	9	15	17	9	9	6	14	12	16	14	26	164	
*Days with .04 in. or more.	12	2	13	10	4	7	5	10	7	9	7	22	108	108

40-9999
*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*)

[P. T. O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No. 849

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Greenford Sewage Works

in the County of Middlesex.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 3 in.

,, Ground ,, Sea Level 60.50 ft.

Duration

Totals ✓ 2

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·10	·04		·03	·03	·16	·67		·30	·10	·20			1
2		·01	·01	·03					·14	·17	·04			2
3	·01	·06	·06	·02		·28			·52	·48	·20			3
4		·01		·12		·23			·35	·42		·11		4
5	·01	·17	·03	·08		·23						·01		5
6				·29		·35								6
7				·50						·02	1·12	·17		7
8	·01			·24		·03				·23	·13	·18		8
9				·15		·60				·52	·11			9
10	·01			·02		·01					·03			10
11	·20			·09		·08	·44				·25	·01		11
12				·01		·09		·06	·01		·50			12
13	·08	·16		·17	·12	·08					·01			13
14				·05	·15	·09			·03		·05	·10		14
15	·01	·20		·27		·38			·02		·21	·06		15
16		·08	·03	·07		·06			·32		·48	·02		16
17						·20			·02		·29			17
18				·22	·04	·22	·07		·29	·01	·04	·01		18
19				·02	·23	·11	·05		·01		·14	·06		19
20		·15		·05	·28	·05	·03		·20		·18			20
21		·20							·03	·03	·02			21
22		·02	·03					·34	·05					22
23		·06	·23					·37	·05	·08		·22		23
24	·05	·20			·01			·28	·50			·29		24
25	·20	·15		·23	·03	·36						·10		25
26	·04	·09						·46	·07			·24		26
27	·10	·35							·24		·12	·28		27
28					·05			·01	·03	·04		·19		28
29	·01								·70			·11		29
30	·05	×		·10	·02			·60	·21	·38	·36	·29		30
31		×		×		×			×	·29	×	·39		31
TOTAL	·88	1·95	·39	2·76	·96	3·61	1·26	2·12	4·09	2·47	4·48	2·84	Year's Total. 27·81	✓
* Days with .01 in. or more.	14	16	6	22	10	19	5	7	21	13	20	19	171	✓
* Days with .04 in. or more.	8	13	2	15	6	17	4	6	14	10	17	15	127	✓

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) W. Whyman

P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No. 849

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936. D

Kept at Greenford Sewage Works

in the County of Middlesex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 60.50 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·40	·10	·06	·16		·24	·10	·04			·07	·08		1
2		·20	·03	·01		·32	·09	·11			·06			2
3				·13		·11	·06		·10		·32			3
4			·13			·19			·49		·45	·03		4
5	·11		·05					·03	·13		·01	·04		5
6	·24	·01				·13		·09	·05		·14	·08		6
7	·19		·01			·05	·93		·04		·11	·03		7
8	·15		·03								·34	·18		8
9	·71		·03				·53		·55		~~·03~~	·01		9
10							·05		·15		·03			10
11				·08		·01	·23				·71			11
12				·11		·53	·23		·08		·32	·11		12
13						·26	·03			·02	·07	·09		13
14		·08				·09	·53		·01	·03	·17	·27		14
15		·10							·31		·02	·05		15
16	·33	·11					·04		·06		·42	·01		16
17	·20	·37			·05	·03				·01	·21	·14		17
18	·05	·08				·41	·14			·04	·03	·15		18
19	·25	·03	·01			·36	·23	·04		·04	~~·02~~			19
20	·03	·10	·05	·38			·04		·83					20
21	·01		~~·03~~	·20		·33			·03					21
22	·17	·44	·05		·33	·09	·17					·07		22
23	·04		·03	·08	·01		·03			·12		·01		23
24	·10	·16								·37		·01		24
25	·08		·16	·19		·13	·20		·13	·15	·02	·01		25
26		·12	·17	·02		·12	·41		·02	·10		·03		26
27	·15	·08	·02				·02		·16	·05				27
28	·71	·02	·10				·17		·01			·03		28
29	·09	·10	·06			·16	·05			·02	·16	·02		29
30	·09	✕			·10	·14	·95			·21		·01		30
31	·35	✕	·20	✕		✕	·11		✕	·56	✕	·27		31
TOTAL	4·45	2·10	1·19	1·36	·49	3·70	4·44	·31	3·15	1·72	3·21	1·73	Year's Total 27·85	
* Days with .01 in. or more.	21	16	17	10	4	19	23	5	17	13	19	23	187	
* Days with .04 in. or more.	19	13	10	8	3	17	20	4	13	9	13	12	141	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 849

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Greenford Sewerage Works
in the County of Middlesex
Diameter of Funnel of Gauge 5 ~~6~~ in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 60:50 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.53	0.01	0.01	0.09	—	—	—	—	0.01	—	0.61	0.63		1
2	0.01	0.13	0.02	0.58	—	—	—	—	0.19	—	—	0.62		2
3	—	0.20	—	—	—	—	—	—	—	—	—	0.04		3
4	0.05	0.38	0.01	—	—	—	—	—	—	—	—	0.27		4
5	0.23	0.08	0.25	—	—	—	0.08	—	—	—	0.01	—		5
6	0.03	0.05	0.49	—	0.24	—	0.01	—	—	0.05	0.01	—		6
7	0.01	0.71	0.14	0.14	—	—	0.01	—	0.03	0.01	—	—		7
8	0.03	0.05	—	0.01	0.09	0.07	—	—	—	—	0.08	0.18		8
9	—	0.06	—	0.31	0.14	0.03	0.08	—	0.26	—	—	0.03		9
10	—	0.01	0.53	0.06	0.05	0.37	0.01	—	—	—	—	0.36		10
11	—	0.01	0.19	0.01	0.46	0.01	0.02	0.07	—	—	—	0.04		11
12	0.13	0.31	0.11	—	0.25	0.49	0.04	0.02	0.05	—	—	0.09		12
13	0.13	0.07	0.41	0.01	—	0.12	0.01	1.50	0.14	—	—	0.86		13
14	0.02	0.05	0.17	0.01	—	0.01	—	0.35	0.04	—	—	—		14
15	0.14	0.12	—	0.15	—	0.04	0.15	—	0.07	—	—	0.02		15
16	0.04	0.20	0.20	0.40	—	0.05	0.01	0.19	0.46	—	—	0.01		16
17	0.28	0.01	0.13	0.07	—	0.01	—	—	0.30	—	—	—		17
18	0.21	0.08	—	—	0.13	0.35	—	—	—	0.01	0.17	0.11		18
19	0.03	0.12	0.05	0.11	0.03	0.15	0.23	—	0.03	—	—	0.07		19
20	0.31	—	0.06	0.28	0.60	0.04	—	—	0.03	—	—	0.01		20
21	0.30	0.64	0.02	0.09	0.03	—	0.06	—	0.22	0.01	—	0.01		21
22	0.33	0.02	0.01	—	0.02	0.15	0.06	—	0.23	0.59	0.34	0.02		22
23	0.24	0.02	0.02	—	0.13	—	—	—	—	0.32	—	—		23
24	0.28	0.56	0.07	—	0.01	—	—	—	0.10	0.16	—	—		24
25	0.05	0.29	0.14	—	0.33	—	—	—	0.06	0.15	—	0.02		25
26	0.01	0.21	0.06	—	0.21	—	—	—	0.10	0.05	—	—		26
27	0.02	0.12	0.01	0.13	—	—	—	—	0.01	0.49	—	—		27
28	0.01	0.12	—	0.05	—	—	—	—	—	0.09	—	0.03		28
29	0.03	×	—	—	—	0.05	—	—	—	0.03	0.07	0.02		29
30	0.26	×	—	—	—	—	—	—	—	—	0.18	—		30
31	0.33	×	0.01	×	—	×	—	—	×	0.20	×	—		31
													Year's Total	
TOTAL	4.04	4.63	3.11	2.50	2.72	1.94	0.77	2.13	2.33	2.16	1.47	3.44	31.24	
* Days with .01 in. or more.	27	27	23	17	15	15	13	5	18	13	8	20	201	
* Days with .04 in. or more.	~~8~~ 17	21	15	13	11	11	7	4	13	9	6	11	138	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 849

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1938.

Kept at Greenford

in the County of Middlesex

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

Annual Total corr. for B.A

LR.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0·01	—	0·01	—	—	0·09	—	—	—	·02	—	·06		1
2	0·08	0·01	—	0·07	0·04	—	·02	—	—	·16	—	·04		2
3	—	—	—	—	0·21	—	—	—	—	·46	·01	—		3
4	0·01	—	—	—	—	—	—	—	—	·03	—	·08		4
5	0·01	—	—	—	—	—	·07	—	—	·14	—	—		5
6	0·03	—	—	—	—	—	—	—	·86	·01	—	—		6
7	—	—	—	—	—	—	·03	·95	·11	·09	—	·03		7
8	0·13	—	—	—	—	—	·08	·01	—	·25	—	—		8
9	0·09	—	—	—	—	—	·01	·26	—	—	—	·41		9
10	0·10	0·05	—	—	—	—	—	·13	—	—	—	·03		10
11	0·29	—	—	—	—	—	—	·70	—	—	·13	·08		11
12	0·22	—	—	—	0·02	—	—	·63	—	·18	·02	·01		12
13	0·17	—	—	—	—	—	—	—	—	·03	·06	·09		13
14	0·14	—	—	—	0·04	—	·01	—	—	—	·01	·01		14
15	0·02	0·01	—	—	—	—	·23	—	—	·29	·02	·21		15
16	0·30	—	—	—	—	—	·02	·02	—	—	·03	·70		16
17	0·01	0·05	—	—	0·13	—	—	—	—	·08	—	—		17
18	0·03	—	—	—	0·04	—	—	—	·15	·04	·18	—		18
19	—	—	—	—	—	—	—	—	·07	·01	·17	—		19
20	—	—	—	—	—	—	—	·04	—	—	·45	·01		20
21	0·02	—	—	—	—	—	—	·08	·06	—	·03	·55		21
22	—	—	—	—	—	0·01	—	·03	—	—	·14	·28		22
23	—	—	—	0·01	—	—	—	—	·02	—	·06	·01		23
24	—	—	0·12	—	0·03	—	—	—	·38	—	·77	·01		24
25	0·08	0·02	0·10	0·01	0·04	—	—	·13	·03	·04	—	·15		25
26	0·14	0·14	0·06	—	—	—	—	—	·26	·17	·01	·16		26
27	0·10	0·03	—	—	—	0·18	·27	·12	·59	·11	·27	—		27
28	0·09	0·03	—	—	0·79	0·03	—	·20	·02	—	—	·07		28
29	0·25	X	—	—	0·12	—	—	—	—	—	·09	·19		29
30	0·02	✕	—	—	0·12	0·03	—	—	·07	·08	·09	—		30
31	0·10	✕	—	✕	0·08	✕	—	—	✕	·12	✕	·18		31
TOTAL	2·44	0·34	0·29	0·09	1·66	0·34	0·74	3·30	2·62	2·31	2·54	3·36	Year's Total ~~19·57~~ ✓	20·03
* Days with .01 in. or more.	24	8	4	3	12	5	9	13	12	19	18	22	149 ✓	
* Days with .04 in. or more.	9	5	3	1	10	2	4	10	9	14	11	15	93. ✓	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) ....

County Engineer

[P.T.O.

Section **A** for the entry of Daily Obser

AIR MINISTRY.—METEOR

850

NORTHERN S. W.

1931 - 1936

780203

850

ɔPY FOR OFFICIAL USE.

ORGANIZATION.

FORM 1090.

REGISTER C

Kept at Northern Sewage Works E

in the County of Middlesex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft.

,, Ground ,, Sea Level

THE MORNING MEASUREMENT

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1., following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·	·09	·	·20	·	·06	·	·02	·04	-	·	·	1
2	·11	·07	·	·35	·	·	·02	·02	·53	·04	·	·08	2
3	·04	·	·04	·37	·30	·	·	·32	1.12	-	·03	·12	3
4	-	·	-	·	·01	·	·01	·17	·13	-	·07	-	4
5	-	-	-	·16	·07	·64	·09	·65	·02	-	·02	·15	5
6	·	·10	-	·08	·	·	·01	-	·	·26	·43	·	6
7	-	·	-	·	·10	·13	·	·66	-	·06	·14	·05	7
8	·02	·04	SNOW ·06	-	·02	·20	·	·25	-	·03	·10	·03	8
9	-	·06	SNOW ·05	·01	-	·02	·	·	-	·02	·52	·04	9
10	·02	·07	SNOW ·03	-	:	·03	·06	·35	·	-	·14	·02	10
11	·06	·17	-	·	·	·01	-	-	·04	-	·09	-	11
12	-	·02	-	·	·	-	-	·18	·41	-	·	-	12
13	-	-	-	-	-	-	·14	·09	-	-	-	-	13
14	SNOW ·01	·10	·	·	·	-	1.13	1.38	-	-	-	-	14
15	·04	·02	-	·11	·14	·	·17	·15	·	·	·	·05	15
16	-	·11	-	·09	·24	·07	-	·29	·07	-	·	-	16
17	·04	·02	-	·25	·06	·02	·17	·02	·13	·03	·	-	17
18	·04	·05	·	·20	-	·09	·02	·84	-	-	·53	-	18
19	·02	·	·	·38	-	·18	·33	·08	·09	-	·		19
20	-	·04	-	·10	·	-	·06	·18	-	-	·02	·02	20
21	·02	·	-	-	·37	·	-	·02	-	-	·	-	21
22	·18	·	·05	·02	·02	·	-	-	·01	-	-	-	22
23	·18	-	·	·05	·54	·02	-	-	·04	-	·11	·04	23
24	·	·	·01	·20	·05	·10	·05	·02	·02	-	-	-	24
25	·12	-	·	·46	·06	-	·41	-	-	-	·02	·02	25
26	-	·06	-	·17	·	-	·33	-	·01	-	·15	-	26
27	·13	·42	·	·05	·29	-	·13	-	-	-	·10	·	27
28	-	SNOW. ·12	·	·06	-	-	-	-	-	·02	·02	·14	28
29	·06		·	-	·17	-	·15	-	-	·22	-	·03	29
30	·03	X	·	·	·03	-	·03	·11	-	-	-	-	30
31	·13	X	·	X	·07	X	-	·	X	-	X	·	31
													YEAR'S TOTAL
TOTAL	1.25	1.56	·24	3.31	2.54	1.57	3.31	5.80	2.66	·68	2.49	·79	26.20
*Days with ·01 in. or more.	18	17	6	19	17	13	18	20	14	8	16	13	179
*Days with ·04 in. or more.	12	14	4	17	13	8	13	15	10	4	11	8	129

40-9999

*See Instruction 2 (*f*) on other side.

BOROUGH OF EALING

-8 JAN. 1932

(*Signed*) W. R. Hicks Borough Surveyor Engineer.

66158 7/26. 850

Section | **A** | **for the entry of Daily Observations.** COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931 .

Kept at Northern Sewage Works Ealing
in the County of Middlesex
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft — in.
,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·	·09	·	·20	·	·06	·	·02	·04	-	·	-	1
2	·11	·07	·	·35	·	·	·02	·02	·53	·04	·	·08	2
3	·04	·	·04	·37	·30	·	·	·32	1.12	-	·03	·12	3
4	-	·	-	·	·01	·	·01	·17	·13	-	·07	-	4
5	-	-	-	·16	·07	·64	·09	·65	·02	-	·02	·15	5
6	·	·10	·	·08	·	·	·01	-	·	·26	·43	·	6
7	-	·	-	·	·10	·13	·	·66	-	·06	·14	·05	7
8	·02	·04	SNOW ·06	-	·02	·20	·	·25	-	·03	·10	·03	8
9	-	·06	SNOW ·05	·01	-	·02	·	·	-	·02	·52	·04	9
10	·02	·07	SNOW ·03	-	-	·03	·06	·35	·	-	·14	·02	10
11	·06	·17	-	·	·	·01	-	-	·04	-	·09	-	11
12	-	·02	-	-	·	-	-	·18	·41	-	·	-	12
13	-	-	-	-	-	·	·14	·09	-	-	-	-	13
14	SNOW ·01	·10	-	·	·	-	1.13	1.38	-	-	-	-	14
15	·04	·02	-	·11	·14	-	·17	·15	·	·	-	·05	15
16	-	·11	-	·09	·24	·07	-	·29	·07	-	-	-	16
17	·04	·02	-	·25	·06	·02	·17	·02	·13	·03	-	-	17
18	·04	·05	-	·20	-	·09	·02	·84	-	-	·53	-	18
19	·02	-	·	·38	-	·18	·33	·08	·09	-	·		19
20	-	·04	-	·10	·	-	·06	·18	-	-	·02	·02	20
21	·02	·	-	-	·37	-	-	·02	-	-	·	-	21
22	·18	-	·05	·02	·02	-	-	-	·01	-	-	-	22
23	·18	-	·	·05	·54	·02	-	-	·04	-	·11	·04	23
24	·	·	·01	·20	·05	·10	·05	·02	·02	-	-	-	24
25	·12	-	·	·46	·06	-	·41	-	-	-	·02	·02	25
26	-	·06	-	·17	·	-	·33	-	·01	-	·15	-	26
27	·13	·42	-	·05	·29	-	·13	-	-	-	·10	-	27
28	-	SNOW. ·12	·	·06	-	-	-	·	-	·02	·02	·14	28
29	·06		·	-	·17	-	·15	-	·	·22	-	·03	29
30	·03	X	·	·	·03	-	·03	·11	-	-	-	·	30
31	·13	X	·	X	·07	X	-	·	X	-	X	·	31
													YEAR'S TOTAL
TOTAL	1.25	1.56	·24	3.31	2.54	1.57	3.31	5.80	2.66	·68	2.49	·79	26.20
*Days with ·01 in. or more.	18	17	6	19	17	13	18	20	14	8	16	13	179
*Days with ·04 in. or more.	12	14	4	17	13	8	13	15	10	4	11	8	129

40-9999

*See Instruction 2 (*f*) on other side.

BOROUGH OF EALING
-8 JAN. 1932

(*Signed*) W.R. Hicks Borough Surveyor

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 850

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Northern Sewage Works Ealing

in the County of Middlesex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	-	-	·12	·30	·02	·02	·71	·02	·22	·04	-	1
2	·04	-	-	·12	·04	-	-	·02	·25	·03	·03	·10	2
3	-	-	-	·27	·08	-	-	·02	·34	·01	-	-	3
4	·02	-	-	-	-	·14	-	-	-	-	·12	-	4
5	·10	-	·02	-	·03	-	·16	-	·09	-	-	-	5
6	·40	-	-	·21	·02	-	-	-	·09	-	-	-	6
7	-	-	·12	·09	·03	-	-	-	·11	-	-	-	7
8	-	-	·08	·06	·17	-	-	-	·03	·24	-	-	8
9	·12	-	-	·06	·95	-	-	-	-	·04	-	-	9
10	·45	snow. ·03	-	·18	·08	·04	-	-	·03	·18	02	-	10
11	·03	-	-	·02	·02	-	·12	·05	-	·29	·04	·02	11
12	·06	-	-	-	·02	-	-	·02	-	·17	·02	-	12
13	·06	-	-	·12	·02	-	-	-	·04	·20	·06	-	13
14	·10	·03	-	·07	·02	-	-	-	-	·04	·05	-	14
15	-	·01	-	·05	·61	-	-	-	-	·08	-	-	15
16	·26	-	-	·13	·14	-	-	-	-	·04	-	-	16
17	-	-	-	·02	-	-	·07	-	-	·04	-	-	17
18	-	-	-	-	-	-	-	-	·29	-	·08	-	18
19	-	-	-	-	-	-	-	-	·02	·24	-	-	19
20	-	-	-	·12	·06	-	-	·32	·09	·68	·16	-	20
21	·03	-	-	·07	·84	-	-	·11	-	·23	-	·05	21
22	-	·01	·30	·02	·10	-	·12	·02	·11	·25	·32	-	22
23	-	·08	-	·02	·05	-	-	-	·07	·76	·06	·11	23
24	-	·02	-	·02	-	-	·35	-	·07	·04	·06	-	24
25	-	-	-	-	·02	-	·81	-	·04	·30	·01	-	25
26	-	-	·11	·08	·04	-	·03	-	-	·03	-	-	26
27	-	-	·20	·19	·44	·02	·08	-	-	·46	·06	·02	27
28	-	-	·02	-	·14	-	·24	-	-	·15	-	·02	28
29	-	-	·30	·04	·20	·03	·02	·17	·09	·25	·02		29
30	-	×	·04	·10	·01	·96	-	-	·12	·02	·20	·12	30
31	-	×	·02	×	-	×	·07	-	×	-	×	·04	31
TOTAL	1·72	·18	1·21	2·18	4·43	1·01	2·09	1·44	1·90	4·99	1·39	·48	YEAR'S TOTAL 23·02
*Days with ·01 in. or more.	13	6	10	23	25	6	12	9	18	25	17	8	172
*Days with .04 in. or more.	10	1	7	18	16	3	9	5	14	21	12	5	121

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) W R Hicks M.Inst.C.E. F.S.I. Borough Surveyor.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 850

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Northern Sewage Works

in the County of Middlesex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level ft.

Copied from original 30/1/34 J.W.V.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·05	·11	·15		·17						·04			1
2	·15		·30		·28									2
3		·17	·18		·26									3
4	·38	·01	·03		·14						·04			4
5			·18		·13									5
6		·08	·02		·42					·07	·06			6
7	·15	·07	·08		·02					·12		·02		7
8	·04				·06		·07			·02		·02		8
9					·06		·15			·05	·07			9
10		·95			·03	·03	·14			·13	·02			10
11	·15				·04		·07	·13						11
12				·02		·07			·64	·02				12
13	·06				·11	·05	·27		·07		·15			13
14					·03		·01			·14	·56	·01		14
15	·28		·11			·70	·03	·14		·02				15
16	·02	·02	·62			·26	·15		·02		·07			16
17	·02		·27			·02	·03		·11		·06			17
18	·07	·05	·13			·11								18
19		·08	·08			·18			·45		·03	·02		19
20		·02	·10	·04		·28								20
21		·01				·40		·08	·29					21
22					·04			·16		·18	·03			22
23				·14	·03	·02			·35	·01				23
24		·41		·13	·02	·15			·40		·01			24
25		·48		·24					·10		·03	·06		25
26		·25		·05	·02	·03			·07	·05		·07		26
27					·03		·01			·24		·05		27
28					·01					·30		·01		28
29	·07		·01	·03			·04			·10				29
30	·09	×	·09				·02		·03			·16		30
31	·10	×	·02	×		×		·15	×		×			31
TOTAL	1·63	2·71	2·37	0·65	1·90	2·30	0·99	0·66	2·53	1·48	1·17	0·42	Year's Total 18·82	18.81
*Days with ·01 in. or more.	14	14	16	8	19	13	12	5	11	15	13	9	148	
*Days with ·04 in. or more.	12	10	12	6	11	9	7	5	9	10	8	4	102	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) W. R. Hicks M Inst. C.E

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 850

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Northern Sewage Works

in the County of Middlesex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level ft.

Copied from 1090 attached to No 845.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·01							·11		·02		·40		1
2	·05		·07		·05				·48	·15		·20		2
3	·01			·20						·23		·03		3
4	·09	·02	·14	·02	·01					·04	·06	·36		4
5			·01	·01	·03						·01	·40		5
6			·29	·01	·27	·09		·06		·15		·35		6
7	·02							·11		·12		·13		7
8	·01				·08			·01	·10		·27	·01		8
9	·02		·03								·83	·34		9
10	·02	·02	·20	·12							·16			10
11	·23		·36	·06				·04				·10		11
12	·02		·10				·11	·19			·01	·04		12
13			·24	·01			·17	·31			·02	·08		13
14	·26		·20		·01					·01	·30	·34		14
15	·06		·06		·03				·05		·05	·35		15
16	·06		·14		·01					·11				16
17	·13			·01						·05	·03	·13		17
18	·01		·17	·23			·21					·08		18
19	·14		·15			·05			·05	·02		·06		19
20				·02		·01	·16		·01			·01		20
21				·14		·16		·04		·02				21
22							·03	·51	·24		·02	·04		22
23				·25		·17		·02			·01	·01		23
24			·06	·22		·04	1·43		·19					24
25	·13	·07		·12		·08				·04		·21		25
26	·09			·18		·08			·01			·05		26
27		·07		·12		·14				·04		·28		27
28		·11				·14	·01	·86			·11	·20		28
29			·04	·02					·13			·02		29
30	·04	×						·05				·16		30
31	·03	×		×		×		·06	×	·17	×	·04		31
TOTAL	1·43	·29	2·26	1·74	·49	·96	2·12	2·37	1·26	1·17	1·88	4·42	Year's Total 20·39	
*Days with ·01 in. or more.	20	5	16	17	8	10	7	13	9	14	13	24	159	
*Days with ·04 in. or more.	11	3	14	10	3	9	5	12	7	10	7	22	113	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE. ✓ mp.

Section **A** for the entry of Daily Observations. Station No. ~~845~~ 850

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at ~~EALING TOWN HALL.~~ NORTHERN SEWAGE WORKS.
in the County of ~~MIDDLESEX~~ MIDDLESEX.
Diameter of Funnel of Gauge ~~4 15/16~~ in. 8 in.
Height of top of Gauge above Ground ~~9~~ ft. ~~2~~ in. 1 ft.
,, Ground ,, Sea Level ~~111 11/12~~ ft. 59·8 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·08 ·09	·03 ·04		·04 ·04	·02 ·03	·13 ·16	·60 1·52			·06 ·09	·23 ·21	·02		1
2	·01		·01 ·02	·05 ·04		·01			·05 ·28	·15 ·17	·03 ·02			2
3		·04 ·05	·04 ·07	·03 ·03		·37 ·21			·13 ·13	·49 ·53	·16 ·17	·02		3
4				·11 ·11		·32 ·25			·29 ·52	·16 ·07		·10 ·11		4
5		·15 ·16	·03 ·03	·06 ·07		·20 ·23	·10		·29 ·31			·01 ·01		5
6	·01		·03	·24 ·29		·32 ·33						·01		6
7				·56 ·48		·15 ·02				·03	·66 1·09	·13 ·14		7
8				·27 ·30		·03				·25 ·21	·22 ·16	·10 ·19		8
9				·13 ·15		·68 ·60				·35 ·52	·12 ·10			9
10	·01 ·01			·02		·01					·09 ·05	·02 ·02		10
11	·11 ·20			·04 ·07		·06 ·06	·24 ·23				·26 ·24	·01		11
12						·10 ·09		·07 ·05	·01 ·02		·44 ·44			12
13	·10 ·10	·15 ·16		·16 ·17	·09 ·12	·05 ·04					·01			13
14				·02 ·03	·17 ·13	·06 ·05					·02 ·01	·10 ·08		14
15		·19 ·21		·33 ·34		·35 ·31			·03 ·03		·20 ·19	·04 ·06		15
16		·02 ·09	·03 ·02	·02 ·06		·02 ·05			·16 ·28		·47 ·46	·02 ·03		16
17	·01 ·01			·01 ·01		·17 ·19		·01	·02 ·03		·28 ·33			17
18				·17 ·21	·02 ·08	·15 ·22	·04 ·11		·22 ·29	·02 ·02	·04 ·04	·01		18
19				·01	·17 ·24	·05 ·11	·04 ·05		·01 ·01		·10 ·11	·05 ·04		19
20		·14 ·15		·05 ·02	·27 ·21	·06 ·05	·22 ·05		·02 ·20		·16 ·18			20
21		·22 ·26		·06					·01 ·02	·04 ·02	·01 ·01			21
22		·03 ·04	·02 ·03					·30 ·39	·07 ·07					22
23			·15 ·20					·38 ·33	·05 ·04	·04		·15 ·19		23
24	·04 ·05	·40 ·42			·04 ·03			·27 ·26	·41 ·46			·20 ·21		24
25	·12 ·14	·07 ·11		·22 ·22	·05 ·01	·45 ·43						·08 ·09		25
26	·16 ·10	·14 ·17						·19 ·37	·41 ·05			·27 ·25		26
27		·33 ·34						·01	·12 ·20		·10	·20 ·24		27
28		·03			·06 ·05			·02 ·01	·01 ·04	·05 ·05		·15 ·20		28
29									·59			·15 ·13		29
30	·05 ·05	✕		·09 ·11	·01			·59 ·63	·30 ·15	·25 ·38	·25 ·34	·27 ·28		30
31		✕		✕	·02	✕			✕	·26 ·19	✕	·28 ·31		31
TOTAL	·69 ·76	1·94 2·20	·28 ·40	2·41 2·83	·89 ·93	3·70 3·44	1·24 1·96	1·83 2·05	2·61 3·72	2·12 2·28	3·83 4·16	2·32 2·65	Year's Total ~~23·86~~ 27·38 rp.	
* Days with .01 in. or more.	10 10	14 13	6 7	20 21	9 11	19 20	6 5	8 8	19 20	12 12	19 19	18 23	169 ~~160~~	
* Days with .04 in. or more.	7 7	10 13	2 2	15 16	7 6	17 17	6 5	6 6	12 15	11 9	16 16	15 15	127 ~~124~~	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) F. J. Forty

JWB.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 850

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936.

Kept at Northern Sewage Works (Perivale)
in the County of Middlesex
Diameter of Funnel of Gauge .... in.
Height of top of Gauge above Ground 1 ft. – in.
,, Ground ,, Sea Level 59·8 ft.

Copied in B.R.O. 26.1.37.
from Form 1090 No 845,

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·38	·09	·05	·17		·24		·04			·08	·07		1
2		·19	·01			·32		·10			·06			2
3				·14		·11			·10		·32			3
4			·11			·19			·49		·04	·03		4
5	·10		·05			·13		·03	·13			·05		5
6	·24							·08	·04		·15	·08		6
7	·19					·04			·04		·11	·02		7
8	·15		·04				·94				·34	·18		8
9	·72		·02						·55			·01		9
10				·08			·52		·15		·03			10
11						·01	·05				·73			11
12				·10		·54	·22		·08		·32	·11		12
13				·01		·26	·03			·02	·01	·09		13
14		·09			·06	·09	·53			·03	·16	·27		14
15		·10					·01		·31			·05		15
16	·34	·10							·06		·42	·01		16
17	·20	·36								·01	·21	·04		17
18	·06	·07				·41				·04	·03	·15		18
19	·25	·03				·35	·14	·04		·04				19
20	·02	·10	·05	·38		·33	·04		·85					20
21				·20	·33				·02					21
22	·17	·44	·05									·07		22
23	·04		·04	·08		·09	·03			·12		·01		23
24	·09	·16	·01	·19						·36		·01		24
25	·07		·16			·13			·13	·14	·02	·01		25
26		·11	·17	·03		·13	·20		·02	·10		·03		26
27	·14	·07	·02				·140		·15	·05				27
28	·70		·15		·10		·18		·01			·03		28
29	·09	·07				·16	·05				·16	·02		29
30	·09	✕				·14				·21		·01		30
31	·34	✕	·24	✕		✕	·06		✕	·58	✕	·28		31
													Year's Total	
TOTAL	4·38	1·98	1·17	1·38	·49	3·67	3·40	·29	3·13	1·70	3·19	1·63	26·41	✓
* Days with .01 in. or more.	20	14	15	10	3	18	15	5	16	12	17	23	168	✓
* Days with .04 in. or more.	19	13	11	8	3	17	12	4	13	9	13	12	134	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Ealing Borough Council [P.T.O.

851

Section **A** **for the entry of Daily Obs**

AIR MINISTRY.—METEO

FOR OFFICIAL USE.

ORGANIZATION.

FORM 1090.

REGISTER

851 —

ALPERTON S.W

1931-1937

78 02 04

Kept at Alperton Sewage Wo

in the County of Middlesex

[illegible] Cannel

Diameter of Funnel of Gauge 8" in.

Height of top of Gauge above Ground 1 ft.

,, Ground ,, Sea Level

THE MORNING MEASUREMENT

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	**Jan.**	**Feb.**	**March**	**April**	**May**	**June**	**July**	**August**	**Sept.**	**Oct.**	**Nov.**	**Dec.**	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.11	.10	.22	—	.04	—	.01	—	—	—	—	1
2	.11	.07	—	.36	—	—	.02	.02	.04	—	—	.10	2
3	.03	—	.04	.39	.35	—	—	.33	.57	.03	.04	.17	3
4	—	—	—	.16	.02	—	.01	.18	.91	—	.10	—	4
5	—	—	—	.17	.05	—	.09	.23	.13	—	.01	.17	5
6	—	.10	—	.08	—	.47	.01	—	.01	—	.39	—	6
7	—	.01	—	—	.09	—	=	.62	—	.25	.09	.05	7
8	.01	.06	.03	—	.02	.12	=	.27	—	—	.11	.03	8
9	—	.10	.02	—	—	.19	-	—	—	.01	.51	.04	9
10	.02	.07	.04	—	—	.01	.06	.36	—	—	.15	.01	10
11	.08	.24	—	—	—	.02	—	—	—	—	.11	—	11
12	.01	.03	—	.01	—	—	—	—	.04	—	—	.01	12
13	—	—	—	—	—	—	.12	.30	.41	—	—	—	13
14	—	.11	—	—	—	—	.94	.12	—	—	—	—	14
15	.03	.01	—	.12	—	—	.12	1.30	—	—	—	.05	15
16	—	.10	—	.11	.13	—	.02	.12	—	—	—	—	16
17	.03	.03	—	.18	.25	—	.20	.49	.05	.02	—	—	17
18	.04	.07	—	.15	.07	.06	.03	.01	.14	—	.52	—	18
19	.02	.01	—	.43	—	.19	.32	.86	—	—	—	—	19
20	.01	.04	—	.10	—	—	.06	.23	.10	—	.01	.01	20
21	.01	—	—	—	.35	—	—	.04	—	—	—	—	21
22	.21	—	.04	.01	.02	—	—	.01	—	—	—	—	22
23	.23	—	—	.05	.55	.01	—	—	—	—	.13	.04	23
24	—	—	.01	.24	.07	.10	.04	—	.10	—	—	—	24
25	.12	—	—	.40	.05	—	.41	.01	—	—	.02	.02	25
26	—	.09	—	.18	—	—	.34	—	—	—	.19	—	26
27	.16	.43	—	.04	.26	—	.11	—	—	—	.10	—	27
28	.05	.12	—	.09	—	—	—	—	—	.02	.01	.12	28
29	.09	=	—	—	.07	—	.15	—	—	.24	.01	.07	29
30	.03	X	—	—	.02	—	.04	—	—	—	—	—	30
31	.12	X	—	X	.07	X	—	.12	X	—	X	—	31
													YEAR'S TOTAL
TOTAL	1.41	1.80	.28	3.49	2.44	1.21	3.09	5.63	2.50	.57	2.50	.89	25.81
*Days with ·01 in. or more.	20	19	7	20	17	10	19	20	11	6	17	14	180
*Days with ·04 in. or more.	10	14	4	18	13	7	14	15	10	2	12	9	128

40-9999

(Signed)

ENGINEER & SURVEYOR.

[P.T.O.

*See Instruction 2 (*f*) on other side.

851

Section **A** for the entry of Daily Obs — FOR OFFICIAL USE.

AIR MINISTRY.—METEO OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193/ .

Kept at Alperton Sewage Works

in the County of Middlesex

Wembley Urban Dist Council

Diameter of Funnel of Gauge 8" in.

Height of top of Gauge above Ground 1 ft 2" in.

,, Ground ,, Sea Level 80 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·11	·10	·22	—	·04	—	·01	—	—	—	—	1
2	·11	·07	—	·36	—	—	·02	·02	·04	—	—	·10	2
3	·03	—	·04	·39	·35	—	—	·33	·57	·03	·04	·17	3
4	—	—	—	·16	·02	—	·01	·18	·91	—	·10	—	4
5	—	—	—	·17	·05	—	·09	·23	·13	—	·01	·17	5
6	—	·10	—	·08	—	·47	·01	—	·01	—	·39	—	6
7	—	·01	—	—	·09	—	=	·62	—	·25	·09	·05	7
8	·01	·06	·03	—	·02	·12	=	·27	—	—	·11	·03	8
9	—	·10	·02	—	—	·19	-	—	—	·01	·51	·04	9
10	·02	·07	·04	—	—	·01	·06	·36	—	—	·15	·01	10
11	·08	·24	—	—	—	·02	—	—	—	—	·11	—	11
12	·01	·03	—	·01	—	—	—	—	·04	—	—	·01	12
13	—	—	—	—	—	—	·12	·30	·41	—	—	—	13
14	—	·11	—	—	—	—	·94	·12	—	—	—	—	14
15	·03	·01	—	·12	—	—	·12	1·30	—	—	—	·05	15
16	—	·10	—	·11	·13	—	·02	·12	—	—	—	—	16
17	·03	·03	—	·18	·25	—	·20	·49	·05	·02	—	—	17
18	·04	·07	—	·15	·07	·06	·03	·01	·14	—	·52	—	18
19	·02	·01	—	·43	—	·19	·32	·86	—	—	—	—	19
20	·01	·04	—	·10	—	—	·06	·23	·10	—	·01	·01	20
21	·01	—	—	—	·35	—	—	·04	—	—	—	—	21
22	·21	—	·04	·01	·02	—	—	·01	—	—	—	—	22
23	·23	—	—	·05	·55	·01	—	—	—	—	·13	·04	23
24	—	—	·01	·24	·07	·10	·04	—	·10	—	—	—	24
25	·12	—	=	·40	·05	—	·41	·01	—	—	·02	·02	25
26	—	·09	—	·18	—	—	·34	—	—	—	·19	—	26
27	·16	·43	—	·04	·36	—	·11	—	—	—	·10	—	27
28	·05	·12	—	·09	—	—	—	—	—	·02	·01	·12	28
29	·09	=	—	—	·07	—	·15	—	—	·24	·01	·07	29
30	·03	✕	—	—	·02	—	·04	—	—	—	—	—	30
31	·12	✕	—	✕	·07	✕	—	·12	✕	—	✕	—	31
TOTAL	1·41	1·80	·28	3·49	2·44	1·21	3·09	5·63	2·50	·57	2·50	·89	YEAR'S TOTAL 25·81
*Days with ·01 in. or more.	20	19	7	20	17	10	19	20	11	6	17	14	180
*Days with ·04 in. or more.	10	14	4	18	13	7	14	15	10	2	12	9	128

40-9999

*See Instruction 2 (*f*) ou other side.

(Signed)

ENGINEER & SURVEYOR.

[P.T.O.

851

Section **A** **for the entry of Daily Observations.** **COPY FOR OFFICIAL USE.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Alperton Sewage Works

in the County of Middlesex

Diameter of Funnel of Gauge 8" in.

Height of top of Gauge above Ground 1 ft 2" in.

,, Ground ,, Sea Level 80 ft.

Wembley Urban District Council

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07	—	—	·11	·30	·02	·82	·59	·03	·26	·04	—	1
2	·04	—	—	·12	·05	—	·01	·05	·23	·03	·03	·13	2
3	—	—	—	·24	·09	—	—	·01	·41	—	—	—	3
4	·02	—	—	—	·01	·12	—	—	—	—	·14	—	4
5	·13	—	·02	—	·01	—	·14	—	·09	—	—	—	5
6	·48	—	—	·24	·04	—	—	—	·09	—	—	—	6
7	—	—	·12	·11	·03	—	—	—	·13	·01	—	—	7
8	—	—	·10	·05	·16	—	—	—	·04	·21	—	—	8
9	·17	—	—	·07	·91	—	—	—	—	·07	—	—	9
10	·44	·03	·01	·23	·09	·03	—	—	·03	·24	·02	—	10
11	·05	·02	—	·02	·02	—	—	·13	—	·40	·04	·03	11
12	·08	—	—	—	·03	—	·32	·02	—	·20	·02	—	12
13	·09	—	—	·12	·03	—	—	—	·03	·21	·05	·02	13
14	·13	·05	—	·13	·03	—	—	—	—	·04	·05	·01	14
15	—	·02	—	·05	·46	—	—	—	—	·10	·02	—	15
16	·30	—	—	·15	·12	—	—	—	—	—	—	—	16
17	—	—	—	·02	=	—	·10	—	—	·05	—	—	17
18	—	—	—	—	=	—	—	—	·36	—	·07	—	18
19	—	—	—	—	=	—	—	—	·01	·27	·01	—	19
20	—	—	—	·13	·07	—	—	·23	·10	·71	·16	—	20
21	·04	—	—	·10	·83	—	—	·11	—	·24	·01	·06	21
22	—	·01	·32	·02	·07	—	·15	·01	·12	·29	·39	—	22
23	—	·08	·03	·01	·08	—	—	—	·08	·82	·06	·13	23
24	—	—	—	—	=	—	·36	—	·09	·03	·10	·02	24
25	—	·01	—	—	=	—	·74	—	·06	·34	—	—	25
26	—	—	·11	·11	·03	—	·04	—	—	·03	·01	—	26
27	—	—	·22	·18	·47	·06	·12	—	—	·47	·11	·02	27
28	—	—	·04	·02	·13	—	·24	—	—	·15	—	·02	28
29	—	—	·37	·03	·18	—	~~·04~~	·25	·07	·30	·02	—	29
30	—	✕	·07	·04	—	·03	—	·01	·12	·03	·26	·13	30
31	—	✕	·04	✕	—	✕	·13	—	✕	=	✕	·05	31
TOTAL	2·04	·22	1·45	2·30	4·24	·26	3·18	1·41	2·09	5·50	1·61	·62	YEAR'S TOTAL 24·92
*Days with ·01 in. or more.	13	7	12	23	24	4	13	10	18	24	20	11	179
*Days with ·04 in. or more.	12	2	9	17	16	2	11	6	14	19	12	5	125

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Cecil W. Clapway

ENGINEER & SURVEYOR.

[P.T.O.

File 782065/27

851

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No 851

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193 .

Kept at Alperton Sewage Works
Wembley Urban District Council
in the County of Middlesex

Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft 2 in.
,, Ground ,, Sea Level 80 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	·15	·13	—	·13	—	—	—	—	—	·04	—	1
2	·24	—	·33	—	·19	—	—	—	—	—	·05	—	2
3	·01	·18	·23	—	·27	—	—	—	—	—	—	—	3
4	·48	·02	·03	—	·09	—	—	—	—	—	·03	—	4
5	·01	·02	·21	—	·17	—	—	—	—	—	·01	—	5
6	—	·10	·04	—	·46	—	—	—	—	·06	·08	—	6
7	·19	·08	·09	—	·03	—	—	—	—	·11	·01	—	7
8	·05	·02	·02	—	·05	—	—	—	—	·02	—	·04	8
9	—	—	—	—	·06	—	·07	—	—	·05	·08	—	9
10	—	1·09	—	—	·03	·03	·16	—	—	·15	·03	—	10
11	·17	—	—	—	·02	·01	·21	·12	·01	·01	·01	—	11
12	—	·01	—	·04	—	·07	—	—	·65	·01	—	—	12
13	·08	—	—	—	·14	·05	·28	—	·08	—	·15	—	13
14	·01	—	—	—	·02	—	—	—	—	·20	·54	·02	14
15	·30	—	·10	—	—	·68	·03	·20		—	·02	—	15
16	·03	·02	·76	—	—	·27	·12	—	·01	·05	·09	—	16
17	·02	·01	·33	—	—	·04	·03	—	·12	—	·03	—	17
18	·07	·04	·14	—	—	·11	—	—	—	—	·01	—	18
19	—	·13	·11	—	—	·21	·02	—	·58	—	·03	·02	19
20	—	·02	·14	·03	—	·29	·01	—	—	—	·02	—	20
21	—	—	—	—	—	·34	—	·10	·31	—	—	—	21
22	—	—	—	—	—	—	—	·28	—	·20	·05	—	22
23	—	·01	—	·15	·03	—	—	—	·40	·02	—	—	23
24	—	·29	—	·15	—	·38	—	—	·46	=	·02	—	24
25	—	·38	—	·27	—	—	—	—	·11	—	·02	·06	25
26	—	·22	—	·07	—	—	—	—	·09	·05	—	·09	26
27	—	—	—	·02	·04	·02	—	—	—	·27	·01	·05	27
28	—	—	—	—	·02	·02	—	—	—	·29	—	·01	28
29	·08	—	·02	·05	—	—	·03	—	—	·10	—	—	29
30	·11	✕	·11	—	—	—	·03	—	·03	·02	—	·18	30
31	·14	✕	·01	✕	—	✕	—	·16	✕	·02	✕	—	31
TOTAL	2·03	2·79	2·80	·78	1·75	2·52	·99	·86	2·85	1·63	1·33	·47	YEAR'S TOTAL 20·80
*Days with ·01 in. or more.	17	18	17	8	16	14	11	5	12	17	21	8	164
*Days with ·04 in. or more.	12	11	13	6	11	10	5	5	13	11	8	5	100

40-9999
*See Instruction 2 (*f*) on other side.

1

(*Signed*)
ENGINEER & SURVEYOR.

P.T.O.

File 782065/27

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 851

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Alperton Sewage Works
WEMBLEY U.D.C.
in the County of Middlesex

Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft 2 in.
,, Ground ,, Sea Level 80 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	—	.17	=	=	—	—	.12	—	.03	—	.51		1
2	.06	—	.09	=	—	—	—	—	.53	.18	—	.22		2
3	.02	.03	—	.19	—	—	—	—	—	.22	—	.02		3
4	.11	—	.15	.04	.01	—	—	—	—	.05	.07	.41		4
5	.01	—	.02	—	.04	—	—	.01	—	—	.02	.43		5
6	—	—	.31	.01	.31	.10	—	.06	—	.17	—	.42		6
7	.03	—	—	—	—	—	—	.11	—	.13	—	.18		7
8	—	—	—	—	.09	—	—	.04	.09	—	.32	.02		8
9	.02	—	.03	—	—	—	—	—	—	—	.92	.34		9
10	.01	—	.26	.12	—	—	—	.06	—	—	.21	.01		10
11	.28	—	.35	.06	—	—	—	.17	—	.01	—	.09		11
12	.07	.01	.05	—	—	—	.13	.50	—	—	.01	.05		12
13	.26	—	.28	—	.04	—	.15	.02	—	—	.02	.09		13
14	.07	—	.20	.01	.05	—	—	—	—	—	.22	.36		14
15	.09	—	.07	—	—	—	—	—	.04	—	.07	.41		15
16	.15	.01	.27	—	.02	—	—	—	—	.12	—	—		16
17	.01	—	—	.05	—	—	—	—	—	.10	.03	.19		17
18	.16	—	.01	.17	—	—	.13	—	.01	—	—	.11		18
19	—	—	.18	—	—	.09	—	—	.09	.03	—	.09		19
20	—	—	.17	.02	—	.01	.24	—	.02	—	.02	.03		20
21	—	—	.01	.15	—	.17	.01	.05	—	.04	—	—		21
22	—	—	—	—	—	—	.02	.36	.27	—	—	.05		22
23	—	.01	—	.31	—	.16	—	.03	—	—	.02	.07		23
24	—	.02	.07	.21	—	.05	1.56	—	.22	—	—	—		24
25	.14	.08	—	.14	—	.10	.02	—	—	.05	—	.38		25
26	.10	—	—	.29	—	.09	.02	—	.03	—	—	.06		26
27	.03	.02	—	.19	—	.09	.02	—	.01	.05	—	.42		27
28	—	.19	—	.02	—	.16	.01	.90	—	—	.11	.23		28
29	—	—	—	—	—	.37	.02	.01	.16	—	—	.05		29
30	.04	✕	—	—	—	—	—	.06	—	—	—	.18		30
31	.02	✕	—	✕	—	✕	.01	.08	✕	.10	✕	.05		31
													Year's Total	
TOTAL	1.70	.37	2.52	1.98	.56	1.39	2.34	2.58	1.47	1.32	2.04	5.47	23.74 ✓	
*Days with .01 in. or more.	21	9	17	16	7	11	13	16	11	14	13	28	175	
*Days with .04 in. or more.	12	2	13	12	5	10	5	12	7	11	7	24	120	

† Spare column, no entries required.

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) [illegible]

WEMBLEY URBAN DISTRICT COUNCIL. ENGINEER & SURVEYOR.

[P.T.O.

File 782 005/27

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 851

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Alperton Sewage Works

in the County of Middlesex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 2 in.

,, Ground ,, Sea Level 80 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·10	·05	—	·05	·03	·16	—	—	—	·07	·26	—		1
2	·01	—	·02	·09	—	—	63	—	·24	·17	·03	—		2
3	—	·06	·10	·06	—	·31	—	—	·15	·56	·16	·03		3
4	—	—	—	·13	—	·30	—	—	·54	·13	—	·16		4
5	—	·22	·03	·09	—	·21	—	—	·33	—	—	·03		5
6	—	—	—	·30	—	·37	—	—	—	—	—	·02		6
7	·02	—	—	·55	—	·04	—	—	—	·02	1·04	·14		7
8	—	—	—	·32	—	·03	—	—	—	·25	·21	·20		8
9	—	—	—	·20	—	·64	—	—	—	·54	·11	·01		9
10	·03	—	—	—	—	·02	—	—	—	—	·12	·03		10
11	·24	—	—	·11	—	·11	·28	—	—	—	·24	—		11
12	—	·01	—	—	—	·13	—	·06	·03	—	·34	—		12
13	·13	·18	—	·17	·12	·10	—	—	—	—	·01	·02		13
14	—	—	—	·04	·17	·12	—	—	—	—	·04	·09		14
15	—	·27	—	·36	—	·32	—	—	·04	—	·19	·08		15
16	—	·10	·04	·10	—	·05	—	—	·26	—	·46	·03		16
17	·02	—	·02	·04	—	·21	—	—	·06	—	·37	—		17
18	—	—	—	·25	104	·21	·12	—	·32	·01	·05	·03		18
19	—	—	—	·03	·24	·06	·06	—	·03	—	·11	·06		19
20	·01	·24	—	·06	·22	·08	·05	—	·25	—	·16	—		20
21	—	·30	—	—	—	—	—	—	·03	·04	·03	—		21
22	—	·05	·03	—	—	—	—	·29	·08	—	—	—		22
23	—	—	·25	—	—	—	—	·36	·05	·05	—	·18		23
24	·08	·48	—	—	·04	—	—	·26	·51	—	—	·24		24
25	·12	·16	—	·24	·03	·51	—	—	—	—	—	·08		25
26	·06	·12	—	—	—	—	—	·32	·06	—	—	·27		26
27	·10	·37	—	—	·01	—	—	·01	·19	—	1·13	·27		27
28	—	—	—	—	·07	—	—	·03	·03	·08	—	·22		28
29	—	—	—	—	—	—	—	—	·52	—	—	·16		29
30	·11	✕	—	·08	·03	—	—	·65	·28	·36	·41	·29		30
31	—	✕	—	✕	·03	✕	—	—	✕	·33	✕	·39		31
TOTAL	1·03	2·61	·49	3·27	1·03	4·03	1·14	1·98	4·00	2·61	4·47	3·03	Year's Total 29·69	
*Days with ·01 in. or more.	13	14	7	20	12	20	5	8	20	13	20	23	175	
*Days with ·04 in. or more.	8	13	3	19	7	18	5	6	16	11	18	16	140	140

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*)

WEMBLEY URBAN DISTRICT COUNCIL. ENGINEER & SURVEYOR.

[P.T.O.

COPY FOR OFFICIAL USE. File 782.06.0/27

Section **A** for the entry of Daily Observations. Station No. 851

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Alperton Sewage Works

in the County of Middlesex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 2 in.

„ Ground „ Sea Level 80 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·39	·12	·07	·16	–	·23	·15	·09	–	–	·07	·08		1
2	·35	·16	–	·01	–	·35	·16	·04	·01	–	·06	–		2
3	–	–	–	·16	–	·07	·04	·06	·24	–	·27	–		3
4	–	–	·11	–	–	·25	–	–	·35	–	·04	·03		4
5	·07	–	·05	–	–	–	–	–	·14	–	·02	·07		5
6	·26	–	–	–	–	·12	–	·03	·03	–	·12	·07		6
7	·19	–	·02	–	–	·14	·18	·07	·03	–	·09	·04		7
8	·17	–	·03	–	–	–	·01	–	–	–	·29	·16		8
9	·85	–	·05	–	–	–	·45	–	·50	·01	–	–		9
10	–	–	–	–	–	–	·10	–	·04	–	·03	·01		10
11	–	–	–	·06	–	·01	·21	·08	–	–	·67	–		11
12	–	–	–	·11	–	–	·16	–	·07	–	·31	·09		12
13	–	–	–	·08	–	·56	·06	·02	–	·01	·03	·07		13
14	–	·04	–	–	–	·42	·50	–	·02	·03	·13	·24		14
15	–	·09	–	–	–	·09	·01	–	·30	–	·01	·04		15
16	·19	·10	–	–	–	–	·03	–	·03	–	·42	·02		16
17	·31	·32	–	–	·05	–	–	–	–	·02	·20	·12		17
18	·06	·10	–	–	–	·08	·17	–	–	·05	·01	·11		18
19	·25	·05	·02	·02	–	·26	·06	·01	–	·03	–	–		19
20	·02	·03	·10	·30	–	·11	·04	·06	·64	–	–	–		20
21	–	–	–	·18	·06	·46	·01	–	·04	–	–	–		21
22	·13	·37	·04	–	·24	·04	·17	–	–	–	–	·08		22
23	·04	–	·04	·08	·04	–	·05	–	–	·10	–	–		23
24	–	·16	–	–	–	–	–	–	–	·39	–	–		24
25	·08	–	·15	·21	–	·25	·12	–	·14	·11	·03	·02		25
26	–	·11	·21	·06	–	·15	·02	–	·01	·16	–	·03		26
27	·17	·05	·02	–	–	–	·02	–	·20	·11	–	–		27
28	·72	–	·10	–	–	–	·20	–	–	–	–	·04		28
29	·08	·10	·06	–	–	·17	·14	–	–	·02	·16	·01		29
30	·11	✕	–	–	·16	·15	·02	–	–	·24	–	–		30
31	·37	✕	·25	✕	–	✕	·04	–	✕	·51	✕	·28		31
													Year's Total	
TOTAL	4·81	1·82	1·32	1·43	·55	3·91	3·14	·46	2·79	1·79	2·96	1·61	26·59	
* Days with .01 in. or more.	20	14	16	12	5	19	26	9	17	14	19	21	192	
* Days with .04 in. or more.	19	13	12	10	5	18	19	6	11	8	13	15	149	

40-9999.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

ENGINEER & SURVEYOR.

* See Instruction 2 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 851.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Alperton Sew. Wks

in the County of Middlesex

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft.........in.

,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·37	—	—											1
2	—	·11	·01											2
3	—	·18	—											3
4	·05	·31	—											4
5	·19	·08	·22											5
6	·01	—	·46											6
7	—	·80	·04											7
8	—	·05	—											8
9	—	·04	—											9
10	—	—	·50											10
11	—	—	·16											11
12	·12	·27	·10											12
13	·13	·05	·35											13
14	·01	·04	·17											14
15	·13	·13	—											15
16	·13	·12	·24											16
17	·26	—	·12											17
18	·17	·10	·01											18
19	·02	·09	·07											19
20	·27	·02	·04											20
21	·26	·61	·01											21
22	·31	·01	·01											22
23	·25	·01	·02											23
24	·28	·06	·06											24
25	·04	·22	·12											25
26	—	·20	·06											26
27	·04	·08	—											27
28	·01	·10	—											28
29	·03	—	—											29
30	·21		—											30
31	·30		—											31
TOTAL	3·59	4·18	2·77										Year's Total inp	
* Days with .01 in. or more.	23	23	20											
* Days with .04 in. or more.	18	20	15											

King Edward VII Moved to Wembley Pk Sta No 845/3

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

852

Section **A** for the entry of

AIR MINISTRY

SH RAINFALL ORGANIZATION.

FOR OFFICIAL USE.

FORM 1090.

REGIST IN 193/ .

852 —

WILLESDEN RES.

1931 – 1940

Kept at Willesden

in the County of M'se

by neighbouring Stations

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Lev

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·16		·17		·06			·04				1
2	·11	·05	~~·29~~	·56				·01	·48	·04			2
3	·03	·02	·04	·43	·50			·50	1·24		·04	·23	3
4								·20	·20		·08		4
5				·16	·02	·62	·06	·32	·02			·17	5
6		·1		·08			·04			·25	·43		6
7		·02	·02		·03	·17		·37			·15	·02	7
8		·06	~~[illegible]~~		·04	·15		·69		·06	·10	·05	8
9		·04				·06					·31		9
10	·02	·13					·05	·23			·17	·03	10
11	·09	·19	·11						·04		·11		11
12								·11	·38				12
13		·02					·09	·10					13
14		·02					·98	1·21					14
15				·15	·10		·38	·06				·04	15
16	·04	·16		·1	·25			·83					16
17	·02	·04		·1	·07	·03	·18		·15	·02			17
18		·03		·16	·03	·06	·11	·16			·44		18
19	·04			·5		·24	·18	·65	·09				19
20	·03	·02		·15			·10	·24					20
21					·47				·03				21
22	·06								·02				22
23	·3		·07	·04	58 ~~·07~~				·10		·12		23
24			·02	·25	08 ~~·05~~	·06						·03	24
25	·1			·51	·05		·53				·02		25
26		·06		·13			·37				·16		26
27	·14	·42		·04	·02		·09				·07		27
28	·05	33 ~~·04~~		·14	·23							·19	28
29	·12				·10		·14			·35		·04	29
30	·04	×			·03		·04	·06					30
31	·13	×		×		×			×		×		31 3
TOTAL	1·32	1·87 ~~1·58~~	·26 ~~·55~~	3·67	2·60	1·45	5·32	5·74	2·79	·62	2·19	·80	YEAR'S TOTAL 3 ~~26·6[illegible]~~
*Days with ·01 in. or more.	16	18	5	17	16	9	15	16	12	5	13	8	150
*Days with ·04 in. or more.	12	12	3 ~~4~~	17	11	8	14	15	9	4	12	5	12 2 ~~3~~

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

[P.T.O.

852

Section **A** for the entry of

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193/ .

Kept at Willesden P. S.

in the County of M'sex

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level..........ft.

Feb. & Mar. adjusted by neighbouring Stations

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·16		·17		·06			·04				1
2	·11	·05	~~·29~~	·56				·01	·48	·04			2
3	·03	·02	·04	·43	·50			·50	1·24		·04	·23	3
4								·20	·20		·08		4
5				·16	·02	·62	·06	·32	·02			·17	5
6		·1		·08			·04			·25	·42		6
7		·02	·02		·03	·17		·37			·15	·02	7
8		·06	[illegible]		·04	·15		·69		·06	·10	·05	8
9		·04				·06					·31		9
10	·02	·13					·05	·23			·17	·03	10
11	·09	·19	·11						·04		·11		11
12								·11	·38				12
13		·02					·09	·10					13
14		·02					·98	1·21					14
15				·15	·10		·38	·06				·04	15
16	·04	·16		·1	·25			·83					16
17	·02	·04		·1	·07	·03	·18		·15	·02			17
18		·03		·16	·03	·06	·11	·16			·24		18
19	·04			·5		·24	·18	·65	·09				19
20	·03	·02		·15			·10	·24					20
21					·47				·03				21
22	·06								·02				22
23	·3		·07	·04	58 ~~·47~~				·10		·12		23
24			·02	·25	08 ~~·05~~	·06						·03	24
25	·1			·51	·05		·53				·02		25
26		·06		·13			·37				·16		26
27	·14	·43		·04	·02		·09				·07		27
28	·05	·33 ~~·04~~		·14	·23							·19	28
29	·12				·10		·14			·25		·04	29
30	·04	✕			·03		·04	·06					30
31	·13	✕		✕		✕			✕		✕		31 3
TOTAL	1·32	1·87 ~~1·58~~	·26 ~~·55~~	3·67	2·60	1·45	5·32	5·74	2·79	·62	2·19	·80	YEAR'S TOTAL 3 26·61
*Days with ·01 in. or more.	16	18	5	17	16	9	15	16	12	5	13	8	150
*Days with ·04 in. or more.	12	12	3 ~~4~~	17	11	8	14	15	9	4	12	5	12~~3~~ 2

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)..........

[P.T.O.

852

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Willesden Reservoir (Met Water Board)

in the County of

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

" Ground " Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06			·16	·31	·02	·22	·68	·02	·24	·05	·04	1
2	·05			·08	·05			·12		·08	·02	·13	2
3				·15	·1			·02	·66				3
4						·12					·1		4
5	·11		·02				·09		·09				5
6	·43		·01	·19					·06				6
7			·03	·11	·03				·08				7
8			·14	·11					·02	·25			8
9	·08			·04	·9					·18			9
10	·38	·02	·02	·27	·05				·02	·1			10
11	·04			·04	·06		·68			·4	·04	·04	11
12	·04				·02					·21	·04		12
13	·1			·1	·04				·04	·04	·04	·02	13
14	·14		[illegible]	·14	·02					·17	·06	·02	14
15				·05	·63					·1	·02		15
16	·25			·2	·09								16
17				·03			·08			·05			17
18							·02		·49		·06		18
19										·23	·02		19
20				·12	·04		[illegible]	·1	·1	·22	·15		20
21				·1	·78			·12		·23		·03	21
22	·04		·37		·9		·19	·03	·13	·28	·35	·03	22
23		·04	·05		·32				·09	·84	·08	·13	23
24		·05					·20			·06	·11		24
25							·7		·15	·3	·02		25
26			·08	·1			·04			·26	·04		26
27			·18	·18	·48		·08			·42	·12	·02	27
28			·03	·02	·1		·2			·14		·02	28
29			·28	·02	·08			·28	·07	·27	·02	·02	29
30		×	·11	·02	·03	36		·03	·09		·2	·1	30
31		×	·02	×		×	·05		×	·62	×	·04	31
TOTAL	1·72 ✓	·11 ✓	1·27 ✓	3·23 ✓	5·03 ✓	·50 ✓	2·62 ✓	1·38 ✓	2·11 ✓	5·59 ✓	1·54 ✓	·64 ✓	YEAR'S TOTAL 24·74
*Days with ·01 in. or more.	12	3	13	20	20	3	12	8	15	23	19	13	161
*Days with ·04 in. or more.	12	2	7	17	16	2	12	5	12	22	14	6	127

49-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) G. H. F

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 852

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Met-Water Board- Willesden Resr.

in the County of

Diameter of Funnel of Gauge ...... in.

Height of top of Gauge above Ground ...... ft ...... in.

,, Ground ,, Sea Level ...... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	·32	·15		·05				·02		·04		1
2	·14		·34		·12								2
3	·02	·2	·18		·1								3
4	·08	·02	·03								·04		4
5	·27	·02	·09		·32								5
6		·05	·1		·28					·04	·08		6
7	·18	·05	·1	·38	·34					·15		·02	7
8	·06	·02	·02		·03		·06			·01			8
9					·08		·13			·04	·07		9
10		·6			·02	·03	·35			·07	·03		10
11	·15					·09	·07	·1		·04			11
12						·08			·26				12
13	·05				·12	·02	·35		·28		·15 ~~·14~~		13
14					·03	·03				·18	·26		14
15	·28					·17	·07	·2			·28		15
16	·06	·02	·70			·25	·11			·05	·02		16
17	·05	·03	·33			·06	·02		·11		·11		17
18	·08	·02	·03			·09					·02		18
19	·02	·1	·2			·23			·13			·02	19
20		·06	·04	·03		·42	·02		·26		·03		20
21						·05		·1	·33				21
22		·02						·15	·02	·17	·02		22
23				·09					·34 ~~·54~~				23
24		·3		·21	·02	·15			·25 ~~·75~~				24
25		·33		·24					·36 ~~·22~~			·06	25
26		·16		·02					·12 ~~·02~~			·09	26
27				·03	·07					·24	·02	·04	27
28					·19					·26		·01	28
29	·01		·02	·12						·02			29
30	·15	×	·17						·02	·08		·14	30
31	·04	×	·02	×		×		·13	×	·02	×		31
TOTAL	1·69	2·32	2·52	1·12 ~~1·38~~	1·67	1·67	·98	·68	2·50	1·37	1·17	·38	YEAR'S TOTAL 18·07 ~~18·26~~
*Days with ·01 in. or more.	17	17	16	8	14	13	9	5	13	14	14	7	147
*Days with .04 in. or more.	14	10	11	5	10	10	7	5	10	11	8	4	105

40-9999

*See Instruction 2 (*f*) on other side,

M D

(*Signed*) W. G. P. Thorold
District Engineer

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 852

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Met: Water Board Willesden P.S.

in the County of

Diameter of Funnel of Gauge in.

Height of top of Gauge above Ground ft in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01							·13		·03		·24		1
2	·08		·09						·5	·17		·42		2
3		·02		·06					·06	·08				3
4	·1		·06	·07				·02		·09		·38		4
5			·09								·10	·27		5
6			·28		·3					·15	·01	·59		6
7	·01							·12		·15		·1		7
8					·1	·08		·02	·08		·29			8
9			·02					·02			·66	·33		9
10			·1					·05			·65			10
11	·21		·36	·06				·1				·07		11
12	·09		·05	·08	·01		·09	·35				·08		12
13	·22		·3				·06	·05				·1		13
14	·08		·2		·01						·2	·31		14
15	·07		·07		·04				·01		·08	·41		15
16	·14		·13		·08					·07	·04			16
17	·01									·07	·3	·12		17
18	·15			·1			·1					·1		18
19			·18			·10			·08			·08		19
20			·25									·01		20
21				·13		·11	·14							21
22								·32	·26					22
23						·23						·12		23
24			·05	·3		·06	·75							24
25	·06			·11		·14			·2	·06		·39		25
26	·1	·07		·14								·07		26
27	·02			·19		·24			·01	·02		·34		27
28		·16		·5		·05		·88		~~·07~~	·07	·39		28
29							·03		·15	~~·04~~	·01	·04		29
30	·05	×						·03				·05		30
31	·01	×		×		×		·14	×	·1	×	·12		31
TOTAL	1·41	·25	2·23	1·74	·54	1·01	1·17	2·23	1·35	·99	2·14 2·41	5·14	Year's Total 20·20	
*Days with ·01 in. or more.	17	3	15	11	6	8	6	13	9	11	11	24	134	
*Days with ·04 in. or more.	12	2	14	11	4	8	5	9	7	9	8	23	112	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*)

[P. T. O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No. 852

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Willesden Reservoir

in the County of Mdsex

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·14	·04		·04	·05	·25			·02	·05	·31	·05		1
2	·03	·01		·08		·02	·29		·21	·15	·05			2
3		·01	·09	·06		·28			·15	·36	·12			3
4		·07		·15					·22	·33	·04	·16		4
5		·22		·13		·38			·3					5
6			·03	·38		·29						·01		6
7				·57		·10					·44	·12		7
8				·34						·28	·49	·17		8
9				·08		·48				·41	·13			9
10				·13		·15				·26	·08			10
11	·23			·2		·11	·09				·10	·03		11
12						·1		·07			·22			12
13	·1	·18		·24	·02	·04					·18			13
14				·01	·25	·07					·02	·1		14
15		·24		·36	·02	·46			·05		·1	·02		15
16		·11	·02	·05		·10			·12		·44	·02		16
17			·05	·02		·20	x		·03		·42			17
18				·24	·06	·16	·1		·41		·06			18
19				·02	·19	·06	·06		·03		·09	~~·14~~ 06		19
20		·17		·03	·24	·10	·09		·25		·19			20
21		·21							·02 ~~·01~~	·05	·02			21
22		·02	·02					·03	·10 ~~·09~~					22
23			·19					·7						23
24	·04	·31						·38	~~·12~~	·01		·4		24
25	·12	·25		·24	·04	·35			·6			·07		25
26	·1								·05			·22		26
27	·11	·49						·25	15 ~~·16~~		·1	·36		27
28					·04			·05	·02	·07	·02	·18		28
29									·51			·16		29
30	·06	×		·06	·05			·63	·27	·30	·33	·19		30
31		×		×	·02	×			×	·29	×	·47		31
TOTAL	·93	2·33	·4	3·33	·98	3·7	·63	2·11	3·49	2·56	4·01	2·85	Year's Total. 27·29	32
* Days with .01 in. or more.	9	14	6	21	11	19	5	7	18	12	22	18	161	
* Days with .04 in. or more.	8	11	3	17	8	18	5	6	14	11	20	15	136	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

M

(Signed) T.H. [illegible]

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 852

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Willesden Res- MWB

in the County of

Diameter of Funnel of Gauge in.

Height of top of Gauge above Ground ft in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·3	·2	·03	·28		·3	·12	·05			·08	·02		1
2	·03	·05	·02	·01		·23	·08	·09				·08		2
3				·2		·04	·03		·02		·34			3
4			·09			·22			·6					4
5	·04							·01	·28		·06	·09		5
6	·16					·02		·1			·1	·12		6
7	·26		·01			·18	·02		·03		·14			7
8	·17								·05		·28	·2		8
9	·82		·1				·55				·05			9
10							·07	·08				[illegible]		10
11				·04			·22	·06			·81			11
12				·12		·27	·16	·02	·23		·37	·1		12
13				·04		·53	·04					·06		13
14		·04				·08	·33			·06	·18	·36		14
15		·08					·28		·24		·02			15
16	Snow ·45	·07		·02					·03		·43	·07		16
17	Snow ·11	·35			·07	·11					·21	·13		17
18	·09	·04				·3	·15			·03	·02	·1		18
19	·25	·08	·01			·07	·09	·05		·1				19
20	·03	·03	·04	·33			·11		1·07					20
21				·23		·34			·03					21
22	·14	·38	·02	·04	·33	[illegible]	·02					·06		22
23	·02	·01	·04	·09			·17			·1		·01		23
24	·11	·13								·12				24
25	·09		·11			·50	·16		·1	·33	·02	·02		25
26		·12	·27	·18		·22	·02		·08	·27		·03		26
27	·08	·04	·04				·01		·33	·08				27
28	·76					·02	·12		·03			·04		28
29	·11	·06	·16	·04		·38	·02			·02	·16	·03		29
30	·11	×			·1	·15				·15				30
31	·25	×	·13	×		×	·13		×	·68	×	·09		31
TOTAL	4·38	1·68	1·07	1·62	·6	3·96	2·9	·46	3·12	1·94	3·27	1·61	Year's Total 26·51	
* Days with .01 in. or more.	21	15	14	13	3	18	22	8	14	11	16	18	173	
* Days with .04 in. or more.	18	13	8	11	3	16	16	6	10	9	13	13	136	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 852

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at WILLESDEN,

in the County of MIDDLESEX.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 167 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.69								.02		.66	.54		1
2		.10	.01	.50					.15			.66		2
3		.16										.01		3
4	.08	.34										.31		4
5	.04	.14	.24											5
6	.16		.05		.17		.07			.09				6
7		.81	.59	.13					.02	.04				7
8		.06				.08			.04		.06	.26		8
9		.07		.15	.24	.02	.09		.27			.12		9
10			.23	.25	.02	.44	.21	.10				.32		10
11			.45		.71		.02	.01				.05		11
12	.10	.28	.19		.35		.02		.02					12
13	.07	.07	.12		.01	.43		1.97	.24			.90		13
14	.09	.05	.48	.02				.58	.05					14
15		.11		.17		.13	.22		.06					15
16	.12	.15	.17	.36		.09		.18	.08			.02		16
17	.14	.01	.17	.12		.03			.44		.02			17
18	.24	.08	.02		.05	.51					.17			18
19	.02	.14	.03	.12	.11	.10	.17		.04			.16		19
20	.20	.01	.02	.34	.64	.07			.06					20
21	.33	.36		.08	.04		.06					.02		21
22	.20	.24	.02		.01	.08				.58	.25	.01		22
23	.38		.01		.08		.07			.53	.03	.02		23
24	.48	.45	.02						.06	.15		.01		24
25	.02	.38	.15		.28				.11	.38		.02		25
26		.21	.09		.13					.02				26
27	.06	.08		.10					.03	.50				27
28		.08		.03						.10		.02		28
29	.01									.05	.07	.03		29
30	.27	✕									.15			30
31	.27	✕		✕		✕			✕	.37	✕	.03		31
TOTAL	3.97	4.38	3.06	2.37	2.84	1.98	0.93	2.84	1.69	2.81	1.41	3.51	Year's Total 31.79	
* Days with .01 in. or more.	21	23	19	13	14	11	9	5	16	11	8	19	169	
* Days with .04 in. or more.	18	21	12	11	11	9	7	4	12	10	6	9	130	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) F. H. Davies

SUPPLY ENGINEER.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 852

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Willesden Reservoir

in the County of Middlesex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 167 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1					·02	·10	·49			·02	·08	·12		1
2	·12	·01		·08	·03					·19		·08		2
3					·37		·05		·05	·60				3
4	·01						·01			·02		·01		4
5							·10			·19		·15		5
6	·01						·05		·09					6
7							·06	·56	·02	·17		·06		7
8	·13						·11	·17		·25				8
9	·04						·08	·11				·48		9
10	·14	·07				·03	·08	·28				·01		10
11	·27	·03					·02	1·55			·09	·04		11
12	·29				·02		·02	·25		·10	·10	·04		12
13	·19	·01								·26	·08	·09		13
14	·21	·01			·13				·02			·06		14
15	·03	·02					·15			·01		·14		15
16	·45	·02	·01				·04		·01	·31	·02	·98		16
17	·02	·06			·06					·09				17
18	·05				·05				·10	·01	·22			18
19	·03							·06	·02		·09	·04		19
20									·05		·54			20
21	·03							·06	·07		·02			21
22						·01					·14	·19		22
23											·03			23
24			·06						·56		·02	·22		24
25	·12		·16	·01	·05		·03		·05	·05	1·12	·04		25
26	·13	·17	·07						·25	·24		·36		26
27	·06	·04	·02		·04	·25	·30	x	·52	·09	·39	·01		27
28	·24	·08			·68	·05		x ·32	·02			·03		28
29	·32				·12			·03	·05			·25		29
30	·01	✕			·05	·02			·04	·07	·16			30
31	·13	✕		✕	·07	✕			✕	·08	✕	·14		31
TOTAL	3·03	0·52	0·32	0·09	1·69	0·46	1·59	3·39	1·90	2·75	3·10	3·54	Year's Total 22·38	
* Days with .01 in. or more.	23	11	5	2	13	6	15	1~~4~~1	16	18	15	22	15~~6~~7	
* Days with .04 in. or more.	16	5	3	1	10	3	11	~~9~~10	11	14	11	18	11~~2~~3	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) P. H. Davis

SUPPLY ENGINEER.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 852

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1939.

Kept at WILLESDEN.
in the County of MIDDLESEX
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 167 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.12			.34	.40			.50	.22		.03			1
2				.04	.02			.40	.88		.03			2
3				.24				.67			.20	.15		3
4	.41		.16	.15			.07	.98		.33	.05			4
5				.45			.06	.08		.16	.25	.05		5
6	.01			.08			.27			.05	.69	.02		6
7	.53	.07						.07			.05	.02		7
8	.01	.06	.14				.03	.60		.10	.05	.45		8
9	.02	.09						.03		.71	.09	.19		9
10	.22					.27		.08	.01	.03				10
11	.01		.24		.02	.25				.25		.01		11
12						.02								12
13			.01	.03						.70	.03			13
14	.44		.01	.05	.04		.05			.74	.38	.02		14
15	.58				.56	.17	.05		.10	.87	.10	.01		15
16	.43		.07	.03	.07	.16	.05				.33			16
17	.22	.05	.02		.13		.03				.07			17
18	.18		.04			.30	.26			.04	.32			18
19	.28		.03				.14			.35				19
20	.12		.10			.25	.51	.04				.02		20
21	.14		.23				.31	.60	.07					21
22	.09	.19	.11								.05			22
23	.09		.03	.09		.02		.03		.03	.78			23
24	.05			.07			.25			.10	.03			24
25	.81	.15	.05					.09			.55			25
26	.24						.88			.28	.30	.05		26
27	.05		.11	.06						.14	.20			27
28	.01	.20	.05			.01				.07	.11	.07		28
29				.10			.20			.14	.05			29
30		✕		.79		.03					.33			30
31		✕		✕		✕	.02		✕		✕			31
TOTAL	5.06	0.81	1.40	2.52	1.24	1.48	3.18	4.17	1.26	5.09	5.07	1.06	Year's Total 32.34	
* Days with .01 in. or more.	23	7	16	14	7	10	16	13	5	18	24	12	165	
* Days with .04 in. or more.	18	7	11	12	5	6	13	11	4	16	20	6	129	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 852

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40.

Kept at WILLESDEN.
in the County of MIDDLESEX.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 167 ft.

Nov 15 cord. fr. nearby stns.
Nov corrd for arithmetic — also Sept
Jan & Feb apportioned by nearby stns.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		(.02) ~~.10~~									.07			1
2		.05		.09			.08				.44			2
3		.21		.01						.06	.96	.02		3
4		4		.15							.14	.02		4
5	.02	✓ .20					.01			.18	.20	.04		5
6		4			.06		.26			.12	.25			6
7	.40	4 .16			.03		.14			.24				7
8					.02	.05								8
9						.14	✓			.10	.09	.25		9
10							4 .17	.04		.04	.07	.04		10
11			.01	.01			.24			.19	.63	.04		11
12			.07	.02		.11	.08		.06		.06			12
13			.58						.09		1.07			13
14			.22	.04						✓		.26		14
15			.06	.15	.11		.31			4 1.04	~~2~~.20	.01		15
16		.03	.12	.05		.03	.32		.13	4	.87	.03		16
17			.60				.03		.07	✓	.58			17
18		.37	.15	.26			.49			.18	.42	.12		18
19		.27	.02	.08			✓		.48		4	.04		19
20		.07		.03			4 .20	.08		✓	4 .17			20
21					.06		.15			✓ .05	.24			21
22			.03		.69	.14			.05		.05			22
23		.09	.04	.11	.26	.11				.03				23
24				.30			.20							24
25			.20				.02							25
26	1.00	.08	.97	.02	.11	.06	.06							26
27	.30	.22			.11		.16							27
28	.33			.57	.06									28
29			.11		.07							.28		29
30	.07	✕		.30						.05				30
31	(.08)	✕		✕		✕			✕	.58	✕	.03		31
TOTAL	2.20 ~~2.12~~	1.77 ~~1.85~~	3.18	2.19	1.58	0.64	2.92	.12	.88 ~~.43~~	2.86	6 ~~5~~.51	1.18	Year's Total ~~24.58~~	26.03
* Days with .01 in. or more.	~~8~~ 7	~~12~~ 14	14	16	11	7	~~17~~ 19	2	6	~~13~~ 17	~~18~~ 19	13	~~135~~	145
* Days with .04 in. or more.	~~5~~ 6	11	11	11	9	6	14	2	6	12	~~18~~ 19	8	~~113~~	115

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

853

Section **A** for the entry of

AIR MINISTRY

COPY FOR OFFICIAL USE.

RAINFALL ORGANIZATION.

FORM 1090.

REGIST **1931.**

853

WILLESDEN GREEN

1931 ONLY

780204

Kept at Willesden Green

in the County of Middlesex

Totals adjusted by neighbouring Stations.

Diameter of Funnel of Gauge

Height of top of Gauge above Groun

,, Ground ,, Sea L

THE MORNING MEASU OUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·14 ~~·88~~	~~·78~~										1
2								·01 ~~·59~~					2
3			·04		·48 ~~·78~~						·03 ~~·28~~		3
4										·04			4
5				1·17			·02						5
6									2·09			·38	6
7						·66							7
8		·27	·03										8
9								2·14					9
10				·11									10
11										·32			11
12				·23			·11						12
13									·42			·08	13
14						·37							14
15		·58	·10								1·40		15
16	·50				·37			1·71					16
17													17
18													18
19				·59			1·54						19
20						·34			·20			·03	20
21													21
22		·18									·50		22
23								2·06					23
24					1·14								24
25	·37												25
26				1·34			·75						26
27		·74				·08			·15			·02	27
28													28
29	·44		·06	·30			·58			·25	·36		29
30		×						·01					30
31		×		×	·34	×			×		×	·25	31
TOTAL	1·31	1·91	·23	3·74	2·33	1·45	3·00	5·93	2·86	·61	2·29	·76	YEAR'S TOTAL 26·42
*Days with ·01 in. or more.													
*Days with ·04 in. or more.													

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) M. L. Lamport

P.T.O.

853

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Willesden Green, Strode Rd

in the County of Middlesex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level ft.

Monthly Totals adjusted by neighbouring Stations.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·14 ~~·88~~	~~·78~~										1
2								·01 ~~·59~~					2
3			·04		·48 ~~·78~~						·03 ~~·28~~		3
4										·04			4
5				1·17			·02						5
6									2·09			·38	6
7						·66							7
8		·27	·03										8
9								2·14					9
10				·11									10
11										·32			11
12				·23			·11						12
13									·42			·08	13
14						·37							14
15		·58	·10								1·40		15
16	·50				·37			1·71					16
17													17
18													18
19				·59			1·54						19
20						·34			·20			·03	20
21													21
22		·18									·50		22
23								2·06					23
24					1·14								24
25	·37												25
26				1·34			·75						26
27		·74				·08			·15			·02	27
28													28
29	·44		·06	·30			·58			·25	·36		29
30		X						·01					30
31		X		X	·34	X			X		X	·25	31
TOTAL	1·31	1·91	·23	3·74	2·33	1·45	3·00	5·93	2·86	·61	2·29	·76	YEAR'S TOTAL 26·42
*Days with ·01 in. or more.													
*Days with ·04 in. or more.													

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) M. L. Lamport

[P.T.O.

854

854 —

WILLESDEN S.W.

1931 - 40

780204

Section **A** fo

FORM 1090.

COPY FOR OFFICIAL USE.

RAINFALL ORGANIZATION.

1931 .

Kept at The Wi

in the County o

Diameter of Funnel

Height of top of Gau

,, Ground

THE MORN **OUS DAY.**

An observer who does *1st of the following*
year in the space on

Jan. 1, following
/

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	·10	-	·30	-	-	-	·02	·09	-	-	-	1
2	·10	·04	-	·41	-	-	-	-	·53	·03	-	·09	2
3	·01	-	·02	·41	·42	-	-	·35	·95	-	·02	·13	3
4	-	-	-	-	·02	-	·01	·22	·31	-	·05	-	4
5	-	-	-	·17	-	·53	·06	·14	-	-	-	·16	5
6	-	·11	-	·06	-	·02	-	-	-	·25	·43	-	6
7	-	-	-	-	·08	·06	-	·69	-	·05	·09	·04	7
8	-	·06	·04	-	-	·17	-	·26	-	-	·10	·01	8
9	-	·03	·11	-	-	-	-	-	-	-	·42	·01	9
10	-	·21	·01	-	-	·01	·08	·26	-	-	·14	-	10
11	·09	·01	-	-	-	-	-	-	·04	-	·08	-	11
12	-	·12	-	-	-	-	·01	·07	·38	-	-	-	12
13	-	-	-	-	-	-	·09	·08	-	-	-	-	13
14	-	·10	-	-	-	-	1·02	·23	-	-	-	-	14
15	·03	·01	-	·16	·10	-	·19	·08	-	-	-	·01	15
16	-	·16	-	·09	·24	·04	-	·68	·12	-	-	-	16
17	-	·02	-	·13	·07	-	·18	-	·04	-	-	-	17
18	·02	·05	-	·22	-	·07	·14	·83	-	-	·51	-	18
19	-	-	-	·45	-	·24	·15	-	·09	-	-	-	19
20	-	·01	-	·08	-	-	·04	·23	-	-	-	·01	20
21	·01	-	-	-	·38	-	-	-	·01	-	-	-	21
22	·21	-	·03	-	-	-	-	-	-	-	-	-	22
23	·20	-	-	·04	·50	·02	-	-	·12	-	·11	·01	23
24	-	-	-	·35	·06	·05	·02	·01	-	-	-	-	24
25	·10	-	-	·38	·04	-	·39	-	-	-	-	-	25
26	-	·07	-	·17	-	-	·35	-	-	-	·22	-	26
27	·15	·45	-	-	·23	-	·06	-	-	-	·06	-	27
28	·05	·31	-	·14	-	-	-	-	-	·01	-	·18	28
29	·11	X	-	-	·05	-	·14	-	-	·25	-	·06	29
30	·03	X	-	-	-	-	·02	·11	-	-	-	-	30
31	·13	X	-	X	·05	X	-	-	X	-	X	·01	31
TOTAL	1·24	1·80	·21	3·56	2·24	1·21	2·95	4·26	2·68	·59	2·23	·72	YEAR'S TOTAL 23·69
*Days with ·01 in. or more.	14	17	5	16	13	10	17	16	11	5	12	12	148
*Days with ·04 in. or more.	9	12	2	16	12	7	13	14	10	3	11	6	115

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Wilkinson R.T.O.

Engineer to the Council

854

Section **A** fo[redacted]

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193 .

Kept at The Willesden District Council's Outfall Works

in the County of Middlesex

Diameter of Funnel of Gauge 10 in.

Height of top of Gauge above Ground 5 ft 9 in.

,, Ground ,, Sea Level 100·38 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	·10	–	·30	–	–	–	·02	·09	–	–	–	1
2	·10	·04	–	·41	–	–	–	–	·53	·03	–	·09	2
3	·01	–	·02	·41	·42	–	–	·35	·95	–	·02	·13	3
4	–	–	–	–	·02	–	·01	·22	·31	–	·05	–	4
5	–	–	–	·17	–	·53	·06	·14	–	–	–	·16	5
6	–	·11	–	·06	–	·02	–	–	–	·25	·43	–	6
7	–	–	–	–	·08	·06	–	·69	–	·05	·09	·04	7
8	–	·06	·04	–	–	·17	–	·26	–	–	·10	·01	8
9	–	·03	·11	–	–	–	–	–	–	–	·42	·01	9
10	–	·21	·01	–	–	·01	·08	·26	–	–	·14	–	10
11	·09	·01	–	–	–	–	–	–	·04	–	·08	–	11
12	–	·12	–	–	–	–	·01	·07	·38	–	–	–	12
13	–	–	–	–	–	–	·09	·08	–	–	–	–	13
14	–	·10	–	–	–	–	1·02	·23	–	–	–	–	14
15	·03	·01	–	·16	·10	–	·19	·08	–	–	–	·01	15
16	–	·10	–	·09	·24	·04	–	·68	·12	–	–	–	16
17	–	·02	–	·13	·07	–	·18	–	·02	–	–	–	17
18	·02	·05	–	·22	–	·07	·14	·83	–	–	·51	–	18
19	–	–	–	·45	–	·24	·15	–	·09	–	–	–	19
20	–	·01	–	·08	–	–	·04	·23	–	–	–	·01	20
21	·01	–	–	–	·38	–	–	–	·01	–	–	–	21
22	·21	–	·03	–	–	–	–	–	–	–	–	–	22
23	·20	–	–	·04	·50	·02	–	–	·12	–	·11	·01	23
24	–	–	–	·35	·06	·05	·02	·01	–	–	–	–	24
25	·10	–	–	·38	·04	–	·39	–	–	–	–	–	25
26	–	·07	–	·17	–	–	·35	–	–	–	·22	–	26
27	·15	·45	–	–	·23	–	·06	–	–	–	·06	–	27
28	·05	·31	–	·14	–	–	–	–	–	·01	–	·18	28
29	·11	×	–	–	·05	–	·14	–	–	·25	–	·06	29
30	·03	×	–	–	–	–	·02	·11	–	–	–	–	30
31	·13	×	–	×	·05	×	–	–	×	–	×	·01	31
TOTAL	1·24	1·80	·21	3·56	2·24	1·21	2·95	4·26	2·68	·59	2·23	·72	YEAR'S TOTAL 23·69
*Days with ·01 in. or more.	14	17	5	16	13	10	17	16	11	5	12	12	148
*Days with ·04 in. or more.	9	12	2	16	12	7	13	14	10	3	11	6	115

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Wilkinson

Engineer to the Council

R.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. **Station No** 854

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Willesden District Council's Outfall Works

in the County of Middlesex

Diameter of Funnel of Gauge 10 in.

Height of top of Gauge above Ground 5 ft 9 in.

,, Ground ,, Sea Level 100·38 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	–	–	·15	·31	·01	·03	·86	·01	·24	·02	–	1
2	·03	–	–	·11	·03	–	–	·09	·34	·01	·01	·13	2
3	–	–	–	·14	·09	–	–	–	·31	–	–	–	3
4	–	–	–	–	–	·13	–	–	–	–	·11	–	4
5	·09	–	·01	–	–	–	·13	–	·08	–	–	–	5
6	·39	–	–	·18	·01	–	–	–	·06	–	–	–	6
7	–	–	·11	·10	·01	–	–	–	·10	·01	–	–	7
8	–	–	·05	·05	·27	–	–	–	·01	·25	–	–	8
9	·12	–	–	·06	·70	–	–	–	–	·07	–	–	9
10	·36	·05	–	·22	·09	·01	–	–	·02	·19	–	–	10
11	·02	–	–	·02	–	–	·65	0·25	–	·44	·04	·01	11
12	·05	–	–	–	·01	–	–	·01	·02	·20	–	–	12
13	·07	–	–	·11	·01	–	–	–	–	·20	·04	–	13
14	·11	·02	–	·13	·04	–	–	–	–	–	·03	–	14
15	–	–	–	·05	·37	–	–	–	–	·09	–	–	15
16	·25	–	–	·16	·07	–	–	–	–	–	–	–	16
17	–	–	–	–	–	–	·05	–	–	·04	–	–	17
18	–	–	–	–	–	–	–	–	·42	–	·08	–	18
19	–	–	–	–	–	–	–	–	–	·25	–	–	19
20	–	–	–	·11	·01	–	–	·20	·08	·69	·15	–	20
21	·03	–	–	·09	·78	–	–	·09	–	·23	–	·04	21
22	–	–	·31	–	·11	–	·19	–	·10	·26	·36	–	22
23	–	·08	·03	–	·17	–	–	–	·07	·80	·06	·12	23
24	–	–	–	–	–	–	·39	–	·08	·01	·09	–	24
25	–	–	–	–	–	–	·57	–	·03	·33	–	–	25
26	–	–	·07	·10	·05	–	·01	–	–	·01	–	–	26
27	–	–	·22	·21	·46	–	·11	–	–	·44	·13	–	27
28	–	–	–	–	·10	–	·21	–	–	·13	–	·01	28
29	–	–	·32	–	·07	·01	–	·33	·07	·27	–	–	29
30	–	×	·05	·01	–	·69	·01	–	·10	·01	·23	·11	30
31	–	×	·01	×	–	×	·14	–	×	–	×	–	31
TOTAL	1·55	0·15	1·18	2·00	3·76	0·85	2·49	1·83	1·90	5·17	1·35	0·42	YEAR'S TOTAL 22·65
*Days with ·01 in. or more.	~~12~~	~~3~~	~~10~~	~~18~~	~~21~~	~~5~~	~~12~~	~~7~~	~~17~~	~~23~~	~~13~~	~~6~~	~~147~~
*Days with .04 in. or more.	8	2	7	16	15	2	9	6	12	18	10	4	109

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

Engineer to the Council

P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No. 854

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Borough of Willesden's Outfall Works

in the County of Middlesex

Diameter of Funnel of Gauge 10 in.

Height of top of Gauge above Ground 5 ft 9 in.

,, Ground ,, Sea Level 100·38 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·11	·12	–	·10	–	–	–	–	–	·04	–	1
2	·14	–	·35	–	·34	–	–	–	–	–	–	–	2
3	–	·17	·17	–	–	–	–	–	–	–	–	–	3
4	·47	–	·02	–	·23	–	–	–	–	–	–	–	4
5	–	·01	·19	–	·07	–	–	–	–	–	–	–	5
6	–	·07	–	–	·51	–	–	–	–	·04	·08	–	6
7	·19	·06	·10	–	–	–	–	–	–	·12	–	–	7
8	·03	–	–	–	·04	–	·05	–	–	–	–	·04	8
9	–	–	–	–	·12	–	·15	–	–	·04	·07	–	9
10	–	·88	–	–	–	·01	·17	–	–	·10	–	–	10
11	·16	–	–	–	·02	·03	·06	·10	–	–	–	–	11
12	–	–	–	–	–	·08	·02	–	·56	–	–	–	12
13	·05	–	–	·15	·14	–	·25	–	·03	–	·13	–	13
14	–	–	–	–	·01	·03	–	–	–	·17	·53	–	14
15	·32	–	·10	–	–	·28	·03	·17	–	–	–	–	15
16	–	·01	·65	–	–	·26	·18	–	–	·03	·10	–	16
17	–	·02	·31	–	–	·02	·01	–	·10	–	·03	–	17
18	·06	·12	·12	–	–	·09	–	–	–	–	–	–	18
19	–	·07	·09	–	–	·18	·01	–	·63	–	·01	·01	19
20	–	–	·05	·02	–	·33	–	–	–	–	–	–	20
21	–	·01	–	–	–	·09	–	·15	·30	–	–	–	21
22	–	–	–	–	–	–	–	·16	–	·20	·02	–	22
23	–	–	–	·17	–	–	–	–	·43	–	–	–	23
24	–	·35	–	·12	–	·31	–	–	·66	–	–	–	24
25	–	·35	–	·26	–	–	–	–	·06	–	–	·05	25
26	–	·21	–	·04	–	–	–	–	·06	·06	–	·10	26
27	–	–	–	–	·07	–	–	–	–	·24	–	·03	27
28	–	–	–	–	·08	–	–	–	–	·29	–	–	28
29	·08	X	–	·03	–	–	–	–	–	·09	–	–	29
30	·08	X	·18	–	–	–	·01	·15	–	–	–	·16	30
31	·11	X	–	X	–	X	–	–	X	·01	X	–	31
TOTAL	1·70	2·44	2·45	·79	1·73	1·71	·94	·73	2·83	1·39	1·01	·39	YEAR'S TOTAL 18·11
*Days with ·01 in. or more.	12	14	13	7	12	12	11	5	9	12	9	6	122
*Days with .04 in. or more.	10	10	12	5	10	8	6	4	8	10	6	4	93

40-9999

*See Instruction 2 (*f*) on other side.

D

(Signed) T Wilkinson
Borough Engineer.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 854

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Borough of Willesden Outfall Works

in the County of Middlesex

Diameter of Funnel of Gauge 10 in.

Height of top of Gauge above Ground 5 ft. 9 in.

,, Ground ,, Sea Level 100·38 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·01	-	-	-	-	-	-	·11	-	-	-	·41		1
2	·05	-	·08	-	-	-	-	-	·52	·16	-	·23		2
3	-	·02	-	·15	-	-	-	·02	-	·20	-	·01		3
4	·09	-	·12	·02	·01	-	-	-	-	·04	·07	·41		4
5	-	-	·01	-	·02	-	-	·01	-	-	·01	·42		5
6	-	-	·30	-	·31	·06	-	·10	-	·14	-	·40		6
7	-	-	-	-	-	-	-	·02	-	·12	-	·15		7
8	-	-	-	-	·09	-	-	·03	·06	-	·31	-		8
9	-	-	·03	-	-	-	-	-	-	-	·92	·31		9
10	-	-	·13	·11	-	-	-	·06	-	-	·26	-		10
11	·23	-	·34	·05	-	-	·11	·18	-	-	-	·12		11
12	·05	-	·04	-	-	-	·07	·31	-	-	-	·02		12
13	·26	-	·28	-	-	-	-	·03	-	-	·02	·11		13
14	·05	-	·20	-	·01	-	-	-	-	-	·19	·40		14
15	·06	-	·06	-	·05	-	-	-	·07	-	·06	·29		15
16	·14	-	·13	-	·01	-	-	-	-	·10	-	-		16
17	-	-	-	-	-	-	-	-	-	·06	·02	·15		17
18	·15	-	-	·16	-	-	·10	-	·01	-	-	·08		18
19	-	-	·18	-	-	·13	-	-	·07	·01	-	·08		19
20	-	-	·19	·01	-	·01	·15	-	·02	-	·03	-		20
21	-	-	-	·11	-	·13	-	·04	-	·03	-	-		21
22	-	-	-	-	-	-	-	·26	·22	-	·01	·05		22
23	-	-	-	·33	-	·21	-	·02	·01	-	·02	·08		23
24	-	·04	·05	·11	-	·03	1·02	·01	·17	-	-	-		24
25	·13	-	-	·15	-	·19	-	-	-	·03	-	·37		25
26	·05	-	-	·25	-	·09	-	-	·02	-	-	·04		26
27	·01	-	-	·16	-	·17	-	-	-	·05	-	·38		27
28	-	·18	-	-	-	·38	-	·89	-	-	·10	·23		28
29	-	×	-	-	-	-	·04	-	·13	-	-	·03		29
30	·03	×	-	-	-	-	-	·05	·02	-	-	·16		30
31	-	×	-	×	-	×	·07	·16	×	·13	×	·04		31
TOTAL	1·31	0·24	2·14	1·61	0·50	1·40	1·56	2·30	1·32	1·07	2·02	4·97	Year's Total 20·44	
*Days with ·01 in. or more.	14	3	15	12	7	10	7	17	12	12	13	25	147	
*Days with ·04 in. or more.	11	2	13	10	3	8	7	10	7	9	7	22	109	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*)

[P. T. O.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 854

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Borough of Willesden outfall works

in the County of Middlesex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 5' ft 9 in.

,, Ground ,, Sea Level 100.38 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.11	0.04		0.04		0.24	0.27	0.11		0.05	0.28	0.41		1
2	0.05			0.09					0.32	0.14	0.02			2
3		0.07	0.10	0.08		0.33			0.19	0.55	0.14			3
4		0.01		0.15		0.36			0.29	0.15		0.16		4
5		0.23	0.04	0.13		0.05			0.30					5
6				0.29		0.37					0.01	0.02		6
7				0.54						0.03	0.96	0.12		7
8				0.32		0.01				0.24	0.22	0.16		8
9				0.17		0.61				0.65	0.09			9
10	0.01			0.01		0.02					0.16	0.02		10
11	0.20			0.07		0.07	0.80				0.23			11
12						0.11		0.05	0.02		0.43			12
13	0.10	0.15		0.16	0.11	0.04								13
14				0.01	0.21	0.07					0.03	0.10		14
15		0.26		0.36		0.32			0.05		0.22	0.07		15
16		0.07	0.02	0.13		0.03			0.18		0.43	0.02		16
17				0.01	0.01	0.19			0.09		0.38			17
18				0.23	0.03	0.15	0.11		0.35	0.02	0.05	0.01		18
19				0.01	0.19	0.05	0.04		0.03		0.11	0.03		19
20	0.01	0.18		0.03	0.16	0.07	0.04		0.31		0.14			20
21		0.25							0.04	0.03	0.02			21
22		0.03	0.02					0.27	0.08					22
23			0.21					0.36	0.06	0.02		0.19		23
24	0.07	0.53			0.03			0.33	0.52			0.26		24
25	0.10	0.11		0.22								0.08		25
26	0.15	0.15						0.29	0.05			0.30		26
27	0.01	0.39			0.01			0.02	0.16		0.11	0.25		27
28		0.02			0.02				0.07			0.16		28
29		×							0.70			0.14		29
30	0.04	×		0.12	0.04			0.62	0.14	0.35	0.38	0.31		30
31		×		×		×			×	0.31	×	0.39		31
TOTAL	0.80	2.49	0.39	3.17	0.81	309 3.49	1.26	1.94	3.95	254 2.61	4.41	279 2.78	Year's Total. 28.10	27.64
* Days with .01 in. or more.	10	15	5	21	10	19	5	7	20	13	20	19	164	
* Days with .04 in. or more.	7	12	3	16	5	15	5	6	18	8	16	14	125	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Wilkinson Eng

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 854

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Borough of Willesden Outfall Works.

in the County of Middlesex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 5 ft. 9 in.

,, Ground ,, Sea Level 100.38 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.36	0.10	0.04	0.16		0.24	0.13	0.02			0.07	0.09		1
2		0.09				0.26	0.08	0.07			0.05			2
3				0.15		0.02			0.22		0.27			3
4			0.09			0.29			0.36		0.04	0.05		4
5	0.07		0.01					0.02	0.21		0.02	0.11		5
6	0.22					0.19		0.08	0.02	0.01	0.14	0.09		6
7	0.21		0.01			0.02	0.04		0.04		0.08	0.02		7
8	0.15		0.01								0.32	0.18		8
9	0.75		0.08				0.42		0.40					9
10							0.07	0.10	0.08		0.05	0.01		10
11				0.06			0.20				0.83			11
12				0.13		0.53	0.20	0.02	0.04		0.32	0.09		12
13				0.01		0.47	0.02			0.02	0.02	0.06		13
14		0.04				0.08	0.60		0.01	0.06	0.15	0.27		14
15		0.06							0.30		0.01	0.04		15
16	0.41	0.07					0.01		0.02		0.41	0.03		16
17	0.15	0.40			0.06	0.21				0.02	0.22	0.12		17
18	0.01	0.12				0.21	0.13			0.04	0.01	0.09		18
19	0.26	0.01	0.02	0.03		0.06	0.10	0.05		0.04				19
20	0.01	0.04	0.07	0.32			0.12		0.94					20
21				0.20	0.02	0.34			0.03					21
22	0.15	0.37	0.01	0.02	0.32	0.02	0.17					0.06		22
23	0.02		0.06	0.08			0.03			0.11				23
24	0.10	0.12								0.40				24
25	0.07		0.16	0.20		0.50	0.12		0.13	0.13	0.02	0.03		25
26		0.11	0.19	0.05		0.12			0.01	0.17		0.02		26
27	0.15	0.03	0.02						0.28	0.10				27
28	0.75		0.09				0.15		0.05			0.05		28
29	0.08	0.07	0.06			0.21	0.01			0.01	0.16	0.02		29
30	0.10	×			0.11	0.17	0.05			0.21				30
31	0.35	×	0.26	×	0.01	×	0.09		×	0.55	×	0.25		31
TOTAL	4.37	1.63	1.15	1.41	0.52	3.94	2.77	0.36	12 3.46	1.87	3.17	1.62	25.98	25.98
* Days with .01 in. or more.	20	14	16	12	5	18	20	7	17	14	19	20	182	182
* Days with .04 in. or more.	17	12	10	9	3	15	15	4	11	10	13	19	131	131

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Rees Ninson BMM [P.T.O.

BOROUGH ENGINEER AND SURVEYOR.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 854

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at OUTFALL WORKS, STONEBRIDGE PARK.

in the County of MIDDLESEX

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 5 ft. 9 in.

,, Ground ,, Sea Level 100·38 ft.

Daily 7A

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following /

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·46	—	—	0·09	—	—	—	—	0·02	—	0·67	0·58		1
2	—	0·11	0·02	0·46	—	—	—	—	0·07	0·01	—	0·48		2
3	—	0·17	—	—	—	—	—	—	—	—	—	0·03		3
4	0·05	0·37	—	—	—	—	—	0·03	—	—	—	0·32		4
5	0·19	0·08	0·21	—	—	—	0·06	—	—	—	—	—		5
6	0·01	0·01	0·43	—	0·15	—	0·02	—	—	0·11	—	—		6
7	—	0·80	0·14	0·14	—	—	—	—	0·09	—	—	—		7
8	—	0·02	—	—	0·07	0·05	—	—	—	—	0·07	0·29		8
9	—	0·06	—	0·32	0·15	0·02	0·08	—	0·25	—	—	0·02		9
10	—	—	0·47	0·04	0·35	0·36	0·14	0·07	—	—	—	0·32		10
11	—	—	0·13	—	0·26	—	0·02	—	—	—	—	0·05		11
12	0·13	0·29	0·15	—	0·24	0·44	0·01	—	0·03	—	—	0·08		12
13	0·13	0·05	0·39	0·01	—	0·06	—	1·47	0·07	—	—	0·92		13
14	0·01	0·05	0·15	—	—	—	—	0·18	0·05	—	—	—		14
15	0·10	0·11	—	0·17	—	0·03	0·18	—	0·03	—	—	0·02		15
16	0·06	0·19	0·21	0·39	—	0·12	—	0·21	0·26	—	—	—		16
17	0·24	0·01	0·09	0·07	—	0·05	—	—	0·23	—	—	—		17
18	0·20	0·07	—	—	0·12	0·40	—	—	—	—	0·19	0·05		18
19	0·01	0·12	0·06	0·13	0·05	0·12	0·13	—	0·03	—	—	0·13		19
20	0·28	0·01	0·02	0·34	0·69	0·09	—	—	0·05	—	—	—		20
21	0·31	0·58	0·01	0·08	0·02	—	0·05	—	—	—	—	—		21
22	0·32	—	0·01	—	—	0·10	0·04	—	—	0·51	0·29	0·02		22
23	0·26	—	0·01	—	0·06	—	—	—	—	0·43	—	—		23
24	0·32	0·60	0·03	—	—	—	—	—	0·14	0·15	—	—		24
25	0·04	0·24	0·12	—	0·27	—	—	—	0·05	0·22	—	—		25
26	—	0·20	0·06	—	0·08	—	—	—	—	0·02	—	—		26
27	0·05	0·08	—	0·10	—	—	—	—	0·02	0·52	—	—		27
28	0·01	0·09	—	0·03	—	—	—	—	—	0·09	—	0·02		28
29	0·05	✕	—	—	—	0·01	—	—	—	0·05	0·07	0·02		29
30	0·21	✕	—	—	—	—	—	—	—	—	0·17	—		30
31	0·28	✕	—	✕	—	✕	—	—	✕	0·45	✕	0·02		31
TOTAL	3·72	4·31	2·71	2·37	2·51	1·85	0·73	1·96	1·39	2·56	1·46	3·37	Year's Total 28·94	
* Days with .01 in. or more.	~~4~~ 23	~~4~~ 23	~~6~~ 19	~~2~~ 14	~~1~~ 13	~~3~~ 13	~~3~~ 10	~~1~~ 5	~~5~~ 15	~~2~~ 11	6	~~4~~ 17	~~38~~ 169	
* Days with .04 in. or more.	19	19	13	12	12	10	7	4	10	9	6	10	131.	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 854

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at OUTFALL WORKS STONEBRIDGE PARK.

in the County of MIDDLESEX.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 6 ft. 0 in.

„ Ground „ Sea Level 100·38 ft.

Dup w.J.F.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						0·10	0·40		0·02	0·01		0·01		1
2	0·11			0·08	0·15					0·19		0·06		2
3					0·19		0·09		0·03	0·62	0·02			3
4	0·02						0·02			0·04		0·15		4
5							0·13			0·15				5
6	0·03						0·03		0·09	0·01				6
7							0·06	1·62		0·15		0·04		7
8	0·12						0·15			0·31				8
9	0·06						0·06	0·25				0·47		9
10	0·15	0·07				0·02	0·01	0·13				0·03		10
11	0·26							1·57			0·17	0·06		11
12	0·29	0·03			0·01			0·06		0·25	0·03			12
13	0·15									0·04	0·06	0·13		13
14	0·24				0·07				0·04			0·02		14
15	0·04	0·03					0·16			0·32		0·28		15
16	0·35									0·01	0·01	0·90		16
17		0·07			0·05					0·07				17
18	0·02				0·05		0·01		0·10	0·01	0·23			18
19								0·04	0·07		0·19			19
20									0·01		0·43			20
21								0·07	0·05		0·03	0·35		21
22						0·02		0·01			0·15	0·26		22
23				0·01							0·01	0·03		23
24			0·13		0·01				0·50		0·06			24
25	0·10	0·01	0·10	0·01	0·02		0·01		0·02	0·04	1·06			25
26	0·14	0·14	0·06						0·23	0·20		0·29		26
27	0·10	0·04	0·02		0·03	0·25	0·28	0·08	0·51	0·07	0·35			27
28	0·19	0·09		0·02	0·93	0·03		0·21	0·07		0·01	0·06		28
29	0·32				0·14				0·01		0·10	0·21		29
30	0·03			0·01	0·06	0·01			0·05	0·09	0·16			30
31	0·12				0·07					0·16		0·23		31
													Year's Total	
TOTAL	2·84	0·48	0·31	0·13	1·78	0·43	1·41	4·04	1·80	2·74	3·07	3·58	22·61	✓
* Days with .01 in. or more.	~~4~~ 20	~~3~~ 8	~~4~~ 4	~~4~~ 5	~~4~~ 13	~~4~~ 6	~~5~~ 13	~~4~~ 10	~~5~~ 15	~~4~~ 19	~~4~~ 17	~~4~~ 18	~~45~~	148
* Days with .04 in. or more.	16	5	3	1	9	2	8	9	10	15	11	14	103	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) F. Wayman Brown ...... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 854.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1939.

Kept at OUTFALL WORKS STONEBRIDGE PARK.
in the County of MIDDLESEX.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 6 ft. 0 in.
,, Ground ,, Sea Level 100.38 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0:22	—	—	0:41	0:38	—	0:07	0:36	0:21	—	—	—		1
2	0:01	—	—	0:03	0:02	—	—	0:74	0:68	—	0:02	—		2
3	0:30	—	—	0:25	—	—	—	0:36	—	—	0:22	0:14		3
4	0:07	—	0:16	0:17	—	—	0:05	0:93	—	0:46	0:03	0:01		4
5	—	—	—	0:47	0:04	—	—	0:02	—	0:12	0:22	0:03		5
6	0:47	—	—	—	—	—	0:26	0:04	—	—	0:51	0:04		6
7	0:02	0:05	—	—	—	—	—	0:03	—	—	0:10	0:12		7
8	—	0:07	0:13	—	—	—	0:01	0:79	—	0:51	0:19	0:35		8
9	0:01	0:06	—	—	—	—	—	0:01	—	0:30	0:03	0:18		9
10	0:18	—	—	—	—	0:34	—	0:10	0:02	0:06	—	—		10
11	—	—	0:22	—	0:02	0:22	—	—	—	0:44	0:03	—		11
12	—	—	—	—	—	0:01	—	—	—	—	—	—		12
13	—	—	—	0:01	—	—	0:07	—	0:02	1:22	—	—		13
14	0:56	—	—	0:03	0:08	—	—	—	—	0:19	0:39	0:02		14
15	0:27	—	—	—	0:49	0:20	0:06	—	0:11	0:61	0:11	0:01		15
16	0:44	—	0:07	0:02	0:14	0:13	—	—	0:02	—	0:38	—		16
17	0:19	0:04	0:04	—	0:05	—	0:03	—	—	—	0:02	—		17
18	0:23	—	0:04	—	—	0:20	0:26	—	—	0:13	0:28	—		18
19	0:23	—	—	—	—	—	0:04	—	—	0:18	—	—		19
20	0:20	—	0:01	—	—	0:15	0:57	0:02	—	—	—	0:01		20
21	0:05	0:01	0:27	—	—	0:02	0:15	1:63	0:05	—	—	—		21
22	0:17	0:20	0:16	—	—	0:02	—	—	—	—	0:13	—		22
23	0:03	—	0:01	0:12	—	—	0:02	0:02	—	—	0:65	0:02		23
24	0:30	—	0:01	0:03	—	—	0:09	—	—	0:04	—	—		24
25	1:35	0:74	0:05	—	—	—	0:38	0:09	—	0:08	0:52	—		25
26	0:16	—	0:01	0:02	—	—	—	—	—	0:02	0:30	0:02		26
27	—	0:01	0:09	0:07	—	—	—	—	—	0:25	0:16	—		27
28	0:01	0:22	0:05	0:11	—	0:01	0:16	—	—	0:11	0:11	0:08		28
29	—	X	—	0:27	—	—	0:02	—	—	0:07	0:14	—		29
30	—	×	—	0:60	—	—	—	—	—	0:10	0:21	0:01		30
31	—	×	—	×	—	×	0:05	—	×	0:04	×	—		31
	547												Year's Total	
TOTAL	5:27	0:80	1:32	2:61	1:22	1:30	2:29	5:14	1:11	4:93	4:75	1:04	31:78	3198
* Days with .01 in. or more.	22 ~~6~~	9 ~~2~~	15 ~~4~~	15 ~~6~~	8 ~~8~~	10 ~~4~~	17 ~~7~~	14 ~~3~~	7 ~~5~~	~~X~~ 19	~~5~~ 22	8 14	172 ~~50~~	
* Days with .04 in. or more.	17 ~~16~~	7	11	9	6	6	13	9	4	18	17	6	128 ~~122~~	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 854.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940.

Kept at OUTFALL WORKS STONEBRIDGE PARK

in the County of MIDDLESEX

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 6 ft. 0 in.

,, Ground ,, Sea Level 100.38 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	0·02	—	—	—	—	—	—	—	—	0·08	—		1
2	—	0·08	—	0·09	—	—	0·07	—	—	0·15	0·43	—		2
3	—	0·18	—	0·13	—	—	—	—	—	0·06	0·95	—		3
4	—	0·08	—	0·01	—	—	—	—	—	0·16	0·08	0·09		4
5	—	—	—	—	—	—	0·05	—	—	0·06	0·34	0·02		5
6	0·14	0·09	—	—	0·04	—	0·21	—	—	0·17	0·11	0·07		6
7	0·27	0·05	—	—	0·04	—	0·12	—	0·01	—	—	—		7
8	—	—	—	0·01	—	0·02	—	—	—	0·15	0·02	0·27		8
9	—	—	—	0·02	—	0·20	—	0·15	0·01	0·19	0·10	0·05		9
10	—	—	—	—	—	—	0·26	0·01	—	0·08	0·07	0·02		10
11	—	—	—	0·02	—	—	0·10	—	—	—	0·84	0·01		11
12	—	—	0·06	—	—	0·11	0·07	—	0·08	—	—	—		12
13	—	0·01	0·63	—	—	—	0·01	—	0·06	—	0·91	—		13
14	—	—	0·13	0·15	—	—	—	0·01	—	0·01	—	0·26		14
15	—	—	0·03	0·02	0·09	—	0·31	—	0·03	0·05	0·21	—		15
16	0·01	0·08	0·39	0·02	—	0·04	0·26	—	0·15	0·83	—	0·03		16
17	—	—	0·44	—	—	—	0·01	—	—	—	0·78	—		17
18	—	0·41	0·03	0·26	—	—	0·45	—	—	0·10	0·55	0·14		18
19	—	0·21	0·01	0·08	—	—	0·02	—	0·53	—	0·40	0·03		19
20	—	0·02	—	—	—	—	0·17	—	—	0·02	0·13	—		20
21	0·04	—	—	—	0·57	—	0·17	0·02	—	0·03	0·06	—		21
22	—	—	0·02	0·01	0·27	0·29	—	—	0·03	—	0·29	—		22
23	—	0·06	0·02	0·21	0·06	0·02	—	—	—	0·01	—	—		23
24	—	—	—	0·16	—	—	0·20	—	—	—	—	0·01		24
25	—	—	0·62	—	—	—	0·07	—	—	—	—	—		25
26	1·08	0·06	0·43	0·04	0·11	0·10	—	—	—	—	—	—		26
27	0·40	0·19	—	0·08	0·20	—	0·06	—	—	—	—	—		27
28	0·29	—	—	0·38	0·05	—	—	—	—	—	—	—		28
29	0·07	0·02	0·08	—	0·07	—	—	—	—	—	—	0·30		29
30	0·06	✕	—	0·31	—	—	—	—	—	0·06	—	0·01		30
31	0·03	✕	—	✕	—	✕	—	—	✕	0·61	✕	—		31
TOTAL	2·39	1·56	2·89	2·00	1·50	0·78	2·61	0·19	0·90	2·74	6·35	1·31	Year's Total 25·22	
* Days with .01 in. or more.	10	15	13	18	10	7	18	4	8	17	18	14	152.	
* Days with .04 in. or more.	8	11	8	11	10	5	15	1	4	13	17	7	110.	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*)

[P.T.O.

782000/27 854/3.

854/3

WEMBLEY
KING EDWARD VII PARK
1937. 1939, 1940,
780204

Section **A** for the entry of Daily C
AIR MINISTRY.—M
Station No. ~~85~~
FALL ORGANIZATION.

FORM 1030.

REGISTE 937.

Kept at King Edward VII Park. nds
in the County of Middlesex er)
Diameter of Funnel of Gauge
Height of top of Gauge above Ground
,, Ground ,, Sea Level

THE MORNING MEASUREMEN

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1				·06	—	—	—	—	·03	—	·68	·65		1
2				·53	—	—	—	—	·02.	—	—	·41		2
3				—	—	—	—	—	—	—	—	·06		3
4				—	—	—	—	·05	—	—	—	·29		4
5				—	—	—	·05	—	—	—	—	—		5
6				—	·14	—	·01	—	—	·11	—	—		6
7				·12	·01	—	—	—	·06	—	·01	—		7
8				—	·04	·04	—	—	—	—	·07	·27		8
9				·30	·17	·03	·07	—	·26	—	—	·03		9
10				·08	·20	·36	·29	·04	—	—	—	·24		10
11				·02.	·54	—	·01	—	—	·01	—	·04		11
12				—	·21	·51	—	—	·03	—	—	·07		12
13				·01	—	·09	—	1·27	·05	—	—	·84		13
14				·01	—	—	—	·43	·05	—	—	—		14
15				·18	—	—	·15	—	·01	—	—	·02.		15
16				·29	—	·11	·01	·14	·25	—	—	—		16
17				·04	—	·02	—	—	·25	—	—	—		17
18				—	·14	·38	—	—	—	—	·18	—		18
19				·14	·03	·14	·14	—	·03	—	—	·04		19
20				·24	·63	·08	—	—	·04	—	—	—		20
21				·03	·02	—	·05	—	—	—	—	·03		21
22				—	—	·10	·04	—	—	·49	·31	·02		22
23				—	·22	—	·01	—	—	·44	—	—		23
24				—	—	—	—	—	·14	·14	—	—		24
25				—	x	—	—	—	·04	·19	—	—		25
26				·08	·09	—	—	—	—	·02.	—	·03		26
27				·04	—	—	—	—	·03	·57	—	—		27
28				—	—	—	—	—	—	·10	—	—		28
29				—	—	—	—	—	—	·06	·06	·01		29
30		×		—	—	—	—	—	—	—	·17	—		30
31		×		×	—	×	—	—	×	·38	×	·01	imp	31
TOTAL			#.	2·17	2·70	1·86	·83	1·93	1·29	2·51	1·48	3·06	Year's Total ~~[illegible]~~	√
* Days with .01 in. or more.				16	14	11	11	5	15	11	7	17.	173	√
* Days with .04 in. or more.				12.	11	9	7.	5	9.	9	6	19	131	√

Moved from Alperton Sew. Wks. (1851).

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) BOROUGH ENGINEER & SURVEYOR. BOROUGH OF WE [P.T.O.

782010/27 854/3.

COPY FOR

Station No. ~~85~~

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1030.

REGISTER OF RAINFALL IN 1937.

Kept at King Edward VII Park, Wembley

in the County of Middlesex

Diameter of Funnel of Gauge ...... in.

Height of top of Gauge above Ground ...... ft. ...... in.

" Ground " Sea Level 160 ft.

Moved 2 mls (see over)

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1				·06	–	–	–	–	·03	–	·68	·65		1
2				·53	–	–	–	–	·02	–	–	·41		2
3				–	–	–	–	–	–	–	–	·06		3
4				–	–	–	–	·05	–	–	–	·29		4
5				–	–	–	·05	–	–	–	–	–		5
6				–	·14	–	·01	–	–	·11	–	–		6
7				·12	·01	–	–	–	·06	–	·01	–		7
8				–	·04	·04	–	–	–	–	·07	·27		8
9				·30	·17	·03	·07	–	·26	–	–	·03		9
10				·08	·20	·36	·29	·04	–	–	–	·24		10
11				·02	·54	–	·01	–	–	·01	–	·04		11
12				–	·21	·51	–	–	·03	–	–	·07		12
13				·01	–	·09	–	1·27	·05	–	–	·84		13
14				·01	–	–	–	·43	·05	–	–	–		14
15				·18	–	–	·15	~~·02~~	·01	–	–	·02		15
16				·25	–	·11	·01	·14	·25	–	–	–		16
17				·04	–	·02	–	–	·25	–	–	–		17
18				–	·14	·38	–	–	–	–	·18	–		18
19				·14	·03	·14	·14	–	·03	–	–	·04		19
20				·24	·63	·08	–	–	·04	–	–	–		20
21				·03	·02	–	·05	–	–	–	–	·03		21
22				–	–	·10	·04	–	–	·49	·31	·02		22
23				–	·22	–	·01	–	–	·44	–	–		23
24				–	–	–	–	–	·14	·14	–	=		24
25				–	[illegible]	–	–	–	·04	·19	–	–		25
26				·08	·09	–	[illegible]	–	–	·02	–	·03		26
27				·04	–	–	–	–	·03	·57	–	–		27
28				–	–	–	–	–	–	·10	–	–		28
29				–	–	–	–	–	–	·06	·06	·01		29
30		☒		–	–	–	–	–	–	–	·17	–		30
31		☒		☒	–	☒	–	–	☒	·38	☒	·01	imp.	31
													Year's Total	
TOTAL			#.	2·17	2·70	1·86	·83	1·93	1·29	2·51	1·48	3·06	~~[illegible]~~	√
* Days with .01 in. or more.				16	14	11	11	5	15	11	7	17	173	√
* Days with .04 in. or more.				12	11	9	7	5	9	9	6	19	131	√

Moved from Alperton Sew. Wks. (851).

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) .... [P.T.O.

BOROUGH ENGINEER & SURVEYOR
BOROUGH OF WEMBLEY

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 854/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at WEMBLEY (King Edward VII Park)

in the County of Middlesex

Diameter of Funnel of Gauge N. 9 Sk[illegible] ~~in.~~

Height of top of Gauge above Ground.........ft.........in.

" Ground " Sea Level 150 ft.

Letters sent 6/2/40, 24/2/40 & 29/3/40

Values adopted as set out in encl. 14A in file

723261/37

Apl 1938

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·03	—	—	·50	·33	—	·04	·39	·24	—	—	—		1
2	—	—	—	·03	·02	+	—	·79	·70	—	·05	—		2
3	·31	—	—	·17	—	—	—	·29	—	—	·22	·11		3
4	·06	—	·15	·22	—	—	·04	·86	—	·39	·03	·01		4
5	—	—	—	·55	·06	—	—	·28	—	·17	·19	·03		5
6	·41	—	—	—	—	—	·12	·03	—	—	·49	·02		6
7	·04	·06	—	—	—	—	—	·03	—	—	·18	·17		7
8	—	·07	·15	—	—	—	·05	·42	—	·50	·07	·42		8
9	—	·04	—	—	—	—	—	—	—	·38	·03	·19		9
10	·01	—	—	—	—	·38	—	·10	—	·09	—	—		10
11	·19	—	·16	—	·02	·20	—	—	—	·78	·03	·01		11
12	—	—	—	—	—	·01	—	—	—	—	—	—		12
13	—	—	—	·01	—	—	·05	—	·02	1·16	—	—		13
14	·43	—	—	—	·07	—	·01	—	—	·16	·28	—		14
15	·22	—	—	—	·52	·22	·03	—	·10	·82	·03	·03		15
16	·42	—	·07	·01	·09	·13	·04	·05	—	—	·41	—		16
17	·13	·03	·01	—	·14	—	·04	·14	—	—	·05	—		17
18	·19	—	·03	—	—	·17	·16	·03	—	·05	·24	—		18
19	·24	—	—	—	—	—	·13	—	—	·22	—	—		19
20	·15	—	—	—	—	·12	·48	1·74	—	—	—	·02		20
21	·05	—	·25	—	—	·02	·28	·41	·06	—	—	—		21
22	·10	·20	·29	—	—	·01	·01	·10	—	—	·11	—		22
23	·01	—	·01	·09	—	·01	—	·02	—	·03	·50	—		23
24	·16	—	·01	·01	—	—	·19	—	—	·08	—	—		24
25	1·26 ~~·86~~	·13	·04	—	—	—	·23	·05	—	—	·37	·03		25
26	·18	·3	—	—	—	—	—	·02	—	·24	·26	·02		26
27	—	—	·10	·03	—	—	—	—	—	·10	·12	—		27
28	—	·19	·05	·05	—	·01	·19	—	—	·05	·11	—		28
29	—	—	—	·30	—	—	·08	—	—	·11	·10	—		29
30	—	✕	—	·66	—	·03	—	—	—	—	·16	—		30
31	—	✕	—	✕	—	✕	·06	—	✕	—	✕	—		31
TOTAL	4·59 ~~4·19~~	·75	1·32	2·63	1·25	1·31	2·23	5·75	1·17	5·33	4·03	1·06	Year's Total 31·42 ~~·02~~	
* Days with .01 in. or more.	20	8	13	13	8	12	19	18	5	17	22	12	167	
* Days with .04 in. or more.	17	6	10	9	6	6	16	13	4	16	19	4	126	

N.p. ~~[illegible]~~ partly recorder W.H.

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

BOROUGH OF WEMBLEY (Signed) BOROUGH ENGINEER & SURVEYOR. [P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations — **Station No.** 854/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN ~~193~~ 1940

Kept at King Edward VII Pk. Wembley

in the County of Middx

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

„ Ground „ Sea Level 1[illegible] ft.

Sept. 19th–30th esta from nearby stns.

Jan. 26th esta from nearby stns.

Gyc.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	—	—	—	—	—	—	—	—					1
2	—	—	—	·15	—	—	·08	—	—					2
3	—	·32	—	·13	—	—	—	—	—					3
4	·07	·16	—	·01	—	—	—	—	—					4
5	—	—	—	—	—	—	—	—	—					5
6	·18	·12	—	—	·04	—	·26	—	—					6
7	·28	·06	—	—	·05	—	·10	—	·03					7
8	—	—	—	·02	—	—	—	—	—					8
9	—	—	—	—	—	·14	—	—	·05					9
10	—	—	—	—	—	—	·25	·01	—					10
11	—	—	—	—	—	—	—	—	—					11
12	—	—	·06	·02	—	·10	·06	—	·02					12
13	—	—	·56	—	—	·03	—	—	·05					13
14	—	—	·08	·10	—	—	—	—	—					14
15	—	—	·03	·02	·07	—	·23	—	·02					15
16	—	—	·30	·01	—	·02	·29	—	·15					16
17	—	—	·34	—	—	—	·01	—	—					17
18	—	·48	·14	·24	—	—	·23	—	—					18
19	—	·21	—	·07	—	—	·05	—	✓					19
20	—	·02	—	·02	—	—	·11	·01						20
21	—	—	—	—	·39	—	·20	—						21
22	—	—	·02	·01	·44	·32	—	—	✓					22
23	—	·05	·02	·20	·05	·02	—	—						23
24	—	—	—	·14	—	—	·18	—	(·55)					24
25	—	—	·17	—	—	—	·10	—						25
26	(1·00) ~~·60~~	—	·59	·07	·16	·04	—	—						26
27	·40	·15	—	·06	·27	—	·05	—						27
28	·31	—	—	·32	·07	—	—	—						28
29	·07	·04	·07	—	·05	—	—	—						29
30	—	X	—	·32	—	—	—	—						30
31	—	X	—	X	—	X	—	—	X		X			31
TOTAL	2·31 ~~1·81~~	1·61	2·38	1·91	1·59	·67	2·20	·02	·91				Year's Total "	
* Days with .01 in. or more.	7	10	12	18	10	7	15	2	8				"	
* Days with .04 in. or more.	7	9	10	11	10	4	14	—	5				"	

machine destroyed by enemy action

up

imp

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*)

BOROUGH ENGINEER & SURVEYOR.

BOROUGH OF WEMBLEY

[P.T.O.

X NORTHOLT (WOOD END 383160/35

854/5
NORTHOLT
WOOD END GDNS
1935 - 1940

Section **A** for the entry of Daily Obse… COPY …tion No. ~~36.~~ 854/5

AIR MINISTRY.—METEO… …ORGANIZATION.

FORM 1090.

REGISTER …

Kept at ~~125 Wood End Gdns~~ … …ntly estimated 3rd 223 HRS.) 6th 25 HRS.)

in the County of Middlesex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft.

,, Ground ,, Sea Level 2…

790204

THE MORNING MEASUREMENT …

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	×	·03	—	·04	·03	·15	·49	—	—	·03	·09	—		1
2	✓	—	·01	·02	—	Tr	—	—	·23	·14	·07	—		2
3		·04	·08	·02	—	·18	—	—	·11	·45	·21	Tr		3
4		·01	—	·10	—	·09	—	—	·33	·09	Tr	·14		4
5		·22	·02	·11	—	·34	—	—	·32	Tr	—	·04		5
6	✓ (·40)	·01	—	·26	—	·33	—	—	—	—	Tr	—		6
7		—	—	·44	—	·04	—	—	—	—	1·10	·14		7
8		—	Tr.	·31	—	·01	—	—	—	—	·09	·17		8
9		—	—	·14	—	·64	—	—	—	·29	·15	·01		9
10		—	—	·02	—	·01	—	—	—	·57	·04	·02		10
11	×	—	—	·05	—	·06	·15	—	—	·01	·22	·01		11
12		Tr	—	—	—	·08	—	·06	·01	—	·53	—		12
Commenced 13	·11	·15	—	·17	·08	·03	—	—	—	·01	·01	—		13
14	Tr.	Tr	—	Tr.	·18	·07	—	—	Tr.	Tr	·04	·10		14
15	—	·29	Tr.	·36	Tr.	·31	—	—	·10	—	·18	·08		15
16	—	·06	·02	·01	—	·05	—	—	·15	—	·41	·03		16
17	—	—	Tr.	·02	—	·23	·03	—	·06	—	·32	Tr		17
18	—	—	—	·23	·05	·07	·19	—	·33	·03	·05	·02		18
19	—	—	—	·04	·19	·05	·04	—	Tr.	—	·14	·06		19
20	Tr.	·17	—	·09	·20	·06	·01	—	·18	—	·13	—		20
21	·01	·25	—	—	Tr.	—	—	—	·02	·03	·02	—		21
22	—	·02	·04	—	—	—	—	·06	·10	—	—	—		22
23	—	·01	·23	Tr	—	—	—	·50	·01	·06	—	SNOW ·12		23
24	·06	·48	—	—	·01	—	—	·12	·62	·01	—	·31		24
25	·12	·22	~~—~~ Tr.	·19	·01	·29	—	—	—	—	—	·09		25
26	·12	·04	—	—	—	—	—	·30	·07	—	—	·28		26
27	·01	·43	—	—	·02	—	—	·01	·28	Tr	·12	·30		27
28	—	·01	—	—	·02	—	—	·02	·04	·06	Tr	·18		28
29	—	×	—	—	—	—	—	—	·62	Tr	—	·14		29
30	·04	×	—	·10	·01	—	—	·63	·25	·34	·42	·23		30
31	—	×	—	×	Tr	×	—	—	×	·26	×	·30		31
TOTAL	(·87) ~~·47~~	2·44	·40	2·72	·80	3·09	·90	1·70	3·83	2·38	4·34	2·76	Year's Total ~~25·83~~	26·23
*Days with ·01 in. or more.	(11) ~~7~~	17	6	20	11	20	6	8	19	15	20	21	~~170~~	174
*Days with .04 in. or more.	(7) 5	11	3	15	5	17	4	6	16	9	18	16	~~125~~	127

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) X G. R. Sinfield Esq X

[P.T.O.

N

X NORTHOLT (WOOD END [redacted] 383160/35

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. ~~36~~. 8545

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at ~~125 Wood End Gdns~~ Northolt

in the County of Middlesex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 260 ft.

(Summer Time April 13th = 23 Hrs)

(Summer Time Ending Oct. 6th 25 Hrs.)

Middx/1

Jan partly estimated

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	×	·03	—	·04	·03	·15	·49	—	—	·03	·09	—		1
2	✓	—	·01	·02	—	Tr.	—	—	·23	·14	·07	—		2
3		·04	·08	·02	—	·18	—	—	·11	·45	·21	Tr		3
4		·01	—	·10	—	·09	—	—	·33	·09	·Tr	·14		4
5		·22	·02	·11	—	·34	—	—	·32	Tr	—	·04		5
6	✓ (·40)	·01	—	·26	—	·33	—	—	—	—	·Tr	—		6
7		—	—	·44	—	·04	—	—	—	—	1·10	·14		7
8		—	·Tr.	·31	—	·01	—	—	—	—	·09	·17		8
9		—	—	·14	—	·64	—	—	—	·29	·15	·01		9
10		—	—	·02	—	·01	—	—	—	·57	·04	·02		10
11	×	—	—	·05	—	·06	·15	—	—	·01	·22	·01		11
12		Tr	—	—	—	·08	—	·06	·01	—	·53	—		12
Commenced 13	·11	·15	—	·17	·08	·03	—	—	—	·01	·01	—		13
14	Tr.	·Tr	—	·Tr.	·18	·07	—	—	~~Tr.~~	·Tr	·04	·10		14
15	—	·29	Tr.	·36.	·Tr.	·31	—	—	·10	—	·18	·08		15
16	—	·06	·02	·01	—	·05	—	—	·15	—	·41	·03		16
17	—	—	Tr.	·02	—	·23	·03	—	·06	—	·32	·Tr		17
18	—	—	—	·23	·05	·07	·19	—	·33	·03	·05	·02		18
19	—	—	—	·04	·19	·05	·04	—	·Tr.	—	·14	·06		19
20	Tr.	·17	—	·09	·20	·06	·01	—	·18	—	·13	—		20
21	·01	·25	—	—	Tr.	—	—	—	·02	·03	·02	—		21
22	—	·02	·04	—	—	—	—	·06	·10	—	—	—		22
23	—	·01	·23	Tr	—	—	—	·50	·01	·06	—	SNOW ·12		23
24	·06	·48	—	—	·01	—	—	·12	·62	·01	—	·31		24
25	·12	·22	Tr.	·19	·01	·29	—	—	—	—	—	·08		25
26	·12	·04	—	—	—	—	—	·30	·07	—	—	·28		26
27	·01	·43	—	—	·02	—	—	·01	·28	·Tr	·12	·30		27
28	—	·01	—	—	·02	—	—	·02	·04	·06	·Tr	·18		28
29	—	×	—	—	—	—	—	—	·62	·Tr	—	·14		29
30	·04	×	—	·10	·01	—	—	·63	·25	·34	·42	·23		30
31	—	×	—	×	·Tr	×	—	—	×	·26	×	·30		31
TOTAL	(·87) ~~·47~~	2·44	·40	2·72	·80	3·09	·90	1·70	3·83	2·38	4·34	2·76	Year's Total ~~25·83~~	26·23
*Days with ·01 in. or more.	(11) ~~7~~	17	6	20	11	20	6	8	19	15	20	21	~~170~~	174
*Days with ·04 in. or more.	(7) ~~5~~	11	3	15	5	17	4	6	16	9	18	16	~~125~~	127

40-9999

*See Instruction 2 (*f*) on other side.

N

† Spare column, no entries required.

(*Signed*) X G R. Sinfield Esq X

[P.T.O.

FILE No. 38316 0/35

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. ~~8545~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

8545

Kept at 125 Wood End Gdns Northolt

in the County of Middlesex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" Ground " Sea Level 260 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·43	·14	·04	·24	—	·15	·09	·09	—	—	·06	·07		1
2	·02	·16	·02	·01	—	·31	·13	·06	—	—	·02	Tr		2
3	Tr	—	—	·08	—	·06	·02	Tr	·08	—	·33	—		3
4	—	—	·09	—	—	·17	—	—	·53	—	—	·01		4
5	·06	—	·03	—	—	·12	—	·03	·04	—	·06	SNOW ·10		5
6	·33	—	—	—	—	·10	—	·09	·04	·01	·13	·09		6
7	·13	—	·02	—	—	·10	1·03	—	·04	Tr	·12	·01		7
8	·18	—	·04	—	—	Tr	·04	—	Tr	—	·38	·19		8
9	·79	—	·02	—	—	—	·50	—	·29	·01	Tr	Tr		9
10	Tr	—	—	—	—	—	·10	·05	·30	—	·04	—		10
11	—	—	—	·04	—	—	·22	·02	Tr	—	·68	Tr		11
12	—	—	—	·13	—	·38	·18	·01	·09	Tr	·37	·10		12
13	—	—	—	·21	—	·41	·02	—	—	·01	·02	·10		13
14	—	·11	—	Tr	—	·05	·31	—	—	·06	·14	·35		14
15	—	·08	—	—	—	Tr	·17	—	—	—	·01	·01		15
16	·37	·10	—	—	—	—	·04	—	·30	—	·42	·06		16
17	·10	·42	—	—	·05	·05	·01	—	·04	—	·18	·15		17
18	—	·04	—	—	—	·54	·14	·01	—	·02	·03	·13		18
19	·36	·11	·01	—	—	·19	·07	·07	—	·09	—	—		19
20	·01	·06	·04	·35	—	Tr	·08	—	·58	—	—	Tr		20
21	Tr	Tr	—	·18	·12	·33	Tr	—	·05	—	—	—		21
22	·15	·38	·04	Tr	·34	·08	·17	—	—	—	—	·09		22
23	Tr	Tr	·02	·09	·01	—	·05	—	—	·10	—	—		23
24	·12	·08	—	—	—	—	Tr	—	·01	·43	—	—		24
25	·07	Tr	·11	·17	—	·32	·25	—	·12	·05	·03	·02		25
26	Tr	·12	·19	·05	—	·11	Tr	—	·05	·25	—	·03		26
27	·18	Tr	·02	Tr	—	—	·01	—	·17	·12	—	—		27
28	·74	—	·05	Tr	—	—	·13	—	·01	Tr	—	·04		28
29	·06	·15	·10	—	—	·12	·10	—	—	·02	·17	·02		29
30	·11	✕	Tr	—	·06	·12	·01	—	—	·21	—	Tr		30
31	·28	✕	·17	✕	—	✕	·12	—	✕	·56	✕	·15		31
TOTAL	4·44	1·95	1·01	1·55	·58	3·71	4·01	·43	2·79	1·93	3·16	1·72	Year's Total 27·28	
* Days with .01 in. or more.	19	13	17	11	5	19	25	9	17	14	18	19	186	
* Days with .04 in. or more.	17	13	10	10	4	19	20	5	15	9	13	13	148	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entry required.

(*Signed*) E R Sinfield [P.T.O.

FILE No. 383160/35

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 854/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at 125 WOODEND GDNS NORTHOLT

in the County of MIDDLESEX.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 260 ft.

(~~25 HOURS~~ ~~for 3/10~~)

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·53	Tr	·03	·04	—	—	—	—	·05	—	·58	·75		1
2	·01	·07	·01	·57	—	—	—	—	Tr	—	Tr	·56		2
3	Tr	·18	—	Tr.	—	—	—	—	—	—	—	·05		3
4	·04	·32	—	—	Tr	—	—	—	—	—	—	·31		4
5	·20	·12	·22	—	—	—	·05	—	—	—	—	—		5
6	·04	·01	Snow ✓ }	—	·19	—	·17	—	—	·12	·01	—		6
7	—	·77	✓·55 }	·14	—	—	—	—	·08	·01	—	—		7
8	—	·05	—	·01	·06	✗ }	—	—	—	—	·06	·22		8
9	—	·05	—	·25	·14	✓·08 }	·07	—	25	—	—	·11		9
10	—	—	·46	·10	·06	·34	·07	·02	—	—	—	·24		10
11	Tr	—	·25	·01	·46	·01	·01	—	—	—	—	·14		11
12	·13	·26	·09	—	·25	·17	·01	·03	·04	—	—	·05		12
13	·14	·06	·36	·02	Tr.	·35	—	·27	·15	—	—	·76		13
14	·03	·05	·10	·18	—	Tr.	—	·46	·05	—	—	Tr		14
15	·10	·13	—	—	—	·02	·14	—	·02	—	—	—		15
16	·09	·20	·24	·32	—	·07	—	·23	·31	—	—	·02		16
17	·22	Tr	·22	10	—	—	—	—	·34	—	Tr	—		17
18	·20	·09	·01	—	·11	·38	—	—	—	—	·18	·14		18
19	·03	·13	·06	·13	·03	·13	·13	—	·06	—	—	—		19
20	·30	·02	·01	·40	·59	·12	—	—	·02	—	—	—		20
21	·22	·59	·01	·08	·04	—	·15	—	—	—	—	·04		21
22	·28	·04	·02	·01	·02	·12	·13	—	—	·56	·33	·03		22
23	·27	·01	·02	—	·17	—	·03	—	—	·41	—	—		23
24	·30	·52	·03	—	·02	—	—	—	·13	·15	—	·01		24
25	·04	·31	·13	·10	·38	—	—	—	·10	·22	—	·02		25
26	·01	·24	·06	—	·18	—	—	—	—	·13	—	·04		26
27	·03	·09	—	·06	—	—	—	—	·01	·60	—	—		27
28	SNOW }	SNOW ✓·10 }	—	—	—	—	—	—	—	·09	—	·01		28
29	SNOW ·04 ✓ }	— }	—	—	—	·02	—	—	—	·04	·07	·03		29
30	·18	✕	—	—	—	—	—	—	—	—	·21	—		30
31	·31	✕	—	✕	—	✕	—	—	✕	·25	✕	·03		31
TOTAL	3·74	4·51	2·88	2·52	2·70	1·81	96	1·01	1·61	2·28	1·44	3·56	Year's Total 29·~~58~~ ·22	
* Days with .01 in. or more.	~~24~~ 25	24 ✓	~~20~~ 21	17	15	~~12~~ 13	11	5	14	11	7	20	~~180~~ 183	
* Days with .04 in. or more.	~~19~~ 18	21 ✓	~~12~~ 13	13	12	9 ✓	8	3	11	9	6	13	136 ✓	

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(*Signed*) E R Sinfield

[P.T.O.

File Nº 383160/35

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 854/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Wood End Senior Girls' School

in the County of Middlesex

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

February 8th 1938.

Totals W.J.F.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	—	tr.	—	·04	·085	tr.	—	·02	·02	trace	tr.		1
2	·07	·01	—	·06	·03	—	·01	—	·015	·15	tr.	·07		2
3	—		—	—	·25	—	·10	—	—	·63	·02	tr.		3
4	·04		—	—	—	tr.	·02	tr.	—	·04	tr.	·15		4
5	—		—	—	—	—	·15	tr.	—	·14	—	tr.		5
6	·04		—	—	—	—	·02	tr.	·16	tr.	—	—		6
7	—		—	—	—	—	·03	·43	tr.	·19	—	·02		7
8	·13		—	—	—	—	·05	—	—	·3	—	tr.		8
9	·09	·02	—	—	—	—	·06	·24	—	—	—	·48		9
10	·15	·035	—	—	—	·06	·028	·14	—	—	—	·03		10
11	·24	—	—	—	—	—	—	·34	—	·26	·01	·05		11
12	·26	tr.	—	—	—	—	—	·09	—	·04	tr.	tr.		12
13	·12	·015	—	—	tr.	—	—	tr.	—	—	·10	·13		13
14	·17	tr.	—	—	·02	—	·02	tr.	·01	—	·01	tr.		14
15	·09	·01	—	—	—	—	·13	tr.	—	·30	—	·21		15
16	·33	tr.	tr.	—	—	—	·05	—	—	·04	·02	·45		16
17	·01	·08	—	—	·04	—	tr.	—	—	·065	tr.	—		17
18	·02	—	—	—	·06	—	—	—	—	—	·25	—		18
19	trace	—	—	—	—	—	—	—	—	—	·15	—		19
20	—	—	—	—	—	—	—	—	—	—	·45	·01		20
21	·01	—	—	—	—	—	—	·05	—	—	·02	·43		21
22	—	—	—	tr.	—	tr.	—	—	—	—	·13	·19		22
23	—	—	—	·02	—	—	—	—	·02	—	tr.	—		23
24	—	—	·45	—	·01	—	—	—	·36	—	·06	—		24
25	·01	·01	·065	·02	·035	—	·011	—	·01	·04	1·08	·21		25
26	·15	·12	·06	—	—	—	·013	—	·25	·18	tr.	·07		26
27	·11	·03	tr.	—	·13	·02	·24	·06	·64	·14	·36	tr.		27
28	·23	·045	—	—	·69	·03	—	·23	·02	—	·04	·07		28
29	·34	—	—	tr.	·1	—	—	—	·11	tr.	·11	·19		29
30	·06	✕	—	—	·06	·10	—	—	·03	·09	·19	tr.		30
31	·13	✕	—	✕	·08	✕	—	—	✕	·24	✕	·2		31
TOTAL	2·90	·37 ~~·375~~	·57 ~~·575~~	·10	1·55 ~~1·545~~	·29 ~~·295~~	·93 ~~·932~~	1·58	1·65 ~~1·645~~	2·87 2·865	3·00	2·95	Year's Total 18·76	
* Days with .01 in. or more.	23	10	3	3	13	5	15	8	12	17	16	17	142	
* Days with .04 in. or more.	19	2	3	1	9	3	7	8	5	16	11	14	98	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

Foot note

Station formerly called Wood End Gardens

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 854/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

File No: 383160/35

Kept at Wood End Senior Girls' School

in the County of Middlesex

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	–	–	·44	·30	–	t							1
2	t.	–	–	·02	·02	–	t							2
3	·36	–	–	·20	–	–	–							3
4	t.	–	·18	·36	·04	–	·08							4
5	·04	–	t	·49	–	–	–							5
6	·40	–	–	t	t	–	·19							6
7	·03	·11	–	–	–	–	–							7
8	t	·09	·15	–	–	–	·04							8
9	t	·09	–	–	–	–	–							9
10	·20	–	–	–	–	·43	–							10
11	t	–	·20	–	–	·19	–							11
12	–	t	t.	–	–	–	–							12
13	–	–	–	–	–	t	–							13
14	·44	–	t.	·05	·05	–	·04							14
15	·24	–	·01	·55	·55	–	·02							15
16	·42	–	·09	·09	·09	·25	–							16
17	·12	·04	t	–	–	·15	·10							17
18	·3	–	·06	–	–	·10	·13							18
19	·24	–	·04	–	–	–	·04							19
20	·2	–	t	–	–	·25	–							20
21	t	–	·28	–	–	–	·13							21
22	·13	·23	·10	–	–	·01	t							22
23	·02	–	–	·12	–	·01	t							23
snow 24	·31s	–	·01	–	–	t	x							24
snow 25	1·02s	·13	·05	–	–	–	x							25
26	·19	·01	·01	·02	–	–	·60							26
27	t.	·02	·09	·03	–	–								27
28	t.	·19	·05	·10	–	t								28
29	–	–	–	·21	–	–	x							29
30	–	☒	–	·59	–	–								30
31	–	☒	–	☒	–	☒	x		☒		☒			31
TOTAL	4·68	·91	1·31	3·26	1·05	1·39	1·37						Year's Total	
* Days with .01 in. or more.	18	[illegible]	14	14	6	8	13							
* Days with .04 in. or more.	15	7	11	11	5	6	12							

NO RECORD KEPT.

[illegible] Temporary Evacuation

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

855

Section **A** for the entry of D

AIR MINISTRY.

FORM 1090.

855

ICKENHAM S.W.

1931 - 1935

78 09 04

FOR OFFICIAL USE.

INFALL ORGANIZATION.

REGIST 1931.

Kept at Ickenham Su

in the County of Midd

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Le

THE MORNING MEASUR S DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·12		·30		·02	·02				1
2	·08	·05		·34					·50	·05		·07	2
3	·02		·03	·30	·35			·45	·51		·04	·14	3
4							·02	·14	·34		·10	·01	4
5				·16	·08	·50	·09	1·44				·16	5
6		·11		·12			·02			·28 x	·44		6
7		·06			·10			·58		·08	·12	·05	7
8						·22		·35		·02	·12	·01	8
9		·04	·07	·02		·04			·04		·38	·01	9
10		·07	·03			·02	·10	·47			·26		10
11	·06	·17	~~·03~~						·03		·13		11
12								·08	·37			·01	12
13							·09	·11					13
14		·09		·11			·91	·94					14
15	·01			·10	·10		·12	·16				·06	15
16	·05	·10		·36	·24	·04	·02	·11					16
17	·02	·03		·12	·06				·20	·03			17
18	·05	·03				·10	} ·22	·79			·47		18
19	·02					·29	·20	·13	·08		·02		19
20		·04		} ·42			·25	·14					20
21	·03				·37								21
22	·18		·03										22
23	·20	·01			·43	·02			·02		·12	·04	23
24				·23	·09	·12	·03						24
25	·12			·40	·10		} ·60				·02	·01	25
26		·04		·20			·44				·15		26
27	·15	·40		·08	·40		·14				·07		27
28	·07	·12		·06						·02		·10	28
29	·11	×			·03		·18			·28 x	·02	·05	29
30	·01	×					·07	·08					30
31	·11	×		×	·04	×			×		×		31
TOTAL	1·29	1·36	·16	3·14	2·39	1·65	3·47	5·99	2·11	·76	2·46	·71	YEAR'S TOTAL 25·49
*Days with ·01 in. or more.	17	15	4	16	13	10	16	16	10	7	15	13	152
*Days with ·04 in. or more.	11	12	1	15	12	8	13	15	7	4	12	8	118

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

P.T.O.

855

Section **A** for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Ickenham Sewage Works.

in the County of Middlesex

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft 8 in.

,, Ground ,, Sea Level 109.00 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·12		·30		·02	·02				1
2	·08	·05		·34					·50	·05		·07	2
3	·02		·03	·30	·35			·45	·51		·04	·14	3
4							·02	·14	·34		·10	·01	4
5				·16	·08	·50	·09	1·44				·16	5
6		·11		·12			·02			·28 x	·44		6
7		·06			·10			·58		·08	·12	·05	7
8						·22		·35		·02	·12	·01	8
9		·04	·07	·02		·04			·04		·38	·01	9
10		·07	·03			·02	·10	·47			·26		10
11	·06	·17	·03						·03		·13		11
12								·08	·37			·01	12
13							·09	·11					13
14		·09		·11			·91	·94					14
15	·01			·10	·10		·12	·16				·05	15
16	·05	·10		·36	·24	·04	·02	·11					16
17	·02	·03		·12	·06				·20	·03			17
18	·05	·03				·10	·22	·79			·47		18
19	·02					·29	·20	·13	·08		·02		19
20		·04		·42			·25	·14					20
21	·03				·37								21
22	·18		·03										22
23	·20	·01			·43	·02			·02		·12	·04	23
24				·23	·09	·12	·63						24
25	·12			·40	·10		·60				·02	·01	25
26		·04		·20			·44				·15		26
27	·15	·40		·08	·40		·14				·07		27
28	·07	·12		·06						·02		·10	28
29	·11	×			·03		·18			·28 x	·02	·05	29
30	·01	×					·07	·08					30
31	·11	×		×	·04	×			×		×		31
TOTAL	1·29	1·36	·16	3·14	2·39	1·65	3·47	5·99	2·11	·76	2·46	·71	YEAR'S TOTAL 25·49
*Days with ·01 in. or more.	17	15	4	16	13	10	16	16	10	7	15	13	152
*Days with ·04 in. or more.	11	12	1	15	12	8	13	15	7	4	12	8	118

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

P.T.O.

855

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Ickenham Sewage Works

in the County of Middlesex.

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 8 in.

,, Ground ,, Sea Level 109·00 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07			·13	·42	·02	·01	·66	·02	·21	·03		1
2	·03			·16	·03			·04	·24	·04	·03	·09	2
3				·15	·06				·36	·05			3
4						·17					·11		4
5	(·07)		·02		·02		·25		·10				5
6	·47 (·40)			·21	·02				·09				6
7			·08	·10	·01				·08				7
8			·10	·04	·25				·04	·21			8
9	·16		·01	·05	·85					·02			9
10	·41			·17	·09	·03			·01	·18	·05		10
11	·02			·01	·01		·80	·22		·37	·04	·02	11
12	·08				·02		·01	·05		·12	·01		12
13	·07			·12	·01				·04	·21	·08		13
14	·17	·02		·13	·02					·01	·05		14
15	·02			·05	·61		·01			·09	·01		15
16	·41			·16	·09		·01						16
17							·09			·07			17
18					·01				·18		·10		18
19				·14					·01	·26	·01		19
20				·14	·03		·01	·98	·06	·66	·17		20
21	·03			·14	·96		·03	·04		·24		·03	21
22			·30		·16		·00	·02	·20	·16	·32		22
23		·04			·03				·04	·76	·07	·10	23
24		·02					·46		·08	·02	·10		24
25				·01			·59		·05	·27			25
26			·11	·09	·04		·04			·03			26
27			·17	·18	·42	·01	·18		·01	·50	·10	·01	27
28			·04	·01	·08		·19			·11	·0	·01	28
29			·29	·07	·15	·03	·01	·13	·08	·80	·03		29
30		×	·01	·17	·78	·69		·04	·17		·26	·12	30
31		×	·01	×		×	·02		×		×	·05	31
TOTAL	1·93	·08	1·14	2·27	5·17	·95	2·75	2·18	1·86	4·90	1·56	·43	YEAR'S TOTAL 25·22
*Days with ·01 in. or more.	13	3	11	21	25	6	16	9	19	23	18	8	172
*Days with ·04 in. or more.	9	1	7	18	14	2	9	8	16	19	12	4	118

40-9999

(*Signed*)

[P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No 855

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Ickenham Sewage Works

in the County of Middlesex

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft 8 in.

,, Ground ,, Sea Level 109· ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07	·10	·18		·20						·12		1
2	·21		·27		·36								2
3		·19	·17		·18								3
4	·39	·01	·09		·22						·02		4
5		·02	·22		·12								5
6		·08	·03		·33					·07	·05	·02	6
7	·16	·07	·07		·02					·07			7
8	·04		·03		·07		}			·01			8
9					·04		·27			·11	·07		9
10		·30				·03	·27			·16	·01		10
11	·20				·03	·07	·06	·11	·03				11
12						·08			·59				12
13	·06				·11		·23		·08		·12		13
14										·08	·50		14
15	·32		·11			·33	·24	·14			·02		15
16			·63			·24	·21			·05	·02		16
17	·01		·38				·01		·08		·09		17
18	·11	·01	·17			·07							18
19		·07	·11	·02		·12			·73		·03	·04	19
20			·05	·14		·48	·01						20
21						·05		·06	·19				21
22								·16		·23	·04		22
23				·13		·02			·32	·01			23
24		·20		·11		·32			·28		·01		24
25		·44		·32							·02	·06	25
26		·22		·08		·03			·05	·06		·18	26
27				·01	·03					·23		·05	27
28					·03		·01		·02	·32		·01	28
29	·08		·01	·03			·06			·07		·01	29
30	·09	×	·09				·02		·01	·02		·16	30
31	·12	×	·01	×		×		·18	×	·02	×		31
TOTAL	1·86	1·71	2·62	·84	1·74	1·84	1·39	·65	2·38	1·50	1·12	·53	YEAR'S TOTAL 18·18
*Days with ·01 in. or more.	13	12	17	8	13	12	11	5	11	15	14	8	139
*Days with .04 in. or more.	12	9	13	5	9	9	7	5	8	11	7	5	100

40-9999

*See Instruction 2 (*f*) on other side.

D

(Signed)

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 855

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Ickenham Sewage Works

in the County of Middlesex.

~~Total~~

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft 8 in.

,, Ground ,, Sea Level 109 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02							·14		·03		·47		1
2	·02		·09		·07				·48	·17		·21		2
3	·06	·04		·14						·26				3
4	·10		·13	·03	·04					·32	·07	·30		4
5	·01		·01		·04			·03		·01	·01	·40		5
6			·31		·29			·06		·14		·43		6
7	·04							·14		·12		·17		7
8					·10			·03	·12		·31	·01		8
9			·02								·69	·24		9
10	·03		·13	·10				·06			·16	·01		10
11	·23		·44	·05			·08	·10			·01	·14		11
12	·04		·11				·13	·24				·06		12
13	·23		·28	·01			·27	·06			·02	·12		13
14	·07		·23		·02						·20	·32		14
15	·09		·03		·03						·06	·32		15
16	·16		·14		·05					·06		·02		16
17	·01				·02					·13	·01	·08		17
18	·20		·01	·19			·10					·07		18
19			·16			·11			·07	·03	·01	·10		19
20			·16	·05		·02	·18	·01	·01			·02		20
21				·15		·15		·02		·04		·01		21
22								·37	·21		·01	·04		22
23				·28		·26		·06				·09		23
24		·03	·07	·13		·05	·87	·06	·24		·01			24
25	·19	·03		·14		·08				·02		·31		25
26	·01			·22		·07			·01	·01		·37		26
27	·01			·04		·11				·06		·36		27
28		·11		·01		·14	·01	1·00			·05	·21		28
29									·22			·01		29
30	·05	×						·04				·14		30
31		×		×		×	·02		×	·23	×	·04		31
TOTAL	1·57	·21	2·32	1·54	·66	·99	1·66	2·42	1·36	1·62	1·62	5·07	Year's Total 21·04	
*Days with ·01 in. or more.	12	4	16	14	9	9	8	16	8	15	14	29	154	
*Days with .04 in. or more.	19	2	12	11	6	8	6	12	6	10	7	23	122	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P. T. O.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 855

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Ickenham Sewage Works

in the County of Middlesex.

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft 8 in.

,, Ground ,, Sea Level 109 ft.

Duration

Totals

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·11	·02		·05	·02	·07	·67			·04	·08			1
2									·20	·13		·01		2
3		·05	·10	·03		·16			·12	·46	·18			3
4		·01		·09		·26			·48	·10				4
5		·17	·03	·06		·17			·33					5
6	·02			·29		·40						·04		6
7				·46		·07				·03	1.03	·12		7
8				·34		·01				·23	·23	·16		8
9				·13		·52				·64	·15			9
10											·05	·03		10
11	·21			·05		·08	·15			·02	·17			11
12						·08		·03			·64			12
13	·10	·17		·22	·11									13
14					·13	·05					·04	·11		14
15		·28		·37		·55			·12		·19	·08		15
16		·06	·01			·11			·12		·40	·02		16
17						·24			·10		·23	·02		17
18				·23	·10	·09	·06		·35	·03	·04			18
19				·05	·28	·05	·05		·01		·11	·05		19
20		·14		·07	·18	·05			·10		·14			20
21		·26		·03					·02					21
22		·03	·05	·02				·38	·07					22
23			·27					·35	·06	·10		·16		23
24	·06	·41						·20	·58			·33		24
25	·13	·13		·20		·32						}		25
26	·01	·07						·33	·06			} ·36		26
27	·01	·37			·03			·01	·28		·12	·25		27
28		·01			·01				·03	·04		·13		28
29									·63			·16		29
30	·03	×		·06				·52	·07	·27	·37	·27		30
31		×		×	·01	×			×	·25	×	·29		31
TOTAL	·68	2·18	·46	2·75	·87	3·28	·93	1·82	3·73	2·34	4·17	2·59	Year's Total. 25·80	✓
* Days with .01 in. or more.	9 ✓	15 ✓	5 ✓	18 ✓	8 9 ✓	18 ✓	4 ✓	7 ✓	19 ✓	13 ✓	17 ✓	19 ✓	153	✓
* Days with .04 in. or more.	5 ✓	11 ✓	3 ✓	15 ✓	5 ✓	17 ✓	4 ✓	5 ✓	16 ✓	10 ✓	17 ✓	15 ✓	123	✓

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) O.H. Morgan

P.T.O.

856.

Section **A** for the entry of D

AIR MINISTRY.—

COPY FOR OFFICIAL USE.

NFALL ORGANIZATION.

FORM 1090.

REGISTE

931 .

—856

SUDBURY

STATION APPROACH

1931 - 1939

780204

Kept at 17 Station Appr

in the County of Middl

Diameter of Funnel of Gauge 8

Height of top of Gauge above Ground

,, Ground ,, Sea Level

THE MORNING MEASUREM **DAY.**

An observer who does not conform to this r *insert the reading made on January 1st of the following year in the space on the right of this paragraph.*

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·07	—	·22	—	·02	—	—	·02	—	—	—	1
2	·10	·07	—	·37	—	—	tr.	·01	·54	·03	tr.	·03	2
3	tr.	tr.	·03	·42	·30	—	—	·49	1·06	—	·02	·16	3
4	—	tr.	—	—	tr.	—	—	·14	·16	tr.	·07	—	4
5	tr.	—	—	·16	·05	·51	·07	·16	·01	—	tr.	·16	5
6	tr.	·11	—	·08	—	—	·01	tr.	—	·26	·39	—	6
7	—	tr.	—	—	·05	·06	—	·64	—	·02	·12	·05	7
8	tr.	·05	·03	—	—	·17	—	·25	—	·04	·12	·02	8
9	·01	·01	·04	·01	—	·03	—	—	—	—	·39	·02	9
10	tr.	·11	·03	—	—	·01	·10	·25	·04	—	·16	tr.	10
11	·09	·18	—	—	—	—	—	tr.	tr.	·01	·08	—	11
12	—	·02	—	tr.	—	—	tr.	·07	·41	—	tr.	·01	12
13	tr.	—	—	—	—	—	·11	·09	—	—	—	—	13
14	·01	·10	—	—	—	—	·96	1·40	—	—	—	—	14
15	·02	tr.	—	·10	·13	—	·14	·10	tr. 24	—	—	·04	15
16	—	·08	—	·09	·24	·03	tr.	·21	tr.	—	—	—	16
17	tr.	·02	—	·18	·08	·03	·16	·01	·18	·01	—	—	17
18	·02	·07	tr.	·16	—	·15	·10	·58	—	tr.	·53	—	18
19	·01	—	—	·39	—	·16	·15	·24	·09	—	·01	—	19
20	—	·02	—	·12	—	—	·04	·21	—	tr.	·01	·01	20
21	tr.	—	tr.	—	·36	—	—	·01	tr.	—	—	—	21
22	·14	tr.	·05	tr.	—	—	—	—	·05	—	tr.	—	22
23	·22	tr.	tr.	·03	·55	·01	—	—	tr.	—	·11	·02	23
24	—	—	—	·21	·05	·09	·05	·01	—	—	—	—	24
25	·10	—	—	·42	·05	—	·35	—	—	—	·02	·01	25
26	—	·05	—	·11	tr.	—	·37	—	tr.	—	·15	—	26
27	·14	·40	—	tr.	·19	—	·05	—	—	—	·10	—	27
28	·05	·26	—	·12	·08	—	—	—	—	·01	·01	·15	28
29	·09	×	—	—	—	—	·14	—	—	·26	·01	·05	29
30	·04	×	—	—	·01	—	·04	·15	—	—	—	—	30
31	·15	×	—	×	·04	×	tr.	tr.	×	—	×	—	31
TOTAL	1·20	1·62	0·18	3·19	2·18	1·27	2·84	5·02	2·56	0·64	2·30	0·73	YEAR'S TOTAL 23·73
*Days with ·01 in. or more.	16	16	5	17	14	12	16	19	10	8	17	13	163
*Days with ·04 in. or more.	10	12	2	15	13	6	15	15	8	3	11	6	116

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) L.H. Powers

P.T.O.

856.

Section **A** for the entry of Da

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at 17 Station Approach, Sudbury,
in the County of Middlesex.

Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level 153 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·07	—	·22	—	·02	—	—	·02	—	—	—	1
2	·10	·07	—	·37	—	—	tr.	·01	·54	·03	tr.	·03	2
3	tr.	tr.	·03	·42	·30	—	—	·49	1·06	—	·02	·16	3
4	—	tr.	—	—	tr.	—	—	·14	·16	tr.	·07	—	4
5	tr.	—	—	·16	·05	·51	·07	·16	·01	—	tr.	·16	5
6	tr.	·11	—	·08	—	—	·01	tr.	—	·26	·39	—	6
7	—	tr.	—	—	·05	·06	—	·64	—	·02	·12	·05	7
8	tr.	·05	·03	—	—	·17	—	·25	—	·04	·12	·02	8
9	·01	·01	·04	·01	—	·03	—	—	—	—	·39	·02	9
10	tr.	·11	·03	—	—	·01	·10	·25	·04	—	·16	tr.	10
11	·09	·18	—	—	—	—	—	tr.	tr.	·01	·08	—	11
12	—	·02	—	tr.	—	—	tr.	·07	·41	—	tr.	·01	12
13	tr.	—	—	—	—	—	·11	·09	—	—	—	—	13
14	·01	·10	—	—	—	—	·96	1·40	—	—	—	—	14
15	·02	tr.	—	·10	·13	—	·14	·10	tr. ·24	—	—	·04	15
16	—	·08	—	·09	·24	·03	tr.	·21	tr.	—	—	—	16
17	tr.	·02	—	·18	·08	·03	·16	·01	·18	·01	—	—	17
18	·02	·07	tr.	·16	—	·15	·10	·58	—	tr.	·53	—	18
19	·01	—	—	·39	—	·16	·15	·24	·09	—	·01	—	19
20	—	·02	—	·12	—	—	·04	·21	—	tr.	·01	·01	20
21	tr.	—	tr.	—	·36	—	—	·01	tr.	—	—	—	21
22	·14	tr.	·05	tr.	—	—	—	—	·05	—	tr.	—	22
23	·22	tr.	tr.	·03	·55	·01	—	—	tr.	—	·11	·02	23
24	—	—	—	·21	·05	·09	·05	·01	—	—	—	—	24
25	·10	—	—	·42	·05	—	·35	—	—	—	·02	·01	25
26	—	·05	—	·11	tr.	—	·37	—	tr.	—	·15	—	26
27	·14	·40	—	tr.	·19	—	·05	—	—	—	·10	—	27
28	·05	·26	—	·12	·08	—	—	—	—	·01	·01	·15	28
29	·09	×	—	—	—	—	·14	—	—	·26	·01	·05	29
30	·04	×	—	—	·01	—	·04	·15	—	—	—	—	30
31	·15	×	—	×	·04	×	tr.	tr.	×	—	×	—	31
TOTAL	1·20	1·62	0·18	3·19	2·18	1·27	2·84	5·02	2·56	0·64	2·30	0·73	YEAR'S TOTAL 23·73
*Days with ·01 in. or more.	16	16	5	17	14	12	16	19	10	8	17	13	163
*Days with ·04 in. or more.	10	12	2	15	13	6	15	15	8	3	11	6	116

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) L.H. Powers

P.T.O.

COPY FOR OFFICIAL USE.

Section A **for the entry of Daily Observations.** **Station No.** 856

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at 17 Station Approach, Sudbury,

in the County of Middlesex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft - in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	—	—	·13	·32	—	·01	·63	·02 ·04	·17	·04	—	1
2	·02	—	—	·13	·04	—	—	·23	·60	·02	·02	·12	2
3	—	—	—	·21	·08	—	tr.	·01	—	tr.	—	·01	3
4	tr.	—	—	—	—	·13	—	—	·09	—	·13	—	4
5	·10	—	·01	—	·01	—	·14	—	·09	—	—	—	5
6	·43	—	tr.	·16	·05	—	—	—	·09	—	—	·01	6
7	—	—	·08	·07	·01	tr.	—	—	·03	tr.	—	—	7
8	—	—	·09	·03	·17	—	—	—	—	·21	—	—	8
9	·10	—	—	·04	·90	—	—	—	·02	·06	—	—	9
10	·47	·02	·01	·17	·06	·01	—	—	—	·11	·01	—	10
11	·05	—	—	·01	·01	·01	·47	·07	—	·37	·04	·02	11
12	·05	—	—	—	·02	—	—	·02	—	·10	·01	tr.	12
13	·04	—	—	·10	·02	—	—	—	·03	·17	·03	·01	13
14	·14	·01	—	·11	·02	—	—	—	—	·03	·04	—	14
15	·01	—	—	·04	·44	—	—	—	—	·07	—	—	15
16	·20	—	—	·17	·11	—	—	—	—	—	—	—	16
17	—	—	—	·01	—	—	·05	—	tr.	·08	—	—	17
18	—	—	—	—	·02	—	·03	—	·29	—	·08	—	18
19	—	—	—	—	—	—	—	—	—	·24	·01	—	19
20	—	—	—	·10	·04	—	·01	·19	·08	·69	·17	—	20
21	·02	—	—	·10	·78	—	tr.	·08	—	·24	—	·04	21
22	—	—	·31	—	·13	—	·17	—	·12	·24	·33	·12	22
23	—	·05	tr.	tr.	·03	tr.	—	—	·09	·77	·07	—	23
24	—	·01	—	—	—	—	·26	—	·02	·02	·08	·01	24
25	—	—	—	tr.	—	—	·86	—	·06	·32	—	·01	25
26	—	—	·10	·09	·01	—	·04	—	—	·03	—	—	26
27	—	—	·20	·19	·46	tr.	·20	tr.	—	·45	·10	tr.	27
28	—	—	·01	tr.	·10	—	·15	·17	—	·15	·01	·02	28
29	—	✕	·33	·02	·28	·01	—	·04	·06	·25	·01	tr.	29
30	—	✕	·02	·02	—	·71	—	—	·12	·01	·22	·15	30
31	—	✕	·01	✕	—	✕	·03	~~·02~~	✕	tr.	✕	·04	31
TOTAL	1·68	0·09	1·17	1·90	4·11	0·87	2·42	1·4~~6~~4	1·8~~8~~5	4·80	1·40	0·56	YEAR'S TOTAL 22·29
*Days with ·01 in. or more.	13	4	11	20	24	5	13	~~10~~9	~~16~~17	23	18	12	169
*Days with ·04 in. or more.	10	1	6	15	15	2	9	7	12	18	11	5	111

40-9999

*See Instruction 2 (*f*) on other side,

(*Signed*) L. H. Powers

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 856

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at 17 Station Approach, Sudbury

in the County of Middlesex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level 153 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·05	–	·13	–	·11	–	–	–	–	–	·05	–		1
2	·14	–	·30	–	·19	–	–	–	–	–	·01	–		2
3	–	·16	·16	–	·33	–	–	–	–	–	tr.	–		3
4	·46	tr.	·08	–	·08	–	–	–	–	–	·06	–		4
5	·02	·10	·13	–	·17	–	–	–	–	–	tr.	–		5
6	·01	·08	·06	–	·41	–	–	–	–	·06	·06	–		6
7	·15	·07	·11	–	·04	–	–	–	–	·12	–	·01		7
8	·03	·01	·01	–	·05	–	·07	–	–	·01	–	–		8
9	–	–	–	tr.	·10	–	·15	–	–	·06	·08	–		9
10	–	·81	–	–	·01	·02	·15	–	–	·14	·02	–		10
11	·13	–	–	–	tr.	·01	·05	·12	tr.	–	·01	–		11
12	·01	–	–	·02	–	·06	–	–	·55	–	–	–		12
13	·07	–	–	–	·15	·01	·22	–	·12	tr.	·12	–		13
14	–	–	–	–	·01	tr.	tr.	·01	–	·07	·52	·01		14
15	·30	–	·06	–	tr.	·66	·01	·12	–	tr.	·07	–		15
16	·02	·01	·66	–	–	·24	·23	–	·01	·03	·01	–		16
17	·01	·01	·29	–	–	·03	·01	–	·13	–	·10	–		17
18	·06	·08	·12	tr.	–	·07	–	–	–	–	–	–		18
19	–	·09	·15	tr.	–	·23		–	·46	–	·02	·02		19
20	–	·02	·05	·05	–	·20		–	·10	–	–	–		20
21	–	·01	–	–	tr.	·30	–	·16	·25	–	–	tr.		21
22	–	–	–	–	·21	–	–	·18	–	·20	·03	–		22
23	–	–	–	·15	–	·01	–	–	·36	·01	–	–		23
24	–	·35	–	·15	·01	1·22	–	–	·27	–	·01	–		24
25	–	·44	–	·26	–	–	–	–	·08	tr.	·03	·07		25
26	–	·24	–	·05	–	·01	–	–	·10	·02	–	·07		26
27	–	·01	–	·01	·05	–	tr.	–	–	·25	·01	·05		27
28	–	–	–	–	·03	–	·01	–	·01	·29	–	·01		28
29	·06		tr.	·03	–	–	·03	–	–	·04	–	–		29
30	·10	×	·10	–	–	–	·01	–	·01	·06	–	·17		30
31	·10	×	·01	×	–	×	–	·15	×	tr.	×	–		31
TOTAL	1·72	2·49	2·42	0·72	1·95	3·07	0·94	0·74	2·45	1·36	1·21	0·41	Year's Total 19·48	
*Days with ·01 in. or more.	17	16	16	8	16	14	11	6	13	14	17	8	156	
*Days with .04 in. or more.	11	10	14	5	12	8	6	5	10	10	8	4	103	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) L H Powers

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 856

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at 17 Station Approach, Sudbury
in the County of Middlesex
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft – in.
,, Ground ,, Sea Level 153 ft.

Dup

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes ✱ and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	–	tr.	–	–	–	–	·13	–	·01	–	·42		1
2	·04	–	·08	–	·02	–	–	·01	·58	·16	–	·21		2
3	·01	·02	–	·10	–	–	–	tr.	–	·23	·08	·01		3
4	·09	–	·12	·14	·01	–	–	–	–	·15	–	·35		4
5	–	–	·01	–	·05	–	–	·02	–	tr.	·01	·42		5
6	·01	–	·30	·01	·28	·09	–	·03	–	·16	–	·39		6
7	·02	–	–	–	–	–	–	·11	–	·10	–	·13		7
8	·01	–	–	–	·09	–	–	·03	·09	–	·29	·01		8
9	·01	–	·02	–	–	–	–	–	–	–	·98	·30		9
10	·01	–	·11	·11	–	–	–	·06	–	tr.	·17	·01		10
11	·25	–	·36	·05	–	–	–	·10	–	–	tr.	·12		11
12	·05	·01	·04	tr.	–	–	·10	·20	–	–	·01	·02		12
13	·25	–	·26	·01	–	–	·08	·01	–	–	·01	·10		13
14	·04	–	·21	–	·03	tr.	–	–	–	tr.	·23	·34		14
15	·06	·01	·05	–	·04	–	–	–	·02	tr.	·06	·33		15
16	·16	–	·14	–	·03	–	–	–	–	·09	tr.	–		16
17	·01	–	–	–	tr.	–	–	–	tr.	·11	·02	·13		17
18	·14	tr.	–	·30	–	–	·21	–	–	–	·01	·08		18
19	–	–	·18	–	–	·13	–	–	·07	·01	·01	·09		19
20	–	–	·17	–	–	·02	·20	·01	·03	–	·01	·02		20
21	–	–	tr.	·15	–	·14	–	·02	–	·02	tr.	–		21
22	–	–	–	–	–	–	tr.	·54	·20	–	·01	·04		22
23	–	·01	–	·27	–	·14	–	·05	·01	–	·02	–		23
24	–	·01	·06	·09	–	·05	1·34	·01	·28	–	–	·37		24
25	·09	·14	–	·12	–	·09	–	–	–	·03	–	·09		25
26	·05	–	–	·20	–	·07	tr.	–	·01	–	–	·32		26
27	·02	–	–	·13	–	·16	–	–	tr.	·03	–	·28		27
28	–	·19	–	·01	–	·21	tr.	·87	–	–	·08	·04		28
29	–	×	tr.	–	–	–	·01	tr.	·13	–	–	·16		29
30	·03	×	–	–	–	–	–	·11	·02	–	–	·03		30
31	·02	×	–	×	tr.	×	·01	·04	×	·17	×	·03		31
TOTAL	1·39	0·39	2·11	1·69	0·55	1·10	1·95	2·35	1·44	1·27	2·00	4·84	Year's Total. 21·08	
* Days with .01 in. or more.	22	7	15	14	8	10	7	18	11	13	16	28	169	
* Days with .04 in. or more.	11	2	13	11	4	9	5	10	6	8	7	21	107	

40-9999 ✱ From July 1st. rainfall will be measured at 9 a.m. G.M.T. throughout the year.

† Spare column, no entries required

* See Instruction 2 (f) on other side.

(Signed) L H Powers

[P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No. 856

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at 17 Station Approach, Sudbury,

in the County of Middlesex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 153 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·09	·03	–	·05	–	·13	·85	–	–	·01	·18	tr.		1
2	·01	–	·01	·06	–	–	–	–	·32	·19	·03	tr.		2
3	–	·05	·08	·03	–	·16	–	–	·20	·59	·16	–		3
4	–	–	–	·12	–	·44	–	–	·38	·09	–	·14		4
5	–	·21	·03	·12	–	·05	tr.	–	·32	–	tr.	·01		5
6	·01	–	–	·28	–	·33	–	–	–	–	·01	·01		6
7	–	tr.	–	·44	tr.	·01	–	–	–	·09	1·09	·14		7
8	–	–	–	·31	–	·02	–	tr.	–	·16	·17	·17		8
9	–	–	–	·13	–	·59	–	–	–	·60	·11	–		9
10	·01	–	–	·03	–	tr.	–	–	–	–	·06	·02		10
11	·22	–	–	·04	–	·07	·47	–	–	–	·23	–		11
12	–	tr.	–	–	–	·08	–	·05	–	–	·42	–		12
13	·10	·15	–	·17	·12	·04	–	–	–	tr.	tr.	–		13
14	–	–	–	–	·13	·07	–	–	–	tr.	·04	·10		14
15	–	·25	–	·36	–	·30	–	–	·04	–	·16	·06		15
16	–	·06	·03	·05	–	·03	–	–	·29	–	·41	·03		16
17	·01	–	·01	·01	–	·21	·02	–	·06	–	·34	·01		17
18	–	–	–	·22	·04	·08	·07	–	·35	·02	·04	·03		18
19	–	tr.	–	·01	·26	·04	·05	–	·04	–	·13	·04		19
20	tr.	·15	–	·06	·18	·07	·03	–	·39	–	·17	–		20
21	–	·22	–	–	–	–	–	–	·02	·02	·02	–		21
22	–	·03	·03	–	–	–	–	·33	·09	–	–	–		22
23	–	–	·21	–	–	–	–	·34	·07	·04	–	·10		23
24	·06	·45	–	–	·03	–	–	·21	·49	–	–	·43		24
25	·09	·11	–	·19	–	·29	–	–	–	–	·01	–		25
26	·11	·12	–	–	–	–	–	·41	·06	tr.	–	·32		26
27	·01	·31	–	–	·02	–	tr.	–	·21	–	·11	·26		27
28	–	–	–	–	·04	–	–	tr.	·09	·06	–	·20		28
29	–	×	–	–	–	–	–	–	·67	–	–	·13		29
30	·05	×	–	·10	·02	–	–	·63	·08	·35	·35	·30		30
31	–	×	–	×	·01	×	–	–	×	·27	×	·28		31
TOTAL	0·77	2·14	0·40	2·78	0·85	3·01	1·49	1·97	4·17	2·49	4·24	2·78	Year's Total 27·09	✓
* Days with .01 in. or more.	12	13	7	20	10	19	6	6	19	13	21	20	166	
* Days with .04 in. or more.	7	11	2	16	6	16	4	6	18	10	17	14	127	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required

M

(*Signed*) L H Powers

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 856

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Copy by B.R.O

Kept at Sudbury Station Approach

in the County of Middlesex

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft.........in.

,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.47	.12	.06	.18		.21	.12	.04	—	—	.07	.08		1
2	.02	.14				.31	.08	.06	.01	—	.06	—		2
3				.12		.04	.02	tr	.24	—	.27	—		3
4			.09			.30			.35	tr	.04	.03		4
5	.10		.02					.03	.14	tr	.02	.07		5
6	.24					.20		.07	.03	—	.12	.07		6
7	.18		.02			.01	.47		.03	—	.09	.04		7
8	.16		.02						—	—	.29	.16		8
9	.60		.02				.41		.50	.01	—	—		9
10						.01	.09	.08	.04	—	.03	.01		10
11				.11			.15		—	—	.67	—		11
12				.12		.58	.23	.02	.07	—	.31	.09		12
13				.05		.37			—	.01	.03	.07		13
14		.07				.06	.45		.02	.03	.18	.24		14
15		.09					.16		.30	—	.01	.04		15
16	.32	.10					.04		.03	—	.42	.02		16
17	.14	.37			.02	.13			tr	.02	.20	.12		17
18	.01	.09				.19	.15	.01	—	.05	.01	.11		18
19	.27	.03	.02	.01		.11	.10	.06	—	.03	—	—		19
20	.01	.05	.08	.31			.10		.64	—	—	—		20
21				.18	.06	.35	tr		.04	—	—	—		21
22	.14	.36	.03		.28	.03	.19		—	—	—	.08		22
23	.03	tr	.02	.09	.02		.02		—	.10	—	—		23
24	.10	.08					tr		tr	.39	—	—		24
25	.07		.15	.17		.46	.14		.14	.11	.03	.02		25
26		.10	.18	.04		.13			.07	.16	tr	.03		26
27	.14	.05	.01	tr			.02		.20	.11	—	—		27
28	.70		.09				.14		tr	—	—	.04		28
29	.06	.08	.05			.18	.02		—	.02	.16	.01		29
30	.10	✕			.04	.11	.04		—	.24	—	tr		30
31	.32	✕	.25	✕	tr	✕	.09		✕	.51	✕	.28		31
TOTAL	4.18	1.73	1.11	1.38	.41	3.78	3.23	.37	2.79	1.79	2.96	1.61	Year's Total 25.34 ✓	
* Days with .01 in. or more.	21	14	16	11	5	19	22	8	17	14	19	20	186 ✓	
* Days with .04 in. or more.	17	13	8	10.	3	16	18.	5.	11	8	13	14	136 ✓	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 856

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Sudbury, Station Approach

in the County of Middlesex

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

May 26 estimated from surrounding stns.

Copy by B.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·37	TR		·06	–	–	–	–	·03	–	·62	·70		1
2	TR	·11	·01	·54	–	–	–	–	·02	·01		·42		2
3	–	·18			–	–	–	–	–	–		·03		3
4	·05	·31			–	–	–	–	–	–		·28		4
5	·19	·08	·22		–	–	·06	–	–	–	·01	–		5
6	·01	–	·46		·15	–	·02	–	–	·10	·01	–		6
7	–	·80	·04	·11	–	–	–	–	·09	–		–		7
8	TR	·05		·01	·05	·06	–	–	–	–	·08	·25		8
9	–	·04		·31	·18	·03	·08	–	·27	–		·04		9
10	TR	–	·48	·06	·08	·31	·18	·06	–	–		·24		10
11	–	–	·18	·02	·48	–	·02	–	–	–		·05		11
12	·12	·27	·11		·20	·53	·02	·01	·04	–		·07		12
13	·13	·05	·34	·01	–	·10	–	·79	·13	–		·74		13
14	·01	·04	·15	·01	–	–	–	·35	·06	–		·01		14
15	·13	·13	·20	·17	–	–	·16	–	·02	–		·01		15
16	·13	·12	·20	·32	–	·14	–	·22	·35	–		·01		16
17	·26	–			–	·02	–	–	·33	–		–		17
18	·17	·10	·01	·06	·15	·37	–	–	–	–	·19	·08		18
19	·02	·09	·04	·12	·03	·07	·13	–	·03	–		·09		19
20	·27	·02	·04	·35	·63	·18	–	–	·04	–		–		20
21	·26	·61	·02	·07	·04	–	·06	–	–	–		·01		21
22	·31	·01	·01	·01	·02	·11	·04	–	–	·57	·33	·02		22
23	·25	·01	·02		·10	–	·01	–	–	·38		·01		23
24	·28	·56	·06		·01	–	–	–	·16	·17		·01		24
25	·04	·22	·12		·22	–	–	–	·06	·23		·02		25
26	–	·20	·06		(·26)	–	–	–	–	·05		–		26
27	·04	·08		·08	–	–	–	–	·02	·58		–		27
28	·01	·10		·05	–	–	–	–	–	·09		·02		28
29	·03	–			–	·01	–	–	–	·04	·06	·02		29
30	·21	✕			–	–	–	–	–	–	·20	–		30
31	·30	✕		✕	–	✕	–	–	✕	·28	✕	·02		31
TOTAL	3·59	4·18	2·77	2·36	~~2·34~~ 2·60	1·93	·78	1·43	1·65	2·50	1·50	3·15	Year's Total 28·44	
* Days with .01 in. or more.	23	23	20	18	1~~4~~5	12	11	5	15	11	8	23	184	
* Days with .04 in. or more.	18	20	15	13	1~~1~~2	9	7	4	10	10	6	11	135	

40-9999. † Spare column, no entries required.

* See Instruction 2 (f) on other side. (*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 856

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 10

REGISTER OF RAINFALL IN 1938

Kept at Sudbury Station Approach.

in the County of Middlesex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 153 ft.

Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	01	–				·10	·07	–	·02	·02	–	–		1
2	·07	·01		06	04		–	–	–	·15	–	·08		2
3	–	–			·24		·07	–	·03	·57	·02	–		3
4	·01	–					·05	–	–	·05	–	·15		4
5	·01	–					·18	–	–	·14	–	–		5
6	·03	–					·02	–	·12	·01	–	–		6
7	–	–					·05	1·68	·01	·12	–	·03		7
8	·14	–					·11	·02	–	·26	–	·01		8
9	·07	·01					·05	·19	–	–	–	·52		9
10	·16	·05				·02	tr	·19	–	–	–	·02		10
11	·26	–					–	1·39	–	–	·19	·05		11
12	·24	·01			·02		·01	·08	–	·26	·03	–		12
13	·11	·01					–	–	–	·04	·06	·12		13
14	·20	–			·04		·02	–	·03	–	·01	·01		14
15	·03	·02					·20	–	–	·30	·01	·23		15
16	·33	–	·01				·01	tr	–	·02	·04	·63		16
17	–	·07			·04		–	–	–	·06	–	–		17
18	·02	–			·05		–	–	·12	·01	·21	–		18
19	–	–					–	·05	·06	–	·17	–		19
20	–	–					–	–	·01	–	·41	·01		20
21	·01	–					–	·04	·04	–	·02	·29		21
22	–	–				·02	–	·02	–	–	·12	·24		22
23	–	–		·02			–	–	·01	–	·01	·02		23
24	–	–	·14		·01		–	–	·43	–	·06	–		24
25	·08	·01	·09	·03	·03		·02	–	·01	·04	1·04	·13		25
26	·15	·12	·06	·01			–	–	·26	·19	–	·10	✓	26
27	·09	·03			·02	·20	·25	·07	·53	·12	·32	·03		27
28	·17	·07		·01	·89	·03	–	·23	·08	–	–	·07		28
29	·32	X			·10		–	–	·03	·01	·14	·21		29
30	·04	✕		·03	·05	·06	–	–	·06	·07	·18	–		30
31	·09	✕		✕	·06	✕	–	–	✕	·13	✕	·22		31
TOTAL	2·64	·41	·30	·16	1·59	·43	1·11	3·96	1·85	2·57	3·04	3·17	Year's Total 21·23	✓
* Days with .01 in. or more.	23	11	4	6	13	6	14	11	17	20	18	21	164	✓
* Days with .04 in. or more.	16	4	3	1	9	3	9	9	9	15	12	14	104	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) L. H. Powers

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 856

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Sudbury Station Approach

in the County of Middlesex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 153 ft.

A 31875/39

Copy by B.R.O.

~~Terminated~~ - observer gone away indefinitely

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.02	—	—	.52	.33	-	.06	.48	.27					1
2	.01	-	—	.03	.02	-	-	.50	.86					2
3	.30	—	—	.22	—	-	-	.51	—					3
4	.08	—	.17	.22	—	-	.03	.60	—					4
5	-	-	—	45	.06	-	tr	.04	—					5
6	.41	-	—	TR	—	-	.17	.05	—					6
7	.04	.09	—	-	—	-	-	.01	-					7
8	TR	.07	.14	-	—	-	02	.40	-					8
9	.01	.07	—	-	—	-	-	.01	-					9
10	.19	-	—	-	-	.40	-	.12	.01					10
11	—	-	.21	-	.01	.26	-	-	—					11
12	—	—	—	-	—	.01	-	-	.02					12
13	-	-	tr	02	—	-	.06	-	.03					13
14	.42	-	.01	.01	.11	tr	02	-	tr					14
15	.24	-	—	TR	49	.26	.08	-	.08					15
16	.44	-	.08	02	.13	.11	.02	-	.03					16
17	.15	.04	.03	.01	.10	tr	.03	-	—					17
18	24	TR	.03	-	—	.19	.19	-	—					18
19	.23	-	tr	-	—	-	.12	-	—					19
20	.18	-	.01	-	—	14	.68	.02	—					20
21	.06	-	.25	-	—	.02	.13	.81	.06					21
22	.12	.18	.13	TR	—	01	.01	-	—					22
23	.02	-	.01	.12	—	.01	.01	.02	—					23
24	34	-	.03	.01	—	tr	.02	-	tr					24
25	√98	.12	.05	-	TR	tr	.22	.04	—					25
26	.18	Tr	.01	.01	—	-	-	.03	tr					26
27	.01	.01	.09	.04	—	tr	-	tr	-					27
28	.01	.15	.05	.02	—	.01	.23	-	-					28
29	-		—	.29	—	-	.02	-	-					29
30	-	✕	—	.65	—	03	.06	-	-					30
31	-	✕	—	✕	—	✕	-	-	✕		✕			31
TOTAL	4.68	.73	1.30	2.64	1.25	1.45	218	3.64	1.36				Year's Total	
* Days with .01 in. or more.	23	8	16	16	8	12	20	15	8					
* Days with .04 in. or more.	17	7	9	8	6	6	11	10	4					

Obs moved

6.4.40

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[R.T.O.

856/2

SUDBURY
STATION APPROACH

1932 - 1940

780204

Section **A** **for the entry of Daily** … **COPY FOR OFFICIAL USE.**

AIR MINISTRY.—ME… …ALL ORGANIZATION.

856/2

FORM 1090. **REGISTER** … 32. Middlesex/1

Kept at SUDBURY (36 STATI… /32

in the County of MIDDLESEX

Diameter of Funnel of Gauge 5"

Height of top of Gauge above Ground -

,, Ground ,, Sea Level …

…ly with Mr Power's gauge.

THE MORNING MEASUREME… …DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1								·63	·02	·17	·04	-	1
2								·23	·04	·02	·02	·13	2
3								·01	·60	-	-	-	3
4								-	-	-	·13	-	4
5								-	·09	-	-	-	5
6								-	·09	-	-	-	6
7								-	·09	-	-	-	7
8								-	·03	·22	-	-	8
9								-	-	·06	-	-	9
10								-	·02	·12	·01	-	10
11								·07	-	·37	·04	·02	11
12								·01	-	·12	·01	-	12
13								-	·03	·16	·03	tr.	13
14								-	-	·04	·04	-	14
15								-	-	·09	tr.	-	15
16								-	-	-	-	-	16
17								-	tr.	·09	-	-	17
18								-	·29	-	·08	-	18
19								-	tr.	·27	·01	-	19
20								·20	·08	·70	·18	-	20
21								·07	-	·24	-	·05	21
22								tr.	·12	·25	·36	-	22
23								-	·08	·79	·07	·12	23
24								-	·03	·02	·11	·01	24
25								-	·05	·35	-	·01	25
26								-	-	·03	-	tr	26
27								-	-	·45	·10	tr	27
28								tr.	-	·16	-	·01	28
29								·17	·07	·28	tr	-	29
30		×						·04	·13	·01	·24	·16	30
31		×		×		×		-	×	-	×	·04	31
TOTAL								1·43	1·86	5·01	1·47	·55	YEAR'S TOTAL imp
*Days with ·01 in. or more.								9	17	23	16	9	-
*Days with ·04 in. or more.								7	12	19	11	5	-

40-9999

*See Instruction 2 (*f*) on other side.

N

(*Signed*) Robert M. Eadie

imp. … P.T.O.

Section **A** for the entry of Daily Observations.

8561

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Middlesex/1

Kept at SUDBURY (36 STATION APPROACH)

in the County of MIDDLESEX

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground – ft. 11 in.

,, Ground ,, Sea Level 300 ft.

File No 195356/32

agrees excellently with Mr Powell's gauge

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1								·63	·02	·17	·04	–	1
2								·23	·04	·02	·02	·13	2
3								·01	·60	–	–	–	3
4								–	–	–	·13	–	4
5								–	·09	–	–	–	5
6								–	·09	–	–	–	6
7								–	·09	–	–	–	7
8								–	·03	·22	–	–	8
9								–	–	·06	–	–	9
10								–	·02	·12	·01	–	10
11								·07	–	·37	·04	·02	11
12								·01	–	·12	·01	–	12
13								–	·03	·16	·03	tr.	13
14								–	–	·04	·04	–	14
15								–	–	·09	tr.	–	15
16								–	–	–	–	–	16
17								–	tr.	·04	–	–	17
18								–	·29	–	·08	–	18
19								–	tr.	·27	·01	–	19
20								·20	·08	·70	·18	–	20
21								·07	–	·24	–	·05	21
22								tr.	·12	·25	·36	–	22
23								–	·08	·79	·07	·12	23
24								–	·03	·02	·11	·01	24
25								–	·05	·35	–	·01	25
26								–	–	·03	–	tr	26
27								–	–	·45	·10	tr	27
28								tr.	–	·16	–	·01	28
29								·17	·07	·28	tr	–	29
30		X						·04	·13	·01	·24	·16	30
31		X		X		X		–	X	–	X	·04	31
TOTAL								1·43	1·86	5·01	1·47	·55	YEAR'S TOTAL imp
*Days with ·01 in. or more.								9	17	23	16	9	
*Days with ·04 in. or more.								7	12	19	11	5	

40-9999

N

(Signed) Robert M. Eadie

P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 856/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Mssex/1

Kept at SUDBURY (36 Station approach)

in the County of MIDDLESEX.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground - ft 11 in.

,, Ground ,, Sea Level 152 ft.

cf 856 861 851

c1932

good agreement

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·06	·16	·13	-	·12	-	-	-	-	tr.	tr	-		1
2	·18	-	·32	-	·20	-	-	-	-	-	·05	-		2
3	·01	·18	·20	-	·35	-	-	-	-	-	·01	-		3
4	·48	tr	·08	-	·06	-	-	-	-	-	-	-		4
5	·02	·01	·14	-	·21	-	-	-	-	-	tr	-		5
6	-	·08	·08	-	·44	-	-	-	-	·06	tr	-		6
7	·17	·08	·11	-	·02	-	-	-	-	·12	·06	·02		7
8	·03	·01	·01	-	·05	-	·07	-	-	·01	tr	-		8
9	-	-	-	-	·10	-	·15	-	-	·06	-	-		9
10	-	·78	-	-	·01	·02	·14	-	-	·16	·08	-		10
11	·14	-	-	-	tr.	tr	·04	·12	-	-	·02	-		11
12	-	-	-	·02	-	·05	-	-	·53	·05	·01	-		12
13	·07	-	-	-	·15	-	·23	-	·12	-	·13	-		13
14	-	-	-	-	·01	-	tr.	tr.	-	·08	·50	·02		14
15	·30	-	·06	-	-	·62	tr.	·12	-	·01	·10	-		15
16	·02	·01	·75	-	-	·25	·22	-	tr.	·03	tr.	-		16
17	·02	-	·30	-	-	·01	·01	-	·14	-	·11	-		17
18	·07	·08	·12	-	-	·05	-	-	-	-	·01	-		18
19	tr.	·10	·10	-	-	·24	-	-	·47	-	·02	·02		19
20	-	·02	·10	·04	-	·19	-	-	·16	-	·01	-		20
21	-	·01	-	-	-	·29	-	·16	·27	tr.	tr.	-		21
22	-	-	-	-	·22	-	-	·18	tr.	·20	·03	-		22
23	-	-	-	·15	-	-	-	tr.	·37	·01	-	-		23
24	-	·36	-	·17	tr.	1·32	-	-	·27	-	·01	-		24
25	-	·47	-	·27	-	-	-	-	·08	-	·03	·07		25
26	-	·26	-	·05	-	tr	-	-	·10	·02	-	·07		26
27	-	tr	-	·02	·04	-	-	-	·01	·28	tr.	·05		27
28	-	-	-	-	·03	-	tr.	-	·01	·30	tr.	·01		28
29	·07	×	tr.	·03	-	-	·03	-	tr	·04	-	-		29
30	·12	×	·10	-	-	-	·01	-	·02	·07	-	·18		30
31	·10.	×	·01	×	-	×	-	·15	×	tr	×	-		31
TOTAL	1·86	2·61	2·61	·75	2·01	3·04	·90	·73	2·55	1·45	1·18	·44	Year's Total 20·13	
*Days with ·01 in. or more.	16	15	16	8	15	10	9	5	13	15	16	8	146	
*Days with ·04 in. or more.	11	10	14	5	11	8	6	5	10	10.	7	4	101	

OK printed

Print

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Robert M. Eadie

R. M. EADIE ESQ

[P.T.O.

CROWN COPYRIGHT RESERVED.

Section **A** for the entry of Daily Observations. Station No. 856/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at SUDBURY

in the County of MIDDLESEX

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft. 11 in.

,, Ground ,, Sea Level 152 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following –

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	-	-	-	-	-	-	·12	-	·03	-	·54		1
2	·05	-	·09	-	·02	-	-	tr	·58	·17	-	·32		2
3	·01	·03	-	·11	-	-	-	-	-	·24	·01	tr		3
4	·10	-	·13	·14	-	-	-	-	-	·17	·09	·37		4
5	-	-	·02	-	·06	-	-	·01	-	-	·02	·41		5
6	·01	-	·30	·01	·31	·10	-	·14	-	·17	-	·47		6
7	·02	-	-	-	-	-	-	·03	-	·11	-	·15		7
8	-	-	-	-	·10	-	-	-	·09	-	·29	·01		8
9	·01	-	·03	-	-	-	-	·05	-	-	1·07	·34		9
10	·01	-	·13	·12	-	-	-	·10	-	-	·22	·01		10
11	·29	-	·37	·06	-	-	-	·18	-	-	-	·09		11
12	·05	-	·04	tr	-	-	·09	·01	-	-	-	·05		12
13	·25	-	·28	·01	-	-	·07	-	-	tr	-	·10		13
14	·05	-	·22	-	·02	-	-	-	-	-	·24	·36		14
15	·07	-	·06	-	·04	-	-	-	·03	-	·07	·38		15
16	·16	tr	·15	-	·04	-	-	-	-	·10	-	tr		16
17	·01	-	tr	-	-	-	-	-	-	·12	-	·14		17
18	·16	-	-	·32	-	-	·21	-	-	-	·03	·09		18
19	-	-	·18	-	-	·21	-	-	·08	·02	·02	·10		19
20	-	-	·18	·01	-	·01	·16	-	·03	-	·01	·02		20
21	-	-	-	·16	-	·14	·04	·01	-	·03	-	tr		21
22	-	-	-	-	-	-	tr	·56	·21	-	-	tr		22
23	-	·02	-	·29	-	·14	-	·05	-	-	-	·11		23
24	-	·15	·06	·10	-	·04	1·34	·01	-	-	-	-		24
25	·08	-	tr	·13	-	·09	-	-	-	·04	-	·37		25
26	·07	-	tr	·21	-	·06	-	-	-	-	-	·09		26
27	·03	-	-	·12	-	·17	-	-	-	·04	-	·32		27
28	-	·20	-	·02	-	·17	tr	·79	-	-	-	·28		28
29	-	-	-	tr	-	-	·01	-	·14	-	·08	·04		29
30	·04	×	-	-	-	-	-	·13	-	-	-	·16		30
31	·02	×	-	×	-	×	-	·03	×	·17	×	·03		31
TOTAL	1·51	·40	2·24	1·81	·59	1·13	1·92	2·22	1·16	1·41	2·15	5·24	Year's Total. 21·78	
* Days with .01 in. or more.	21	4	15	15	7	10	7	15	7	13	12	26	152	
* Days with .04 in. or more.	12	2	13	11	5	9	6	9	5	10	7	22	111	

40-9999

† Spare column, no entries required.

(Signed) Robert M. Eadie

[P.T.O.

* See Instruction 2 (f) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 856/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at SUDBURY

in the County of MIDDLESEX

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground - ft. 11 in.

,, Ground ,, Sea Level 152 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: ×

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·10	·07	-	·05	-	·15	·94	-	-	·02	·16	-		1
2	·01	-	·01	·08	-	tr	-	-	·31	·20	·08	-		2
3	-	·06	·10	·04	-	·17	-	-	·14	·63	·16	-		3
4	-	-	-	·14	-	·11	-	-	·44	·10	-	·16		4
5	-	·24	·02	·13	-	·38	-	-	·33	-	-	-		5
6	·01	-	-	·31	-	·36	-	-	-	-	-	-		6
7	-	-	-	·48	-	·02	-	-	-	·09	1·15	·16		7
8	-	-	-	·31	-	·02	-	-	-	·17	·15	·20		8
9	-	-	-	·13	-	·61	-	-	-	·64	·14	-		9
10	tr	tr	-	·03	-	·01	-	-	-	-	·06	·04		10
11	·26	-	-	·04	-	·07	·47	-	-	-	·25	-		11
12	-	tr	-	-	-	·09	-	·04	-	-	·44	-		12
13	·12	·17	-	·17	·10	·05	-	-	-	-	tr	-		13
14	-	-	-	-	·17	·07	-	-	-	-	·04	·10		14
15	-	·29	-	·39	-	·30	-	-	·02	-	·15	·08		15
16	-	·09	·04	·03	-	·04	-	-	·30	-	·45	·02		16
17	·01	-	tr	·03	-	·22	·02	-	·08	-	·37	-		17
18	-	-	-	·23	·03	·07	·07	-	·38	·04	·05	·06		18
19	-	-	-	·06	·20	·05	·05	-	·01	-	·12	·05		19
20	-	·18	-	-	·24	·08	·03	-	·42	-	·17	-		20
21	·01	·25	-	-	-	-	-	-	·02	·02	·02	-		21
22	-	·04	·05	-	-	-	-	·12	·10	-	-	-		22
23	tr	-	·24	-	-	-	-	·52	-	·04	-	·10		23
24	·07	·45	-	-	-	-	-	·25	·60	-	-	·43		24
25	·14	·17	-	·20	·02	·30	-	-	-	-	-	-		25
26	·17	-	-	-	-	-	-	·44	·07	-	-	·32		26
27	-	·45	-	-	-	-	tr	-	·22	-	·12	·26		27
28	-	-	-	-	-	-	-	-	·04	·07	-	·22		28
29	-	×	-	-	-	-	-	-	·53	-	-	·15		29
30	·07	×	-	·09	·05	-	-	·67	·34	·38	·41	·26		30
31	-	×	-	×	-	×	-	-	×	·30	×	·36		31
TOTAL	·97	2·46	·46	2·94	·81	3·17	1·58	2·04	4·35	2·70	4·49	2·97	Year's Total 28·94	
* Days with .01 in. or more.	11	12	6	19	7	20	6	6	18	13	19	17	154	
* Days with .04 in. or more.	7	12	4	16	5	17	4	6	15	11	18	16	131	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) Robert M. Eadie

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 856/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at SUDBURY

in the County of MIDDX

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft. 11 in.

,, Ground ,, Sea Level 152 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ×

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·50	·20	·06	·27	-	·20	·11	·05	-	-	·08	·09		1
2	·02	·15	-	-	-	·33	·11	·07	-	-	·02	-		2
3	-	-	-	-	-	·04	·02	-	·23	-	·32	-		3
4	tr	-	·10	·12	-	·29	-	-	·68	-	tr	·03		4
5	·05	-	·01	-	-	-	-	·04	·16	-	·07	·19		5
6	·30	-	-	-	-	·20	-	·08	·05	-	·13	-		6
7	·19	-	·03	-	-	-	·50	-	·04	-	·10	·03		7
8	·28	-	·02	-	-	-	-	-	-	-	·33	·19		8
9	·70	-	·03	-	-	-	·43	-	·32	-	tr	-		9
10	-	-	-	-	-	tr	·09	·04	·25	-	·04	tr		10
11	-	-	-	·10	-	-	·17	·04	-	-	·70	-		11
12	-	-	-	·13	-	·48	·19	·02	·08	-	·39	·10		12
13	-	-	-	·05	-	·52	·07	-	-	-	·02	·10		13
14	-	·07	-	-	-	·07	·34	-	·01	·03	·14	·31		14
15	-	·09	-	-	-	-	·16	-	·29	-	·02	·03		15
16	·34	·09	-	-	-	-	·05	-	·04	-	·45	·07		16
17	·09	·41	-	-	·02	·02	-	-	-	·04	·20	·16		17
18	-	·04	-	-	-	·32	·15	·01	-	·05	·04	·15		18
19	·32	·08	·01	·01	-	·42	·07	·08	-	·04	-	-		19
20	tr	·06	·09	·37	-	-	·10	-	·66	-	-	-		20
21	-	-	-	·19	·04	·36	tr	-	·04	-	-	-		21
22	·15	·38	·04	-	·27	·04	·17	-	-	-	-	·09		22
23	·02	-	·02	-	·01	-	·05	-	-	·11	-	-		23
24	·10	·09	-	-	-	-	-	-	tr	·42	-	-		24
25	·08	tr	·12	·18	-	·40	·12	-	·14	·05	·02	·02		25
26	-	·11	·24	·04	-	·19	-	-	·01	·25	-	·03		26
27	·17	·05	·01	-	-	-	·02	-	·24	·12	-	-		27
28	·73	-	·11	-	-	-	·12	-	-	-	-	·04		28
29	·07	·15	·06	-	-	·17	·02	-	-	·01	·18	·01		29
30	·11	×	-	-	·05	·12	·04	-	-	·23	-	tr.		30
31	·27	×	·20	×	-	×	·07	-	×	·60	×	·18		31
TOTAL	4·49	1·97	1·15	1·46	·39	3·87	3·17	·43	3·14	1·95	3·25	1·82	Year's Total 27·~~13~~09	
* Days with .01 in. or more.	19	14	16	10	5	17	23	9	16	12	18	18	177	
* Days with .04 in. or more.	17	14	9	9	3	16	20	7	4	10	14	12	145	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Robert M. Eadie. [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 856/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at SUDBURY

in the County of MIDDX

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft. 11 in.

,, Ground ,, Sea Level 152 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·54	tr	·01	·07	–	–	–	–	·03	–	·65	·71		1
2	·01	·12	·01	·57	–	–	–	–	·02	tr	–	·45		2
3	tr	·21	–	–	–	–	–	–	–	–	–	·03		3
4	–	·34	tr	–	–	–	–	–	–	–	–	·30		4
5	·27	·10	·24	–	–	–	·03	–	–	–	–	–		5
6	·04	–	·31	–	·15	–	·02	–	–	·10	–	–		6
7	–	·85	·30	·14	–	–	–	–	·09	–	–	·27		7
8	–	·07	–	tr	·08	tr	–	–	–	–	·09	·04		8
9	–	·05	–	·30	·16	·10	·04	–	·27	–	–	–		9
10	–	–	·48	·10	·08	·32	·20	·05	–	–	–	·26		10
11	–	–	·21	·02	·50	·01	–	–	–	–	tr	–		11
12	·14	·28	·13	–	·21	–	·04	tr	·04	–	–	·11		12
13	·12	·05	·40	–	–	·64	–	·76	·14	–	–	·80		13
14	–	·05	·13	–	–	–	–	·43	·07	–	–	tr		14
15	·12	·14	[illegible]	·21	–	–	·16	–	·02	–	–	–		15
16	·10	·16	·21	·35	–	·14	–	·24	·37	–	–	·04		16
17	·29	–	·23	·08	–	·01	–	–	·35	–	tr	·10		17
18	·20	·10	–	–	·14	·38	–	–	–	–	·20	·18		18
19	·03	·13	·07	·15	·04	·12	·15	–	·04	–	–	tr		19
20	·30	·02	·03	·40	·65	·13	·06	–	·04	–	–	–		20
21	·30	·60	·01	·09	·06	–	–	–	–	–	tr	–		21
22	·28	·03	–	–	·01	·12	·02	–	–	·51	·33	tr		22
23	·31	·01	–	–	·10	–	·05	–	–	·50	–	·04		23
24	·30	·55	·08	–	–	–	–	–	·14	·14	–	tr		24
25	·04	·28	·09	–	–	–	–	–	·10	·26	–	–		25
26	·01	·25	·08	–	·23	–	–	–	–	·02	–	·02		26
27	·04	·10	–	·09	·24	–	–	–	·02	·62	–	–		27
28	tr	·12	–	·05	–	–	–	–	–	·10	–	tr		28
29	·01	✕	–	–	–	tr	–	–	–	·05	·07	·05		29
30	·23	✕	–	–	–	tr	–	–	–	–	·22	tr		30
31	·31	✕	–	✕	–	✕	–	–	✕	·29	✕	·03		31
TOTAL	3·99	4·61	3·02	2·62	2·65	1·97	·77	1·48	1·74	2·59	1·56	3·43	Year's Total 30·43	✓ ✓
* Days with .01 in. or more.	22	23	18	14	14	10	10	4	15	10	6	16	162	✓ ✓
* Days with .04 in. or more.	18	20	14	13	13	8	7	4	11	9	6	13	136	✓ ✓

† Spare column, no entries required.

(*Signed*) Robert M. Eadie [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 856/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

File No. 195356/32

Kept at SUDBURY

in the County of MIDDLESEX

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft. 11 in.

,, Ground ,, Sea Level 152 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: –

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	–	–	–	–	–	·07	–	–	·02	–	–		1
2	·08	–	–	·07	·03	·11	–	–	·01	·17	·07	·09		2
3	tr	–	–	–	·25	–	·07	–	·04	·67	–	–		3
4	·02	–	–	–	–	–	·05	–	–	·06	–	·18		4
5	tr	–	–	–	–	–	·17	–	–	·15	–	–		5
6	·04	–	–	–	–	–	·02	–	·12	–	–	–		6
7	–	–	–	–	–	–	·04	1·68	tr.	·17	–	·03		7
8	·15	–	–	–	–	–	·10	·02	–	·32	–	–		8
9	·09	–	–	–	–	–	·05	·19	–	–	–	·69		9
10	·15	·06	–	–	–	–	tr	·19	–	–	–	–		10
11	·28	–	–	–	–	–	–	1·39	–	–	·18	·09		11
12	·28	tr	–	–	·01	–	–	·08	–	·28	·06	–		12
13	·13	tr	–	–	–	–	–	–	–	·04	·08	·12		13
14	–	–	–	–	·05	–	·01	–	–	–	–	–		14
15	·02	·03	–	–	–	–	·20	–	·03	·30	–	·25		15
16	·42	–	tr	–	–	–	·02	–	–	·02	·05	·67		16
17	–	·08	–	–	·04	–	–	–	–	·07	–	–		17
18	·03	–	–	–	·06	–	–	–	·13	–	·24	–		18
19	–	–	–	–	–	–	–	·04	·06	–	·18	·01		19
20	–	–	–	–	–	–	–	–	·02	–	·48	·01		20
21	·01	–	–	–	–	–	–	·04	·04	–	·03	·29		21
22	tr	–	–	–	–	·02	–	·03	–	–	·15	·24		22
23	–	–	–	·01	–	–	–	–	–	–	–	·02		23
24	–	–	·15	–	–	–	·01	–	·45	–	·08	·15		24
25	·11	tr	·11	·02	·04	–	–	–	–	·03	1·13	·13		25
26	·16	·16	·07	–	–	–	·27	–	·27	·20	–	·10		26
27	·11	·04	–	–	·02	·20	–	·06	·54	·13	·37	·03		27
28	·20	·06	–	–	·97	·04	–	·23	·02	–	–	·08		28
29	·36	×	–	·01	·11	–	–	·01	·10	–	·15	·23		29
30	·05	✕	–	·02	·06	·06	–	–	·06	·09	·23	–		30
31	·09	✕	–	✕	·08	✕	–	–	✕	·13	✕	·25		31
TOTAL	2·78	·43	·33	·13	1·72	·43	1·08	3·96	1·89	2·85	3·48	3·40	Year's Total 22·48	✓
* Days with .01 in. or more.	20	6	3	5	12	5	13	12	14	17	15	18	140	✓
* Days with .04 in. or more.	16	5	3	1	9	4	9	9	10	14	14	14	108	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Robert M Eadie [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations Station No. 856/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at SUDBURY

in the County of MIDDLESEX

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft. 11 in.

" Ground " Sea Level 152 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	·52	·33	-	·05	·52	·30	-	-	-		1
2	-	-	-	·05	·02	-	-	·83	·88	tr	·05	-		2
3	·34	-	-	·24	-	-	-	·36	-	-	·20	·15		3
4	·10	-	·18	·23	-	-	·01	·83	-	·34	·04	·03		4
5	-	-	-	·45	·05	-	·01	·04	-	·23	·22	·06		5
6	·45	-	-	-	-	-	·20	·05	-	-	·56	-		6
7	·05	·09	-	-	-	-	-	·01	-	-	·20	·08		7
8	-	·09	·14	-	-	-	·02	·41	-	·40	·10	·38		8
9	-	·08	-	-	-	-	-	·01	-	·45	·04	·20		9
10	·23	-	-	-	-	·40	-	·14	tr.	·19	·02	-		10
11	-	-	·23	-	tr	·26	-	-	-	·85	·03	-		11
12	-	-	-	-	-	-	-	-	·01	-	-	-		12
13	-	-	-	-	-	-	·06	-	·01	·95	-	-		13
14	·49	-	-	·03	·11	-	·02	-	-	·38	·35	tr.		14
15	·28	-	tr	-	·60	·24	·08	-	·10	·79	tr	tr.		15
16	·46	-	·09	·05	·08	·15	·02	-	-	-	·46	-		16
17	·15	·04	-	-	·18	-	·02	-	-	-	·06	-		17
18	·30	·01	·05	-	-	·19	·15	-	tr	-	·30	-		18
19	·24	-	-	-	-	-	·18	-	-	·23	-	-		19
20	·18	-	·01	-	-	·15	·48	-	-	-	-	tr		20
21	·08	-	·29	-	-	-	·35	·83	·09	-	-	-		21
22	·15	·20	·13	-	-	·03	-	-	-	-	·14	tr.		22
23	·02	-	·01	·12	-	·02	·02	-	-	·03	·71	-		23
24	·20	-	·03	·03	-	-	·01	-	-	·09	-	-		24
25	1·20	·15	·06	-	-	-	·24	·05	-	-	·56	-		25
26	·18	·01	-	-	-	-	-	-	-	·26	·29	-		26
27	·02	·01	·10	-	-	tr.	-	-	-	·10	·14	-		27
28	tr	·18	·05	·05	-	·02	-	-	-	·11	·12	·18		28
29	-	×	-	·30	-	-	·23	-	-	·06	·16	-		29
30	-	×	-	·66	-	·03	-	-	-	tr.	·27	·01		30
31	-	×	-	×	-	×	·09	-	×	·04	×	-		31
TOTAL	5·12	·86	1·36	2·73	1·37	1·49	2·24	4·08	1·39	5·50	5·02	1·09	Year's Total 32·25	
* Days with .01 in. or more.	19	10	13	12	7	10	19	12	6	17	22	8	155	
* Days with .04 in. or more.	17	7	10	10	6	6	11	10	4	16	20	6	123	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Robert M. Eadie [P.P.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 856/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at SUDBURY

in the County of MIDDLESEX

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft. 11 in.

,, Ground ,, Sea Level 152 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY ✓

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	–	–	tr	–	–	–	–	–	–	·11	–		1
2	–	–	–	·17	–	–	·05	–	–	–	·45	–		2
3	–	·40	–	·15	–	–	–	–	–	·25	·94	·08		3
4	–	·08	–	–	–	–	–	–	–	·09	·10	–		4
5	–	–	–	–	–	–	–	–	–	·07	·32	·12		5
6	·15	·06	–	–	–	–	·35	–	–	·21	–	–		6
7	·32	–	–	–	·12	–	–	–	·07	·05	–	–		7
8	·01	–	–	–	–	–	–	–	–	·11	–	·29		8
9	–	–	–	–	–	·40	–	–	–	–	·11	·05		9
10	–	–	–	–	–	–	·25	·03	·03	·21	·10	–		10
11	–	–	tr	–	–	–	–	–	–	–	·94	·03		11
12	–	–	·07	–	–	·10	·08	–	–	–	–	–		12
13	–	–	·55	–	–	·05	–	–	·06	–	·98	–		13
14	–	–	·12	·22	–	–	–	–	·06	–	·08	·25		14
15	–	–	–	–	·08	–	·28	–	–	–	·92	·02		15
16	·05	–	·52	–	–	·03	·36	–	·20	·68	–	·03		16
17	–	·03	·27	–	–	–	–	–	–	–	·58	–		17
18	–	·45	·14	·27	–	–	·30	–	–	·12	·35	·15		18
19	–	·22	–	–	–	–	–	–	·50	–	–	–		19
20	–	·03	–	·20	–	–	·16	–	–	–	·17	–		20
21	·06	–	–	–	·32	–	·22	·03	–	–	·27	–		21
22	–	–	–	–	·53	·31	–	–	·09	–	–	–		22
23	–	·06	·03	·20	·04	–	–	–	–	–	tr	–		23
24	–	–	·01	·10	–	–	·20	–	–	–	–	–		24
25	–	–	·37	–	–	–	·12	–	–	–	–	–		25
26	·50	·06	·50	·08	·18	·07	–	–	–	–	–	–		26
27	·40	·12	–	·10	·39	–	·13	–	–	–	–	–		27
28	·31	–	–	·10	·07	–	–	–	–	–	–	–		28
29	·07	·05	·10	–	·05	–	–	–	–	–	–	·31		29
30	–	✕	–	·37	–	–	–	–	–	·18	–	·03		30
31	tr	✕	–	✕	–	✕	–	–	✕	·67	✕	·01		31
TOTAL	1·87	1·56	2·68	1·96	1·78	·90	2·50	·06	1·01	2·04	6·42	1·37	Year's Total 24·81	✓
* Days with .01 in. or more.	~~9~~	~~11~~	~~11~~	~~11~~	~~9~~	~~6~~	~~12~~	~~2~~	~~7~~	~~11~~	~~15~~	~~12~~	~~116~~	"d"
* Days with .04 in. or more.	8	9	9	11	9	6	12	0	6	11	15	7	103	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Robert M. Eadie

[P.T.O.

Section **A** for the entry

856/7

WEMBLEY

KESWICK. GARDENS.

1933 - 1938

Station No. ~~[illegible]~~ 856/7

AIR MINIST   H RAINFALL ORGANIZATION.

FORM 1090.

REGIS   N 1933.

M'sex/1

Kept at (Keswick Gard

in the County of Mi

Diameter of Funnel of Gauge

Height of top of Gauge above Gro

,, Ground ,, Sea

84/5

78 02 04

Finchley

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1									-	tr	-	-		1
2									-	-	-	-		2
3									-	-	tr	-		3
4									-	-	·03	-		4
5									-	-	tr	-		5
6									-	·04	·07	-		6
7									-	·11	-	-		7
8									-	tr	-	-		8
9									-	·05	·08	-		9
10									-	·12	·01	-		10
11									tr	-	·01	-		11
12									·52	-	-	-		12
13									·05	-	·13	-		13
14									-	·07	·59	-		14
15									-	-	tr	-		15
16									tr	·03	·09	-		16
17									·13	-	·02	-		17
18									-	-	tr	-		18
19									·56	-	·03	·03		19
20									-	-	tr	-		20
21								·11	·27	tr	tr	-		21
22								-	-	·17	·04	-		22
23								·20	·42	tr	-	-		23
24								-	·28	tr	-	-		24
25								-	·16	-	tr	·07		25
26								-	·11	·12	-	·07		26
27								-	-	·15	·05	·05		27
28								-	-	·30	-	·05		28
29								-	-	·09	-	-		29
30		X						-	tr	tr	-	·14		30
31		X		X		X		·14	X	tr	X	-		31
TOTAL								~~·46~~	2·~~35~~ 50	1·25	1·15	·41	Year's Total ~~[illegible]~~	
*Days with ·01 in. or more.								~~3~~	9	11	12	6	..	
*Days with ·04 in. or more.								~~3~~	9	10	7	5	..	

40-9999

*See Instruction 2 (*f*) on other side.

D N

† Spare column, no entries required.

(*Signed*) (A. R. Bill. Esq) ...o.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 856/7 ~~[illegible]/5~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at (Keswick Gardens) Wembley.

in the County of Middlesex.

Diameter of Funnel of Gauge as previously 5"

Height of top of Gauge above Ground ....ft ....in. 1' 0"

,, Ground ,, Sea Level c. 120 ft.

cf 856 861 849 851

9. from 884/5

North Finchley

M'sex/1

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1									-	tr	-	-		1
2									-	-	-	-		2
3									-	-	tr	-		3
4									-	-	·03	-		4
5									-	-	tr	-		5
6									-	·04	·07	-		6
7									-	·11	-	-		7
8									-	tr	-	-		8
9									-	·05	·08	-		9
10									-	·12	·01	-		10
11									tr	-	·01	-		11
12									·52	-	-	-		12
13									·05	-	·13	-		13
14									-	·07	·59	-		14
15									-	-	tr	-		15
16									tr	·03	·09	-		16
17									·13	-	·02	-		17
18									-	-	tr	-		18
19									·56	-	·03	·03		19
20									-	-	tr	-		20
21								·11	·27	tr	tr	-		21
22								-	-	·17	·04	-		22
23								·20	·42	tr	-	-		23
24								-	·28	tr	-	-		24
25								-	·16	-	tr	·07		25
26								-	·11	·12	-	·07		26
27								-	-	·15	·05	·05		27
28								-	-	·30	-	·05		28
29								-	-	·09	-	-		29
30		x						-	tr	tr	-	·14		30
31		x		x		x		·14	x	x	x	-		31
TOTAL								incomp ~~·46~~	2·~~35~~ 50	1·25	1·15	·41	Year's Total ~~incomp~~	
*Days with ·01 in. or more.								~~3~~	9	11	12	6	..	
*Days with ·04 in. or more.								~~3~~	9	10	7	5	..	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) R. a. R. Bill. Esq.

X WEMBLEY (KESWICK GARDENS) X

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 856/Y.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at 3, Keswick Gardens - Wembley.

in the County of Middlesex.

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level 150 ft.

NB good agreement. Please mark print !!/m'ery !

Comp 1933

9 from 864/5

Rain days should be deleted. SB

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·02	-	tr	-	-	-	-	·13	-	·03	-	·46		1
2	·04	tr	·08	-	-	-	-	-	·62	·16	-	·17		2
3	tr	·03	-	·15	-	-	-	-	-	·22	-	·01		3
4	tr	-	·12	·02	tr	-	-	-	-	·18	·08	·34		4
5	·10	-	tr	-	·07	-	-	·02	-	tr	·01	·43		5
6	tr	-	·30	tr	·30	·07	-	-	-	·15	tr	·38		6
7	tr	-	-	-	-	tr	-	tr	-	·11	-	·15		7
8	tr	-	-	-	·09	-	-	·16	·07	-	·31	tr		8
9	·03	-	·03	-	-	-	-	-	-	-	·1·10	·30		9
10	tr	-	·12	·12	-	-	-	·05	-	tr	×	-		10
11	·27	-	·37	·05	-	-	-	·09	-	-	-	·10		11
12	·05	-	·08	-	-	-	·10	·22	-	-	tr	·03		12
13	·03	-	·26	tr	-	-	·06	·02	-	-	-	·09		13
14	·04	-	·20	-	·02	-	-	-	-	tr	·32	·36		14
15	·06	-	·06	-	·04	-	-	-	·03	tr	·06	·34		15
16	·15	-	·13	-	·05	-	-	-	-	·09	tr	-		16
17	tr	-	-	-	-	-	·12	-	-	·06	·02	·13		17
18	·15	-	-	·36	-	-	-	-	-	-	-	·08		18
19	-	-	·20	-	-	·09	-	-	·07	·02	-	·09		19
20	-	-	·17	·02	-	·03	·13	tr	·02	tr	-	·02		20
21	-	-	-	·12	-	·14	-	·01	-	·02	-	-		21
22	-	-	-	-	-	-	tr	·52	·20	-	tr	·09		22
23	-	-	-	·27	-	·17	-	·03	-	-	·01	-		23
24	-	·02	·06	·07	-	·03	·92	-	·26	-	-	·01		24
25	·12	·12	tr	·11	-	·11	-	-	-	·02	-	·36		25
26	·02	-	-	·30	-	·14	-	-	·02	-	-	·10		26
27	·03	tr	-	·15	-	·16	-	-	tr	·05	-	·30		27
28	-	·18	-	·01	-	·22	tr	·91	tr	-	·07	·23		28
29	-	×	tr	-	-	-	·01	tr	·14	-	-	·05		29
30	·03	×	-	-	-	-	-	·11	tr	tr	-	·15		30
31	-	×	-	×	-	×	-	·02	×	·14	×	·05		31
TOTAL	1·14	·35	2·18	1·75	·57	1·16	1·34	2·28	1·33	1·25	1·98	4·82	Year's Total. 20·15	
* Days with .01 in. or more.	~~15~~	~~4~~	~~14~~	~~13~~	~~6~~	~~10~~	~~6~~	~~13~~	~~9~~	~~13~~	~~× 9?~~	~~26~~	~~138~~	
* Days with .04 in. or more.	9	2	13	10	5	8	5	8	6	9	6	22	103	

Count ✓

"d"

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required

(Signed) A R Bill.

X A.R. BILL ESQ X

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 856/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

alf

Kept at 3 Keswick Gardens Wembley

in the County of Middlesex

Diameter of Funnel of Gauge ... in. as usual and previously given.

Height of top of Gauge above Ground ... ft. ... in.

,, Ground ,, Sea Level ... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	**Jan.**	**Feb.**	**Mar.**	**April**	**May**	**June**	**July**	**Aug.**	**Sept.**	**Oct.**	**Nov.**	**Dec.**		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·11	·02	-	·04	·01	·15	·53	-	tr	·01	·18	-		1
2	tr	-	-	·06	-	tr	-	-	·32	·18	·07	tr		2
3	-	·07	·08	·05	-	·19	-	-	·14	·55	14	-		3
4	-	-	-	·14	-	·28	-	-	·35	·14	-	·18		4
5	-	·22	·03	·15	-	·23	-	-	·33	tr	-	-		5
6	-	tr	tr	·32	-	·35	-	-	-	-	tr	·02		6
7	tr	-	-	·47	-	·02	-	-	-	-	1·06	·13		7
8	-	-	-	·34	-	·01	-	-	-	·24	·16	·18		8
9	-	-	-	·15	tr	·63	-	-	-	·62	·10	tr		9
10	-	-	-	·04	-	·01	-	-	-	tr	·10	·02		10
11	·23	-	-	·04	-	·07	·84^{4}	-	-	-	·25	-		11
12	-	tr	-	-	-	·08	-	·04	tr	-	·42	-		12
13	·10	·14	-	·18	·12	·03	Register not maintained	-	-	tr	tr	tr		13
14	-	-	-	tr	·16	·06		-	-	tr	·04	·10		14
15	-	·26	tr	·39	tr	·28		-	·03	-	·15	·07		15
16	tr	·08	·02	·02	-	·03		-	·08	tr	·40	-		16
17	tr	-	-	·03	-	·23		-	·04	-	·42	-		17
18	-	-	-	·22	·05	·06		-	·34	·02	·05	·05		18
19	-	tr	-	·01	·19	·04		-	·01	-	·12	·08		19
20	tr	·20	-	·05	·26	·06		-	·46	-	·16	-		20
21	-	·21	-	-	-	-		-	·03	·03	·02	-		21
22	-	·02	·03	-	-	-		·28	·10	-	tr	-		22
23	-	-	·22	-	-	-		·33	·03	·04	-	·07		23
24	·09	·48	tr	-	·01	-		·20	·58	tr	-	·38		24
25	·10	·08	-	·20	-	·20		-	·01	-	tr	·08		25
26	·17	·11	-	-	-	-		44	·06	-	-	·32		26
27	·01	·31	-	-	tr	-		-	·20	tr	11	·27		27
28	-	tr	-	-	·04	-	-	-	·03	-	-	·21		28
29	-		-	-	-	-	-	-	·54	-	-	·14		29
30	·05		-	·09	·02	-	-	·62	·26	·43	·37	·24		30
31	-		-		·01		-	-		·28		·37		31
TOTAL	·86	2·20	·38	2·99	·67	3·01	1·37	1·91	3·94	2·04	4·32	2·91	Year's Total 26·60	
* Days with .01 in. or more.	8	13	5	20	10	20	26	6	20	10	19	18	15~~1~~^{5}	
* Days with .04 in. or more.	7	11	3	17	6	15	24	6	14	7	18	16	12~~2~~^{4}	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) ...

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 856/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936.

Acc

Kept at 3 Keswick Gardens Wembley

in the County of Middlesex

Diameter of Funnel of Gauge..........in. as previously stated

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level..........ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·36	·12	·07	·16	-		·10	·04	-	-	·07	·08		1
2	·03	·11	·01	·02	-	·25	·13	·05	-	-	·05	-		2
3	tr	-	-	·10	-	·36	-	-	·07	-	·28	-		3
4	·04	-	·08	-	-	·05	·01	-	·51	-	·05	-		4
5	-	-	·02	-	-	·27	-	·03	·21	tr	tr	·10		5
6	·28	-	-	-	-	·04	-	·07	·03	tr	·12	tr		6
7	·20	-	·02	-	-	-	·39	-	·03	-	·09	·10		7
8	·15	-	·02	-	-	·19	-	-	·35	·01	·33	·17		8
9	·10	-	-	-	-	-	·41	-	·19	-	-	-		9
10	-	-	-	-	-	-	·08	·09	-	-	·03	-		10
11	-	-	-	·12	-	-	+	-	-	-	·69	-		11
12	-	-	-	·11	-	·60	+	tr	·05	-	·30	·11		12
13	-	-	-	·02	-	·43	+	-	-	·01	-	·06		13
14	-	·08	-	-	-	·07	+	-	-	·06	-	·27		14
15	-	·08	-	-	-	tr	+	-	·25	-	·11	·05		15
16	·33	·07	-	-	-	-	+	-	·03	-	·42	·02		16
17	·14	·42	-	-	·04	·09	1·69	-	-	·01	·21	·13		17
18	tr	·10	-	-	-	·26	+	tr	-	tr	·02	·12		18
19	·27	·02	·02	tr	-	·20	+	·07	-	·09	-	-		19
20	·01	·03	·08	·31	·03	-	+	-	·77	-	-	tr		20
21	-	tr	-	·20	-	·34	-	-	·04	-	-	-		21
22	·15	·35	·01	-	·25	·02	+	-	-	-	-	·08		22
23	·03	·01	·02	·09	tr	-	+	-	-	·10	-	tr		23
24	·10	·07	-	-	-	-	-	-	tr	·42	-	-		24
25	·07	·10	·16	·17	-	·67	+	-	·12	·18	·03	·02		25
26	tr	-	·17	·03	-	·17	-	-	-	·03	-	·02		26
27	·15	-	-	-	-	-	·02	-	·27	·08	-	·02		27
28	·70	-	·09	-	-	-	·10	-	-	-	tr	·03		28
29	·05	·19	·05	-	-	·21	·02	-	-	·02	·15	·02		29
30	·11		tr	-	·03	·19	·01	-	-	·33	-	tr		30
31	·30		·24		tr		·12	-		·43		·19		31
TOTAL	3·57	1·75	1·06	1·33	·35	4·41	3·08	·35	2·92	1·77	2·95	1·59	Year's Total 25·13	✓
* Days with .01 in. or more.	20	14	15	11	4	18	23	6	14	13	16	18	~~149~~	172 ✓
* Days with .04 in. or more.	17	11	8	8	2	17	19	5	11	8	13	12	~~110~~	131 ✓

July 11–26: Not daily reading – Total 16 days

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) A. R. Bill

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 856/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Wembley (Keswick Gdns)

in the County of Middx

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft.........in.

,, Ground ,, Sea Level ....ft.

Acc ✓. Days ✓. Ky.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·49	·01	-	·06	-	-	-	-	·03	-	·65	·66		1
2	·01	·10	·01	·52	-	-	-	-	·03	tr	-	·35		2
3	tr	·19	tr	-	-	-	-	-	-	tr	-	·02		3
4	·04	·34	-	-	tr	-	-	·06	-	-	tr	·31		4
5	·19	·09	·20	-	-	-	·06	-	-	-	-	tr		5
6	·02	·07	·47	-	·15	-	·02	-	-	·11	-	-		6
7	-	·74	·02	·13	-	-	-	-	·07	tr	-	tr		7
8	-	·06	-	tr	·07	·06	-	-	-	-	·07	·27		8
9	-	·07	-	·31	·16	·02	·08	-	·27	tr	-	·04		9
10	-	-	·50	·07	·08	·36	·12	·04	-	-	-	·24		10
11	-	-	·17	·02	·50	-	tr	-	-	-	-	·06		11
12	·12	·28	·12	·01	·21	·41	·01	tr	·03	-	-	·07		12
13	·22	·05	·38	tr	tr	·09	-	1·21	·06	-	-	·83		13
14	·02	·04	·15	·01	-	-	-	·32	·06	-	-	-		14
15	·18	·12	-	·17	-	-	·16	-	-	-	-	·04		15
16	tr	·17	·20	·34	-	·10	-	·24	·28	-	-	·02		16
17	·27	-	·13	·07	-	-	-	-	·26	tr	tr	-		17
18	·20	·09	tr	-	·12	·41	One Reading ↓	-	-	-	·20	·03		18
19	·03	·12	·05	·13	·05	·13	✓	-	·02	tr	-	·17		19
20	·27	tr	·01	·41	·65	·08		[illegible]	·03	-	-	-		20
21	·28	·57	·01	·07	·04	-	✓	-	-	-	·01	·02		21
22	·30	·02	·02	-	·02	·09	✓	-	-	·49	·30	-		22
23	·26	·53	·01	-	·11	-	✓	-	-	·46	tr	·01		23
24	·28	·27	·03	-	tr	-		-	·13	·17	-	tr		24
25	·03	·02	·13	-	·26	-		-	·06	·20	-	tr		25
26	·01	·23	·05	-	·08	-		-	-	·03	-	tr		26
27	·04	·10	tr	·08	-	-		-	·03	·55	-	-		27
28	·01	·07	-	·04	-	tr		-	-	·10	-	·02		28
29	·03	-	-	-	-	tr		-	-	·05	·08	·02		29
30	·22	✕	-	-	-	-	·23	-	-	tr	·19	tr		30
31	·29	✕	-	✕	-	✕		-	✕	·34	✕	·02		31
TOTAL	3·81	4·35	2·66	2·44	2·50	1·75	·68	1·87	1·36	2·50	1·50	3·20	Year's Total 28·62	✓
* Days with .01 in. or more.	24	24	19	16	14	10	10	5	14	10	7	19	172	✓
* Days with .04 in. or more.	16	21	12	13	13	9	7	5	8	9	6	11	130	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) a k Bill

[P.T.O.

File No 823765/28

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 856/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 193~~9~~8

Kept at Wembley – Edgware
× 1-1-38 – 31-8-38 | ⊗ 1-9-38 to 31-9-38
in the County of ....
Diameter of Funnel of Gauge..................in.
Height of top of Gauge above Ground.........ft.........in.
,, Ground ,, Sea Level ....ft.

Aew

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	–	–	–	tr	–	·24	–						1
2	·08	·02	–	·06	·10	·10	–	–						2
3	–	–	–	–	·18	–	·07	–						3
4	·02	–	–	–	–	–	·01	tr						4
5	tr	–	–	–	–	–	·17	tr						5
6	·03	–	–	–	–	–	·02	–						6
7	–	–	–	–	–	–	·04	1·66						7
8	·13	–	–	–	–	–	·11	tr						8
9	·08	tr	–	–	–	tr	·06	·22						9
10	·17	·05	–	–	–	·03	–	·14						10
11	·25	tr	–	–	–	–	–	1·62						11
12	·24	·03	–	–	·01	–	–	·09						12
13	·13	tr	–	–	–	–	–	–						13
14	·22	tr	–	–	·05	–	·01	–						14
15	·10	·01	–	–	–	–	·17	–						15
16	·30	–	–	–	–	–	·01	tr						16
17	–	·03	–	–	·03	–	tr	–						17
18	·03	–	–	–	·07	–	–	–						18
19	tr	–	–	–	–	–	–	·04						19
20	–	–	–	–	–	–	–	–						20
21	·01	–	–	–	–	–	–	·03						21
22	tr	·01	–	tr	–	·02	–	·01						22
23	–	–	–	·03	–	–	–	–						23
24	–	–	·16	tr	tr	–	–	–						24
25	·09	·02	·09	·03	·06	–	·01	tr						25
26	·16	·15	·08	–	tr	–	–	–						26
27	·09	·05	–	–	·03	·20	·27	·07						27
28	·19	·05	–	tr	·93	·02	–	–						28
29	·32	×	–	–	·11	–	–	–						29
30	·03	×	–	·03	·06	tr	–	–	#					30
31	·11	×	–	×	·08	×	–	–	×		×			31
TOTAL	2·79	·42	·33	·15	1·71	·37	1·19	3·88					Year's Total	
* Days with .01 in. or more.	22	10	3	4	12	5	13	9						
* Days with .04 in. or more.	16	4	3	1	9	2	8	7						

Moved to Edgware 1/9/38

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

Circ A. WEMBLEY (WE

856/9

WEMBLEY
PARK DRIVE

1936-1940

78 02 04

Station No. 856/9

Section A for the entry of Daily

AIR MINISTRY.—

NFALL ORGANIZATION

FORM 1090

REGISTE 936

Circ C. sent. 3/8/37 C.R.

Kept at 33 Wembley Pa

in the County of Middlese

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground..

,, Ground ,, Sea Leve

W.D.

THE MORNING MEASUREMEN IOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following (·20)

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1936 1	·36	·27	(·08)	·20	—	—	·23	·13	—	—	·60	—		1
2	·37	·11	·10 (·02)	·23	—	·19	·10	·06	—	—	·06	·07		2
3	·01	·08	—	—	—	·35	·12	·06	—	—	·02	—		3
4	—	trace	—	·10	—	·03	·01	—	·03	—	·30	trace		4
5	—	—	·09	—	—	·23	—	—	·50	—	—	·01		5
6	·05	—	·01	—	—	—	—	·02	·13	trace	·07	·09		6
7	·29	—	—	—	—	·23	—	·07	·03	—	·10	·02		7
8	·19	—	·01	—	—	·03	·34	—	·02	—	+	trace		8
9	·12	—	·03	—	—	—	—	—	—	·01	·39+	·18		9
10	·67	—	·08	—	—	—	·37	—	·26	—	—	—		10
11	trace	—	—	—	—	—	·08	·06	·24	—	—	—		11
12	—	—	—	·12	—	—	+	·04	—	—	·60	—		12
13	—	—	—	·09	—	·35	·32+	trace	·05	trace	·23	+		13
14	—	—	—	·03	—	+	—	—	—	·04	·01	·20+		14
15	—	·07	—	—	—	·73+	·28	—	trace	—	·25	·26		15
16	—	·09	—	—	—	trace	·20	—	·27	—	—	—		16
17	·30	·05	—	—	—	—	·02	—	·03	—	·38	·05		17
18	·12	·41	—	—	·03	·08	·01	—	—	·05	·20	·16		18
19	·02	·04	—	—	—	·25	·12	trace	—	·02	·02	·12		19
20	·27	·06	·01	trace	—	·10	·09	·08	—	—	—	—		20
21	·01	·04	·08	·34	—	—	·05	—	·90	—	—	—		21
22	—	~~·35~~	—	·18	·25	·32	—	—	·07	—	—	—		22
23	—	+	·02	trace	—	·02	·16	—	—	—	—	·10		23
24	·47	·35 ✓	·02	·09	—	—	·02	—	—	·10	—	—		24
25	·10	·08	~~·[illegible]~~	—	—	—	—	—	—	+	—	trace		25
26	·07	—	·11 ~~·20~~	·18	—	·60	·11	—	+	·62+	·03	✓		26
27	—	·11	·30 ~~·[illegible]~~	·02	—	·20	trace	—	-	·03	—	·05 ✓		27
28	·15	·04	·02	—	—	—	·01	—	·34+	·03	—	✓		28
29	·67	—	·10	—	—	trace	·09	—	-	—	—	·03		29
30	·05	✗	·07	—	—	·15	·05	—	-	·01	·16	·01		30
31	·10 ·37	✗ (·08)	— ·20	✗	·03	✗ ·23	trace ·13	—	✗	·18	✗	(·30)		31
TOTAL	4.00 ~~4·09~~	1.61 ~~1·80~~	1.05 ~~·93~~	1.38 ~~1·58~~	·31 ~~·34~~	4.09 ~~3·86~~	2.68 ~~2·78~~	·39 ~~·52~~	2.87 ~~2·53~~	1.69 ~~1·09~~	2.92 ~~3·52~~	1.55 ~~1·35~~	Year's Total	24.54 ~~24·39~~
* Days with .01 in. or more.	20 ✓	~~14~~ 15	~~15~~ 16	~~11~~ 10	~~4~~ 3	~~16~~ 18	~~21~~ 22	~~8~~ 7	13 ~~14~~ 15	~~10~~ 12	16 ✓	~~14~~ 18	171	
* Days with .04 in. or more.	17 ✓	14 ✓	8 ✓	~~9~~ 8	~~2~~ 1	~~14~~ 15	17 ✓	~~7~~ 6	~~9~~ 10	~~5~~ 7	12 ✓	~~10~~ 11	126	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Laurence [illegible] [P.T.O.

Circ A. WEMBLEY. (WEMBLE

COPY FOR OFFICIAL USE

Station No. 856/9

Section A **for the entry of Daily Observations**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Circ C. sent. 3/8/37 C.H.R.

B.A.

W.D.

Kept at 33 Wembley Park Drive Wembley

in the County of Middlesex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

,, Ground ,, Sea Level 120 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following (·20)

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1936 1	·36	·27	(·08)	·20	—	—	·23	·13	—	—	·60	—		1
2	·37	·11	·10 (·02)	·23	—	·19	·10	·06	—	—	·06	·07		2
3	·01	·08	—	—	—	·35	·12	·06	—	—	·02	—		3
4	—	trace	—	·10	—	·03	·01	—	·03	—	·30	trace		4
5	—	—	·09	—	—	·23	—	—	·50	—	—	·01		5
6	·05	—	·01	—	—	—	—	·02	·13	trace	·07	·09		6
7	·29	—	—	—	—	·23	—	·07	·03	—	·10	·02		7
8	·19	—	·01	—	—	·03	·34	—	·02	—	×	trace		8
9	·12	—	·03	—	—	—	—	—	—	·01	·39 ×	·18		9
10	·67	—	·08	—	—	—	·37	—	·26	—	—	—		10
11	trace	—	—	—	—	—	·08	·06	·24	—	—	—		11
12	—	—	—	·12	—	—	×	·04	—	—	·60	—		12
13	—	—	—	·09	—	·35	·32 ×	trace	·05	trace	·33	×		13
14	—	—	—	·03	—	×	—	—	—	·04	·01	·20 ×		14
15	—	·07	—	—	—	·73 ×	·28	—	trace	—	·25	·26		15
16	—	·09	—	—	—	trace	·20	—	·27	—	—	—		16
17	·30	·05	—	—	—	—	·02	—	·03	—	·38	·05		17
18	·12	·41	—	—	·03	·08	·01	—	—	·05	·20	·16		18
19	·02	·04	—	—	—	·25	·12	trace	—	·02	·02	·12		19
20	·27	·06	·01	trace	—	·10	·09	·08	—	—	—	—		20
21	·01	·04	·08	·34	—	—	·05	—	·90	—	—	—		21
22	—	~~·35~~	—	·18	·25	·32	—	—	·07	—	—	—		22
23	—	×	·02	trace	—	·02	·16	—	—	—	—	·10		23
24	·17	·35 ✓	·02	·09	—	—	·02	—	—	·10	—	—		24
25	·10	·08	~~·11~~	—	—	—	—	—	—	×	—	trace		25
26	·07	—	·11 ~~·20~~	·18	—	·60	·11	—	×	·62 ×	·03	✓		26
27	—	·11	·20 ~~·02~~	·02	—	·20	trace	—	-	·03	—	·05 ✓		27
28	·15	·04	·02	—	—	—	·01	—	·34 ×	·03	—	✓		28
29	·67	—	·10	—	—	trace	·09	—	-	—	—	·03		29
30	·05		·07	—	—	·15	·05	—	-	·01	·16	·01		30
31	·10 ·37	(·08)	— ·20	—	·03	·23	trace ·13	—	—	·18	—	(·30)		31
TOTAL	4.00 ~~4·09~~	1.61 ~~1·80~~	1.05 ~~·93~~	1.38 ~~1·58~~	·31 ~~·34~~	4.09 ~~3·86~~	2.68 ~~2·78~~	·39 ~~·52~~	2.87 ~~2·53~~	·60 1.69 ~~4·09~~	2.92 ~~3·52~~	1.55 ~~1·35~~	Year's Total ~~24·~~	24.54 39
* Days with .01 in. or more.	20 ✓	~~14~~ 15	~~15~~ 16	~~11~~ 10	~~4~~ 3	~~16~~ 18	~~21~~ 22	~~8~~ 7	13 ~~14~~ 15	~~10~~ 12	16 ✓	~~14~~ 18	171	
* Days with .04 in. or more.	17 ✓	14 ✓	8 ✓	~~9~~ 8	~~2~~ 1	~~14~~ 15	17 ✓	~~7~~ 6	~~9~~ 12 10	~~5~~ 7	12 ✓	~~10~~ 11	126	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Lawrence D Pike [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 856/9

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at 33 Wembley Park Drive Wembley

in the County of Middlesex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" Ground " Sea Level abt 120 ft.

not ~~W. D.~~ Days Acc

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	✓	—	—	·05	—	—	—	—	·02	—	·67	·56		1
2	·64 ✓	·14	—	·48	—	—	—	—	·02	trace	—	·40		2
3	·05	·18	—	—	—	—	—	—	—	—	—	— ✓		3
4	·20	✗	—	—	—	—	—	·07	—	—	—	·33 ✗		4
5	trace	✗	·19	—	—	—	·05	—	—	—	trace	—		5
6	—		·53	—	·16	—	·01	—	—	·10	—	—		6
7	—	✗	—	✗	—	—	—	—	·04	—	—	—		7
8	—	✗	—	✓	— ✗	·06	—	—	—	—	·05	·26		8
9	—	✗	—	✗ ·52	·23 ✗	·01	·08	—	·25	—	—	·05		9
10	—		·48	✗	·08	·38	·18	·03	—	—	—	·24		10
11	—		·10	✓	·48	—	·01	—	—	—	—	·04		11
12	·13	✗	·10	·01	·20	·48	·01	1·34	·02	—	—	·07		12
13	·13	✗	✗	—	—	·10	—	—	·04	—	—	·80		13
14	·02	✓	✗	—	—	—	—	·40	·05	—	—	·01		14
15	—	✗	✗	·18	—	—	·18	—	·01	—	—	—		15
16	·17	✗	·87 ✗	·27	—	·08	—	·24	·28	—	—	—		16
17	·38		—	—	—	—	—	—	·29	—	·01	—		17
18	·06	2·95 away in hospital	—	·05	·15	·36	—	—	—	—	·18	✓		18
19	·03	✗	✓	·13	·05	✗	·10	—	✓	—	—	·15 ✗		19
20	·27	✓	·03	·37	·60	·21 ✗	·04	—	·10 ✗	—	—	—		20
21	·27	✗	—	·08	·03	—	·01	—	—	—	trace	·01		21
22	·29	✓	·03	—	✓	·08	·01	—	—	·45	·28	·02		22
23	·25	✓	—	—	·10 ✗	—	·04	—	—	·46	—	trace		23
24	·27	✗	— ✓	—	—	—	—	—	·15	·14	—	—		24
25	·04	✗	— ✗	—	·26	—	—	—	·05	·22	·01	·02 ✓		25
26	—	✗	·18 ✗	—	·08	—	—	—	—	·02	—	—		26
27	✗	·62 ✗	—	·09	—	—	—	—	·03	·53	—	—		27
28	·08	✗	—	·06	—	—	—	—	—	·09	—	·02		28
29	·23 ✓		·07	—	—	trace	—	—	—	·05	·04	·02		29
30	✓	✕	—	—	—		—	—	—	·10	·20	—		30
31	·30	✕	—	✕	—	✕	—	—	✕	·28	✕	trace		31
TOTAL	3·81	3·89	2·58	2·29	2·44	1·76	·72	2·08	1·35	2·44	1·44	3·00	Year's Total 27·80	
* Days with .01 in. or more.	~~19~~ 20 22	23	16 ~~14~~	~~12~~ 16	14 ~~12~~ ~~13~~	~~8~~ 10	12	5	~~14~~ 15	11	8	18 ~~16~~ ~~17~~	~~(164)~~	(170)
* Days with .04 in. or more.	17	19	12 ~~11~~	13	12 ~~11~~	9	4	4	9	10	6	10	~~126~~	(128)

Print ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Lawrence G. Petre [P.T.O.

Cor A

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 856/9

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Wembley

in the County of Middlesex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level about 115 ft.

Adis

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	—	—	·09	·28	—	·01	·01	·01	—		1
2	·04	trace	—	·05	·02	—	—	—	—	·11	—	·09		2
3	—	—	—	—	·27	—	·04	—	·04	·58	·02	—		3
4	·01	—	—	—	—	—	·01	—	—	·03	—	·13		4
5	—	—	—	—	—	—	·16	—	—	·13	—	·01		5
6	—	—	—	—	—	—	—	—	·14	—	—	—		6
7	·04	—	—	—	—	—	·05	1·45	—	·13	—	·03		7
8	·11	—	—	—	—	—	·10	·06	—	·27	—	·48		8
9	·08	trace	—	—	—	—	·07	·18	—	—	—	—		9
10	·13	·05	—	—	—	·04	trace	·18* ~~2·17~~	—	—	—	·01		10
11	·24	·04	—	—	—	—	—	2·17*	—	—	·15	·05		11
12	✗	—	—	—	trace	—	·01	·13	—	·26	✓	—		12
13	·37 ✗	—	—	—	—	—	—	—	—	·05	·11 ✗	·10		13
14	·23	—	—	—	·05	—	·01	—	·03	—	—	·01		14
15	—	·01	—	—	—	—	·15	—	—	·28	trace	·24		15
16	·40	—	trace	—	—	—	trace	·01	—	·01	·02	·72		16
17	—	sleet ·08	—	—	·03	—	trace	—	trace	·05	—	—		17
18	·03	—	—	—	·07	—	—	—	·09	trace	·19	—		18
19	—	—	—	—	—	—	—	·06	·05	—	✓	trace	snow	19
20	—	—	—	—	—	—	—	—	·02	—	·60 ✗	trace	snow	20
21	·01	—	—	trace	—	·01	—	·02	·04	—	·01	·45	Snow	21
22	—	—	—	—	—	—	—	·01	—	—	·13	·04	Snow	22
23	—	—	—	—	—	—	—	—	—	—	✓	trace	Snow	23
24	—	—	·13	·01	—	—	—	—	✗	—	·08 ✗			24
25	·08	·01	·06	·02	·10	—	·01	—	·42 ✓	·03	1·00		snow	25
26	·15	·13	·05	trace	trace	—	—	—	·22	·18	—	·32	sleet	26
27	·10	·02	·01	—	·03	·18	·25	·04	·47	·10	·35			27
28	·10	·04	—	—	·84	·02	—	·24	·05	—	·01			28
29	✗		—	—	·10	—	—	·01	·05	—	·12	·02		29
30	·28 ✓	✕	—	·03	·03	·05	—	—	·04	·09	·16	·23		30
31	·10	✕	—	✕	·05	✕	—	—	✕	·13	✕	·20		31
TOTAL	2·50	·39	·25	·11	1·59	·39	1·14	4·56	1·67	2·44	2·96	3·13	Year's Total ~~22·43~~	21·13
* Days with .01 in. or more.	~~19~~ 20	8	4	4	11	6	12	13	15 ✓	17	~~17~~ 18	19	147 ~~145~~	
* Days with .04 in. or more.	16 ✓	5	3	1	7	4	8	9	~~12~~ 11	13	11 ✓	13	101 ~~102~~	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Lawrence I Petre

[P.T.O.

* guage overflowed (probably more) duration about 1½ hours

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 8556

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at 33 Wembley Park Drive Wembley

in the County of Middlesex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 120 in.

,, Ground ,, Sea Level ~~about 110~~ ft.

Letter sent 5/3/40 advising alterations

Entries on Sept 1st, 21st, Oct 4th, 12th, cont'd down to 5th; by office ... [illegible]

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·06	—	trace	·49	·33	—	·04	·39	(·30)		—	trace		1
2	trace	—	—	·03	·15	—	—	·74	·87		·03	—		2
3	·27	—	—	·21	—	—	—	·35	—	+·25)	·20	·11		3
4	·05	—	·15	·23	—	—	trace	·85	—	·30	·02	·01		4
5	—	—	—	·42	·06	—	·03		—		(·20)	·03		5
6	·45	—	—	·01	trace	—	·17	·08	—		·48	trace		6
7	—	·10	—	—	—	—	—		—		·20	·11		7
8	·04	·07	·13	—	—	—	·01	·44	—		·10	·34		8
9	trace	·07	—	—	—	—	—	trace	—		·03	·15		9
10	·18	—	—	—	—	·35	—	·11	—		trace	—		10
11	—	—	R	—	—	·15	—	—			·02	—		11
12	—	—	·13 R	—	·02	·05	—	—	·03	(3·50)	—	—		12
13	·46	—	—	trace	—	—	·05	—		~~2·15~~	—	—		13
14	—	—	trace	R	·06	—	·03	—			·30	·01		14
15	·24	—	—	·21	·48	·22	trace	—			·01	trace		15
16	·45	—	·07	R	·05	·14	·05	—	·14		·42	—		16
17	·15	·03	·02	—	·16	—	·0~~4~~3	—			·04	—		17
18	·23	trace	R	—	—	·15	·1~~7~~3	—			·27	—		18
19	·23	—	·03	—	—	·15	·15	—		·28	—	trace		19
20	·17	—	R	—	—	·15	·31	trace		—	—	·01		20
21	·04	—	·21	—	—	·02	·40	2·08	(·05)	—	—	—		21
22	·11	·18	·12	trace	—	—	·01	—		—	·12	—		22
23	·01	—	·01	·09	—	—	trace	trace		·02	·65	·01		23
24	·20*	—	trace	·02	—	—	·24	·02	~~·30~~	·08	trace	—		24
25	1·32	·12		trace	—	—	·19	·06		—	·48	—		25
26	·20	trace	·16 R	·01	—	—	—	—		·24	·25	·02		26
27	—	·01	R	·02	—	—	—	—			·13	—		27
28	—	·15	·05	·05	—	·01	—	—		·24	·09	·02 snow		28
29	—		—	·15	—	—	·25	—	—	·05	·11	—		29
30	—	✕	—	·73	—	·04	—	—		—	·19	—		30
31	—	✕	—	✕	—	✕	·05	—	✕	·02	✕	—	30·88	31
TOTAL	4·86	·73	1·08	2·67	1·31	1·43	2·14	5·12	1·39 ~~1·04~~	4·99 ~~3·39~~	3 4·~~1~~4	·82	Year's Total ~~29·03~~	
* Days with .01 in. or more.	19	8	14	1~~5~~6	8	11	17	~~10~~12	~~8~~10	~~7~~18	~~2~~12	11	16~~5~~6	
* Days with .04 in. or more.	18	6	9	~~10~~9	7	9	~~14~~12	~~9~~8	~~8~~5	~~8~~16	1~~6~~7	4	120	

* approx snow

Point ok.

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

* under 3 hours

(Signed) Lawrence S. Peters [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 856/9

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at 33 Wembley Park Drive Wembley
in the County of Middlesex
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" Ground " Sea Level abt 110 ft.

Aces ✓

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·02 snow	—	·16	—	—	—	—	—	—	·09	—		1
2	—	·05	—	·01	—	—	·05	—	—	·14	·40	—		2
3	—	·20	—	·12	—	—	—	—	—	·08	·88	·06		3
4	—	·10	—	·02	—	—	—	—	—	·15	·08	trace		4
5	—	·02	—	—	—	—	—	—	—	·06	·29	·08		5
6	·12	·10	—	—	·04	—	·26	—	—	·20	·08	—		6
7	·27	·06	—	—	·04	—	·09	—	—	—	—	—		7
8	—	—	—	·01	—	—	—	—	·01	·13	—	·25		8
9	—	—	—	—	—	·10 thern.	—	—	·01	·18	·09	·04		9
10	—	—	trace	—	—	—	·23	·05	—	·13	·08	·02		10
11	—	—	—	·02	—	—	trace	—	—	—	·80	—		11
12	—	trace snow	·05	—	—	·10	·05	—	·02	—	trace	—		12
13	—	—	R ~~[illegible]~~	—	—	trace	·01	—	·06	—	·85	trace		13
14	—	—	B ·70	·08	—	—	—	·02	—	·01	trace	·22		14
15	—	—	·04	·02	·08	—	·23	—	trace	·02	·18	—		15
16	·01	·04 snow	·29	—	—	·02	·25	—	·17	·70	·75	·02		16
17	—	—	·40	trace	—	—	~~[illegible]~~	—	—	—	·56	—		17
18	trace	·42	·12	·25	—	—	·23	—	—	·10	·39	·10		18
19	—	·18	—	·08	—	—	—	—	·45		·10	·01		19
20	—	·02	—	·02	—	trace	·11	·01	—	✓	·05	—		20
21	·05 snow	trace	—	—	·29	—	·17	—	—	✓	·26	—		21
22	·02 snow	—	·03	trace	·50	·30	—	—	—		trace	—		22
23	—	·06	·03	·19	·05	·02	—	trace	—	·04	trace	trace		23
24	—	—	—	·16	—	—	·19	—	—		—			24
25	—	—	·43	—	—	—	·09	—	—		—			25
26	·95 snow rain	·05	·50	·11	·15	·01	—	—	—		·01			26
27	·40 snow	·10	—	·10	·24	—	·05	—	·04	—	—			27
28	·28 snow	·03	—	·37	·04	—	—	—	—	—	—	·20		28
29	·06 snow		·08	—	·04	—	—	—	—	—	—	✓		29
30	·28 snow re	✕	—	·25	—	—	—	—	—	·08	—	✓		30
31	·04	✕	trace	✕	—	✕	—	—	✕	·60	✕	—		31
TOTAL	2·48	1·45	2·67	1·97	1·47	·55	2·01	·08	·76	2·62	5·94	1·00	Year's Total ~~23·00~~	23·00
* Days with .01 in. or more.	11	15	12	17	10	6	14	3	7	17 ~~15~~	18	~~12~~ 13 14	~~140~~ 144	~~150~~
* Days with .04 in. or more.	9	11	10	11	10	3	13	1	4	14	17	9 10	~~112~~ 113	–

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) Laurence J. Petre

P.T.O.

857

857

GOLDERS GREEN

1931- 1936

780204

Section **A** for the e… AIR MI… …ITISH RAINFALL ORGANIZATION.

COPY FOR OFFICIAL USE.

FORM 1090.

RE… IN 1931.

Station No. 857.

Kept at Go…

in the County of M…

Diameter of Funnel of Gau…

Height of top of Gauge above…

,, Ground ,,

THE MORNING …PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Feb Jan

Notes	Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date	Notes
		in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
	1	·09	–	–	·36	–	–	Trace	·02	✗	–	–	–	1	
	2	·05	·13	–	·41	–	–	Trace	Trace	✗	·03	Trace	·10	2	
	3	·01	·04	·02	·46	·49	–	–	+·54	✗	–	·02	·13	3	+ Thunder 11.30 pm.
	4	Trace	–	–	Trace	·03	–	·01	·15	✗	Trace	·05	Trace	4	
+ Thunderstorm 4-45pm	5	–	–	–	·19	–	×·72	·06	+·33	✗	–	Trace	·17	5	+ Thunder 7-10 p.m.
+ snow	6	·12	–	+Trace	·08	–	–	–	Trace	2·17	·25	·46	–	6	
+ Earth Tremor 1.30-2.a.m.	7	–	Trace	Trace	Trace	·07	×·10	·02	·68		·05	·07	·04	7	
	8	·07	·01	·05	Trace	Trace	·18	–	+·23		Trace	·11	·01	8	+ Thunder 11.30 a.m.
	9	·09	–		Trace	–	–	Trace	Trace	✓	–	·34	·02	9	
	10	·06	·01	·01	–	Trace	·02	·11	·19		–	·13	–	10	
	11	·21	·12	Trace	–	–	–	–	Trace	✗	–	·07	–	11	
	12	·01	Trace	–	Trace	–	–	·02	·09	✗	–	–	·61	12	
+ melted snow	13	+Trace	Trace	–	–	–	Trace	·05	·14		–	–	–	13	
	14	·11	·01	–	–	–	Trace	·91	+1·01		–	–	–	14	+ Thunder in distance 6-30pm.
	15	·03	·03	–	·14	·11	–	·13	·05		–	–	·03	15	
	16	·04	Trace	–	·10	·26	·05	Trace	+·82	·10	–	–	–	16	+ Thunder 11-30 a.m.
	17	·03	Trace	–	·15	·05	–	·12	·02	·02	·02	–	–	17	
	18	·07	·02	–	·22	–	·04	·09	·78	–	–	·50	–	18	
+ Thunder aft.	19	Trace	·01	–	·46	–	×·32	+·12	Trace	·10	–	Trace	–	19	+ Thunder 11-30am.
	20	·01	Trace	–	·07	–	–	·12	·22	–	Trace	–	–	20	
	21	–	·01	–	–	·55	–	–	·01	·02	–	–	–	21	
	22	–	·17	·07	·03	–	–	–	–	·01	–	·01	–	22	
	23	·02	·19	Trace	·04	·72	·06	–	–	·07	–	·12	·01	23	
	24	–	Trace	Trace	·35	·04	·04	·02	·01	Trace	–	Trace	Trace	24	
	25	–	·07	–	·33	·05	–	+·41	–	–	Trace	·02	Trace	25	+ Thunder 3-30pm.
	26	·07	–	–	·16	–	–	·40	–	·01	–	·13	–	26	
	27	·42	·17	–	–	·23	–	·10	–	–	–	·06	–	27	
+ Thunder 7.20-8.a.m.	28	·23	·06	–	·06	×–	–	–	–	–	Trace	–	·30	28	
	29		·07	–	–	·06	–	·15	–	–	·27	·01	–	29	
	30		× ·04	–	–	·01	–	·02	·12	–	–	–	–	30	
	31		× ·16	–	×	·06	×	Trace	–	×	–	×	·01	31	
	TOTAL	1·74	1·32	0.15	3·61	2·73	1·53	2·86	5·41	2·50	0.62	2·10	0·83	YEAR'S TOTAL 25·40	
	*Days with ·01 in. or more.	19	18	4	17	14	9	18	18	15	5	15	11	163	
	*Days with ·04 in. or more.	13	11	2	16	12	8	13	14	10	3	11	5	118	

40-9999 Feb* Jan

*See Instructions 2 (f) on other side.

(Signed) A E Mackenzie

[P.T.O.

857

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Golders Green

in the County of Middlesex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" Ground " Sea Level 240 ft.

Station No. 857.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Feb Jan

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.09	–	–	.36	–	–	Trace	.02	✓	–	–	–	1
2	.05	.13	–	.41	–	–	Trace	Trace	✓	.03	Trace	.10	2
3	.01	.04	.02	.46	.49	–	–	+.54	✓	–	.02	.13	3 +Thunder 11.30 pm.
4	Trace	–	–	Trace	.03	–	.01	.15	✓	Trace	.05	Trace	4
+Thunderstorm 4-45pm. 5	–	–	–	.19	–	×.72	.06	+.33	✓	–	Trace	.17	5 +Thunder 7-10 p.m.
+snow 6	.12	–	+Trace	.08	–	–	–	Trace		.25	.46	–	6
+Earth Tremor 1.30-2.a.m. 7	–	Trace	Trace	Trace	.07	×.10	.02	.68	2.17	.05	.07	.04	7
8	.07	.01		Trace	Trace	.18	–	+.23		Trace	.11	.01	8 +Thunder 11.30 a.m.
9	.09	–	} .05	Trace	–	–	Trace	Trace	✓	–	.34	.02	9
10	.06	.01	.01	–	Trace	.02	.11	.19		–	.13	–	10
11	.21	.12	Trace	–	–	–	–	Trace	✓	–	.07	–	11
12	.01	Trace	–	Trace	–	–	.02	.09	✓	–	–	.01	12
*melted snow 13	*Trace	Trace	–	–	–	Trace	.05	.14		–	–	–	13
14	.11	.01	–	–	–	Trace	.91	+1.01		–	–	–	14 +Thunder in distance 6-30pm.
15	.03	.03	–	.14	.11	–	.13	.05		–	–	.03	15
16	.04	Trace	–	.10	.26	.05	Trace	+.82	.10	–	–	–	16 +Thunder 11.30 a.m.
17	.03	Trace	–	.15	.05	–	.12	.02	.02	.02	–	–	17
18	.07	.02	–	.22	–	.04	.09	.78	–	–	.50	–	18
+Thunder aft. 19	Trace	.01	–	.46	–	×.32	+.12	Trace	.10	–	Trace	–	19 +Thunder 11-30am.
20	.01	Trace	–	.07	–	–	.12	.22	–	Trace	–	–	20
21	–	.01	–	–	.55	–	–	.01	.02	–	–	–	21
22	–	.17	.07	.03	–	–	–	–	.01	–	.01	–	22
23	.02	.19	Trace	.04	.72	.06	–	–	.07	–	.12	.01	23
24	–	Trace	Trace	.35	.04	.04	.02	.01	Trace	–	Trace	Trace	24
25	–	.07	–	.33	.05	–	+.41	–	–	Trace	.02	Trace	25 +Thunder 3-30pm.
26	.07	–	–	.16	–	–	.40	–	.01	–	.13	–	26
27	.42	.17	–	–	.23	–	.10	–	–	–	.06	–	27
×Thunder 7.20-8.a.m. 28	.23	.06	–	.06	×–	–	–	–	–	Trace	–	.30	28
29		.07	–	–	.06	–	.15	–	–	.27	.01	–	29
30		× .04	–	–	.01	–	.02	.12	–	–	–	–	30
31		× .16	–	×	.06	×	Trace	–	×	–	×	.01	31
TOTAL	1.74	1.32	0.15	3.61	2.73	1.53	2.86	5.41	2.50	0.62	2.10	0.83	YEAR'S TOTAL 25.40
*Days with .01 in. or more.	19	18	4	17	14	9	18	18	15	5	15	11	163
*Days with .04 in. or more.	13	11	2	16	12	8	13	14	10	3	11	5	118

40-9999 Feb Jan

*See Instruction (f) on other side.

(Signed) A E Mackenzie

[P.T.O.

857

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations.

Station No. 857.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at 1 Dunstan Rd, London N.W.11.

in the County of London.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level 240. ft.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	–	–	·18	·38	·04	·03	T 1·09	·02	·25	·04	trace	1
2	·04	–	–	·10	·02	–	–	·08	·40	·05	·03	·13	2
3	–	–	–	·10	·11	–	–	·01	·27	–	trace	–	3
4	trace	trace	–	trace	trace	·11	–	–	trace	–	·10	–	4
5	·11	trace	·04	–	·01	trace	·05	–	·08	–	–	–	5
6	·47	–	trace	·14	–	–	–	–	·05	–	–	–	6
7	–	–	·09	·05	·02	–	–	–	·06	–	–	–	7
8	–	–	·05	·08	·36	–	–	–	·02	·24	trace	–	8
9	·07	·04 S	trace	·06	·56	–	–	–	–	·03	–	–	9
10	·36	·01	·01	·20	·11	trace	–	–	·02	·17	–	–	10
11	trace	·01	–	·04	trace	–	·36	T ·16	·16	T ·23	·07	·02	11
12	·05	–	–	trace	·02	–	–	trace	·03	·20	·01	–	12
13	·06	–	–	·12	·03	–	–	–	trace	·13	·04	–	13
14	·13	·02	–	·10	·08	–	–	–	–	·02	·04	–	14
15	trace	trace	–	·06	T ·19	–	trace	–	–	·11	·01	–	15
16	·19	–	–	·21	·09	–	–	–	–	–	–	–	16
17	–	–	–	trace	–	–	·20	–	–	·06	–	–	17
18	–	–	–	–	trace	–	trace	–	·39	–	·07		18
19	–	–	–	–	–	–	–	–	·02	·24	·02		19
20	trace	–	–	·11	T ·04	–	·02	T ·12	·07	·75	·16	x ·17	20
21	·02	trace	·01	·10	·79	–	–	·08	–	·23	–		21
22	trace	trace	·33	·01	·15	–	T ·13	–	·17	·26	·34		22
23	–	·10	·06	trace	·10	–	·01	–	·09	·82	·07		23
24	–	–	trace	–	trace	–	·33	–	·06	·03	·10	–	24
25	–	trace	–	trace	–	trace	·53	–	·02	·44	trace	–	25
26	–	–	·08	·15	·06	–	·01	–	–	·01	–	–	26
27	–	–	·20	·20	·39	–	·08	–	–	·41	·11	·02	27
28	–	–	trace	trace	·07	trace	·12	–	–	·13	trace	–	28
29	–	–	·30	·04	·09	·02	trace	·40	·04	·26	–	trace	29
30	–	×	·04	·02	·02	·61	·03	·02	·08	·02	·22	·12	30
31	–	×	·05	×	trace	×	·03	–	×	trace	×	·03	31
TOTAL	1.53	0.18	1·26	2·07	3·64	0·78	1·93	1·96	2·05	5·09	1·43	0·49	YEAR'S TOTAL 22·41
*Days with ·01 in. or more.	11	5	12	20	22	4	14	8	19	23	16	7?	161
*Days with .04 in. or more.	9	2	10	18	15	3	8	6	13	18	12	4?	118

40-9999

*See Instruction 2 (*f*) on other side.

S = melted snow

T = Thunder

x ·17 = total for 6 days Dec 18th to 23rd

(Signed) R A S Mackenzie for A. E. Mackenzie.

P.T.O.

857

Section A for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933 .

Kept at 1 Dunstan Road. N.W. 11

in the County of London (M'sex)

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 240 ft.

Station number 857

File number 6706 4/33/26

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	·14	·16	–	× ·01	–	–	–	–	–	·02	–	1
2	·17	–	·35	–	·11	–	–	–	–	–	Trace	–	2
3	–	·18	·20	–	·04	–	–	–	–	–	·01	–	3
4	·34	Trace	·03	–	·24	–	–	–	–	–	–	–	4
5	Trace	·01	·18	–	·08	–	–	–	–	–	–	–	5
6	–	·07	·01	–	·52	–	–	–	–	·07	·10	–	6
7	·16	·09	× ·09	–	Trace	–	–	–	–	·13	–	Trace	7
8	·05	Trace	Trace	–	·02	–	·06	–	–	·01	–	·03	8
9	–	–	–	Trace	·10	–	·16	–	–	·04	·08	–	9
10	–	× ·22	–	–	×× ·01	·03	·30	–	–	·10	–	–	10
11	·14	–	–	–	·02	·03	·10	·09	Trace	–	Trace	–	11
12	–	–	–	·29	·03	·12	·04	–	·46	–	–	–	12
13	·04	–	–	–	·14	Trace	·19	–	·04	–	·13	–	13
14	–	–	–	–	Trace	·03	–	·02	–	·14	·50	·01	14
15	·33	–	·09	–	–	× ·15	·12	·17	–	–	·03	–	15
16	·02	·01	·64	–	–	·24	× ·34	–	–	·02	·10	–	16
17	·01	·06	·30	–	–	·01	·02	–	·10	–	·02	–	17
18	·08	·10	·12	–	–	·19	–	–	–	–	Trace	–	18
19	–	·05	·11	·02	–	× ·19	·01	–	·36	–	–	·03	19
20	–	Trace	·04	·06	–	·32	·01	–	–	–	·01	–	20
21	–	·02	–	–	Trace	·10	–	·05	·32	Trace	Trace	–	21
22	–	–	–	–	–	Trace	–	·16	Trace	·16	·03	–	22
23	–	–	–	·18	–	–	–	–	·48	–	Trace	–	23
24	–	·28	–	·15	·01	·15	–	–	·51	·01	Trace	–	24
25	–	·21	–	·26	–	Trace	–	–	·01	·01	·01	·08	25
26	–	·23	–	·04	·03	Trace	–	–	·09	·04	Trace	·07	26
27	–	Trace	–	–	·33	–	·01	–	–	·19	·01	·08	27
28	–	–	–	–	·10	–	Trace	–	–	·33	–	·01	28
29	·05		·01	× ·19	–	–	·04	–	–	·10	–	–	29
30	·11	✕	·06	–	–	–	Trace	–	·01	Trace	–	·14	30
31	·10	✕	Trace	✕	–	✕	–	·15	✕	·01	✕	–	31
TOTAL	1·63	1·67	2·39	1·19	1·79	1·56	1·40	·64	2·38	1·36	1·05	·45	YEAR'S TOTAL 17·51
*Days with ·01 in. or more.	14	14	15	8	16	12	13	6	10	15	13	8	144
*Days with ·04 in. or more.	11	11	12	7	9	8	9	5	8	10	5	4	99

× Thunder 4 p.m.

× Slight Thunder 6.10 p.m.

× Thunder 3-4 p.m.

× Thunder 10-12 p.m.

× Thunder 1 p.m. and 4 p.m.

× Thunder 1-3 p.m.

× Thunder distance 12.45 p.m.

× Thunder 2.55 p.m.

40-9999

(Signed) A E Mackenzie Capt.

P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 857

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Days adjusted Sept. by nearby station

~~Day~~

Kept at 1 Dunstan Road, Golders Green
in the County of London,
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
,, Ground ,, Sea Level 240. ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·03	–	–	–	–	–	–	·13		·01	–	·37		1
2	·08	–	·08	–	·06	–	–	trace	x	·15	–	·24		2
3	·01	·02	–	·14	–	–	–	·01		·13	–	–		3
4	·11	–	·11	·01	·02	–	–	–		·04	·10	·38		4
5	–	–	·01	–	·02	–	–	·02		–	·01	·41		5
6	trace	–	·29	–	·24	·03	–	·11		·13	–	·42		6
7	·01	trace	–	–	–	trace	–	·04		·14	–	·15		7
8	–	–	–	–	·08	–	–	·04	x	–	·32	·01		8
9	trace	–	·02	–	–	–	–	–		–	·82	·35		9
10	–	–	·16	·12	–	–	–	·06		·05	·33	trace		10
11	·26	–	·34	·02	–	–	–	·07		–	trace	·12		11
12	·05	trace	·07	–	·11	–	·08	·50		–	–	·03		12
13	·23	–	·24	·01	–	–	·06	·02		–	·03	·13		13
14	·04	–	·18	–	·03	–	–	–		·02	·20	·45		14
15	·05	–	·04	–	·07	–	–	–	1·83	–	·06	·25		15
16	·15	–	·12	–	·06	–	–	–	–	·10	trace	–		16
17	·01	–	–	·02	–	–	–	–	–	·03	·02	·14		17
18	·14	–	trace	·23	–	–	·08	–	–	–	–	·07		18
19	–	–	·18	trace	–	–	–	–	·06	trace	–	·16		19
20	–	–	·26	·03	–	–	·08	trace	–	–	–	–		20
21	–	–	trace	·10	–	·10	–	·05	–	·02	–	·05		21
22	–	–	–	–	–	–	–	·32	·18	–	trace	–		22
23	–	–	–	·30	–	·22	–	·01	–	–	·02	·09		23
24	–	·02	·05	·09	–	·04	·59	·03	·20	–	–	–		24
25	·10	·06	–	·11	–	·02	–	–	–	·03	–	·40		25
26	·03	–	–	·24	–	·08	–	–	trace	–	–	·05		26
27	Trace	·04	–	·19	–	·12	–	–	–	·05	–	·50		27
28	–	·13	·01	1·06	–	·02	trace	·87	–	–	·07	·28		28
29	–	X	trace	–	–	–	·03	·01	·14	–	trace	·02		29
30	·05	X	–	–	–	–	–	·04	–	–	–	·17		30
31	·01	X	–	X	–	X	–	·22	X	·07	X	·05		31
TOTAL	1·36	0·27	2·16	2·57	0·68	0·63	0·92	2·55	2·41	0·97	1·98	5·29	Year's Total 21·89	
*Days with ·01 in. or more.	17	5	16	15	9	8	6	18	(7)	14	11	25	151	
*Days with .04 in. or more.	17	3	13	10	6	5	5	12	(7)	9	7	22	110	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 857

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at 1, Dunstan Road, N.W.11

in the County of Middlesex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 240 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1				·03	–	·14	·41	–		·01	·29	–		1
2		·03		·04	–	–	–	–		·17	·01	–		2
3				·11	–	·20	–	Trace		·42	·15	Trace		3
4				·13	–	·30	–	–		·16	Trace	·13		4
5	·12			·09	–	·10	–	–		–	Trace	–		5
6				·30	–	·38	–	–		–	–	–		6
7				·54	–	Trace	–	–		–	·89	·12		7
8				·29	Trace	·02	–	–	·85	·24		·12		8
9		·30	·10	·11	–	·62	–	–	–	·50	·30	–		9
10				·02	–	·02	–	–	–	–	·04	·03		10
11				·06	–	·09	–	–	–	–	·19	–		11
12	·23			–	–	·10	Trace	·08	Trace	–	·41	–		12
13				·18	·14	·02	–	–	–	–	Trace	–		13
14				Trace	·18	·07	–	–	–	–	·02	·12		14
15				·40	Trace	·35	–	–	·06	–	·25	·09		15
16		·44	·02	·07	–	·06	–	–	·11	–	·51	·01		16
17				Trace	–	·25	·01	·01	·02	–	·36	–		17
18				·23	·06	·11	·20	–	·40	·02	·09	·03		18
19	·12			·01	·27	·02	·06	–	·03	–	·15	–		19
20				·04	·17	·07	·12	–	·29	–	·12	·02		20
21				·02	–	–	–	–	·02	·05	·02	–		21
22				–	–	–	–	·41	·06	–	–	–		22
23		·35	·23	–	–	–	–	·30	–	·02	–	–		23
24				·04	·02	–	–	·22	·56	Trace	–	·46		24
25				·22	–	·15	–	–	–	–	–	·76		25
26	·38			–	–	–	–	·29	·04	–	–	·27		26
27				–	Trace	–	–	·01	·16	–	·12	·25		27
28		1·04		–	·06	–	–	–	·07	·06	–	·20		28
29		×		–	–	–	–	–	·68	–	–	·12		29
30		×		·12	·15	–	–	·60	·08	·35	·25	·32		30
31	·06	×	–	×	Trace	×	–	–	×	·32	×	·41		31
TOTAL	0·91	2·16	0·35	3·05	1·05	3·07	0·80	1·92	3·43	2·32	4·17	2·86	Year's Total. 26·09	
* Days with .01 in. or more.	–	–	–	21	8	19	5	8	–	12	19	17		
* Days with .04 in. or more.	–	–	–	17	7	15	4	6	–	9	16	13		

40-9999

† Spare column, no entries required.

(Signed) Esq.

[P.T.O.

* See Instruction 2 (f) on other side.

X GOLDERS GREEN (DUNSTAN ROAD) X

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 857

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at ~~1, Dunstan Road, N.W.11~~

in the County of ~~Middlesex~~

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 240 ft.

Nov. 22 – Jan. 2 1937 allocated from Surr. stns.

This record shld be annotated in proof of Part III

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. ~~1~~ 2 following 2·18 (see encl. 23A)

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·27	·11							–					1
2	·02							·13						2
3		·03												3
4				·46			·25							4
5									·77					5
6					·06	·76								6
7			·19					·11			·65			7
8														8
9	1·34													9
10				–					·37					10
11							·92		–					11
12				·24					·21					12
13						·52	·24			–				13
14			·06			·07	·60			·09	1·66			14
15								·12		–				15
16										–				16
17					·08	~~1·84~~	trace		·22					17
18	·55			trace		·64	·12		–					18
19						·22			–					19
20	·25					Trace	·29							20
21			·02			·29			1·23		·64			21
22		1·06			·32	·04		·08						22
23										·26				23
24							·20			·36				24
25	·34			·82			·12							25
26						·82	·01		·14		(·15)			26
27			·41											27
28														28
29	·95	·33					·69		·20					29
30	·10	✕		·05	·04	·45			–					30
31	·32	✕	·25	✕		✕	·18		✕	1·11	✕		"d"	31
TOTAL	4·14	1·53	0·93	1·57	0·50	3·81	3·62	0·44	3·14	1·82	(3·10)	(2·00)	Year's Total 26·60	Print ~~[illegible]~~
* Days with .01 in. or more.													..	
* Days with .04 in. or more.													..	#

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) X R.A.S. MACKENZIE ESQ. X

858

Section A for the en

AIR MIN ISH RAINFALL ORGANIZATION.

COPY FOR OFFICIAL USE.

FORM 1090.

REC IN 193/ .

Kept at The Hi

in the County of M

Diameter of Funnel of Gaug

Height of top of Gauge above

,, Ground ,,

858

THE HIGHGATE DEPOT

1931- 1940

78 02 04

THE MORNING M REVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following
·10

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.08	.07	.35	.00	.00	.00	.03	.08	.00	.00	.00	1
2	.15	.08	.00	.41	.00	.00	.00	.00	.60	.02	.00	.13	2
3	.04	.02	.01	.50	.50	.00	.00	.36	.87	.00	.02	.17	3
4	.00	.01	.00	.04	.05	.00	.03	.19	.10	.01	.03	.03	4
5	.01	.00	.00	.15	.00	.53	.05	.21	.05	.00	.00	.30	5
6	.00	.13	.00	.05	.00	.00	.00	.00	.00	.22	.49	.00	6
7	.00	.00	.00	.00	.09	.05	.04	.75	.00	.03	.06	.03	7
8	.02	.06	.04	.00	.00	.20	.00	.16	.00	.01	.11	.04	8
9	.00	.03	.03	.00	.00	.02	.00	.00	.02	.00	.38	.02	9
10	.01	.11	.00	.00	.00	.00	.08	.24	.00	.00	.15	.00	10
11	.13	.26	.00	.00	.00	.00	.00	.00	.06	.00	.13	.00	11
12	.00	.06	.00	.00	.00	.00	.00	.02	.40	.00	.01	.00	12
13	.00	.00	.00	.00	.00	.00	.10	.06	.00	.00	.02	.00	13
14	.02	.11	.00	.00	.00	.00	.75	.70	.00	.00	.00	.00	14
15	.04	.08	.00	.10	.11	.00	.08	.05	.00	.00	.00	.02	15
16	.00	.02	.00	.14	.31	.10	.04	.62	.05	.00	.00	.00	16
17	.00	.03	.00	.27	.14	.00	.15	.00	.04	.02	.00	.00	17
18	.03	.05	.00	.21	.00	.02	.06	.61	.00	.00	.51	.00	18
19	.02	.00	.00	.42	.00	.53	.15	.01	.13	.00	.00	.00	19
20	.01	.01	.00	.08	.00	.00	.04	.31	.00	.00	.00	.02	20
21	.02	.00	.00	.00	.55	.00	.00	.01	.00	.00	.00	.00	21
22	.24	.00	.08	.00	.00	.00	.00	.00	.02	.00	.01	.00	22
23	.17	.00	.00	.04	.53	.07	.00	.00	.03	.00	.13	.01	23
24	.00	.00	.00	.49	.04	.06	.05	.00	.03	.00	.00	.00	24
25	.08	.00	.00	.31	.04	.00	.41	.00	.00	.00	.03	.02	25
26	.00	.08	.00	.16	.00	.00	.33	.00	.01	.00	.16	.00	26
27	17	.40	.00	.00	.20	.00	.16	.00	.00	.00	.05	.00	27
28	.07	.26	.00	.08	.00	.00	.00	.00	.00	.00	.01	.31	28
29	.08		.00	.00	.07	.00	.12	.00	.00	.10	.02	.01	29
30	.07	×	.00	.00	.10	.00	.00	.12	.00	.00	.00	.00	30
31	.23	×	.00	×	.08	×	.00	.00	×	.00	×	.00	31
TOTAL	1.62	1.88	.23	3.80	2.81	1.58	2.64	4.45	2.49	.41	2.32	1.11	YEAR'S TOTAL 25.34
*Days with ·01 in. or more.	21	19	5	17	14	9	17	17	15	7	18	13	172
*Days with ·04 in. or more.	12	13	3	17	14	7	16	13	10	2	10	5	122

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

BOROUGH ENGINEER & SURVEYOR.

P.T.O.

858

Section A for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at The Highgate Depôt

in the County of Middlesex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 303·5 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: ·10

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.08	.07	.35	.00	.00	.00	.03	.08	.00	.00	.00	1
2	.15	.08	.00	.41	.00	.00	.00	.00	.60	.02	.00	.13	2
3	.04	.02	.01	.50	.50	.00	.00	.36	.87	.00	.02	.17	3
4	.00	.01	.00	.04	.05	.00	.03	.19	.10	.01	.03	.03	4
5	.01	.00	.00	.15	.00	.53	.05	.21	.05	.00	.00	.30	5
6	.00	.13	.00	.05	.00	.00	.00	.00	.00	.22	.49	.00	6
7	.00	.00	.00	.00	.09	.05	.04	.75	.00	.03	.06	.03	7
8	.02	.06	.04	.00	.00	.20	.00	.16	.00	.01	.11	.04	8
9	.00	.03	.03	.00	.00	.02	.00	.00	.02	.00	.38	.02	9
10	.01	.11	.00	.00	.00	.00	.08	.24	.00	.00	.15	.00	10
11	.13	.26	.00	.00	.00	.00	.00	.00	.06	.00	.13	.00	11
12	.00	.06	.00	.00	.00	.00	.00	.02	.40	.00	.01	.00	12
13	.00	.00	.00	.00	.00	.00	.10	.06	.00	.00	.02	.00	13
14	.02	.11	.00	.00	.00	.00	.75	.70	.00	.00	.00	.00	14
15	.04	.08	.00	.10	.11	.00	.08	.05	.00	.00	.00	.02	15
16	.00	.02	.00	.14	.31	.10	.04	.62	.05	.00	.00	.00	16
17	.00	.03	.00	.27	.14	.00	.15	.00	.04	.02	.00	.00	17
18	.03	.05	.00	.21	.00	.02	.06	.61	.00	.00	.51	.00	18
19	.02	.00	.00	.42	.00	.53	.15	.01	.13	.00	.00	.00	19
20	.01	.01	.00	.08	.00	.00	.04	.31	.00	.00	.00	.02	20
21	.02	.00	.00	.00	.55	.00	.00	.01	.00	.00	.00	.00	21
22	.24	.00	.08	.00	.00	.00	.00	.00	.02	.00	.01	.00	22
23	.17	.00	.00	.04	.53	.07	.00	.00	.03	.00	.13	.01	23
24	.00	.00	.00	.49	.04	.06	.05	.00	.03	.00	.00	.00	24
25	.08	.00	.00	.31	.04	.00	.41	.00	.00	.00	.03	.02	25
26	.00	.08	.00	.16	.00	.00	.33	.00	.01	.00	.16	.00	26
27	17	.40	.00	.00	.20	.00	.16	.00	.00	.00	.05	.00	27
28	.07	.26	.00	.08	.00	.00	.00	.00	.00	.00	.01	.31	28
29	.08		.00	.00	.07	.00	.12	.00	.00	.10	.02	.01	29
30	.07	×	.00	.00	.10	.00	.00	.12	.00	.00	.00	.00	30
31	.23	×	.00	×	.08	×	.00	.00	×	.00	×	.00	31
TOTAL	1.62	1.88	.23	3.80	2.81	1.58	2.64	4.45	2.49	.41	2.32	1.11	YEAR'S TOTAL 25.34
*Days with ·01 in. or more.	21	19	5	17	14	9	17	17	15	7	18	13	172
*Days with ·04 in. or more.	12	13	3	17	14	7	16	13	10	2	10	5	122

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

BOROUGH ENGINEER & SURVEYOR.

P.T.O.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 858

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at The Highgate Depôt
North Hill Highgate N.6
in the County of Middlesex

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level 303.5 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·04

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10	·00	·00	·23	·43	·04	·05	·74	·04	·22	·04	·02	1
2	·04	·00	·00	·08	·03	·00	·01	·06	·51	·03	·03	·16	2
3	·00	·00	·00	·16	·12	·00	·00	·00	·28	·00	·00	·00	3
4	·01	·00	·00	·00	·00	·09	·00	·00	·00	·00	·11	·00	4
5	·13	·00	·05	·00	·00	·02	·05	·00	·09	·00	·00	·00	5
6	·63	·00	·00	·14	·02	·00	·02	·00	·06	·00	·00	·00	6
7	·00	·00	·10	·05	·02	·00	·00	·00	·07	·00	·00	·00	7
8	·00	·00	·05	·06	·30	·00	·00	·00	·04	·23	·00	·00	8
9	·06	·06	·00	·04	·56	·00	·00	·00	·00	·02	·00	·00	9
10	·38	·00	·00	·20	·13	·00	·00	·00	·06	·19	·00	·00	10
11	·07	·00	·00	·04	·01	·00	·04	·22	·06	·10	·07	·03	11
12	·05	·00	·00	·02	·02	·00	·00	·00	·03	·25	·03	·00	12
13	·04	·00	·00	·12	·04	·00	·00	·00	·01	·13	·03	·01	13
14	·11	·03	·00	·16	·05	·00	·00	·00	·00	·00	·04	·01	14
15	·00	·00	·00	·03	·19	·00	·00	·00	·00	·13	·01	·00	15
16	·21	·00	·00	·07	·06	·00	·03	·00	·00	·00	·00	·00	16
17	·00	·00	·00	·01	·00	·00	·12	·00	·00	·12	·00	·00	17
18	·00	·00	·00	·01	·04	·00	·00	·00	·36	·00	09	·00	18
19	·00	·00	·00	·00	·04	·00	·00	·00	·02	·23	·03	·00	19
20	·00	·00	·00	·13	·02	·00	·01	·23	·06	·78	·15	·01	20
21	·01	·01	·00	·14	·70	·00	·00	·02	·00	·29	·00	·04	21
22	·01	·00	·17	·00	·09	·00	·11	·00	·16	·39	·37	·00	22
23	·00	·11	·02	·01	·04	·00	·03	·00	·12	1·08	·00	·13	23
24	·00	·02	·00	·00	·00	·00	·30	·00	·04	·05	·12	·00	24
25	·00	·00	·00	·00	·00	·00	·52	·00	·04	·52	·01	·01	25
26	·00	·00	·09	·17	·04	·00	·05	·00	·00	·02	·00	·00	26
27	·00	·00	·29	·18	·38	·00	·06	·00	·01	·35	·13	·03	27
28	·00	·00	·04	·03	·09	·00	·17	·00	·00	·10	·00	·00	28
29	·00	·00	·36	·05	·02	·03	·02	·44	·05	·30	·03	·00	29
30	·00	×	·09	·04	·05	·60	·01	·03	·08	·04	·28	·14	30
31	·00	×	·06	×	·00	×	·05	·00	×	·02	×	·03	31
TOTAL	1·85	·23	1·32	2·17	3·49	·78	1·65	1·74	2·19	5·59	1·57	·62	YEAR'S TOTAL 23·20
*Days with ·01 in. or more.	14	5	11	24	25	5	18	7	21	23	17	12	182
*Days with .04 in. or more.	11	2	10	18	18	3	11	5	18	19	16	4	135

40-9999

*See Instruction 2 (*f*) on other side.

(Signed)

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. **Station No.** 858

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at The Highgate Depôt

in the County of Middlesex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 303·5 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: ·03

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04	.15	.16	.00	.01	.00	.00	.00	.00	.01	.01	.00	1
2	.18	.00	.46	.00	.13	.00	.00	.00	.00	00	.02	.00	2
3	.38	.18	.21	.00	.05	.00	.00	.00	.00	.00	.03	.00	3
4	.00	.00	.04	.00	.20	.00	.00	.00	.00	.00	.02	.00	4
5	.00	.03	.19	.00	.15	.00	.00	.00	.00	.00	.01	.00	5
6	.00	.08	.04	.00	.50	.00	.00	.00	.00	.08	.07	.01	6
7	.16	.10	.06	.00	.02	.00	.00	.00	.00	.05	.00	.00	7
8	.06	.00	.01	.00	.02	.00	.06	.00	.00	.15	.00	.00	8
9	.00	.00	.00	.00	.08	.00	.16	.00	.00	.03	.08	.00	9
10	.00	.20	.00	.00	.01	.05	.27	.00	.00	.10	.00	.00	10
11	.09	.00	.00	.00	.03	.03	.13	.12	.05	.00	.00	.00	11
12	.00	.00	.00	.15	.04	.16	.03	.00	.51	.00	.00	.02	12
13	.05	.00	.00	.00	.13	.00	.21	.00	.05	.00	.16	.00	13
14	.00	.00	.00	.00	.03	.00	.00	.04	.00	.15	.51	.00	14
15	.35	.00	20	.00	.00	.30	12	.14	.00	.03	.05	.00	15
16	.04	.02	.63	.00	.00	.22	.04	.00	.01	.06	.05	.00	16
17	.04	.03	.26	.00	.00	.04	.01	.00	.10	.00	.00	.00	17
18	.09	.13	.12	.00	.00	.20	.00	.00	.00	.00	.04	.00	18
19	.00	.06	.14	.01	.00	.29	.02	.00	.40	.00	.01	.03	19
20	.00	.02	.03	.06	.00	.31	.00	.00	.01	.00	.04	.00	20
21	.00	.03	.00	.00	.00	.13	.00	.03	.30	.00	.01	.00	21
22	00	.00	.00	.00	.00	.00	.00	.15	.02	16	.01	.00	22
23	.00	.00	.00	.20	.00	.00	.00	.00	.46	00	.00	.00	23
24	.00	.20	.00	.15	.02	.11	.00	.00	.56	.03	.00	.00	24
25	.00	.09	.00	.25	.00	.01	.00	.00	.06	.01	.01	.09	25
26	.00	.25	.00	.05	.00	.03	.00	.00	.22	.13	00	.09	26
27	.00	.00	.00	.00	.25	.00	.04	00	.00	.14	.00	.06	27
28	.00	.00	.00	.00	.18	.00	.02	.00	.00	.35	.00	.02	28
29	.07		.01	.20	.00	.00	.11	.00	.00	.13	.00	.00	29
30	.09	×	.06	.00	.00	.00	.00	.00	.02	.00	.00	.13	30
31	.12	×	.00	×	.00	×	.00	.17	×	.01	×	.00	31
TOTAL	1.74	1.57	2.65	1.07	1.85	1.88	1.22	.65	2.77	1.62	1.13	.45	YEAR'S TOTAL 18.60
*Days with ·01 in. or more.	14	15	16	8	17	13	13	6	14	17	17	8	158
*Days with .04 in. or more.	14	10	13	7	10	10	9	5	10	11	8	4	111

40-9999

*See Instruction 2 (*f*) on other side.

(Signed)

Borough Engineer & Surveyor

P.T.O.

COPY FOR OFFICIAL USE.

File no

Section **A** for the entry of Daily Observations.

Station No. 673308/36

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

858

Kept at The Highgate Depôt North Hill

in the County of Middlesex.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 303·5 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·13

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	·00	·00	·00	·00	·00	·00	·16	·00	·01	·00	·37		1
2	·04	·00	·10	·00	·00	·00	·00	·00	·72	·15	·00	·22		2
3	·06	·03	·00	·20	·00	·00	·00	·00	·00	·15	·00	·04		3
4	·12	·00	·12	·03	·02	·00	·00	·00	·00	·05	·09	·38		4
5	·02	·00	·02	·00	·04	·00	·00	·04	·00	·00	·01	·45		5
6	·00	·00	·28	·00	·28	·10	·00	·11	·00	·15	·00	·46		6
7	·02	·00	·03	·00	·00	·00	·00	·03	·00	·15	·00	·15		7
8	·01	·01	·00	·00	·12	·00	·00	·04	·14	·00	·39	·01		8
9	·00	·00	·03	·00	·00	·00	·00	·00	·00	·00	·79	·38		9
10	·02	·00	·18	·12	·00	·00	·00	·10	·00	·08	·37	·00		10
11	·34	·00	·36	·02	·00	·00	·00	·05	·00	·00	·00	·16		11
12	·05	·00	·05	·00	·04	·00	·07	·36	·00	·01	·00	·01		12
13	·24	·00	·26	·01	·00	·00	·02	·01	·00	·00	·03	·11		13
14	·06	·00	·16	·00	·02	·00	·00	·01	·00	·02	·25	·52		14
15	·05	·00	·10	·00	·16	·00	·00	·00	1·02	·00	·06	·26		15
16	·19	·01	·16	·00	·08	·00	·00	·00	·00	·11	·01	·00		16
17	·03	·00	·00	·01	·02	·00	·00	·00	·00	·06	·02	·15		17
18	·22	·00	·02	·34	·00	·00	·12	·00	·00	·00	·00	·07		18
19	·00	·00	·17	·00	·00	·00	·00	·00	·07	·00	·01	·19		19
20	·00	·00	·32	·04	00	·01	·05	·00	·00	·00	·01	·00		20
21	·00	·01	·00	·11	·00	·11	·00	·06	·00	·01	·00	·00		21
22	·00	·00	·00	·00	·00	·00	·00	·23	·18	·00	·01	·03		22
23	·00	·00	·00	·33	·00	·24	·01	·00	·00	·00	·01	·12		23
24	·00	·02	·04	·05	·00	·08	·61	·00	·20	·00	·00	·00		24
25	·11	·05	·00	·13	·00	·01	·00	·01	·00	·02	·00	·41		25
26	·04	·00	·00	·27	·00	·07	·00	·00	·02	·01	·00	·07		26
27	·00	·02	·00	·15	·00	·15	·00	·00	·00	·06	·00	·55		27
28	·00	·17	·00	·72	·00	·07	·02	·86	·00	·00	·01	·32		28
29	·00		·00	·00	·00	·00	·04	·00	·18	·00	·00	·07		29
30	·06	×	·00	·00	·00	·00	·00	·03	·02	·00	·00	·15		30
31	·02	×	·00	×	·00	×	·00	·05	×	·08	×	·06		31
TOTAL	1·73	·32	2·40	2·53	·78	·84	·94	2·15	2·55	1·07	2·07	5·71	Year's Total. 23·09	
* Days with .01 in. or more.	20	8	17	15	9	9	8	16	9	16	15	26	168	
* Days with .04 in. or more.	13	2	13	11	6	7	5	11	7	9	6	23	113	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) Borough Engineer & Surveyor

P.T.O.

Dele 40 858

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

~~Station~~ No: 643308

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

~~88~~

Kept at The Highgate Depôt North Hill
in the County of Middlesex
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 303.5 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·32

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.13	.03	.00	.07	.00	.10	1.12	.00	.05	.05	.32	.00		1
2	.02	.00	00	.09	.00	00	00	.00	22	11	.02	.00		2
3	.00	07	.07	.10	.00	.22	.00	.00	.21	.65	30	.02		3
4	.00	.00	00	.04	.00	28	.00	00	15	25	.01	.08		4
5	.00	.30	.04	.11	.00	.05	.00	00	31	.00	.01	.00		5
6	.01	.00	01	.36	.00	.45	.00	.00	.00	.00	.00	.00		6
7	.01	.00	.00	.54	.00	.02	.00	.00	.00	.13	85	.13		7
8	.00	.00	.00	31	.01	.00	.00	.00	.00	.20	.25	.10		8
9	.00	.00	.00	.19	.00	.63	.00	.00	.00	.58	.04	.00		9
10	.02	.00	.00	.09	.00	.04	.00	00	.00	00	.03	.03		10
11	.22	.00	.00	.00	.00	.12	.00	00	.00	.00	20	.00		11
12	.00	.00	.00	.00	.00	.11	.00	.08	.00	.00	45	.00		12
13	.15	.15	.00	.15	.14	01	.00	.00	.00	.00	.01	.00		13
14	.00	.00	.00	.01	.25	.10	.00	.00	.00	.00	.02	.14		14
15	.00	.25	.00	.47	.01	.50	.00	.00	05	.00	.33	.08		15
16	.00	.03	.01	.03	.00	.12	.00	.00	.14	.00	.51	.04		16
17	.02	00	.03	.05	.00	.31	.00	.00	.05	00	.56	.00		17
18	.00	.00	.00	.26	.09	.16	.08	.00	.95	-02	.12	.04		18
19	.00	.00	.00	.03	.16	.03	.08	.00	.04	.00	16	.03		19
20	.01	.17	.00	.04	.23	09	.33	.00	.25	00	12	.00		20
21	.00	.21	.00	.02	.00	.00	.00	00	.01	.01	.04	.00		21
22	.00	.02	.03	.00	.00	-00	.00	.54	.10	.00	.00	-00		22
23	.00	.01	.20	.00	.00	.00	.00	.28	.05	.01	.00	.13		23
24	.06	.47	.00	.00	.00	.00	.00	.11	.67	.00	.00	.36		24
25	06	.15	.00	.23	.00	.25	.00	00	.00	.00	.00	.09		25
26	.40	.07	.00	.00	.00	.00	.00	34	.04	.01	.00	.28		26
27	.01	.35	.00	.00	.00	.00	.00	.00	.16	00	13	.24		27
28	.00	.03	.00	.00	.09	.00	.00	.00	.05	.12	.00	.21		28
29	.00		.00	.00	00	.00	.00	.00	.71	00	01	.06		29
30	.05	✕	.00	.10	.57	.00	.00	.68	.08	38	.29	.30		30
31	.00	✕	.00	✕	.02	✕	.00	.00	✕	.46	✕	.42		31
													Year's Total	
TOTAL	1.17	2.31	.39	3.29	1.57	3.59	1.61	2.03	4.29	2.98	4.78	2.78	30.79	
* Days with .01 in. or more.	14	15	7	21	10	19	4	6	20	14	23	19	172	
* Days with .04 in. or more.	9	10	3	14	9	16	4	6	19	10	16	16	130	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

BOROUGH ENGINEER & SURVEYOR

858

COPY FOR OFFICIAL ~~USE~~

~~Station No.~~ Scale 4/0 673308/26

Section A for the entry of Daily Observations

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at The Highgate Depot, North Hill

in the County of Middlesex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 303·5 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·32

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·32	·11	·06	·17	·00	·17	·14	·10	·00	·00	·08	·00		1
2	·01	·04	·01	·02	·00	·28	·06	·02	·00	·00	·06	·10		2
3	·00	·00	·00	·12	·01	·02	·00	·00	·21	·00	·25	·02		3
4	·01	·00	·09	·00	00	·13	·00	·00	·50	·00	·03	·04		4
5	·06	·00	·02	·00	·00	·00	00	·03	·07	·00	·02	·17		5
6	·16	·00	·00	·00	·00	·14	·00	·09	04	·01	·14	·02		6
7	·38	·00	·03	·00	·00	·04	·00	·00	·03	·00	·10	·03		7
8	·16	·00	·02	·00	·00	·00	·02	·02	·00	·00	·41	·18		8
9	·72	·00	·03	·00	·00	·00	·18	·00	·30	·00	·00	·00		9
10	·00	·00	·00	·00	·00	·00	·18	·20	·06	·00	·02	·00		10
11	·00	·00	·00	·02	·00	·00	·22	·03	·00	·00	·92	·00		11
12	00	·00	·00	·16	·00	·34	·20	·00	·12	·00	·26	·11		12
13	·00	·00	·00	·03	·00	·11	·00	·00	·03	·01	·07	·03		13
14	·00	·05	·00	·00	·00	06	·61	·00	·00	·05	·18	·40		14
15	·02	·07	·00	·00	·00	·00	·00	·00	·18	·00	·03	·04		15
16	·45	·08	·00	·00	·00	·00	·01	·00	·05	·00	·44	·00		16
17	·13	·42	·00	·00	·12	·08	·00	·00	·00	·01	·18	·16		17
18	·02	·09	·00	·00	·00	·20	·14	·00	·00	·08	·00	·09		18
19	·23	·03	·01	·00	·00	·18	·15	·08	·00	·05	·00	·00		19
20	·00	·15	·01	·34	·00	·02	·03	·00	·63	·00	·00	·00		20
21	·00	·02	·00	·24	·00	·34	·00	·00	·04	·00	·00	·00		21
22	·16	·37	·03	·03	·23	·02	·19	·00	·00	·00	·00	·15		22
23	·02	·04	·01	·10	·00	·00	·03	·00	·00	·09	·00	·00		23
24	·14	·15	·00	·00	·00	·00	·00	·00	·00	·65	·00	·00		24
25	·10	·00	·17	·16	·00	·52	·10	·00	·14	·15	·00	·06		25
26	·00	·10	·23	·07	·00	·03	·02	·00	·00	·18	·03	·02		26
27	·16	·05	·03	·02	·00	·00	·01	·00	·19	·05	·00	·00		27
28	·70	·00	·10	·00	·00	·05	·50	·00	·02	·00	·00	·01		28
29	·09	·10	·11	·00	·00	·28	·13	·00	·00	·00	·10	·04		29
30	·14	✗	·00	·00	·02	·18	·02	·00	·00	·29	·00	·01		30
31	·33	✗	·23	✗	·00	✗	·14	·00	✗	·53	✗	·36		31
													Year's Total	
TOTAL	4·51	1·87	1·19	1·48	·38	3·19	3·08	·57	2·61	1·95	3·32	2·04	26·19	✓
* Days with ·01 in. or more.	22	16	17	13	4	20	21	8	16	13	18	20	188	✓
* Days with ·04 in. or more.	17	14	7	8	2	16	14	4	13	10	13	13	131	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

858

COPY FOR OFFICIAL USE

File ~~Station~~ No. 673508/36

Section A for the entry of Daily Observations

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at Highgate Depot, North Hill

in the County of Middlesex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 303.5 ft.

Day

4p

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: .00

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.32	.00	.00	.08	.00	.00	.00	.00	03	.00	.74	.82		1
2	.00	.09	.02	.61	00	.00	.00	.00	.06	.00	.00	.61		2
3	.00	.15	.00	.00	.03	.00	.00	.00	.00	.00	.00	.01		3
4	.05	.45	.00	00	.04	.00	00	1.15	.00	.00	.00	.40		4
5	.23	.08	.28	.00	.00	.00	.06	.00	.00	00	.01	.01		5
6	.02	.00	.40	00	.15	.00	.01	.00	.00	.14	.03	.01		6
7	.00	.87	.09	.11	.00	.00	.00	.00	.05	.01	.00	.00		7
8	.00	.03	.00	.00	.10	.04	.00	.00	.00	.00	.10	.30		8
9	.00	.03	.00	.35	.20	.00	.07	.00	26	.00	.00	.03		9
10	.00	.00	.48	.06	.71	.41	.07	.04	.00	.00	.00	.31		10
11	.00	.00	.27	.00	.30	.00	.02	.00	.00	.00	.00	.08		11
12	.14	.33	.12	.00	.34	.48	.00	.03	.05	.00	.00	.03		12
13	.14	.07	.36	.00	.00	.13	01	√2.66	.00	.00	.00	.89		13
14	.01	.02	.24	.06	.00	.00	.00	.25	.14	.00	.00	.01		14
15	09	.12	.00	.18	.00	.03	.22	.00	.05	.00	.00	.03		15
16	.06	.18	.13	.43	.00	.05	.00	.21	.42	.00	.00	.00		16
17	.20	.00	.08	.17	.00	.00	.00	.00	.30	.00	.01	.01		17
18	.28	.07	.00	.01	.17	.20	.00	.00	.01	.00	.22	.02		18
19	.01	.09	.02	.13	.10	.16	.43	.00	.09	.00	.00	.12		19
20	.23	.02	.06	.47	.76	.05	.00	.00	.10	.00	.00	.04		20
21	.26	.54	.04	.08	.00	.00	.03	.02	.00	.00	.01	.02		21
22	.37	.01	.00	.00	.00	.07	.03	.00	00	.70	.25	.01		22
23	.26	.00	.00	.00	.00	.00	.02	.00	.00	.50	.00	.01		23
24	.38	.56	.01	.00	.00	.09	.00	.00	20	.12	.00	.00		24
25	.03	31	.11	.00	.15	.00	.00	.00	.07	.44	.00	.01		25
26	.00	.21	.04	.00	.03	.00	.00	.00	00	.03	.00	.02		26
27	.03	.08	.00	.16	.00	.00	.00	.00	.04	.61	.00	.00		27
28	.03	.03	.00	.03	.00	.05	.00	.00	.00	.09	.01	.03		28
29	.04	×	.00	.00	.00	.00	.00	.00	.00	.06	.04	.03		29
30	.25	×	.00	.00	.00	.00	.00	.14	.00	.00	.14	00		30
31	.24	×	.00	×	.00	×	.00	.00	×	.23	×	.04		31
TOTAL	3.67	4.34	2.75	2.93	3.08	1.97	.97	4.50	1.87	2.93	1.56	3.90	Year's Total 34.47	✓ ✓
* Days with .01 in. or more.	23	22	17	15	13	11	11	8	15	11	11	26	~~53~~ 183	✓ ✓
* Days with .04 in. or more.	17	16	14	13	11	10	5	6	13	9	[illegible]	10	130	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) .... [P.T.O.

Borough Engineer & Surveyor.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations Station No. 858

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at Highgate Depot, North Hill, N.6.

in the County of MIDDLESEX.

Diameter of Funnel of Gauge 5(five) ins.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 303.5 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	-	.02	.12	.24	-	.03	.03	-	-		1
2	.13	.01	-	.05	.14	-	.05	-	-	.16	.01	.08		2
3	-	-	-	-	.19	-	.03	-	.01	.58	.02	-		3
4	.04	-	-	-	-	-	.02	-	.02	.06	-	.18		4
5	-	-	-	-	-	-	.17	-	-	.13	-	-		5
6	.03	-	-	-	-	-	.03	-	.08	.03	-	-		6
7	-	-	-	-	-	-	.05	.35	-	.17	-	.10		7
8	.13	-	-	-	-	-	.15	-	-	.30	-	-		8
9	.03	-	-	-	-	-	.05	.29	-	.02	-	.42		9
10	.20	.05	-	-	-	.05	.03	.16	-	-	-	.04		10
11	.26	-	-	-	-	-	.-	-	-	-	.14	.05		11
12	.29	.01	-	-	.02	-	.05	.80	-	.27	.02	-		12
13	.15	.06	-	-	-	-	-	-	-	.06	.08	.14		13
14	.25	-	-	-	.21	-	-	-	.07	-	-	.03		14
15	.07	.01	-	-	-	-	.08	-	-	.30	-	.39		15
16	.39	-	-	-	-	-	.03	.01	-	.01	.01	.62		16
17	-	.09	-	-	.29	-	.05	-	-	.08	-	-		17
18	.03	-	-	-	.08	-	-	-	.16	-	.28	-		18
19	-	-	-	-	-	-	-	.04	.05	-	.26	-		19
20	-	.01	-	-	-	-	-	-	.01	-	.40	.02		20
21	.01	-	-	-	-	-	-	.04	.06	-	.03	.35		21
22	-	-	-	-	-	.02	-	-	-	-	.17	.27		22
23	-	-	-	-	-	-	-	-	-	-	.03	.01		23
24	-	-	.15	-	.01	-	-	-	.78	-	.08	.04		24
25	.10	.02	.13	.02	.10	-	.02	-	.02	.05	1.11	.13		25
26	.15	.16	.08	.01	-	-	.-	-	.21	.21	-	.35		26
27	.12	.03	-	[illegible]	.02	.18	.30	.09	.57	.11	.39	-		27
28	.20	.05	-	-	.63	.03	-	.16	.04	-	.01	.04		28
29	.30	X	-	-	.22	-	-	-	.01	.01	.08	.25		29
30	.02	X	-	.02	.04	-	-	-	.03	.09	.18	-		30
31	.10	X	-	X	.08	X	-	-	X	.14	X	.26		31
TOTAL	3.00	.50	.36	.10	2.05	.40	1.35	1.94	2.15	2.81	3.30	3.77	Year's Total 21.73	✓ ✓
* Days with .01 in. or more.	21	11	3	4	14	5	16	9	16	20	18	20	157	✓ ✓
* Days with .04 in. or more.	16	5	3	1	10	3	10	8	9	15	11	17	108	✓ ✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) Richard

Borough Engineer & Surveyor

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 858

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Highgate Depot, North Hill, N.6

in the County of Middlesex.

Diameter of Funnel of Gauge Five in.

Height of top of Gauge above Ground 14 ft. - in.

,, Ground ,, Sea Level 303.5 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	.37	.50	-	-	.23	.42	-	-	-		1
2	.02	-	-	-	.02	-	-	.73	.63	-	.03	.02		2
3	.35	-	-	.26	-	-	-	.40	-	-	.19	.16		3
4	.11	-	.17	.24	-	-	.04	.97	-	.55	.07	.04		4
5	-	-	-	.64	-	-	.03	.03	-	.04	.20	.06		5
6	.50	-	-	-	-	-	.21	.01	-	-	.56	-		6
7	.06	.07	-	-	-	-	-	.02	-	-	.02	.08		7
8	-	.07	.12	-	-	-	.02	.40	-	.53	.13	.32		8
9	.01	.05	-	-	-	-	-	.01	-	.38	.01	.21		9
10	.20	-	-	-	-	.32	-	.13	.01	.02	-	-		10
11	-	-	.28	-	-	.09	-	-	-	.24	.01	.01		11
12	-	.02	-	-	.01	.01	-	-	-	-	-	-		12
13	-	-	-	.03	-	-	.07	-	.05	1.36	-	-		13
14	.63	-	.01	.04	.07	.04	-	-	.01	.28	.38	.03		14
15	.25	-	.01	-	.54	.11	-	-	-	1.13	.19	.02		15
16	.40	-	.11	.02	.10	.12	-	-	.02	-	.29	-		16
17	.22	.03	.04	.02	.10	-	.21	-	-	-	.03	-		17
18	.19	-	-	-	-	.37	.17	-	-	.14	.33	-		18
19	.25	-	.04	-	-	-	.21	-	-	.32	.01	-		19
20	.20	-	-	-	-	.11	.63	-	-	-	-	.02		20
21	.09	-	.32	-	-	.02	.10	1.00	.07	-	-	-		21
22	.09	.25	.10	-	-	-	.02	-	-	-	.10	-		22
23	.09	-	-	.11	-	-	.-	.04	-	.07	.68	-		23
24	.32	.01	.02	.01	-	-	.26	.01	-	.14	-	-		24
25	1.07	.10	.04	.02	-	-	.11	.17	-	-	.63	-		25
26	.15	.03	.02	.05	-	-	-	-	-	.20	.20	.03		26
27	.01	-	.12	.09	-	.01	-	-	-	.20	.16	-		27
28	-	.17	.07	.16	-	-	.13	-	-	.06	.11	.10		28
29	-	X	-	.39	-	-	.04	-	-	.07	.16	-		29
30	-	X	-	.68	-	.02	-	-	-	-	.10	-		30
31	-	X	-	X	-	X	.02	.01	X	-	X	-		31
TOTAL	5·21	·80	1·47	3·13	1·34	1·22	2·27	4·16	1·21	5·73	4·59	1·10	Year's Total 32·23	
* Days with .01 in. or more.	21	10	15	16	7	11	16	15	7	17	23	13	171	
* Days with .04 in. or more.	18	6	11	11	5	7	12	9	4	16	17	7	123	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Melville Richard

BOROUGH ENGINEER & SURVEYOR

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 858

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

673308/26

Sept. [illegible]

Inc

Kept at Highgate Depot, North Hill, N.6.
in the County of MIDDLESEX.
Diameter of Funnel of Gauge 5" in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 303½' ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	00	06	00	08	06	00	00	00	00					1
2	00	07	00	11	00	00	07	00	00					2
3	00	22	00	10	00	00	00	00	00					3
4	00	14	00	08	00	00	00	00	00					4
5	00	07	00	00	00	00	06	00	00					5
6	08	09	00	00	02	00	22	00	00					6
7	26	03	00	01	03	00	25	00	02					7
8	00	00	00	00	00	06	10	00	00					8
9	00	00	00	00	00	26	00	04	02					9
10	00	00	01	00	00	00	17	07	00					10
11	00	00	00	02	00	00	32	00	00					11
12	00	02	05	00	00	06	05	00	18					12
13	00	01	65	00	00	00	00	00	04					13
14	00	00	16	08	00	00	00	00	01					14
15	00	00	07	02	21	02	25	00	04					15
16	07	10	29	02	00	04	42	00	11					16
17	00	00	48	00	00	00	03	00	00					17
18	00	51	05	27	00	00	11	00	02					18
19	00	09	00	06	00	00	01	00	43					19
20	00	03	00	04	00	01	05	02	00					20
21	04	00	00	00	34	00	06	00	00					21
22	07	00	04	00	18	03	00	00	+					22
23	00	07	02	20	00	23	00	00						23
24	00	00	00	16	00	00	25	00						24
25	00	00	36	00	00	00	10	00						25
26	1:08	04	40	01	10	00	00	00	1·10					26
27	42	21	00	07	28	00	01	00						27
28	36	00	00	23	06	00	00	00						28
29	05	02	12	00	03	00	00	00						29
30	03	X	00	18	00	00	00	00						30
31	03	X	00	X	00	X	00	00	X		X			31
TOTAL	2:49	1:78	2:70	1:74	1:31	:55	2:53	:13	:87.				Year's Total ~~14.10~~	
* Days with .01 in. or more.	11	17	13	18	10	7	18	3	10 ~~9~~				~~108~~	
* Days with .04 in. or more.	9	12	11	13b	7	4	15	2	6 ~~5~~				~~78~~	

We are prevented from taking any further recordings at this Station, owing to the fact that the guage was destroyed by enemy action.

np
imp.

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) J. H. Melville Richard

BOROUGH ENGINEER & SURVEYOR

[P.T.O.

860

Section **A** for the entry of D

AIR MINISTRY.

AINFALL ORGANIZATION.

COPY FOR OFFICIAL USE.

FORM 1090.

REGIST

193*1* .

860

HARROW-ON-THE-HILL

OAKHURST

1931- 1940

480204

Kept at *Oakhurst, Harrow*

in the County of *Middles*

No 860.

Diameter of Funnel of Gauge

Height of top of Gauge above Ground.

,, Ground ,, Sea Le

THE MORNING MEASUR **S DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	·11	-	·20	-	·03	tr	tr	·02	-	tr (dew)	-	1
2	·12		-	·36	-	-	-	·01	·54	·04	tr	·06	2
3	·02	-	·02	·37	·43	-	-	·41	·79	-	·02	·15	3
4	-	-	-	tr	·01	-	·01	·11	·19	tr	·09	-	4
5	-	-	-	·16	·07	·66	·08	·25	·01	tr	·01	·17	5
6	-	·13 sleet	-	·10	-	-	tr	-	-	·30	·44	-	6
7	-	·01	-	tr	·07	·02	-	·68	-	·03	·18	·06	7
8	·02	·05	·06 snow	tr	·01	·20	-	·43	-	·04	·11	·02	8
9	-	·03	·02 "	tr	-	·02	-	-	-	-	·42	·02	9
10	·01	·11	·02 "	-	-	·01	·08	·25	-	-	·18	·01	10
11	·08	·21	-	-	-	-	-	-	·03	·01 (fog)	·14	-	11
12	tr	·02 snow	-	tr	-	-	tr	·09	·41	tr	-	·01	12
13	·01	-	-	-	-	tr	·10	·08	-	-	·01 (dew)	-	13
14	·01	·10 snow	-	-	tr	tr	·95	1·49	-	tr (dew)	tr	-	14
15	·03	·02	-	·11	·15	-	·13	·10	-	-	·01	·05	15
16	-	·09	-	·11	·25	·04	tr	·09	-	-	-	-	16
17	·01	·01	-	·20	·08	·01	·15	-	·08	·01	-	-	17
18	·03	·09	-	·19	tr	·15	·11	·78	·09	-	·56	-	18
19	·01	-	tr	·39	-	·21	[·12]x	·08	tr	-	·01	-	19
20	tr	·03	tr	·11	-	-	·07	·11	·09	-	·02	·02	20
21	·01	-	-	-	·34	-	tr	-	-	-	-	-	21
22	·22	-	·03	tr	-	-	-	-	·01	-	-	-	22
23	·20	-	-	·02	·54	·01	-	-	·03	-	·12	·03	23
24	-	tr	-	·20	·07	·09	·04	·01	·01	-	·01	-	24
25	·08	-	-	·47	·05	-	·50	-	-	-	·02	·01	25
26	-	·05	tr (fog)	·21	-	-	·41	-	·01	-	·17	-	26
27	·15	·39	-	·01	·26	-	·14	-	-	tr (fog)	·09	-	27
28	·06	·25 snow	-	·11	-	-	-	-	-	·01	·01	-	28
29	·09	X	-	-	·15	-	·17	-	tr (dew)	·27	·02 (fog)	·20 rain & snow	29
30	-	X	-	-	·02	-	·04	·14	-	-	·01	·01 snow	30
31	·18	X	-	X	·06	X	tr	-	X	-	X	-	31
TOTAL	1·34	1·70	0·15	3·32	2·56	1·45	3·10	5·11	2·31	0·71	2·65	0·82	YEAR'S TOTAL 25·22
*Days with ·01 in. or more.	19	18	5	17	16	12	16	17	14	8	22	14	178
*Days with ·04 in. or more.	9	11 ?	1	15	13	6	15	15	7	4	11	6	113

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Hugh Gardner

[P.T.O.

x On July 19th the gauge was overturned by cattle. Heavy showers had fallen, and the fall was estimated after comparison with a neighbouring gauge.

860

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Oakhurst, Harrow-on-the-Hill

in the County of Middlesex

Station No 860.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 295 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	·11	-	·20	-	·03	tr	tr	·02	-	tr (dew)	-	1
2	·12		-	·36	-	-	-	·01	·54	·04	tr	·06	2
3	·02	-	·02	·37	·43	-	-	·41	·79	-	·02	·15	3
4	-	-	-	tr	·01	-	·01	·11	·19	tr	·09	-	4
5	-	-	-	·16	·07	·66	·08	·25	·01	tr	·01	·17	5
6	-	·13 sleet	-	·10	-	-	tr	-	-	·30	·44	-	6
7	-	·01	-	tr	·07	·02	-	·68	-	·03	·18	·06	7
8	·02	·05	·06 snow	tr	·01	·20	-	·43	-	·04	·11	·02	8
9	-	·03	·02 "	tr	-	·02	-	-	-	-	·42	·02	9
10	·01	·11	·02 "	-	-	·01	·08	·25	-	-	·18	·01	10
11	·08	·21	-	-	-	-	-	-	·03	·01 (fog)	·14	-	11
12	tr	·02 snow	-	tr	-	-	tr	·09	·41	tr	-	·01	12
13	·01	-	-	-	-	tr	·10	·08	-	-	·01 (dew)	-	13
14	·01	·10 snow	-	-	tr	tr	·95	1·49	-	tr (dew)	tr	-	14
15	·03	·02	-	·11	·15	-	·13	·10	-	-	·01	·05	15
16	-	·09	-	·11	·25	·04	tr	·09	-	-	-	-	16
17	·01	·01	-	·20	·08	·01	·15	-	·08	·01	-	-	17
18	·03	·09	-	·19	tr	·15	·11	·78	·09	-	·56	-	18
19	·01	-	tr	·39	-	·21	[·12]x	·08	tr	-	·01	-	19
20	tr	·03	tr	·11	-	-	·07	·11	·09	-	·02	·02	20
21	·01	-	-	-	·34	-	tr	-	-	-	-	-	21
22	·22	-	·03	tr	-	-	-	-	·01	-	-	-	22
23	·20	-	-	·02	·54	·01	-	-	·03	-	·12	·03	23
24	-	tr	-	·20	·07	·09	·04	·01	·01	-	·01	-	24
25	·08	-	-	·47	·05		·50	-	-	-	·02	·01	25
26	-	·05	tr (fog)	·21	-	-	·41	-	·01	-	·17	-	26
27	·15	·39	-	·01	·26	-	·14	-	-	tr (fog)	·09	-	27
28	·06	·25 snow	-	·11	-	-	-	-	-	·01	·01	-	28
29	·09	×	-	-	·15	-	·17	-	tr (dew)	·27	·02 (fog)	·20 rain & snow	29
30	-	×	-	-	·02	-	·04	·14	-	-	·01	·01 snow	30
31	·18	×	-	×	·06	×	tr	-	×	-	×	-	31
TOTAL	1·34	1·70	0·15	3·32	2·56	1·45	3·10	5·11	2·31	0·71	2·65	0·82	YEAR'S TOTAL 25·22
*Days with ·01 in. or more.	19	18	5	17	16	12	16	17	14	8	22	14	178
*Days with ·04 in. or more.	9	11 ?	1	15	13	6	15	15	7	4	11	6	113

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Hugh Gardner

[P.T.O.

× On July 19th the gauge was overturned by cattle. Heavy showers had fallen, and the fall was estimated after comparison with a neighbouring gauge.

860

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. **Station No** 860

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Oakhurst, Mount Park, Harrow-on-the-Hill

in the County of Middlesex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 295 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07	-	-	·16	·34	·03	·07	·63	·01	·21	·03	-	1
2	·05	-	-	·14	·05	-	-	·16	·24	·02	·02	·13	2
3	-	-	-	·22	·09	-	-	·01	·39	tr	-	-	3
4	-	tr	-	·01	-	·14	-	-	-	-	·12	-	4
5	·11	tr	·01	-	·01	-	·17	-	·09	-	-	-	5
6	·45	·01	·01	·17	·03	-	-	-	·12	-	-	-	6
7	-	-	·11	·09	·01	-	-	-	·09	tr	-	·01	7
8	-	-	·08	·03	·25	-	-	-	·04	·24	-	-	8
9	·11	tr (snow)	tr	·05	·87	-	-	-	-	·04	-	-	9
10	·41	·02 (snow)	·01	·18	·09	·02	-	-	·01	·17	·04	-	10
11	·02	tr (snow)	·01 (snow)	·03	·02	-	·77	·01	·01	·25	·06	·02	11
12	·07	tr (snow)	-	-	·02	-	-	·01	tr	·13	·03	tr	12
13	·05	-	-	·13	·01	-	-	-	·03	·17	·06	·01	13
14	·15	-	-	·17	·02	-	-	-	-	·03	·05	-	14
15	-	·02	tr	·04	·75	-	tr	-	-	·09	·01	-	15
16	·28	-	-	·22	·11	-	-	-	-	·01	-	-	16
17	-	-	-	·01	-	-	·07	-	-	·09	-	-	17
18	-	-	-	-	tr	-	tr	-	·31	-	·10	-	18
19	-	-	-	-	-	-	-	-	·01	·26	·01	-	19
20	·02	-	-	·14	·09	-	-	·37	·09	·69	·18	-	20
21	·01	-	-	·19	·82	-	·01	·01	-	·24	·01	·03	21
22	-	·01	·32	tr	·08	-	·19	tr	·15	·20	·33	-	22
23	-	·06	·02	·01	·06	-	-	-	·06	·86	·09	·13	23
24	tr (dew)	·03	tr	-	-	-	·27	-	·06	·03	·09	-	24
25	-	·01	-	tr	-	-	·66	-	·01	·35	·01	·01	25
26	-	-	·12	·11	·04	-	·04	-	-	·03	-	-	26
27	-	-	·20	·21	·45	-	·23	-	-	·49	·10	·01	27
28	tr	-	·01	tr	·07	-	·16	-	-	·16	-	·02	28
29	-	-	·31	·03	·20	·02	tr	·15	·07	·27	·02	·01	29
30	-	✕	·03	·07	·02	·65	-	·01	·16	·02	·26	·16	30
31	-	✕	·04	✕	-	✕	·03	-	✕	-	✕	·04	31
TOTAL	1·80	0·16	1·28	2·41	4·50	0·86	2·67	1·36	1·95	5·05	1·62	0·58	YEAR'S TOTAL 24·24
*Days with ·01 in. or more.	13	7	14	22	24	5	12	9	19	24	20	12	181
*Days with .04 in. or more.	10	1	7	16	15	2	10	4	13	18	12	4	113

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Hugh Gardner

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 860

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Oakhurst, Harrow-on-the-Hill

in the County of Middlesex.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 5 in.

,, Ground ,, Sea Level 295 ft.

Dec. corrected by Observer, see card.
no day stated where the ·10 ins. fell ?

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·08	·12	·17	-	·19	-	-	-	-	tr	·04	-		1
2	·15	-	·29	-	·20	-	-	-	-	-	·01	-		2
3	-	·17	·17	-	·26	-	-	-	-	-	-	-		3
4	·41	·01	·09	-	·16	-	-	-	-	-	·06	-		4
5	·01	·01	·20	-	·14	-	-	-	-	-	·01	-		5
6	-	·07	·03	-	·40	-	-	-	-	·06	·05	tr		6
7	·16	·09	·13	-	·01	-	-	-	-	·08	tr	·01		7
8	·04	tr	·01	-	·05	-	·07	-	-	·02	-	·01		8
9	-	-	-	-	·09	-	·15	-	-	·09	·09	-		9
10	·01	thunderstorm ·55	-	-	·01	·02	·17	-	-	·16	·03	-		10
11	·17	-	-	-	·01	tr	·07	·11	-	·01	·01	-		11
12	-	tr	-	·01	tr	·05	tr	-	·58	tr	-	-		12
13	·08	-	-	-	·15	·03	·22	-	·09	-	·14	-		13
14	·01	-	-	-	·01	tr	tr	·03	-	·07	·58	·01		14
15	·29	-	·10	-	-	·24	·05	·12	-	-	·03	-		15
16	tr	·01	·64	-	-	·19	·17	-	·01	·03	·04	-		16
17	·02	tr	·28	-	-	·03	·02	-	·12	-	·07	-		17
18	·08	·09	·13	-	-	·12	-	-	-	-	·01	-		18
19	tr	·09	·11	-	-	·11	·01	-	·75	-	·02	·05		19
20	-	·01	·12	·07	-	·23	tr	-	-	-	·01	tr		20
21	-	·04	-	-	tr	·12	-	·07	·24	-	·01	·01		21
22	-	-	-	-	·01	-	-	·19	-	·21	·03	-		22
23	-	tr	-	·15	-	·01	-	-	·36	·01	·01	-		23
24	-	·22	-	·15	-	·71	-	-	·26	tr	·01	-		24
25	-	·43	-	·29	-	tr	-	-	·08	·01	·01	·07		25
26	-	·27	-	·06	·01	·01	-	-	·08	·07	-	·12		26
27	-	-	-	-	·04	-	·02	-	tr	·26	·01	·06		27
28	-	·01	-	-	·07	-	·01	-	·01	·34	tr	·02		28
29	·09	×	-	tr	tr	-	·03	-	tr	·11	-	tr		29
30	·11	×	·15	-	-	-	·01	-	·01	·02	-	·06		30
31	·10	×	-	×	-	×	-	·17	×	·01	×	-		31
TOTAL	1·81	2·19	2·62	0·73	1·81	1·87	1·00	0·69	2·59	1·56	1·28	5 0·~~4~~2	Year's Total 6 18·~~5~~7	
*Days with ·01 in. or more.	16	16	15	6	17	13	13	6	12	17	22	10	163	
*Days with .04 in. or more.	12	11	13	5	11	8	7	5	9	10	8	5	107	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Hugh Gardner

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 860

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Oakhurst, Harrow-on-the-Hill.

in the County of Middlesex.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level 495 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·02	-	·01	-	tr	-	-	·14	-	·03	·01	·46		1
2	·05	-	·08	-	·12	-	-	·01	·52	·19	-	·18		2
3	·01	·03	·01	·18	-	tr	-	-	-	·30	-	·01		3
4	·11	tr	·11	·04	·01	-	-	-	-	·28	·10	·37		4
5	·01	-	·02	-	·02	-	-	·02	-	·16	·02	·41		5
6	tr	-	·30	tr	·29	·05	-	·06	-	-	tr	·41		6
7	·03	-	-	-	-	tr	-	·12	-	·10	-	·14		7
8	-	tr	-	-	·09	-	-	·03	·15	-	·33	·01		8
9	·02	-	·02	-	·01	-	-	-	-	tr	·85	·30		9
10	·01	-	·14	·16	-	-	-	·07	-	tr	·15	·01		10
11	·27	-	·41	·06	-	-	-	·08	-	-	·01	·14		11
12	·03	·01	·10	tr	tr	-	·11	·28	-	-	·01	·04		12
13	·24	tr	·23	·01	-	-	·14	·02	-	-	·02	·09		13
14	·06	-	·23	tr	·02	tr	-	-	-	-	·22	·34		14
15	·08	tr	·03	-	·04	-	-	-	·04	tr	·06	·34		15
16	·17	tr	·14	-	·07	-	-	-	-	·13	·01	·01		16
17	·01	-	-	·02	·01	-	-	-	-	·11	·02	·10		17
18	·15	-	tr	·21	-	-	·08	-	·01	·01	tr	·10		18
19	-	-	·18	-	-	tr	-	-	·07	·02	·02	·10		19
20	-	-	·22	·04	-	·01	·21	-	·03	-	tr	·02		20
21	-	-	·01	·13	-	·13	tr	·02	-	·02	·01	tr		21
22	-	-	·01	-	-	-	-	·49	·20	-	·01	·08		22
23	-	·01	-	·28	tr	·16	·01	·04	-	-	·02	·05		23
24	-	·01	·08	·12	-	·08	·97	·04	·23	-	tr	·01		24
25	·16	·08	tr	·14	-	·07	-	-	-	·02	-	·35		25
26	·02	tr *	-	·16	-	·08	-	-	·01	·02	-	·20		26
27	·03	·12 *	-	·17	-	·14	-	-	-	·04	-	·46		27
28	-	·09	-	tr	-	·11	tr	·96	-	-	·07	·22		28
29	-	×	-	-	-	-	tr	·01	·19	-	·01	·04		29
30	·04	×	-	-	-	-	-	·08	tr	·01	·01	·12		30
31	·02	×	-	×	-	×	tr	·03	×	·18	×	·04		31
TOTAL	1·54	0·35	2·33	1·72	0·68	0·83	1·52	2·50	1·45	1·62	1·96	5·15	Year's Total. 21·65	
* Days with .01 in. or more.	21	7	19	14	10	9	6	18	10	16	20	30	180	
* Days with .04 in. or more.	9	2	12	12	5	8	5	11	7	9	7	24	111	

* snow

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) Hugh Gardner.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 860

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Oakhurst, Mount Park, Harrow-on-the-Hill

in the County of Middlesex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 295 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·11	·03	-	·05	·02	·17	·72	·	-	·04	·11	-		1
2	·01	·	·01	·04	·	tr	·	-	·01	·16	·05	·01		2
3	tr	·07	·07	·02 sleet	·	·17	·	-	·33	·58	·20	·01		3
4	-	·01	tr	·11	tr	·20	·	-	·15	·09	·01	·14		4
5	tr (snow)	·24	·04	·12	-	·28	tr	-	·24	·01	·01	·02		5
6	·02	·	·01	·28	-	·32	·	-	·31	tr	·01	-		6
7	·01	·	tr	·43	-	·04	-	-	-	·03	1·11	·13		7
8	-	·	tr	·29	-	tr	-	·	-	·28	·13	·18		8
9	·01	·	tr	·13	·	×·69	-	-	-	·55	·13	·01		9
10	tr	·	-	·01	·	·01	·	-	-	-	·04	·03		10
11	·22	·	-	·04	-	·06	·21	-	·	·02	·21	·01		11
12	tr	tr	tr	·	-	·09	·	·07	·01	-	·54	tr		12
13	·11	·15	tr	·18	·13	·03	-	·	·	tr	·01	tr		13
14	·01	·	-	·01	·17 sleet	·08	·	·	tr	tr	·04	·12		14
15	-	·26	·	·40	tr	·29	-	·	·11	tr	·19	·07		15
16	·	·03	-	·	-	·09	-	-	·12	-	·45	·04		16
17	tr	-	·02	·03	-	·24	·02	-	·02	-	·31	·		17
18	·	-	tr	·22	·05	·07	·12	-	·40	·03	·05	·04		18
19	-	tr	·	·03	·21	·04	·05	-	·04	-	·17	-		19
20	·01	·15	-	·10	·18	·08	·02	-	·09	-	·19	?(·05)×		20
21	·01	·24	-	·	-	tr	·	-	·02	·03	·02	·01		21
22	tr	·02	-	·	-	-	-	·30	·12	tr	tr	-		22
23	-	·01	·25	·02	-	·	-	·36	·05	·07	tr	·15		23
24	·06	·52	tr	·	·02	-	-	·14	·62	·01	·01	·37		24
25	·10 hail	·16	-	·22	tr	·21	-	·	·	-	·	·10		25
26	·14 snow	·11	-	-	-	-	·	·29	·07	tr	·	·30		26
27	·02 snow	·35	-	·	·03	-	·	·01	·30	-	·11	·27		27
28	·	·01	·	·	·04	-	-	tr	·06	·07	·	·19		28
29	tr	×	-	·	·	-	·	·	·66	tr	-	·13		29
30	·06	×	-	·11	·02	·	-	·60	·09	·31	·30	·32		30
31	·01	×	·	×	·01	×	·	·	×	·25	×	·24		31
TOTAL	0·91	2·36	0·40	2·84	0·88	3·16	1·14	1·77	3·82	2·53	4·40	2·94	Year's Total 27·15	
* Days with .01 in. or more.	16	16	6	21	11	19	6	7	21	16	24	24	187	
* Days with .04 in. or more.	7	10	3	15	6	17	4	6	17	10	18	17	130	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

P.T.O.

× June 9th includes estimate of ·03 in for water which leaked from gauges.

× Dec 20th estimated snow lost accidentally in thawing

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 860

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Oakhurst, Mount Park, Harrow-on-the-Hill

in the County of Middlesex

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 6 in.

" Ground " Sea Level 295' ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·46	·12	·04	·24	-	·16	·10	·07	-	-	·06	·07		1
2	·03	·15	·62	·01	-	·30	·13	·05	-	-	·06	tr		2
3	tr	-	tr	·07	-	·05	·02	tr	·21	-	·28	-		3
4	tr	-	·09	tr	-	·20	-	-	·36	-	·02	·02		4
5	tr	-	·03	-	-	-	-	·03	·18	tr	·03	·07		5
6	·15	-	·03	-	-	·19	-	·08	·04	tr	·12	·08		6
7	·24	-	-	-	-	·05	·85	tr	·03	·01	·10	-		7
8	·17	-	·03	-	-	-	·12	-	-	tr	·33	·19		8
9	·75	-	·02	-	tr	-	·43	-	·40	·01	-	·01		9
10	tr	-	tr	-	-	-	·12	·07	·14	-	·03	tr		10
11	-	-	-	·06	-	-	·15	-	-	-	·69	tr		11
12	-	-	-	·15	-	·46	·17	tr	·08	·01	·32	·10		12
13	-	-	-	·20	-	·42	tr	-	-	-	·03	·09		13
14	-	·12	-	-	-	·06	·46	tr	tr	·04	·16	·26		14
15	tr	·09	-	-	-	tr	·04	-	·30	tr	·01	·04		15
16	·35	·10	-	-	-	-	·05	-	·05	-	·40	·02		16
17	·14	·42	-	-	·04	·01	tr	-	-	·01	·17	·12		17
18	-	·10	-	-	-	·41	·12	-	-	·08	·04	·13		18
19	·27	·04	·01	·01	-	·20	·07	tr	-	·03	tr	-		19
20	tr	·07	·05	·34	-	-	·07	·06	·58	-	-	-		20
21	-	tr	-	·17	·01	·35	tr	-	·05	-	-	-		21
22	·15	·38	·04	-	·35	·09	·17	-	tr	-	tr	·11		22
23	·03	·01	·02	·09	·01	-	·04	-	tr	·11	·01	-		23
24	·10	·08	-	-	-	-	tr	-	·01	·42	-	-		24
25	·07	tr	·15	·17	-	·55	·21	-	·13	·09	·03	·03		25
26	tr	·12	·19	·05	tr	·15	tr	-	·02	·20	tr	·03		26
27	·20	·07	·02	-	-	-	·01	tr	·18	·10	-	-		27
28	·74	·01	·10	-	-	-	·19	-	-	tr	-	·04		28
29	·07	·08	·05	-	-	·17	·10	-	-	·02	-16	·02		29
30	·10	✕	tr	-	·05	·14	·03	-	-	·26	-	tr		30
31	·30	✕	·23	✕	-	✕	·10	-	✕	·56	✕	·26		31
													Year's Total	
TOTAL	4·32	1·96	1·12	1·56	0·46	3·96	3·75	0·36	2·76	1·95	3·05	1·69	26·94	
* Days with .01 in. or more.	18	16	17	12	5	18	23	6	16	15	20	19	185	
* Days with .04 in. or more.	16	14	8	10	3	17	20	5	13	9	13	13	141	

† Spare column, no entries required.

(*Signed*) Hugh Gardner [P.T.O.

* See Instruction 3 (f) on other side.

File No. 758093/27

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 860

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Oakhurst, Mount Park, Harrow-on-the-Hill

in the County of Middlesex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 295* ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·38	tr	·02	·05	-	·	·	-	·05	tr	·59	·75		1
2	·01	·10	·01	·50	-	-	-	-	·01	·	·01	·41		2
3	-	·20	tr	-	-	-	-	-	-	·	tr	·05		3
4	·02	·27	·	·	tr	-	-	-	-	·	tr	·32		4
5	·22	·10	·21	-	tr	·	·06	tr	·	tr	tr	tr		5
6	·01	·03	·50	-	·15	·	·02	-	·	·11	·02	-		6
7	-	·74	·05	·13	-	-	·	-	·10	tr	tr	·		7
8	-	·05	tr	-	·05	·07	·	-	-	·	·04	·20		8
9	-	·05	·	-	·17	·03	·09	-	·28	tr	-	·13		9
10	-	-	·50	·28	·07	·31	·25	·01	-	·	tr	·22		10
11	-	-	·20	·08	·48	tr	·02	·	·	tr	-	·04		11
12	·13	·26	·06	·	·26	·37	·01	·02	·05	tr	-	·07		12
13	·15	·05	·35	·	-	·22	-	·43	·11	·	-	·69		13
14	·01	·05	·15	·01	·	-	-	·42	·07	-	-	·04		14
15	·13	·12	·	·03	-	·01	·15	-	·02	tr	-	·02		15
16	·05	·20	·24	·19	-	·13	-	·24	·46	·	·	·03		16
17	·26	tr	·17	·35	-	·01	-	·	·35	·01	tr	·		17
18	·19	·09	tr	·07	·16	·23	-	-	tr	tr	·19	·02		18
19	·02	·10	·06	-	·02	·13	·09	-	·06	tr	·01	·13		19
20	·28	·02	·01	·13	·61	·18	-	-	·03	·01	-	·04		20
21	·24	·60	·03	·38	·04	·12	·05	-	-	·01	·01	·02		21
22	·31	·01	·01	·07	·02	-	·04	tr	·	·57	·34	·03		22
23	·25	·01	·02	-	·18	·	·03	-	-	·39	tr	·01		23
24	·27	·58	·03	·	·01	·01	tr	-	·18	·15	-	·01		24
25	·05	·30	·12	-	·41	·	tr	-	·08	·20	tr	·02		25
26	tr	·21	·06	-	·18	-	-	-	tr	·05	·01	tr		26
27	·04	·07	tr	·	·	·	-	·	·01	·63	tr	·		27
28	·04	·08	tr	·10	-	tr	-	·	-	·09	-	·01		28
29		×	·	·04	-	·01	-	-	tr	·05	·05	·02		29
30	·24	×	-	-	-	-	-	·	-	tr	·20	tr		30
31	·32	×	tr	×	-	×	·	·	×	·25	×	·03		31
TOTAL	3·62	4·29	2·80	2·41	2·81	1·83	0·81	1·12	1·86	2·52	1·47	3·31	Year's Total 28·85	✓ ✓
* Days with .01 in. or more.	23	24	20	15	15	14	11	5	15	13	11	24	190	✓ ✓
* Days with .04 in. or more.	18	20	13	12	12	9	7	3	10	9	6	13	132	✓ ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Hugh Gardner [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations, Station No. 860

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Oakhurst, Mount Park, Harrow-on-the-Hill

in the County of Middlesex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 295 ft.

Examined Dec 22nd

snow. W.J.H.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	-	tr	·	·01	·10	·08	-	·03	·02	tr	tr		1
2	·08	·01	tr	·05	·07	-	·	-	·	·15	tr	·06		2
3	tr	·	-	·	·22	tr	·04	·	·04	·60	·03	·01		3
4	·03	·	tr	tr	-	tr	·04	tr	·	·05	·	·13		4
5	tr	·	·	tr	-	tr	·22	·01	·	·15	-	tr		5
6	·04	-	·	,	·	·	·02	-	·16	·01	-	tr		6
7	·01	·	tr	·	-	·	·04	1·67	·01	·14	·	·02		7
8	·16	·	·	·	·	·	·08	tr	·	·25	tr	·01		8
9	·07	·01	·	·	·	tr	·05	·24	-	-	·	·52		9
10	·16	·04	·	tr	·	·09	·01	·15	·	tr	tr	·03		10
11	·26	·	·	·	·	·	-	1·40	tr	tr	·17	·06		11
12	·23	tr	·	·	·01	-	·01	·09	tr	·25	·06	·01		12
13	·12	·02	·	·	·	·	·	·	·	·04	·09	·13		13
14	·16	-	·	-	·04	-	·03	·	·03	-	·01	·01		14
15	·07	·01	·	-	·	-	·15	·	-	·29	·01	·23		15
16	·34	tr	·01	·	·	·	·01	·01	·	·04	·03	·51		16
17	tr	·09	·	·	·04	-	·	-	tr	·07	·	-		17
18	·02	·	·	·	·08	-	-	tr	·06	·02	·26	tr		18
19	·	-	·	·	·	·	tr	·04	·05	tr	·15	tr		19
20	·	·01	·	·	·	-	·	·	·01	tr	·45	·04		20
21	·01	-	·	-	·	·	·	·10	·04	tr	·02	·41		21
22	tr	·	·	tr	·	·02	-	·03	tr	tr	·13	·26*		22 * a little lost.
23	·	tr	·	·01	·	·	-	·	·02	tr	·01	tr		23
24	-	·01	·14	·	tr	·	-	·	·37	·01	·06	·01		24
25	·11	·01	·09	·04	·06	·	·02	·	·02	·04	·99	·		25
26	·15	·15	·06	·01	·	·	·	·01	·25	·20	·01	·16	✓	26
27	·10	·03	-	·01	·01	·17	·26	·09	·63	·14	·29	·		27
28	·19	·04	-	tr	·85	·02	·	·21	·02	·	·05	·07		28
29	·30	×	-	tr	·10	·	-	tr	·10	·01	·11	·20		29
30	·04	×	-	·04	·05	·10	-	·	·03	·09	·19	tr		30
31	·11	×	-	×	·07	×	·	-	×	·14	×	·23		31
TOTAL	2·78	0·43	0·30	0·16	1·61	0·50	1·06	4·05	1·87	2·71	3·12	3·11	Year's Total 21·70	✓
* Days with .01 in. or more.	23	12	4	6	13	6	15	13	17	21	20	21	171	✓
* Days with .04 in. or more.	18	4	3	3	10	4	9	9	9	16	13	13	111	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Hugh Gardner

F.7.9.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 860

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Oakhurst, Mount Park, Harrow-on-the-Hill
in the County of Middlesex
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
,, Ground ,, Sea Level 295 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	-	-	·46	·34	-	·02	·44	·36	-	tr	·01		1
2	·01	-	-	·03	·02	-	-	·82	1·04	·01	·05	·01		2
3	·36	tr	-	·21	-	-	-	·28	-	tr	·21	·15		3
4	·07	tr	·19	·38	-	-	·03	·70	-	·30	·02	·01		4
5	-	·01	-	·44	·07	-	·01	·08	-	·19	·21	·05		5
6	·44	·01	-	tr	-	-	·18	·05	-	·01	·44	·05		6
7	·04	·11	·13	-	-	-	-	·02	-	·04	·11	·14		7
8	-	·10	-	-	-	-	·05	·30	tr	·51	·29	·39		8
9	·01	·08	-	-	-	-	-	tr	-	·38	·05	·21		9
10	·23	-	-	-	-	·37	-	·22	·01	·15	·01	tr		10
11	-	-	·21	-	tr	·27	-	tr	-	·85	·01	·01		11
12	-	tr	tr	-	-	tr	-	-	·04	tr	tr	-		12
13	-	-	-	·01	-	-	·03	-	·04	1·09	tr	-		13
14	·43	-	·01	·01	·09	tr	·03	-	-	·22	·35	·01		14
15	·22	-	·02	-	·62	·30	·01	-	·07	·95	·03	·01		15
16	·42	-	·09	·01	·09	·15	·01	tr	~~·13~~	tr	·43	tr		16
17	·15	·04	·01	·01	·14	tr	·25	-	-	-	·06	-		17
18	·26	tr	·05	-	-	·08	·16	-	-	·05	·27	-		18
19	·26	tr	·02	-	-	-	·06	-	-	·21	-	tr		19
20	·17	tr	tr	-	-	·33	·44	·02	-	-	-	·02		20
21	·06	tr	·25	-	-	·02	·25	·96	·08	tr	-	-		21
22	·15	·21	·11	tr	-	·01	tr	-	tr	tr	·11	-		22
23	·03	-	·01	·11	-	·01	tr	·01	-	·02	·66	·02		23
24	1·35	-	tr	·01	-	tr	·02	-	tr	·11	-	-		24
25		·15	·07	-	tr	-	·14	·02	-	-	·47	tr		25
26	·18	·01	·01	·01	-	tr	tr	-	-	·22	·24	·02		26
27	tr	·03	·10	·03	-	·01	tr	tr	-	·08	·14	-		27
28	·01	·20	·05	·02	-	·01	·12	-	-	·10	·13	·10		28
29	-	×	-	·26	-	-	·06	-	-	·11	·15	-		29
30	-	×	-	·66	-	·09	-	-	-	tr	·23	·02		30
31	-	×	-	×	-	×	·18	tr	×	·04	×	-		31
TOTAL	4·87	·95	1·33	2·66	1·37	1·65	2·05	3·92	1·77	5·64	4·67	1·23	Year's Total 32·11	✓
* Days with .01 in. or more.	23	11	16	16	7	12	19	13	8	21	23	17	186	✓
* Days with .04 in. or more.	16	7	10	7	6	7	11	9	7	18	19	7	124	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Hugh Gardner

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 860

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

File No 758093/27.

Kept at Oakhurst, Mount Park, Harrow-on-the-Hill,

in the County of Middlesex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 295 ft.

Ack

Jan corr. for arith.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	·05	-	-	tr	-	-	-	-	-	·10	tr		1
2	-	·01	-	·14	-	-	·07	-	-	·09	·42	·08		2
3	-	·26	-	·14	-	-	-	-	-	·17	·89	-		3
4	-	·10	-	·01	-	-	-	-	-	·17	·11	·02		4
5	tr	·01	-	-	-	-	·01	-	-	✓ ·27	·34	·07		5
6	·13	·12	-	tr	·06	-	·45	-	-	✓	·14	-		6
7	·28	·10	-	·01	·06	-	·08	-	·02	·15	tr	·01		7
8	tr	-	-	·02	-	-	-	-	[illegible]	-	-	·28		8
9	-	-	-	tr	-	·96	tr	tr	·03	·14	·10	·05		9
10	-	-	tr	-	-	tr	·23	·08	-	·14	·13	·02		10
11	-	-	-	·03	-	-	tr	-	-	tr	·82	·04		11
12	-	·02	·06	-	-	·09	·08	-	·03	tr	·02	-		12
13	-	·01	·53	tr	tr	·23	-	-	·08	-	·97	·01		13
14	-	-	·07	·14	·07	-	-	-	·01	·03	-	·24		14
15	-	-	·15	·02	-	-	·30	-	·03	tr	·14	-		15
16	·07	·06	·29	-	-	·02	·45	-	·20	·65	·75	·02		16
17	-	-	·40	-	-	-	·02	-	-	tr	·65	-		17
18	tr	·42	·14	·24	-	-	·16	-	-	·15	·34	·13		18
19	-	·19	·01	·09	-	-	·01	-	·40	·01	·10	·02		19
20	-	·04	tr	·01	·28	tr	·10	·02	tr	-	·08	-		20
21	·06	tr	·01	-	·59	-	·20	tr	-	·09	·23	-		21
22	-	tr	·03	·01	·03	·37	-	-	·12	tr	tr	-		22
23	-	·07	·03	·18	-	·02	-	·02	-	·01	·01	·01		23
24	-	tr	-	·15	·01	-	·18	-	-	-	tr	·01		24
25	-	-	·40	-	·01	tr	·14	-	-	-	-	-		25
26	1·06	·07	·49	·12	·17	·04	-	-	-	-	·01	-		26
27	·50	·13	-	·08	·20	-	-	-	-	-	-	-		27
28	·34	-	-	·17	·05	-	-	-	tr	-	-	tr		28
29	·08	·06	·09	-	·02	tr	-	-	tr	-	-	·26		29
30	·09	✕	-	·21	-	-	-	-	-	·08	-	·01		30
31	·02	✕	-	✕	-	✕	-	-	✕	·59	✕	·01		31
TOTAL	2·63 ~~1·63~~	1·72	2·70	1·77	1·55	1·73	2·48	0·12	0·92	2·74	6·35	1·29	Year's Total ~~25·00~~	26·00
* Days with .01 in. or more.	10	17	14	18	12	7	15	3	9	16	20	18	159	
* Days with .04 in. or more.	9	13	10	11	8	5	12	1	4	13	17	8	111	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Hugh Gardner

P.T.O.

RUISLIP (KINGS END)

C

Section **A** for the entry of Daily

AIR MINISTRY.—M

ALL ORGANIZATION

Station No. 860/4

FORM 1090

REGISTE

38

860/4

RUISLIP KINGS END

1938 - 1939

46 02 04

Kept at RUISLIP

in the County of MIDDLESEX

Diameter of Funnel of Gauge 4:0

Height of top of Gauge above Ground

,, Ground ,, Sea Level

THE MORNING MEASUREMENT

US DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	·07	—	—	·16	·09	·04	—	—	·02	·12	·08		1
2	·13	—	—	—	·03	—	—	—	—	·17	·01	·04		2
3	—	—	—	—	·21	—	—	—	·02	·45	—	—		3
4	·08	—	—	—	—	—	·09	—	·04	·21	·02	·01		4
5	—	—	—	—	—	—	·12	—	—	·22	—	·13		5
6	·03	—	—	—	—	—	·09	—	·05	·01	—	—		6
7	·05	—	—	—	—	—	·19	·73	—	·22	—	—		7
8	·05	—	—	—	—	—	·07	·39	—	·09	—	·03		8
9	·11	·02	—	—	—	·01	·05	—	—	·20	—	·30		9
10	·25	·05	—	—	—	·03	·02	·32	—	—	—	·27		10
11	·09	—	—	—	—	—	·01	·15	—	—	·11	·04		11
12	·21	—	—	—	—	—	·01	·09	—	·06	·07	·04		12
13	·47	—	—	—	—	—	—	—	—	·24	·09	—		13
14	·11	·03	—	—	·05	—	—	—	·03	—	·03	·10		14
15	·15	—	—	—	·05	—	·15	—	—	—	—	·02		15
16	·41	—	—	—	—	—	·03	—	—	·30	·04	·50		16
17	·13	·08	—	—	·09	—	—	—	—	—	—	·03		17
18	·02	—	—	—	·09	—	—	—	—	·10	·07	—		18
19	·04	—	—	—	·03	—	—	·03	·13	—	·27	—		19
20	—	—	—	—	—	—	—	·09	·04	—	·59	·07		20
21	·02	—	—	—	—	—	—	·13	·05	—	—	·35		21
22	—	—	—	·03	—	·03	—	·05	—	—	·03	·20		22
23	—	—	—	·01	—	—	—	—	—	—	·14	·03		23
24	—	—	—	—	·04	—	—	—	·10	—	—	·02		24
25	·16	—	·26	—	·07	—	—	—	·18	—	·55	—		25
26	·20	·16	·03	—	—	—	·01	—	·06	·19	·47	·14		26
27	—	·05	·06	—	·02	·17	·21	—	·48	·07	·03	—		27
28	·09	—	—	—	·65	·03	—	·12	·35	·08	·29	—		28
29	·18	✗	—	—	·12	·03	—	·16	·05	—	·02	·25		29
30	·39	✗	—	—	·05	·16	—	—	·01	·06	·19	—		30
31	·08	✗	—	✗	·09	✗	—	—	✗	—	✗	·07	20·09	~~31~~
TOTAL	3·45	0·46	0·35	0·04	1·75 ~~1·04~~	0·55	1·09	2·26	1·59 ~~1·63~~	2·69	3·14	2·72	Year's Total ~~20·13~~	in.
* Days with .01 in. or more.	23	7	3	2	15	8	14	11	14	17	19	21	154	
* Days with .04 in. or more.	20	5	2	—	12	3	9	10	11	15	13	15	115	

print 9
11/4/39

N

* See Instruction 3 (f) on other side. J.F. NIXON ESQ. † Spare column, no entries required.

(Signed) J.F. Nixon [P.T.O.

RUISLIP (KINGS END)

Section A for the entry of Daily Observations

Station No. 860/4

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at RUISLIP

in the County of MIDDLESEX

Diameter of Funnel of Gauge 4·0 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level c 185 from O.S. map ft.

f 578861/36

× 5"

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·07	—	—	·16	·09	·04	—	—	·02	·12	·08		1
2	·13	—	—	—	·03	—	—	—	—	·17	·01	·04		2
3	—	—	—	—	·21	—	—	—	·02	·45	—	—		3
4	·08	—	—	—	—	—	·09	—	·04	·21	·02	·01		4
5	—	—	—	—	—	—	·12	—	—	·22	—	·13		5
6	·03	—	—	—	—	—	·09	—	·05	·01	—	—		6
7	·05	—	—	—	—	—	·19	·73	—	·22	—	—		7
8	·05	—	—	—	—	—	·07	·39	—	·09	—	·03		8
9	·11	·02	—	—	—	·01	·05	—	—	·20	—	·30		9
10	·25	·05	—	—	—	·03	·02	·32	—	—	—	·27		10
11	·09	—	—	—	—	—	·01	·15	—	—	·11	·04		11
12	·21	—	—	—	—	—	·01	·09	—	·06	·07	·04		12
13	·47	—	—	—	—	—	—	—	—	·24	·09	—		13
14	·11	·03	—	—	·05	—	—	—	·03	—	·03	·10		14
15	·15	—	—	—	·05	—	·15	—	—	—	—	·02		15
16	·41	—	—	—	—	—	·03	—	—	·30	·04	·50		16
17	·13	·08	—	—	·09	—	—	—	—	—	—	·03		17
18	·02	—	—	—	·09	—	—	—	—	·10	·07	—		18
19	·04	—	—	—	·03	—	—	·03	·13	—	·27	—		19
20	—	—	—	—	—	—	—	·09	·04	—	·59	·07		20
21	·02	—	—	—	—	—	—	·13	·05	—	—	·35		21
22	—	—	—	·03	—	·03	—	·05	—	—	·03	·20		22
23	—	—	—	·01	—	—	—	—	—	—	·14	·03		23
24	—	—	—	—	·04	—	—	—	·10	—	—	·02		24
25	·16	—	·26	—	·07	—	—	—	·18	—	·55	—		25
26	·20	·16	·03	—	—	—	·01	—	·06	·19	·47	·14		26
27	—	·05	·06	—	·02	·17	·21	—	·48	·07	·03	—		27
28	·09	—	—	—	·65	·03	—	·12	·35	·08	·29	—		28
29	·18	×	—	—	·12	·03	—	·16	·05	—	·02	·25		29
30	·39	×	—	—	·05	·16	—	—	·01	·06	·19	—		30
31	·08	×	—	×	·09	×	—	—	×	—	×	·07	20·09	31
TOTAL	3·45	0·46	0·35	0·04	1·75 ~~[illegible]~~	0·55	1·09	2·26	1·59 ~~1·63~~	2·69	3·14	2·72	Year's Total 20·13	in.
* Days with .01 in. or more.	23	7	3	2	15	8	14	11	14	17	19	21	154	
* Days with .04 in. or more.	20	5	2	—	12	3	9	10	11	15	13	15	115	

GB 11/4/39

N

* See Instruction 3 (f) on other side. J.F. NIXON ESQ.

† Spare column, no entries required.

(Signed) J F Nixon

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 860/4

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Ruislip (Kings End)

in the County of Middlesex

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

Sept. 11 – 30 est'd by ref. to nearby sts.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·20	-	-	·04	·55	-	-	·29	·05					1
2	·04	-	-	·41	·02	-	·01	·02	·70					2
3		-	-	·06	-	-	-	·76	tr					3
4	·39	-	·10	·41	-	-	-	·44	-					4
5	-	-	-	·25	·11	-	·04	·33	-					5
6		-	·11	·15	·04	-	·12	·01	-					6
7	·46	·08	-	-	-	-	·08	·07	-					7
8	-	·09	·12	-	-	-	·02	·04	-					8
9	·03	·17	-	-	-	-	-	·02	-					9
10	·14	-	-	-	-	-	-	·25	-					10
11	·08	-	·02	-	-	·37	-	-	✓					11
12	-	-	·19	-	-	·09	-	-	✓	Obs	moved			12
13	-	-	-	-	-	·03	-	-						13
14	·34	-	-	·04	·04	·02	·03	-	✓	to	s/N	661/3		14
15	·25	-	-	-	·09	·09	-	-	✓					15
16	·38	-	·10	-	·56	·42	-	-	✓					16
17	·06	·03	·06	-	·33	-	·27	-						17
18	·22	-	-	-	-	·09	·13	-						18
19	·13	·02	·04	-	-	-	·18	-	·20					19
20	·30	-	-	-	-	·28	·32	-						20
21	·12	-	·01	-	-	·02	·31	+	✓					21
22	·07	·17	·27	·03	-	-	·01	-						22
23	·09	·02	·04	·03	-	-	-	·72						23
24	-	-	·01	·08	-	-	·01	-	✓					24
25	1.02	·10	·05	-	-	-	-	-						25
26	·27	·05	-	·02	-	-	·09	-						26
27	·09	-	·08	·02	-	-	-	-						27
28	-	·18	·05	·02	-	·04	-	-						28
29	-	-	-	·09	-	-	·35	-						29
30	-	✕	-	·56	-	·15	·02	-	✓					30
31	-	✕	-	✕	-	✕	·06	-	✕		✕			31
TOTAL	4 4.~~6~~8	·91	1.25	2.21	1.74	1.60	2.05	2.95	·95				Year's Total	n.p imp.
* Days with .01 in. or more.	20	10	15	15	8	11	17	11	10					WH
* Days with .04 in. or more.	19	7	12	10	7	8	11	8	3					

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

860/5. —

BRENT RESERVOIR

1934- 1938.

780204

Section **A** for the entry of Da

AIR MINISTRY.—

Station No. 860/5

INFALL ORGANIZATION

FORM 1090.

REGIST

1934.

Kept at Brent Reser

in the County of Middles

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Lev

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02							·09				·30		1
2	·04		·08						·48	·14		·25		2
3				·05						·18				3
4	·10		·10	·04						·17	·10	·36		4
5			·02		·03							·35		5
6			·26		·25	·05				·14		·50		6
7								·12	·05	·10		·17		7
8					·08			·03			·26			8
9			·02								·82	·26		9
10			·11	·09				·06			·34			10
11	·25		·30	·04				·05				·08		11
12	·04		·02				·08	·30				·04		12
13	·20		·25				·06	·03			·02	·10		13
14	·03		·18								·15	·30		14
15	·05		·04		·04				·08		·05	·33		15
16	·13		·11		·05					·08				16
17										·05		·12		17
18	·12			·32			·06					·06		18
19			·16						·06			·05		19
20			·28				·05							20
21						·12		·02						21
22								·40	·20			·03		22
23				·25		·25		·02				·05		23
24			·05	·05		·02	·40	·03	·24					24
25	·05			·10						·04		·37		25
26	·06			·20								·07		26
27				·40						·05		·32		27
28		·15						·82			·03	·25		28
29							·05		·13			·02		29
30	·03	×						·06				·15		30
31		×		×		×	·02	·06	×	·12	×	·03		31
TOTAL	1·12	·15	1·98	1·54	·45	·44	·72	2·09	1·24	1·07	1·77	4·56	Year's Total. 17·13	
* Days with .01 in. or more.	13	1	15	10	5	4	7	14	7	10	8	24	118	
* Days with .04 in. or more.	10	1	12	10	4	3	6	9	7	10	6	21	99	

40-9999

* See Instruction 2 (f) on other side.

N

† Spare column, no entries required.

(Signed) G. H. Hackwell.

GRAND UNION CANAL CO

[P.T.O.

Section **A** for the entry of Da[illegible] Station No. 860/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090.

REGISTER OF RAINFALL IN 1934.

111/2 [illegible] /1

Kept at Brent Reservoir.

in the County of Middlesex

Diameter of Funnel of Gauge.................in.

Height of top of Gauge above Ground.................ft.................in.

,, Ground ,, Sea Level.................ft.

Days

awaiting section C. ([illegible] 3/3/35)

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02							·09				·30		1
2	·04		·08						·48	·14		·25		2
3				·05						·18				3
4	·10		·10	·04						·17	·10	·36		4
5			·02		·03							·35		5
6			·26		·25	·05				·14		·50		6
7								·12	·05	·10		·17		7
8					·08			·03			·26			8
9			·02								·82	·26		9
10			·11	·09				·06			·34			10
11	·25		·30	·04				·05				·08		11
12	·04		·02				·08	·30				·04		12
13	·20		·25				·06	·03			·02	·10		13
14	·03		·18								·15	·30		14
15	·05		·04		·04				·08		·05	·33		15
16	·13		·11		·05					·08				16
17										·05		·12		17
18	·12			·32			·06					·06		18
19			·16						·06			·05		19
20			·28				·05							20
21						·12		·02						21
22								·40	·20			·03		22
23				·25		·25		·02				·05		23
24			·05	·05		·02	·40	·03	·24					24
25	·05			·10						·04		·37		25
26	·06			·20								·07		26
27				·40						·05		·32		27
28		·15						·82			·03	·25		28
29							·05		·13			·02		29
30	·03	×						·06				·15		30
31		×		×		×	·02	·06	×	·12	×	·03		31
TOTAL	1·12	·15	1·98	1·54	·45	·44	·72	2·09	1·24	1·07	1·77	4·56	Year's Total. 17·13	
* Days with .01 in. or more.	13	1	15	10	5	4	7	14	7	10	8	24	118	
* Days with .04 in. or more.	10	1	12	10	4	3	6	9	7	10	6	21	99	

4" [illegible]

40-9999

* See Instruction 2 (f) on other side.

N

† Spare column, no entries required.

(Signed) G. H. Hackwell.

GRAND UNION CANAL CO.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 860/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

M'sex/1

879022/28

C [illegible] 1934

Kept at BRENT RESERVOIR

in the County of Middlesex

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 3' ft. 4" in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.10	.02	-	.03	-	.27	.27	-	-	-	.17	-		1
2	-	-	-	.09	-	-	-	-	.23	.13	.04	-		2
3	-	.05	.06	.05	-	.18	-	-	.09	.51	.10	-		3
4	-	.02	-	.14	-	.14	-	-	.40	.26	-	.13		4
5	-	.22	-	.08	-	.27	-	-	.30	-	-	-		5
6	-	-	.02	.28	-	.30	-	-	-	-	-	-		6
7	-	-	-	.45	-	.02	-	-	-	-	1.02	.13		7
8	-	-	-	.28	-	-	-	-	-	.25	.14	.10		8
9	-	-	-	.11	-	.63	-	-	-	.47	.09	-		9
10	-	-	-	.02	-	-	-	-	-	-	.10	.02		10
11	.20	-	-	.03	-	.08	.12	-	-	-	.18	-		11
12	-	-	-	-	-	.08	-	.03	-	-	.37	-		12
13	.08	.14	-	.16	.08	.03	-	-	-	-	-	-		13
14	-	-	-	-	.20	.05	-	-	-	-	.02	.10		14
15	-	.28	-	.37	-	.15	-	-	-	-	.14	.07		15
16	-	.02	.02	.02	-	.05	-	-	-	-	.45	-		16
17	-	-	.03	.02	-	.22	-	-	-	-	.33	-		17
18	-	-	-	.22	.03	.06	.18	-	-	-	.04	.05		18
19	-	-	-	-	.15	.02	.05	-	-	-	.09	.02		19
20	-	.14	-	.03	.16	.06	.03	-	-	-	.10	-		20
21	-	.24	-	-	-	-	-	-	-	.03	-	-		21
22	-	-	.02	-	-	-	-	.10	-	-	-	-		22
23	-	-	.17	-	-	-	-	.52	-	-	-	.09		23
24	.08	.38	-	-	-	-	-	.12	.51	-	-	.33		24
25	.08	.12	-	.20	-	.20	-	-	-	-	-	.10		25
26	.18	.03	-	-	-	-	-	.40	.02	-	-	.24		26
27	-	.34	-	-	-	-	-	-	.22	-	.10	.23		27
28	-	-	-	-	.05	-	-	-	.02	.04	-	.18		28
29	-	-	-	-	-	-	-	-	.53	-	-	.06		29
30	.04	X	-	-	.06	-	-	.58	.15	.34	.20	.22		30
31	-	X	-	X	-	X	-	-	X	.23	X	.31		31
TOTAL	.76	2.00	.32	2.58	.73	2.81	.65	1.75	2.47	2.26	3.68	2.38	Year's Total. 22.39	
* Days with .01 in. or more.	7	13	6	18	7	18	5	6	10	9	18	17	134	
* Days with .04 in. or more.	7	9	2	12	6	15	4	5	8	8	17	15	108	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) C. G. Wilson. Engineer

GRAND UNION CANAL CO.

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 860/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

1935 up too

Kept at Brent Reservoir,

in the County of Middlesex.

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground {3 - 4 → 1/1/36 - 21/7/36 ; 1 - 0 → 22/7/36 - 31/12/36 ft. in.

,, Ground ,, Sea Level 138.11 ft.

Jan-July corrd by surr. stns.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.38	.08	.02	.13	-	.14	.09	.07	-	-	.07	.08		1
2	-	.02	-	-	-	.24	.11	.05	-	-	.05	-		2
3	.02	-	-	.09	-	.02	-	-	.05	-	.27	-		3
4	-	-	.08	-	-	.18	-	-	.50	-	.03	.03		4
5	.03	-	-	-	-	-	-	.02	.24	-	.04	.13		5
6	.20	-	-	-	.02	.06	-	.06	.03	-	.09	.07		6
7	.23	-	-	-	-	.11	.20	-	-	-	.09	.01		7
8	.14	-	-	-	-	-	-	-	.04	-	.33	.18		8
9	.64	-	.05	-	-	-	.44	-	.25	-	-	-		9
10	-	-	-	-	-	-	.06	.07	.19	-	.04	-		10
11	-	-	-	.03	-	-	.20	.01	-	-	.62	-		11
12	-	-	-	.12	-	.45	.14	-	.03	-	.35	.11		12
13	-	-	-	.02	-	.36	.01	-	-	.01	.03	.04		13
14	-	.03	-	-	-	.06	.48	-	-	.03	.14	.20		14
15	-	.04	-	-	-	-	.04	-	.20	-	.02	.02		15
16	.14	.06	-	-	-	-	.01	-	.05	-	.40	.02		16
17	.20	.34	-	-	.05	.07	-	-	-	-	.16	.11		17
18	-	.02	-	-	-	.29	.10	-	-	.09	.02	.17		18
19	.35	.07	-	-	-	.07	.10	.06	-	.05	-	-		19
20	Gauge Moved	-	.06	.28	-	-	.04	-	1.10	-	-	-		20
21	-	-	-	.16	-	.17	Gauge Lowered	-	.04	-	-	-		21
22	.10	.33	.01	.05	.23	.01	.16	-	-	-	-	.14		22
23	.04	-	.01	.06	-	-	.02	-	-	.10	-	-		23
24	.09	.08	-	-	-	-	-	-	-	.43	-	-		24
25	.06	-	.08	.16	-	.44	.13	-	.13	.06	.04	.04		25
26	-	.09	.22	.01	-	.26	-	-	-	.20	-	.02		26
27	.12	.05	.01	-	-	-	-	-	.41	.04	-	-		27
28	.62	-	.08	-	-	.03	.17	-	.01	-	-	.02		28
29	.07	.08	.04	-	-	.16	.02	-	-	.02	.15	.02		29
30	.07	×	-	-	.05	.14	-	-	-	.25	-	-		30
31	.28	×	.21	×	-	×	.14	-	×	.58	×	.15		31 "d"
TOTAL	(4.00) ~~3.78~~	(1.80) ~~1.29~~	(1.40) ~~.87~~	(1.40) ~~1.11~~	(.40) ~~.35~~	(3.90) ~~3.26~~	(3.10) ~~2.66~~	.34	3.27	1.86	2.94	1.56	Year's Total ~~23.29~~	(25.67)
* Days with .01 in. or more.	(20) ~~19~~	(14) ~~13~~	(16) ~~12~~	11	(5) 4	19	(23) ~~20~~	7	15	12	19	19	~~170~~	(180)
* Days with .04 in. or more.	17	(12) ~~10~~	8	8	3	16	(19) ~~16~~	5	12	9	15	12	~~161~~	(136)

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE File No. 879022/28.

Section **A** for the entry of Daily Observations

Station No. —

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

860/5

Kept at Brent Reservoir, Hendon

in the County of ~~London~~ Middlesex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 138·11 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·47	/	·01	·06	/	/	/	/	·03	/	·70	·69		1
2	·01	·08	·01	·44	/	/	/	/	·03	/	/	·46		2
3	/	·15	/	·01	/	/	/	/	/	·01	/	·05		3
4	·04	·30	/	/	·02	/	/	·01	/	/	/	·30		4
5	·16	·10	·22	/	/	/	·05	/	/	/	/	/		5
6	/	/	·32	/	·18	/	·01	/	/	·12	/	/		6
7	/	·76	·11	·10	·15	/	/	/	·04	/	/	·01		7
8	/	·03	/	/	·11	·06	/	/	/	/	·05	·30		8
9	·01	·06	/	·30	·55	·02	·07	/	·27	/	/	·02		9
10	/	/	·47	·04	·35	·42	/	·05	/	/	/	·22		10
11	/	/	·12	·01	·01	/	·09	/	/	·01	/	·06		11
12	·10	·27	·10	/	/	·40	/	/	·03	/	/	·04		12
13	·11	·04	·42	/	~~·01~~	·07	/	1·84	·01	/	/	·84		13
14	·03	·04	·11	·02	~~·01~~	/	/	·44	·05	/	/	·03		14
15	·07	·12	/	·16	/	·04	·01	/	·02	/	/	/		15
16	·07	·17	·17	·36	·07	·05	·22	·19	·19	/	/	/		16
17	·18	/	·14	·10	~~·07~~	·02	/	/	·36	/	·03	·01		17
18	·21	·08	/	/	·12	·27	/	/	/	/	·16	·03		18
19	·01	·09	·04	·11	·07	·14	·09	/	·03	/	/	·13		19
20	·23	·01	/	·34	·65	·04	/	/	·07	·01	/	/		20
21	·24	·53	·03	·07	·02	/	·06	·01	/	/	·01	·02		21
22	·30	/	/	/	·01	·08	·04	/	/	·47	·27	·02		22
23	·23	·01	·01	/	·06	/	·02	/	/	·39	/	·01		23
24	·29	·54	·02	/	·09	/	/	/	·17	·14	/	·01		24
25	·01	·23	·11	/	·33	/	/	/	·05	·21	/	·02		25
26	·02	·18	·06	/	·09	/	/	/	/	·02	·01	/		26
27	·04	·09	·02	·11	/	/	/	/	·03	·53	/	/		27
28	/	·04	/	·04	/	/	/	/	/	·10	/	·02		28
29	/		/	/	/	·01	/	/	/	·06	·05	·02		29
30	·27	×	/	/	/	/	/	·02	/	/	·16	·01		30
31	·29	×	/	×	/	×	/	/	×	·40	×	·02		31
TOTAL	3·39	3·92	2·49	2·27	2·82	1·62	·66	2·56	1·38	2·47	1·44	3·34	Year's Total 28·36	✓
* Days with .01 in. or more.	~~6~~23	~~3~~22	~~6~~19	~~3~~16	~~7~~18	13	~~8~~10	~~3~~7	~~7~~15	~~4~~13	~~3~~9	~~14~~24	~~53~~	189.
* Days with .04 in. or more.	17	19	13	13	11	10	7	4	8	9	6	10	127	

*See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) W. Brend

Resvr. Keeper.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 8605

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

written re gauge 1/1/39

Kept at BRENT RESERVOIR

in the County of MIDDLESEX

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 130.00 ft.

Day totals ✓ W.E.S.R.

P.T.O

F879022/28

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·–	·–	·–	·–	·–	·11	·71	·–	·02	·02	·–	·–		1
2	·12	·02	·–	·05	·11	·–	·–	·–	·–	·19	·–	·10		2
3	·–	·–	·–	·–	·27	·–	·07	·–	·03	·46	·02	·–		3
4	·02	·–	·–	·–	·–	·–	·03	·–	·–	·05	·–	·15		4
5	·–	·–	·–	·–	·–	·–	·20	·–	·–	·14	·–	·–		5
6	·04	·–	·–	·–	·–	·–	·01	·–	·10	·–	·–	·–		6
7	·–	·–	·–	·–	·–	·–	·04	1·18	·–	·15	·–	·05		7
8	·11	·–	·–	·–	·–	·–	·09	·–	·–	·31	·–	·–		8
9	·05	·–	·–	·–	·–	·–	·09	·16	·–	·–	·–	·39		9
10	·15	·05	·–	·–	·–	·09	·02	·25	·–	·–	·–	·02		10
11	·25	·–	·–	·–	·–	·–	·–	1·91	·–	·–	·15	·05		11
12	·27	·03	·–	·–	·01	·–	·04	·29	·–	·29	·02	·–		12
13	·13	·–	·–	·–	·–	·–	·–	·–	·–	·05	·05	·10		13
14	·21	·–	·–	·–	·07	·–	·–	·–	·07	·–	·01	·01		14
15	·02	·01	·–	·–	·–	·–	·14	·–	·–	·32	·–	·27		15
16	·37	·–	·01	·–	·–	·–	·04	·01	·–	·02	·–	·92		16
17	·–	·07	·–	·–	·08	·–	·–	·–	·–	·04	·–	·01		17
18	·02	·–	·–	·–	·07	·–	·–	·–	·13	·–	·25	·–		18
19	·–	·–	·–	·–	·–	·–	·–	·03	·05	·–	·18	·–		19
20	·–	·–	·–	·–	·–	·–	·–	·01	·02	·–	·40	·– ✓		20
21	·01	·–	·–	·–	·–	·–	·–	·05	·04	·	·03	·–		21
22	·–	·–	·–	·–	·–	·03	·–	·01	·–	·–	·13	·~~20~~		22
23	·–	·–	·–	·01	·–	·–	·–	·–	·–	·–	·03	·76 ✓		23
24	·–	·–	·14	·–	·03	·–	·–	·–	·52	·–	·06	·~~13~~		24
25	·11	·–	·08	·02	·06	·–	·–	·–	·02	·04	1·10	·~~01~~		25
26	·18	·14	·08	·–	·–	·–	·–	·–	·22	·22	·–	·~~42~~		26
27	·09	·04	·–	·–	·04	·21	·27	·07	·54	·09	·34	·–		27
28	·26	·05	·–	·–	1·21	·02	·–	·22	·06	·–	·01	·06		28
29	·34	·–	·–	·–	·09	·–	·–	·01	·08	·–	·09	·22		29
30	·02	✕	·–	·04	·03	·03	·–	·–	·04	·08	·22	·–		30
31	·10	✕	·–	✕	·08	✕	·–	·–	✕	·14	✕	·22		31
TOTAL	2·87	·41	·31	·12	2·15	·49	1·75	4·20	1·94	2·61	3·09	3·33	Year's Total 23·27	
* Days with .01 in. or more.	21~~5~~	8~~3~~	4~~1~~	4~~2~~	13~~3~~	6~~8~~	13~~3~~	13~~5~~	15~~4~~	17~~2~~	17~~7~~	22~~24~~	151	
* Days with .04 in. or more.	16✓	5✓	3✓	2✓	10✓	3✓	10✓	8✓	11✓	15✓	11~~10~~	15~~14~~	109	

Print with "R"

GB 11/4/39

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

BRENT RESERVOIR

860/6.

BRENT RESERVOIR

1939 – 1940

780204

Section **A** for the entry of
AIR MINISTR

Station No. 860/6
RAINFALL ORGANIZATION

FORM 1090

REGIS

1939

Kept at Brent Reservoir

April estimated by [illegible] S.E.B.

in the County of Middlesex

Battle Gauge.

Diameter of Funnel of Gauge……

Height of top of Gauge above Gr

,, Ground ,, Se

THE MORNING MEASU … **PREVIOUS DAY**

An observer who does not conform to this rule should insert the reading … *ry 1st of the following year in the space on the right of this paragraph.*

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1					.33		.03	.31	.24		.01			1
2					.02			.73	.72		.02			2
3								.45			.21	.09		3
4							.03	1.00		.33	.03	.01		4
5					.03			.30		.21	.11	.04		5
6							.14	.30			.53	.02		6
7								.01		.01	.11	.06		7
8							.02	.66		.46	.13	.31		8
9										.35	.03	.18		9
10						.38		.14	.01	.13	.01			10
11					.02	.14				.48	.02	.01		11
12				(1.58)		.01								12
13							.06		.03	1.22				13
14					.07				.02	.26	.34	.01		14
15					.54	.20	.08		.12	.76	.01	.01		15
16					.06	.12			.02		.39			16
17					.15		.03				.07			17
18						.13	.26			.03	.29			18
19							.16			.32				19
20						.20	.43	.01				.03		20
21						.02	.32	1.68	.07					21
22							.01				.08			22
23	Old gauge out of order.						.01	.01		.04	.66	.01		23
24							.42	.02		.09		.01		24
25							.17	.06			.51			25
26	New gauge installed...			.02						.27	.28	.04		26
27				.03						.12	.15			27
28				.06		.01				.07	.11	.06		28
29				.29			.23			.12	.14			29
30		✕		.72		.03					.21	.02		30
31		✕		✕		✕	.10		✕		✕	.01	(31·46)	31
TOTAL	(4·10)	(·75)	(1·40)	(2·70) ~~1.12~~	1.22	1.24	2.50	5.68	1.23	5.27	4.45	.92	Year's Total ~~23.63~~	
* Days with .01 in. or more.				5	8	10	17	14	8	18	24	17	121	
* Days with .04 in. or more.				3	5	6	11	10	4	16	17	7	79	

GRAND UNION CANAL Co.

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) C. G. Wilson

[P.T.O.

BRENT RESERVOIR

Section **A** for the entry of

Station No. 860/6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Brent Reservoir.

in the County of Middlesex.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 130.00 ft.

Jan, Feb, march and April estimated by reference to nearby stns. EGB

"B" Type Battle Gauge.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1					.33		.03	.31	.24		.01			1
2					.02			.73	.72		.02			2
3								.45			.21	.09		3
4							.03	1.00		.33	.03	.01		4
5					.03			.30		.21	.11	.04		5
6							.14	.30			.53	.02		6
7								.01		.01	.11	.06		7
8							.02	.66		.46	.13	.31		8
9										.35	.03	.18		9
10						.38		.14	.01	.13	.01			10
11					.02	.14				.48	.02	.01		11
12				(1·58)		.01								12
13							.06		.03	1.22				13
14					.07				.02	.26	.34	.01		14
15					.54	.20	.08		.12	.76	.01	.01		15
16					.06	.12			.02		.39			16
17					.15		.03				.07			17
18						.13	.26			.03	.29			18
19							.16			.32				19
20						.20	.43	.01				.03		20
21						.02	.32	1.68	.07					21
22							.01				.08			22
23							.01	.01		.04	.66	.01		23
24	Old gauge out of order.						.42	.02		.09		.01		24
25							.17	.06			.51			25
26	New gauge installed...			.02						.27	.28	.04		26
27				.03						.12	.15			27
28				.06		.01				.07	.11	.06		28
29				.29			.23			.12	.14			29
30		X		.72		.03					.21	.02		30
31		X		X		X	.10		X		X	.01	(31·46)	31
TOTAL	(4·10)	(·75)	(1·40)	(2·70) ~~1.12~~	1.22	1.24	2.50	5.68	1.23	5.27	4.45	.92	Year's Total ~~23.63~~	
* Days with .01 in. or more.				5	8	10	17	14	8	18	24	17	121	
* Days with .04 in. or more.				3	5	6	11	10	4	16	17	7	79	

Print

GRAND UNION CANAL Co.

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) C. G. Wilson

P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations — Station No. 860156

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40.

Kept at BRENT RESERVOIR.
in the County of MIDDLESEX.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
,, Ground ,, Sea Level 130 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		.04									.11			1
2	.01	.05		.16			.08			.13	.49			2
3		.21		.14						.15	.88	.09		3
4		.11		.02						.16	.14	.02		4
5		.01								.06	.29	.09		5
6	.12	;09			.04		.24			.19	.21			6
7	.28	.08			.06		.07							7
8						.37	.01		.03	.14	.01	.27		8
9						.47				.19	.09	.03		9
10							.24	.07		.10	.14	.02		10
11				.03			.01				.81			11
12			.05			.10	.06		.04		.02			12
13		.01	.57				.03		.10		.95	.01		13
14			.15	.12				.01	.01	.01		.23		14
15			.03	.04	.11		.22			.02	.16			15
16	.03	.03	.26	.01		.03	.32		.15	1.08	.81	.03		16
17		.01	.40				.03				.61	.01		17
18		.45	.12	.30			.18			.10	.49	.14		18
19		.20		.06					.48		.08	.02		19
20		.02		.01			.10	.01			.04			20
21	.05				.25		.19			.04	.29			21
22		.01	.02		.51	.29			.05					22
23		.07	.02	.20	.20	.03				.02	.01	.01		23
24				.19			.20					.02		24
25			.54				.09							25
26	1.02	.05	.61	.01	.12	.06					.01			26
27	.37	.14		.07	.21		.07							27
28	.21			.49	.05									28
29	.08	.04	.07		.10	.01						.27		29
30	.03	✕		.25						.06		.02		30
31	.03	✕		✕		✕			✕	.46	✕			31
TOTAL	2.23	1.62	2.84	2.10	1.65	1.36	2.14	.09	.86	2.91	6.64	1.28	Year's Total 25.72	
* Days with .01 in. or more.	10	18	12	16	10	8	17	3	7	16	21	16	154	
* Days with .04 in. or more.	7	12	9	11	10	5	13	1	5	13	17	6	109	

† Spare column, no entries required.

(Signed) C. A. Wilson
Engineer

* See Instruction 3 (f) on other side.

[P.T.O.

861

Section **A** for the entry of
AIR MINISTRY

COPY FOR OFFICIAL USE.
AINFALL ORGANIZATION.

FORM 1090.

REGIST

193/..

—

861

HARROW U.D.C. OFFICES

1931 - 1936

780204

Kept at HARROW-ON-T

in the County of MIDDLE

5446/26

861

Diameter of Funnel of Gauge

Height of top of Gauge above Groun

,, Ground ,, Sea L

THE MORNING MEASU US DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following —

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·08		·22		·16							1
2	·11	·07 ~~·08~~		·25				·01	·05	·06			2
3		~~·07~~	·03	·51	·61			·39	·49		·04	·26	3
4								·11	·59		·09		4
5				·11		·62	·10	·20	·20			·20	5
6		·13		·16						·03	·45		6
7					·13	·05		·60		·04	·21	·07	7
8		·07				·16		·44		·04	·10	·03	8
9		·04		·03		·03					·40		9
10		·12				·03	·10	·24			·25		10
11	·15	·23	MELTED SNOW ·13								·13		11
12								·08	·06				12
13							·11	·07	·40				13
14	·03						·97	1·30					14
15	·04			·12	·17		·15	·13				·07	15
16		·24		·10	·25			·07					16
17				·23	·08		·16		·15				17
18	·04	·12		·15		·18	·12	·66			·58		18
19				·52		·21	·13	·21	·07				19
20		·04		·14			·05	·20			·03		20
21					·36								21
22	·16												22
23	·22			·04	·39				·09		·14	·05	23
24				·20	·18	·09	·05						24
25	·12			·37	·11		·46				·04		25
26		·10		·45			·43		·05		·18		26
27	·26	·40			·18		·35				·08		27
28	·06	·24		·16									28
29	·09				·16		·18			·31		SLEET ·30	29
30	·12	×											30
31	·18	×		×	·06	×	·05	·14	×		×		31
TOTAL	1·58	1·88	·16	3·46	2·68	1·53	3·41	4·85	2·15	·48	2·42	·98	YEAR'S TOTAL 26·18
*Days with ·01 in. or more.	13	13	2	17	12	9	15	16	10	5	14	7	~~133~~
*Days with ·04 in. or more.	12	13	1	16	12	7	15	15	10	4	13	6	124

40-9999

*See Instruction 2 (*f*) on other side.

(Signed)
Engineer & Surveyor

P.T.O.

861

Section **A** for the entry of ~~Daily Observations~~. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at HARROW-ON-THE-HILL

in the County of MIDDLESEX

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 215 ft.

File Reference 665446/26

Station No. 861

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following —

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·08		·22		·16							1
2	·11	·07 ~~·08~~		·25				·01	·05	·06			2
3		~~·07~~	·03	·51	·61			·39	·49		·04	·26	3
4								·11	·59		·09		4
5				·11		·62	·10	·20	·20			·20	5
6		·13		·16						·03	·45		6
7					·13	·05		·60		·04	·21	·07	7
8		·07				·16		·44		·04	·10	·03	8
9		·04		·03		·03					·40		9
10		·12				·03	·10	·24			·25		10
11	·15	·23	MELTED SNOW ·13								·13		11
12								·08	·06				12
13							·11	·07	·40				13
14	·03						·97	1·30					14
15	·04			·12	·17		·15	·13				·07	15
16		·24		·10	·25			·07					16
17				·23	·08		·16		·15				17
18	·04	·12		·15		·18	·12	·66			·58		18
19				·52		·21	·13	·21	·07				19
20		·04		·14			·05	·20			·03		20
21					·36								21
22	·16												22
23	·22			·04	·39				·09		·14	·05	23
24				·20	·18	·09	·05						24
25	·12			·37	·11		·46				·04		25
26		·10		·45			·43		·05		·18		26
27	·26	·40			·18		·35				·08		27
28	·06	·24		·16									28
29	·09				·16		·18			·31		SLEET ·30	29
30	·12	X											30
31	·18	X		X	·06	X	·05	·14	X		X		31
TOTAL	1·58	1·88	·16	3·76	2·68	1·53	3·41	4·85	2·15	·48	2·72	·98	YEAR'S TOTAL 26·18
*Days with ·01 in. or more.	13	13	2	17	12	9	15	16	10	5	14	7	~~133~~
*Days with ·04 in. or more.	12	13	1	16	12	7	15	15	10	4	13	6	124

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

Engineer & Surveyor

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 861

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at HARROW-ON-THE-HILL

in the County of MIDDLESEX

File reference 665/446/26

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 215 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08			·23	·30	·03	·22	·31	·03	·13	·04		1
2	·07			·21	·06			·06	·16	·04		·17	2
3				·14	·08				·56				3
4											·11		4
5	·16					·13	·17		·08				5
6	·50		·05	·13	·09				·15				6
7			·12	·10					·08				7
8			·07	·05	·27				·05	·21			8
9	·49			·11	·85					·10			9
10				·15	·10	·03				·16			10
11	·03	SNOW 1/2" UNMELTED		·03	·04		·48	·03	·04	·20	·09	·03	11
12	·07				·03			·03		·10			12
13				·13					·04	·15	·07	·02	13
14	·21			·14	·11					·04	·05		14
15				·05	·39					·08			15
16	·55			·07	·13								16
17				·13			·08			·07			17
18									·25		·10		18
19										·28			19
20				·16	·08		·03	·39	·10	·75	·17		20
21				·18	·44			·09		·25		·04	21
22	·09	·11	·35		·47		·19		·14	·29	·37		22
23					·06				·06	·72	·11	·13	23
24										·03	·12		24
25							·50		·09	·44			25
26				·20			·62						26
27			·33	·22	·45		·06			·50	·07	·05	27
28			·05	·05	·10		·13			·18			28
29			·36	·05	·28		·11	·13	·07	·30	·04		29
30		×	·06	·07	·07	·70	·02	·03	·16		·30	·18	30
31		×		×		×			×		×		31 d
TOTAL	2·25	·11	1·39	2·60	4·40	·89	2·61	1·07	2·06	5·02	1·64	·62	YEAR'S TOTAL 24·66
*Days with ·01 in. or more.	~~10~~	~~1~~	~~8~~	~~21~~	~~20~~	~~4~~	~~12~~	~~8~~	~~16~~	~~21~~	~~13~~	~~7~~	~~141~~
*Days with .04 in. or more.	10	1	8	20	19	2	10	8	15	20	13	5	128

40-9999

*See Instruction 2 (*f*) on other side.

(Signed)
Engineer & Surveyor.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. ~~86~~ 861

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at HARROW-ON-THE-HILL
in the County of MIDDx
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft — in.
" Ground " Sea Level 215 ft.

File Reference 665/446/36

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·11	·17	·16		·21						·08		1
2	·26		·30		·16								2
3		·19	·18		about ½ hr ·34								3
4	·41		·12		·13						·07		4
5		·02	·20										5
6		·07	·08		·48					·06	·06		6
7	·22	·09	·16		·08								7
8		·02	·02		·05		·07			·16			8
9					·10		·16			·12	·07		9
10		about ½ hr ·44				·03	·36			·20			10
11	·16						·12	·10					11
12						·08							12
13	·07					·07	·22		·48		·13		13
14					·18			·03	·10	·07	·50		14
15	·35		·12			·45	·06	·13			·05		15
16			·71			·20	·33			·06			16
17	·05		·28				·02		·14		·12		17
18	·10		·10			·22							18
19		SNOW ·10	·15			·07			·67		·04	·08	19
20		SNOW ·09	·10	·12		·30							20
21						·08		·08	22				21
22		SNOW ·05						·16	~~·22~~	·17	·04		22
23				·16					·39				23
24		SNOW ·31		·17		·34			·28				24
25		·41		·31	·03				·11			·20	25
26		·27		·08					·12	·05			26
27										·32		·05	27
28										·17			28
29	·10		·02		·15					·23			29
30	·10	×	·17	omission ok?			·04			·03		·18	30
31	·09	×		×		×			×	omission ?	×		31
TOTAL	2·02	MELTED SNOW 1·68	2·87	·84	1·91	1·78	1·38	·47	2·51	1·64	1·16	·51	YEAR'S TOTAL 19·32 ~~18·…~~
*Days with ·01 in. or more.	~~12~~	13 4(S) 9(R)	16	5	11	10	9	5	9	12	10	4	4(S) ~~112~~ 116
*Days with ·04 in. or more.	12	11 4(S) ~~7~~(R)	14	5	10	9	8	4	9	11	10	4	4(S) ~~70~~ 107

40-9999

*See Instruction 2 (*f*) on other side.

(Signed)

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 861

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

665446/26

Kept at HARROW U.D. COUNCIL

in the County of MIDDX

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 215 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following —

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·04							·15				·28		1
2	·06		·19		·08				·52	·05		·40		2
3	·01	·02		·09						·17				3
4	·13		·12	·12						·29	·10	·35		4
5			·02							·24	·03	·40		5
6			·23		·35	·06		·10				·50		6
7	·16							·12		·26		·18		7
8					·13			·05	·12		·33			8
9	·02		·09								·87	·29		9
10	·02			·15				·11			·16	·03		10
11	·24		·46	·07				·08						11
12	·05		·06	·03			·13	·15				·15		12
13	·20		·26		·04		·08	·04			·03	·07		13
14	·07		·21								·19	·35		14
15	·10		·05		·15				·04		·06	·30		15
16	·18		·12											16
17	·03				·07					·15	·03	·10		17
18	·16			·20			·13			·09		·08		18
19			·20						·10	·03		·11		19
20			·25	·06			·15							20
21						·14		·03		·04				21
22								·55	·21					22
23				·44		·16						·14		23
24				·11		·07	1·07	·04	·32		·03			24
25	·18	·10		·16		·08				·03		·30		25
26	·04			·25		·07			·03			·40		26
27				·07		·15						·39		27
28		MELTED ·13 SNOW		·01		·25		·89		·05	·05	·22		28
29								·01				·07		29
30	·08	×						·04	·18			·10		30
31	·02	×		×		×		·08	×	·20	×			31
TOTAL	1·82	·25	2·26	1·46	·82	·98	1·56	2·44	1·52	1·63	1·88	5·21	Year's Total. 22·13 ✓	
* Days with .01 in. or more.	19	3	13	13	6	8	5	15	8	12	11	22	~~135~~	
* Days with .04 in. or more.	14	2	12	11	6	8	5	13	7	10	7	21	116	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Ron Bennett

[P.T.O.

861 861

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 665 446/26

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Harrow

in the County of Middx

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 215 ft.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following —

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·15	·04		·06	·02	·14	·65			·05				1
2									·26	·10				2
3		·06	·06			·17			·12	·37	·32			3
4				SNOW SHOWERS ·20		·32			·50			·16		4
5		·29		·15		·30			·32					5
6	·03		·04	·29		·33						·05		6
7				·55		·12				·03	1·10			7
8				·13							·08	·30		8
9				·16		·65				·92				9
10				·19		·03					·17	·05		10
11	·27			·43		·09	·20				·19			11
12				·07		·08		·06			·65			12
13	·13	·18		·02	·13	·04								13
14					·20	·08								14
15		·28				·10			·12		·21	·20		15
16						·45			·15			·03		16
17				✓		·09	·03				·70			17
18				✗	·05	·16	·13		·73	·06	·06	·11		18
19				✓	·10	·03	·07				·12	·03		19
20	·02	·23		✗	·21	·10	·05				·16			20
21	·03	·20								·06	·09			21
22		·10	·07	·38					·35					22
23		·19	·24					·58		·08		·21		23
24	·08	·08						·12	·96			✓		24
25	·11	SLEET ·32		·26		·17						✗		25
26	SLEET ·10							·45				✗		26
27	·03	1·45							·22		·13	✗		27
28					·06					·07		✗ 1·05		28
29									·77			·31		29
30	·07	✕		·12				·40	·30	·55	·26	·26		30
31		✕		✕		✕			✕		✕	·36	"d"	31
													Year's Total	
TOTAL	1·02	2·42	·41	3·01	·77	3·45	1·13	1·61	4·80	2·29	4·24	3·12	28·27	
* Days with .01 in. or more.	11	12	4	~~17~~ 17	7	19	6	5	12	10	14	~~13~~ 17	~~127~~	~~134~~
* Days with .04 in. or more.	7	12	4	~~13~~ 14	6	17	5	5	12	9	14	~~13~~ 15	~~117~~	120.

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) E. W. Rackham / C.R.H.
Engineer & Surveyor

[P.T.O.

THE ENGINEER & SURVEYOR

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 861

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

~~Duplicate~~

Kept at Harrow U.D.C. Offices

in the County of Middlesex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 280 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·55	·13	·07	·23	·	·14	·09	·09	·	·	·07	·06		1
2	·02	·08	·02	-	·	·26	[illegible]	·06	-	·	·11	·		2
3	-	·	-	·	·	·07	·02	·	·10	-	·28	·02		3
4	-	·	·10	·04	·	·11	·	·	·49	·	·05	·03		4
5	·08	·	·01	·	·	·	·	·02	·13	·	·03	·06		5
6	·30	·	·	-	·	·16	·	·08	·05	-	·11	·21		6
7	·20	-	·03	·	-	·02	·56	·	·04	·	·07	·		7
8	·16	·	·02	·	·	·	·05	·	·	·	·43	·18		8
9	·58	·	·05	·	·	·	·48	·	·55	·04	·	·		9
10	·01	·	·	·	·	·	·08	·05	·15	·	·	·		10
11	-	·	·	·12	·	·	·08	·01	·	·	·74	-		11
12	·	·	·	·11	·	·42	·19	·01	·08	·	·24	·12		12
13	·	·	·	·14	·	·41	·01	·	·	·02	·08	·12		13
14	·	·11	·	·	·	·05	·29	·	·01	·08	·07	·24		14
15	·	·08	·	·	·	·	·01	·	·31	·	·	·04		15
16	·30	·07	·	·	·	·	·03	·	·06	·	·41	·01		16
17	·12	·45	·	·	·03	·01	·01	·	·	·01	·21	·13		17
18	·01	·10	·	·	·	·27	·09	·	·	·09	·01	·07		18
19	·30	·03	·01	·01	·	·12	·04	·08	–	·06	·	·		19
20	·	·06	·	·32	·	·	·03	·	·83	·	·	·		20
21	·	·	·	·15	·05	·32	·	·	·03	·	·	·		21
22	·14	·34	·01	·	·28	·04	·18	·	·	·	·	·12		22
23	·03	·	·02	·08	·	·	·04	·	·	·11	·	·02		23
24	·09	·07	·07	·	·	-	·	·	·	·35	·	·		24
25	·07	·	·13	·17	·	·54	·17	·	·13	·15	·04	·02		25
26	·	·12	·16	·05	-	·14	·	·	·02	·14	·	·04		26
27	·20	·07	·02	·	·	·	·01	·	·16	·06	·	—		27
28	·70	-	·09	·	·	·	·38	·	·01	·	·	·06		28
29	·05	·08	·06	·	·	·22	·08	·	·	·01	·18	·01		29
30	·09	✕	·01	·	·03	·14	·	·	·	·29	·	·		30
31	·28	✕	·24	✕	·	✕	·13	·	✕	·51	✕	·34		31
TOTAL	4·28	1·78	1·12	1·42	0·39	3·45	3·23	0·40	3·15	1·92	3·13	1·90	Year's Total 2617	
* Days with .01 in. or more.	21	14	18	11	4	18	24	8	17	14	17	20	186	
* Days with .04 in. or more.	17	13	9	10	2	16	17	5	13	11	15	14	142	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) H. W. Packham

Engineer, Harrow U.D.C.

[P.T.O.

HARROW (ALFRISTON AVE.

Section **A** for the entry of D

AIR MINISTRY

Station No. 861/3

AINFALL ORGANIZATION

FORM 1090

861/3
HARROW
ALFRISTON AVE.
1938-1940

78020

REGIST 1938

rounding stns.
ch. 21/3/39.

Kept at N. Harrow

in the County of Middle

4394/31

Diameter of Funnel of Gauge

Height of top of Gauge above Groun

,, Ground ,, Sea L

THE MORNING MEASUREN VIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		—	tr.	—	·01	·08	·04	—	·02	tr.	—	·01		1
2		—	—	·03	·11	—	—	—	—	·09	tr.	·02		2
3		—	—	—	·16	—	—	—	·04	·45	·02	—		3
4		—	—	tr.	—	—	·13	—	—	·09	—	·12		4
5		—	—	tr.	—	tr.	·09	tr.	tr.	·11	tr.	—		5
6		—	—	—	—	—	·06	—	·03	·01	·01	—		6
7		—	—	—	—	—	·04	1·82	·01	·14	—	·02		7
8		—	—	—	—	—	·02	—	tr.	·22	—	·01		8
9		tr.	—	—	—	·02	·09	·29	—	tr.	—	·36		9
10		·03	—	—	—	·03	·01	·16	—	—	—	·05		10
11		—	—	—	—	—	tr.	·56	—	—	·10	·03		11
12		tr.	—	—	tr.	—	·02	·11	—	·16	·02	—		12
13		S. ·02	—	—	—	—	—	—	—	—	·05	·07		13
14		S. tr.	—	—	·02	—	·01	—	·05	—	F ·02	—		14
15		S. ·01	—	—	tr.	—	·14	—	—	·28	·02	·16		15
16		S. tr.	tr.	—	—	—	·04	·02	—	·03	·04	·37		16
17		S. ·07	—	—	·06	—	tr.	tr.	tr.	·04	—	tr.		17
18		—	—	—	·10	tr.	—	tr.	·04	·02	·22	S. tr.		18
19		—	—	—	tr.	—	tr.	·04	·06	—	·10	S. tr.		19
20		—	—	—	—	—	—	—	·03	—	·34	S. ·02		20
21		—	—	—	—	—	—	·16	·03	—	·02	S. ·40		21
22		—	—	tr.	—	·02	—	·03	—	—	·10	S. ·26		22
23		—	—	·02	—	—	—	—	·01	—	·03	S. tr.		23
24		—	·12	tr.	·02	—	—	—	·36	—	·04	S. tr.		24
25		·02	·08	·07	·05	—	·02	tr.	·02	·01	·70	S. ·11		25
26		·08	·06	tr.	—	tr.	—	—	·03	·18	—	·16		26
27		·02	tr.	·02	·01	·12	·12	·06	·31	·13	·20	—		27
28		·02	—	—	·62	·02	tr.	·29	·03	—	·06	·05		28
29			—	tr.	·06	—	—	tr.	tr.	·02	·08	·16		29
30		×	—	·03	·03	·06	·01	—	·02	·04	·14	—		30
31		×	—	×	·07	×	—	—	×	·08	×	·17	11 months	31
TOTAL	(2·75)	·27	·26	·17	1·32	·35	·84	3·54	1·59	2·11	2·40	2·64	sTotal ~~15·49~~	(18·24)
* Days with .01 in. or more.	(20)	8	3	5	13	7	15	11	16	18	20	19	~~135~~	(155)
* Days with .04 in. or more.	(18)	2	3	1	8	3	9	9	6	13	13	13	~~80~~	(98)

wp
Low
GB 21/3/39

W. H. SALTER ESQ.

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Wallace H. Salter

[P.T.O.

HARROW (ALFRISTON AVE

Section A for the entry of Daily Observations

Station No. 861/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at N. Harrow
in the County of Middlesex
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 165 ft.

Jan. estd. by surrounding stns. C.R. 21/3/39.

letter written re exposure cp 22/3

84394/31

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		–	tr.	–	·01	·08	·04	–	·02	tr.	–	·01		1
2		–	–	·03	·11	–	–	–	–	·09	tr.	·02		2
3		–	–	–	·16	–	–	–	·04	·45	·02	–		3
4		–	–	tr.	–	–	·13	–	–	·09	–	·12		4
5		–	–	tr.	–	tr.	·09	tr.	tr.	·11	tr.	–		5
6		–	–	–	–	–	·06	–	·03	·01	·01	–		6
7		–	–	–	–	–	·04	1·82	·01	·14	–	·02		7
8		–	–	–	–	–	·02	–	tr.	·22	–	·01		8
9		tr.	–	–	–	·02	·09	·29	–	tr.	–	·36		9
10		·03	–	–	–	·03	·01	·16	–	–	–	·05		10
11		–	–	–	–	–	tr.	·56	–	–	·10	·03		11
12		tr.	–	–	tr.	–	·02	·11	–	·16	·02	–		12
13		S. ·02	–	–	–	–	–	–	–	–	·05	·07		13
14		S. tr.	–	–	·02	–	·01	–	·05	–	F. ·02	–		14
15		S. ·01	–	–	tr.	–	·14	–	–	·28	·02	·16		15
16		S. tr.	tr.	–	–	–	·04	·02	–	·03	·04	·37		16
17		S. ·07	–	–	·06	–	tr.	tr.	tr.	·04	–	tr.		17
18		–	–	–	·10	tr.	–	tr.	·04	·02	·22	S. tr.		18
19		–	–	–	tr.	–	tr.	·04	·06	–	·10	S. tr.		19
20		–	–	–	–	–	–	–	·03	–	·34	S. ·02		20
21		–	–	–	–	–	–	·16	·03	–	·02	S. ·40		21
22		–	–	tr.	–	·02	–	·03	–	–	·10	S. ·26		22
23		–	–	·02	–	–	–	–	·01	–	·03	S. tr.		23
24		–	·12	tr.	·02	–	–	–	·36	–	·04	S. tr.		24
25		·02	·08	·07	·05	–	·02	tr.	·02	·01	·70	S. ·11		25
26		·08	·06	tr.	–	tr.	–	–	·03	·18	–	·16		26
27		·02	tr.	·02	·01	·12	·12	·06	·31	·13	·20	–		27
28		·02	–	–	·62	·02	tr.	·29	·03	–	·06	·05		28
29			–	tr.	·06	–	–	tr.	tr.	·02	·08	·16		29
30		✗	–	·03	·03	·06	·01	–	·02	·04	·14	–		30
31		✗	–	✗	·07	✗	–	–	✗	·08	✗	·17	11 months s Total	31
TOTAL	(2·75)	·27	·26	·17	1·32	·35	·84	3·54	1·59	2·11	2·40	2·64	~~15·49~~	(18·24)
* Days with .01 in. or more.	(20)	8	3	5	13	7	15	11	16	18	20	19	~~135~~	(155)
* Days with .04 in. or more.	(18)	2	3	1	8	3	9	9	6	13	13	13	~~80~~	(98)

Wp Low GB 21/3/39

W. H. SALTER ESQ.

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) Wallace H. Salter

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 861/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at N. Harrow

in the County of Middlesex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 165 ft.

up 1938 low

84394/31

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	—	tr.	·40	·29	—	·03	·19	·53	—	—	·01		1
2	·01	—	—	·02	·02	—	tr.	·63	·52	—	·04	tr.		2
3	S. ·33	—	—	·17	—	—	—	·33	tr.	tr.	·22	·11		3
4	·07	—	·13	·28	tr.	—	·02	·57	—	·32	·02	·01		4
5	—	—	tr.	·38	·04	—	tr.	·15	—	·18	·18	·13		5
6	·33	—	—	·02	—	—	·08	·02	—	·02	·39	·03		6
7	·06	·10	—	—	—	—	tr.	·02	—	·04	·03	·13		7
8	tr.	·06	·13	—	—	—	·02	·02	—	·50	·27	·35		8
9	·01	·08	—	—	—	—	—	·01	—	·19	·03	·16		9
10	·20	—	—	—	—	·41	—	·14	·01	·10	tr.	—		10
11	—	—	·19	—	·01	·28	—	—	—	·42	·03	·01		11
12	—	·02	—	—	tr.	·01	—	—	·03	—	—	—		12
13	—	—	tr.	·01	—	tr.	·01	—	·06	1·10	·01	—		13
14	·34	—	tr.	·02	·09	tr.	·02	—	·01	·21	·36	·01		14
15	·13	—	tr.	·01	·70	·27	·01	—	·11	·94	·16	·01		15
16	·29	—	·10	·01	·12	·07	·08	—	·02	—	·28	—		16
17	·10	·04	·02	·02	·17	tr.	·22	—	—	tr.	·03	—		17
18	·20	tr.	·04	—	—	·07	·11	—	—	·18	·21	—		18
19	·17	—	·06	—	—	—	·04	—	—	·10	tr.	·01		19
20	·15	—	·01	—	—	·46	·41	tr.	—	—	—	·02		20
21	·03	tr.	·23	—	—	·02	·05	·85	·06	—	—	—		21
22	·12	·18	·10	·01	—	tr.	tr.	—	·01	—	·06	F. ·01		22
23	·02	—	·01	·08	—	·01	tr.	·01	tr.	·03	·51	F. ·01		23
24	S. ·25	—	tr.	·02	—	tr.	·02	tr.	tr.	·12	—	F. ·01		24
25	S. 1·05	·13	S. ·07	tr.	tr.	—	·05	·01	—	·04	·40	F. ·01		25
26	S. ·21	·02	S. ·01	tr.	—	tr.	tr.	·01	—	·27	·23	·02		26
27	S. ·01	·02	·11	·01	—	tr.	tr.	tr.	—	·06	·15	—		27
28	—	·10	·05	·02	—	·01	·14	—	—	·15	·09	S. ·08		28
29	—		—	·27	—	tr.	·01	—	—	·09	·13	—		29
30	—	✕	—	·73	—	·10	—	—	—	·01	·17	S. ·02		30
31	—	✕	—	✕	—	✕	·03	tr.	✕	·03	✕	—		31
													Year's Total	
TOTAL	4·10	·75	1·26	2·48	1·53	1·71	1·35	2·96	1·36	5·10	4·00	1·15	27·75	
* Days with .01 in. or more.	22	10	15	18	8	11	18	14	10	22	23	20	191	
* Days with .04 in. or more.	16	7	11	7	6	7	9	7	4	18	17	6	115	

up low

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

6

(Signed) Wallace H. Salter [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 861/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940.

Kept at N. Harrow

in the County of Middlesex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 165 ft.

-np 1939

£84 394/31

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	S. ·04	—	tr.	tr.	—	—	—	—	—	·09	—		1
2	—	·05	—	·10	—	—	·05	—	—	·10	·28	tr.		2
3	—	·19	—	·10	—	—	—	—	—	·10	·90	·06		3
4	—	·10	—	·02	—	—	tr.	—	—	·13	·09	·02		4
5	F ·01	F ·01	—	—	tr.	—	{	—	—	·07	·32	·08		5
6	·10	·11	—	—	·05	—	·50	—	—	·12	·10	tr.		6
7	·23	·08	—	·01	·06	—	·11	—	·06	—	—	·02		7
8	—	—	—	·03	—	—	tr.	—	tr.	·10	—	·22		8
9	—	—	—	tr.	—	·76	tr.	·13	·03	·12	·05	·04		9
10	—	—	tr.	tr.	—	—	·22	·01	—	·04	·14	·02		10
11	—	—	tr.	·04	—	—	·01	—	—	—	·55	·02		11
12	—	S. ·03	·04	tr.	—	·09	·07	—	·07	—	·01	—		12
13	—	S. ·01	·52	tr.	—	·22	tr.	—	·02	—	1·01	—		13
14	—	S. tr.	S. ·16	·10	·05	—	tr.	tr.	·02	·03	F ·01	·17		14
15	—	—	·04	·05	·06	—	·27	—	·06	—	·12	·01		15
16	S. ·07	S. ·06	·26	S. tr.	—	·02	·46	—	·11	·64	·65	·02		16
17	—	S. tr.	·31	tr.	—	—	·02	—	—	—	·66	—		17
18	S. ·01	·43	·03	·18	—	—	·05	tr.	—	·13	·36	·10		18
19	—	·20	·01	·03	—	—	·01	—	·30	—	·10	·02		19
20	—	·01	tr.	·03	—	tr.	·19	·02	·01	·05	·01	tr.		20
21	S. ·05	·01	tr.	—	·48	—	·11	·01	—	·04	·13	—		21
22	S. tr.	—	·03	·01	·31	·40	—	tr.	·06	tr.	—	—		22
23	—	·06	·02	·15	·02	·04	tr.	·02	—	tr.	—	·01		23
24	—	—	—	·12	—	—	·16	—	—	—	—	·01		24
25	—	—	·46	—	·01	tr.	·13	—	—	—	—	—		25
26	·99	·05	·48	·16	·29	·02	—	—	—	—	tr.	—		26
27	S. ·48	·10	tr.	·05	·15	—	tr.	—	—	—	tr.	tr.		27
28	S. ·31	tr.	—	·08	·04	—	—	—	—	—	—	—		28
29	S. ·06	·07	·05	—	·03	—	—	—	tr.	—	—	·18		29
30	·08	✕	—	·27	—	—	—	—	—	·03	—	·02		30
31	·02	✕	tr.	✕	—	✕	—	—	✕	·38	✕	tr.		31
													Year's Total	
TOTAL	2·41	1·61	2·41	1·53	1·55	1·55	2·36	·19	·74	2·08	5·58	1·02	23·03	
* Days with .01 in. or more.	12	18	13	18	12	7	16	5	10	15	19	17	162	
* Days with .04 in. or more.	9	13	9	12	9	5	13	1	6	13	16	7	113	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Wallace H. Salter

[P.T.O.

X HARROW (HEADSTONE R

Section A for the entry of Daily C

AIR MINISTRY.—ME

FORM 1090

REGISTER

861/4

HARROW

HEADSTONE RD

1940 ONLY.

Station No. 861/4

ALL ORGANIZATION

40.

79985/26

Kept at X 33A HEADSTONE ROAD, H

in the County of MIDDLESEX

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Level

THE MORNING MEASUREMENT … S DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·01									·12			1
2		·02		·13			·07			·11	·52			2
3	·01	·26		·13						·09	·95	·09		3
4	·01	·09		·02						·20	·10	·04		4
5	·01	·02					·01			·10	·42	·13		5
6	·13	·10			·05		·52			·26	·08	Trace		6
7	·29	·10			·07		·10		·06		·01	Trace		7
8				·03						·16		·29		8
9				Trace		·88		·27	·03	·17	·10	·04		9
10							·27			·11	·18	·03		10
11			·01	·03			Trace				·91	·01		11
12			·07			·12	·11		·11		·01			12
13			·57			·22	·01		·02	Trace	1·05	·01		13
14			·13	·12					·03	·03	·01	·26		14
15			·05	·04	·08	·01	·23		·06	·01	·18	·01		15
16	·05	·03	·50			·01	·46		·20	·65	·70	·03		16
17			·28				·02				·70	·01		17
18		·48	·08	·24			·09		·01	·14	·41	·15		18
19		·22	·01	·08			·01		·45	Trace	·17	·02		19
20		·02	·01	·02			·14	·02		·06	·02			20
21	·04	·01			·36		·09	·01		·03	·22			21
22	·01	Trace	·03	·01	·47	·38			·11	Trace	Trace			22
23		·06	·04	·15	·09	·02		·01		·01	·01			23
24			Trace	·18			·21				·01	·01		24
25			·46		·02		·14				Trace			25
26	1·19	·09	·44	·11	·25	·01								26
27	·45	·13		·11	·19		·01							27
28	·31			·27	·05									28
29	·05	·07	·09		·03							·30		29
30	·10	✕		·28						·07		·02		30
31	·03	✕	...	✕	...	✕	...	...	✕	·59	✕	·01		31
TOTAL	2·68	1·71	2·77	1·95	1·66	1·65	2·49	0·31	1·08	2·79	6·88	1·46	Year's Total 27·43	
* Days with .01 in. or more.	14	16	15	17	11	8	17	4	10	17	22	18	169	
* Days with .04 in. or more.	9	10	11	12	9	4	12	1	6	13	16	8	111	

WH

† Spare column, no entries required.

* See Instruction 5 (f) on other side.

X S. HYLA GREVES, ESQ X

(Signed) Stanley S. Hyla Greves [P.T.O.

X HARROW (HEADSTONE

Section **A** **for the entry of Daily Observations** **Station No.** 861/4

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940.

Kept at X 33A HEADSTONE ROAD, HARROW

in the County of MIDDLESEX

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 208 ft.

f 694985/26

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·01									·12			1
2		·02		·13			·07			·11	·52			2
3	·01	·26		·13						·09	·95	·09		3
4	·01	·09		·02						·20	·10	·04		4
5	·01	·02					·01			·10	·42	·13		5
6	·13	·10			·05		·52			·26	·08	Trace		6
7	·29	·10			·07		·10		·06		·01	Trace		7
8				·03						·16		·29		8
9				Trace		·88		·27	·03	·17	·10	·04		9
10							·27			·11	·18	·03		10
11			·01	·03			Trace				·91	·01		11
12			·07			·12	·11		·11		·01			12
13			·57			·22	·01		·02	Trace	1·05	·01		13
14			·13	·12					·03	·03	·01	·26		14
15			·05	·04	·08	·01	·23		·06	·01	·18	·01		15
16	·05	·03	·50			·01	·46		·20	·65	·70	·03		16
17			·28				·02				·70	·01		17
18		·48	·08	·24			·09		·01	·14	·41	·15		18
19		·22	·01	·08			·01		·45	Trace	·17	·02		19
20		·02	·01	·02			·14	·02		·06	·02			20
21	·04	·01			·36		·09	·01		·03	·22			21
22	·01	Trace	·03	·01	·47	·38			·11	Trace	Trace			22
23		·06	·04	·15	·09	·02		·01		·01	·01			23
24			Trace	·18			·21				·01	·01		24
25			·46		·02		·14				Trace			25
26	1·19	·09	·44	·11	·25	·01								26
27	·45	·13		·11	·19		·01							27
28	·31			·27	·05									28
29	·05	·07	·09		·03							·30		29
30	·10	✕		·28						·07		·02		30
31	·03	✕	. . .	✕	. . .	✕	. . .	. . .	✕	·59	✕	·01		31
TOTAL	2·68	1·71	2·77	1·95	1·66	1·65	2·49	0·31	1·08	2·79	6·88	1·46	Year's Total 27·43	
* Days with .01 in. or more.	14	16	15	17	11	8	17	4	10	17	22	18	169	
* Days with .04 in. or more.	9	10	11	12	9	4	12	1	6	13	16	8	111	

Print.
WH

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Stanley S. Hyla Greves

X S. HYLA GREVES, ESQ X

[P.T.O.

Hendon (9

861/5

HENDON COUNCIL DEPOT

1937, 1939-40

780204

Station No. 861/5.

287136/33

Section **A** for the entry of Dail

AIR MINISTRY.—

NFALL ORGANIZATION

FORM 1090

REGISTE 937

Kept at Hendon Council Depo

in the County of Middlesex.

Diameter of Funnel of Gauge 8

Height of top of Gauge above Ground..

,, Ground ,, Sea Leve

THE MORNING MEASUREMEN IOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following
✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0·45	Nil.	·02.	·08	–	–	–	–	·03	–	·74	·69		1
2	0·03	·14	·02	·47	–	–	–	–	·06	·01	–	·56		2
3	Nil	·18	–	–	–	–	–	–	–	–	–	·03		3
4	0·03	·38	–	–	·05	–	–	–	–	–	–	·35		4
5	0·17	·08	·25	–	–	–	·07	·04	–	–	·01	–		5
6	Nil	·03	·46 SNOW	–	·20	–	·03	–	–	·15	·03	–		6
7	Nil	·87	·18	·14	–	–	–	–	·04	·01	–	·01		7
8	Nil	·03	–	–	·08	·08	–	–	–	–	·06	·32		8
9	Nil	·04	–	·36	·17	·02	·10	–	·26	–	–	·03		9
10	Nil	Nil	·61	·05	·21	·42	·10	·06	–	–	–	·29		10
11	Nil	–	·17	·01	·66	–	·02	–	–	·01	–	·06		11
12	0·12	·32	·17	–	·36	·49	·02	–	·04	–	–	·08		12
13	0·08	·05.	·46	–	–	·11	–	1·50	·13	–	–	·96		13
14	0·02	·06	·20	·04	–	–	–	·44	·09	–	–	·25		14
15	0·05	·13	–	·18	–	·17	·20	–	·05	–	–	·03		15
16	0·07	·17	·24	·44	–	·03	–	·21	·29	–	–	·02		16
17	0·25	Nil	·11	·12	–	·01	–	–	·17	–	·03	tr.		17
18	0·23	·09	·01	–	·15	·24	–	–	–	tr	·19	·06		18
19	0·01	·13	·05	·14	·08	·14	·10	–	·05	–	–	·10		19
20	0·26	·01	·02	·55	·71	·02	–	–	·08	–	–	·02		20
21	0·32	·57	·03	·09	·05	–	·05	–	–	–	–	·03		21
22	0·35	·05	·02	·01	·03	·08	·03	–	–	·57	·26	·04		22
23	0·26	–	·02	–	·04	–	·05	–	–	·68	·01	·02		23
24	0·60	·60	·01	–	·02	·01	–	–	·18	·14	–	·01		24
25	0·02	·28	·13	–	·26	–	–	–	·06	·41	–	·03		25
26	Nil	·21	·05	–	·08	–	–	–	–	·03	–	·01		26
27	0·06	·08	–	·12	–	–	–	–	·05	·54	–	–		27
28	Nil	·09	–	·04	–	–	–	–	–	·09	–	·03		28
29	SNOW.	X	–	–	–	·01	–	–	–	·06	·06	·04		29
30	0·31	✕	–	–	–	–	–	·41	–	·02	·16	–		30
31	0·28	✕	–	✕	–	✕	–	–	✕	·25	✕	·04		31
TOTAL	3·97	4·59	3·17	2·84	3·15	1·83	·77	2·66	1·58	2·97	1·55	4·11	Year's Total 33·19	✓
* Days with .01 in. or more.	21	23	21	16	16	14	11	6	15	14	10	26	193	✓
* Days with .04 in. or more.	16	20	13	14	14	8	7	6	14	9	6	14	141	✓

* See Instruction 3 (f) on other side.

N

† Spare column, no entries required

(*Signed*) A O Knight [P.T.O.

~~Borough Engineer~~ & Surveyor.

x A.O Knight x

Hendon (USE

Section A **for the entry of Daily Observations** **Station No.** 561/5.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

c 1/37. 287/36/3

Kept at Hendon Council Depot, Hendon Way, N.W.4.
in the County of Middlesex.
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. - in.
,, Ground ,, Sea Level 153·37 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·45	Nil.	·02.	·08	-	-	-	-	·03	-	·74	·69		1
2	0·03	·14	·02	·47	-	-	-	-	·06	·01	-	·56		2
3	Nil	·18	-	-	-	-	-	-	-	-	-	·03		3
4	0·03	·38	-	-	·05	-	-	-	-	-	-	·35		4
5	0·17	·08	·25	-	-	-	·07	·04	-	-	·01	-		5
6	Nil	·03	·46 SNOW	-	·20	-	·03	-	-	·15	·03	-		6
7	Nil	·87	·18	·14	-	-	-	-	·04	·01	-	·01		7
8	Nil	·03	-	-	·08	·08	-	-	-	-	·06	·32		8
9	Nil	·04	-	·36	·17	·02	·10	-	·26	-	-	·03		9
10	Nil	Nil	·61	·05	·21	·42	·10	·06	-	-	-	·29		10
11	Nil	-	·17	·01	·66	-	·02	-	-	·01	-	·06		11
12	0·12	·32	·17	-	·36	·49	·02	-	·04	-	-	·08		12
13	0·08	·05.	·46	-	-	·11	-	1·50	·13	-	-	·96		13
14	0·02	·06	·20	·04	-	-	-	·44	·09	-	-	·25		14
15	0·05	·13	-	·18	-	·17	·20	-	·05	-	-	·03		15
16	0·07	·17	·24	·44	-	·03	-	·21	·29	-	-	·02		16
17	0·25	Nil	·11	·12	-	·01	-	-	·17	-	·03	tr.		17
18	0·23	·09	·01	-	·15	·24	-	-	-	tr	·19	·06		18
19	0·01	·13	·05	·14	·08	·14	·10	-	·05	-	-	·10		19
20	0·26	·01	·02	·55	·71	·02	-	-	·08	-	-	·02		20
21	0·32	·57	·03	·09	·05	-	·05	-	-	-	-	·03		21
22	0·35	·05	·02	·01	·03	·08	·03	-	-	·57	·26	·04		22
23	0·26	-	·02	-	·04	-	·05	-	-	·68	·01	·02		23
24	0·60	·60	·01	-	·02	·01	-	-	·18	·14	-	·01		24
25	0·02	·28	·13	-	·26	-	-	-	·06	·41	-	·03		25
26	Nil	·21	·05	-	·08	-	-	-	-	·03	-	·01		26
27	0·06	·08	-	·12	-	-	-	-	·05	·54	-	-		27
28	Nil	·09	-	·04	-	-	-	-	-	·09	-	·03		28
29	SNOW.	X	-	-	-	·01	-	-	-	·06	·06	·04		29
30	0·31	✕	-	-	-	-	-	·41	-	·02	·16	-		30
31	0·28	✕	-	✕	-	✕	-	-	✕	·25	✕	·04		31
													Year's Total	
TOTAL	3·97	4·59	3·17	2·84	3·15	1·83	·77	2·66	1·58	2·97	1·55	4·11	33·19	✓
* Days with .01 in. or more.	21	23	21	16	16	14	11	6	15	14	10	26	193	✓
* Days with .04 in. or more.	16	20	13	14	14	8	7	6	14	9	6	14	141	✓

* See Instruction 3 (f) on other side.

N

† Spare column, no entries required.

(*Signed*) A Knight [P.T.O.

Borough Engineer & Surveyor.

x A.D Knight x

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 861/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at Hendon Boro' Council's Depot, Hendon Way.

in the County of Middlesex.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 157.3 ft.

Letter written 19/3/40 - observer states that Snowdon gauge is in use.

Entry on Jan 25th, Dec 28th est'd by refce. to nearby stns for snowfall.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	-	-	·10	·38	-	·01	·31	·35	-	-	-		1
2	·01	-	-	.02	.03	-	-	·78	.78	-	.03	-		2
3	.32	-	-	-	-	-	-	.40	-	-	.26	.13		3
4	.08	-	.14	.22	-	-	.06	1.00	-	.40	.04	.03		4
5	-	-	-	.45	.05	-	.03	.30	-	.08	.22	.05		5
6	.45	-	-	-	-	-	.30	.40	-	-	.58	.05		6
7	.03	.01	-	-	-	-	-	.40	-	.02	.09	.13		7
8	-	-	.11	-	-	-	.02	.47	-	.47	.16	.32		8
9	.01	-	-	-	-	-	-	.02	-	.36	.26	.20		9
10	.15	-	-	-	-	.36	-	.17	.01	.07	-	-		10
11	-	-	.23	-	.03	.24	-	-	-	.25	.02	.01		11
12	-	-	-	-	.02	.01	-	-	-	-	-	-		12
13	-	-	-	.03	-	-	.06	-	.04	1.53	-	-		13
14	.59	-	-	.04	.10	-	.02	-	.02	.23	.40	.03		14
15	.25	-	-	-	.60	.19	.04	-	.11	.94	.03	.02		15
16	.40	-	.06	.02	.09	.15	.02	-	.04	-	.40	-		16
17	.09	-	.01	.02	.17	-	.10	-	-	-	.06	-		17
18	.02	-	.02	-	-	.21	.26	-	-	.08	.32	-		18
19	.22	-	-	-	-	-	.35	-	-	.31	-	-		19
20	.12	-	.01	-	-	.27	.59	.03	-	-	-	.03		20
21	.04	-	.30	-	-	.03	.43	1.02	.08	-	-	-		21
22	.11	.17	.08	-	-	-	.02	-	-	-	.14	-		22
23	.04	-	.01	.11	-	.01	.02	.05	-	.05	.70	-		23
24	.20	-	-	.02	-	-	.18	.01	-	.10	.02	-		24
25	(1·30) Snow	.10	.03	-	-	-	.26	.21	-	-	.62	-		25
26	.19	.01	-	.05	-	-	.02	.01	-	.34	.10	.04		26
27	-	-	.06	.05	-	.01	-	-	-	.15	.14	-		27
28	-	.17	.06	.06	-	.01	.12	-	-	.07	.12	([illegible]) Snow		28
29	-	X	-	.32	-	-	.13	-	-	.13	.18	-		29
30	-	✕	-	.75	-	.02	-	-	-	-	.17	-		30
31	-	✕	-	✕	-	✕	.05	-	✕	-	✕	-	33·34	31
TOTAL	(4·64) ~~3.34~~	.46	1.12	2.26	1.47	1.51	3.09	5.58	1.43	5.58	5.06	1 1.04	Year's Total ~~31.94~~	
* Days with .01 in. or more.	201	5	13	15	9	12	22	16	8	18	23	123	1715	
* Days with .04 in. or more.	116	3	8	10	6	6	14	12	6	17	19	78	1215	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 461/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN ~~193~~ JAN 1940.

Kept at Hendon Borough Council's Depot Hendon Way, N.W.2.

in the County of Middx.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 157 ft.

Totals – see back

Jan 25th – 31st + Feb 1st + 2nd ests. for snow.
Snow ests. sent 5-4-41.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	snow (·05)	–	–	–	–	–	–	–	–	·09	–		1
2	–	snow	–	·12	–	–	·09	–	–	·16	·55	–		2
3	–	·22	–	·13	–	–	–	–	–	·17	·91	·10		3
4	–	·13	–	·05	–	–	–	–	–	·17	·09	·04		4
5	–	–	–	–	–	–	·03	–	–	·07	·29	·11		5
6	·13	·10	–	–	·03	–	·25	–	–	·22	·19	–		6
7	·29	·07	–	–	·05	–	·12	–	·03	–	–	–		7
8	–	–	–	·03	·02	·05	·02	–	·02	·13	·02	·27		8
9	–	–	–	–	–	·27	·01	–	·02	·16	·11	·04		9
10	–	–	·01	–	–	–	·15	·09	–	·06	·14	·03		10
11	–	–	–	·04	–	–	·04	–	–	–	·96	–		11
12	–	–	·06	–	–	·07	·07	–	·04	–	·02	–		12
13	–	–	·63	–	–	–	–	–	·14	–	1·07	–		13
14	–	–	snow.	·10	–	–	–	·02	·01	–	–	·24		14
15	–	–	·04	·04	·12	–	·25	–	–	–	·27	–		15
16	–	–	·90	·03	–	·05	·36	–	·19	1·20	·77	·03		16
17	–	–	·36	–	–	–	·03	–	–	–	·57	–		17
18	–	·56	·05	·33	–	–	·17	–	–	–	·40	·16		18
19	–	·17	–	·08	–	–	·02	–	·51	·12	·12	·04		19
20	–	·03	–	·02	–	–	·08	·02	–	–	·09	–		20
21	–	–	–	–	·23	–	·20	–	–	·06	·28	–		21
22	–	–	·03	–	·46	·28	–	–	·06	–	–	–		22
23	–	·08	·02	·24	·07	·06	nil	–	–	·05	–	–		23
24	–	–	–	·20	–	–	·21	–	–	–	–	–		24
25	–	–	·53	–	–	–	·10	–	–	–	–	–		25
26	snow	·08	·57	·02	·09	·05	–	–	–	–	–	–		26
27	snow	·20	–	·29	·31	–	·12	–	–	–	–	–		27
28	(2·00) snow	–	–	·25	·07	–	–	–	–	–	–	–		28
29	snow	·03	·10	–	·14	·02	–	–	–	–	–	·33		29
30	snow	X	–	·21	–	–	–	–	–	·06	–	·02		30
31	snow	X	–	X	–	X	–	–	X	·63	X	·02		31
TOTAL	2·42	1·72 ~~1·67~~	3·30	2·18	1·59	·85	2·32	·13	1·02	3·26	6·94	1·43	Year's Total ~~27·11~~	27·16
* Days with .01 in. or more.	8 ~~2~~	~~11~~ 13	12	17	11	8	19	3	9	14	19	13	146 ~~138~~	
* Days with .04 in. or more.	7 ~~2~~	9	9	13	9	7	14	1	5	14	17	9	114 ~~109~~	

BOROUGH of HENDON

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) A. D. Knight [P.T.O.

Borough Engineer & Surveyor.

Section **A** for the entry of Daily

AIR MINISTRY.—M

862

HENDON

BOROUGH COUNCIL OUTFALL WORKS.

1931 - 1936

480204

862

COPY FOR OFFICIAL USE.

NFALL ORGANIZATION.

FORM 1090.

REGISTER 931.

Kept at Hendon U.D.C.

in the County of MIDDLE

Diameter of Funnel of Gauge Six

Height of top of Gauge above Ground

,, Ground ,, Sea Level

THE MORNING MEASUREM DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	0·15	(SNOW) 0·13	0·32	-	0·01	-	0·02	0·02	-	-	-	1
2	0·14	0·05	-	0·42	-	-	-	-	0·52	0·04	0·01	0·07	2
3	0·02	—	0·03	0·40	0·48	-	-	0·50	1·38	—	0·01	0·14	3
4					0·01	-		0·14	0·09	-	0·06	—	4
5				0·20	0·04	0·66	0·03	0·30	0·02	-	-	0·20	5
6		0·13	-	0·07	-	-				0·23	0·49		6
7	-				0·07	0·07	0·01	0·70		0·03	0·06	0·04	7
8	-	0·05				0·17		0·30		0·03	0·10	0·02	8
9	-	0·02	(SNOW) 0·03								0·49	0·01	9
10		0·11	(SNOW) 0·04				0·05	0·18			0·15		10
11	0·13	0·22							0·04		0·09		11
12	-	0·07						0·08	0·35				12
13	-						0·21	0·12					13
14	0·01	0·13					0·83	1·05					14
15	0·02			0·12	0·11		0·15	0·06				0·04	15
16		0·04		0·10	0·27	0·04	0·02	0·54					16
17		0·02		0·15	0·05		0·12		0·12	0·01			17
18	0·02	0·07		0·23		0·07	0·10	0·64			0·51		18
19	0·01			0·53		0·22	0·12	0·11	0·09				19
20		0·01		0·10			0·16	0·23				0·02	20
21					0·53			0·01	0·02				21
22	0·16		0·06	0·01					0·01				22
23	0·18	0·01		0·01	0·64				0·11		0·11	0·02	23
24				0·25	0·05	0·08	0·02						24
25	0·07			0·41	0·06		0·34				0·01		25
26		0·06		0·15			0·38				0·15		26
27	0·14	0·40			0·23		0·15				0·07		27
28	0·07	0·07 (SNOW)		0·07								0·21	28
29	0·05				0·06		0·16			0·30	0·02	0·08	29
30	0·04	✕			0·02		0·03	0·15					30
31	0·18	✕		✕	0·07	✕			✕		✕		31
TOTAL	1·24	1·55	0·29	3·54	2·69	1·32	2·88	5·13	2·77	0·64	2·33	0·85	YEAR'S TOTAL 25·23.
*Days with ·01 in. or more.	15	17	5	17	15	8	17	17	12	6	15	11	155
*Days with ·04 in. or more.	10	12	3	15	13	7	12	15	8	3	11	7	116

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Alfred O Knight
Engineer
Hendon U.D.C.

P.T.O.

862

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Hendon U.D.C. Sewage Works
in the County of MIDDLESEX
Diameter of Funnel of Gauge Six in.
Height of top of Gauge above Ground 1 ft 6 in.
,, Ground ,, Sea Level 153·37 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	0·15	(SNOW) 0·13	0·32	–	0·01	–	0·02	0·02	–	–	–	1
2	0·14	0·05	–	0·42	–	–	–	–	0·52	0·04	0·01	0·07	2
3	0·02	–	0·03	0·40	0·48	–	–	0·50	1·38	–	0·01	0·14	3
4					0·07	-		0·14	0·09	–	0·06	–	4
5				0·20	0·04	0·66	0·03	0·30	0·02	–	–	0·20	5
6		0·13	–	0·07	–	–				0·23	0·49		6
7	–				0·07	0·07	0·01	0·70		0·03	0·06	0·04	7
8	–	0·05				0·17		0·30		0·03	0·10	0·02	8
9	–	0·02	(SNOW) 0·03								0·49	0·01	9
10		0·11	(SNOW) 0·04				0·05	0·18			0·15		10
11	0·13	0·22							0·04		0·09		11
12	–	0·07						0·08	0·35				12
13							0·21	0·12					13
14	0·01	0·13					0·83	1·05					14
15	0·02			0·12	0·11		0·15	0·06				0·04	15
16	[illegible]	0·04		0·10	0·27	0·04	0·02	0·54					16
17		0·02		0·15	0·05		0·12		0·12	0·01			17
18	0·02	0·07		0·23		0·07	0·10	0·64			0·51		18
19	0·01			0·53		0·22	0·12	0·11	0·09				19
20		0·01		0·10			0·16	0·23				0·02	20
21					0·53			0·01	0·02				21
22	0·16		0·06	0·01					0·01				22
23	0·18	0·01		0·01	0·64				0·11		0·11	0·02	23
24				0·25	0·05	0·08	0·02						24
25	0·07			0·41	0·06		0·34				0·01		25
26		0·06		0·15			0·38				0·15		26
27	0·14	0·40			0·23		0·15				0·07		27
28	0·07	0·07 (SNOW)		0·07								0·21	28
29	0·05				0·06		0·16			0·30	0·02	0·08	29
30	0·04	×			0·02		0·03	0·15					30
31	0·18	×		×	0·07	×			×		×		31
TOTAL	1·24	1·55	0·29	3·54	2·69	1·32	2·88	5·13	2·77	0·64	2·33	0·83	YEAR'S TOTAL 25·23
*Days with ·01 in. or more.	15	17	5	17	15	8	17	17	12	6	15	11	155
*Days with ·04 in. or more.	10	12	3	15	13	7	12	15	8	3	11	7	116

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Alfred O Knight
Engineer
Hendon U.D.C.

P.T.O.

862

Section A for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Hendon B. C. Outfall Works

in the County of MIDDLESEX

Diameter of Funnel of Gauge Six in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 153·37 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·04	-	-	0·18	0·34	0·02	0·04	0·93	0·01	0·18	0·03	-	1
2	0·02	-	-	0·09	0·02	-	-	0·06	0·20	0·05	0·02	0·12	2
3	-	-	-	0·08	0·11	-	-	0·05	0·41	-	-	-	3
4	-	-	-	-	-	0·09	-	-	-	-	0·09	-	4
5	0·10	-	-	-	0·01	-	0·05	-	0·08	-	-	-	5
6	0·50	-	-	0·13	-	-	-	-	0·09	-	-	-	6
7	-	-	0·09	0·05	0·04	-	-	-	0·08	-	-	-	7
8	-	-	0·06	0·08	0·28	-	-	-	0·03	0·22	-	-	8
9	0·08	-	-	0·04	0·76	-	-	-	-	0·02	-	-	9
10	0·35	SNOW 0·02	0·01	0·17	0·09	-	-	-	0·02	0·16	-	-	10
11	0·03	-	-	0·03	-	-	0·34	0·13	0·21	0·25	0·05	0·03	11
12	0·04	-	-	-	0·02	-	-	-	-	0·14	0·01	-	12
13	0·03	SNOW 0·04	-	0·12	0·03	-	-	-	0·05	0·13	0·03	-	13
14	0·11	0·02	-	0·08	0·01	-	-	-	-	0·02	0·03	-	14
15	-	-	-	0·06	0·24	-	-	-	-	0·07	0·01	-	15
16	0·24	-	-	0·20	0·10	-	-	-	-	-	-	0·01	16
17	-	-	-	-	-	-	0·21	-	-	0·05	-	-	17
18	-	-	-	-	0·01	-	-	-	0·33	-	0·07	-	18
19	-	-	-	-	-	-	-	-	-	0·21	0·02	-	19
20	-	-	-	0·09	0·02	-	0·01	0·08	0·06	0·73	0·15	-	20
21	0·02	-	-	0·09	0·83	-	-	0·01	-	0·24	0·01	0·04	21
22	-	-	0·36	-	0·07	-	0·14	-	0·19	0·23	0·34	-	22
23	-	0·08	0·10	-	0·16	-	-	-	0·11	0·83	0·07	0·12	23
24	-	0·01	-	-	-	-	0·24	-	0·03	0·02	0·07	-	24
25	-	-	-	-	-	-	0·77	-	0·03	0·43	-	-	25
26	-	-	0·08	0·14	0·02	-	0·04	-	-	0·02	-	-	26
27	-	-	0·19	0·19	0·41	-	0·08	-	-	0·43	0·11	0·01	27
28	-	-	0·01	-	0·06	-	0·14	-	-	0·13	-	-	28
29	-	-	0·30	0·03	0·06	0·01	0·05	0·40	0·04	0·26	0·01	-	29
30	-	✕	0·07	-	0·03	0·60	-	-	0·09	0·01	0·25	0·12	30
31	-	✕	0·04	✕	-	✕	0·05	-	✕	-	✕	0·03	31
TOTAL	1·56	0·17	1·31	1·85	3·72	0·72	2·16	1·66	2·06	4·83	1·37	0·48	YEAR'S TOTAL 21·89
*Days with ·01 in. or more.	12	5	11	18	23	4	13	7	18	23	18	8	160
*Days with ·04 in. or more.	8	2	9	16	14	2	12	6	13	18	9	4	113

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) A O Knight
Borough Engineer

P.T.O.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 862

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at HENDON BOROUGH COUNCIL OUTFALL WORKS
in the County of MIDDLESEX
Diameter of Funnel of Gauge Six in.
Height of top of Gauge above Ground 1 ft 6 in.
,, Ground ,, Sea Level 153·37 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·03	0·11	0·13	-	0·01	-	-	-	-	-	0·03	-	1
2	0·17	-	0·35	-	0·10	-	-	-	-	-	-	-	2
3	-	0·18	0·15	-	0·07	-	-	-	-	-	0·01	-	3
4	0·45	0·05	0·08	-	0·14	-	-	-	-	-	0·02	-	4
5	-	0·01	0·16	-	0·18	-	-	-	-	-	-	-	5
6	-	0·07	0·03	-	0·47	-		-	-	0·07	0·07	-	6
7	0·15	0·08	0·10		0·02	-	-	-	-	0·13	-	0·01	7
8	0·04	-		-	0·01	-	0·05	-	-	0·03	-	-	8
9	-	-		-	0·07	-	0·12	-	-	0·07	0·07	-	9
10	-	0·30	-	-	0·01	0·02	0·27	-	-	0·10	-	-	10
11	0·15		-	-	0·01	0·02	0·07	0·10	-	-	-	-	11
12	-	-	-	0·24	~~0·09~~	0·08	-	-	-	-	-	-	12
13	0·03	-	-	-	0·09	-	0·18	-	-	-	0·14	-	13
14	-	-	-	-	0·01	0·01	-	0·02	-	0·10	0·55	0·01	14
15	0·35	-	0·07	-		0·18	0·08	0·15	-	-	0·03	-	15
16	0·01	0·01	0·63		-	0·21	0·19	-	-	0·04	0·10	-	16
17	0·01	0·01	0·36	-	-	-	0·01	-	0·11	-	0·02	-	17
18	0·07	~~0·09~~	0·10	-	-	0·20	-	-	-	-	-	-	18
19	-	SNOW 0·09	0·09	0·01	-	0·12	0·02	-	0·36	-	0·01	0·03	19
20	-	SNOW 0·13	0·01	0·05	-	0·27	0·01	-	-	-	0·01	-	20
21	-	-	-	-	-	0·07	-	0·03	0·31	-	-	-	21
22	-	SNOW 0·01	-	-	-	-	-	0·15	-	0·14	0·02	-	22
23	-	-	-	0·13	-	-	-	-	0·50	-	0·01	-	23
24	-	SNOW 0·20	-	0·17	-	0·19	-	-	0·33	-	-	-	24
25	-	0·24	-	0·23	-	-	-	-	0·01	0·01	-	0·06	25
26	-	0·24	-	0·03	-	-	-	-	0·10	0·05	-	0·08	26
27	-	-	-	-	0·28	-	-	-	-	0·19	0·01	0·09	27
28	-	-	-	-	0·10	-	-			0·34	-	0·01	28
29	0·06	-	0·01	0·02	-	-	0·02	-		0·10	-	-	29
30	0·11	×	0·08	-	-	-	-	-	-	0·03	-	0·14	30
31	0·07	×	-	×	-	×	-	0·17	×	0·01	×	-	31
TOTAL	1·70	1·73	2·35	0·88	1·57	1·37	1·02	0·62	1·72	1·41	1·10	0·43	YEAR'S TOTAL 15·90
*Days with ·01 in. or more.	14	15	15	8	15	11	11	6	7	15	15	8	140
*Days with .04 in. or more.	10	11	12	5	9	8	7	4	6	11	5	4	92

40-9999
*See Instruction 2 (*f*) on other side.

(*Signed*) A O Knight

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 862

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Sewage Outfall Wks Hendon
in the County of Middlesex
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
,, Ground ,, Sea Level 153·37 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·02	-	0·01	-	-	-	-	0·14	-	0·02	-	0·36	1
2	0·06	-	0·07	-	0·07	-	-	-	0·53	0·15	-	0·22	2
3	0·01	0·01	-	0·09	-	-	-	-	-	0·20	-	0·01	3
4	0·10	-	0·10	-	-	-	-	-	-	0·10	0·10	0·37	4
5	0·01	-	0·01	-	-	-	-	0·01	-	-	0·02	0·41	5
6	0·02	-	0·29	-	0·25	0·11	-	0·04	-	0·12	-	0·40	6
7	0·01	-	-	-	x·xx	-	-	0·10	-	0·12	-	0·15	7
8	0·01	-	-	-	0·09	-	-	0·04	0·07	-	0·30	-	8
9	-	-	0·03	-	-	-	-	-	-	-	0·80	0·35	9
10	0·01	-	0·14	0·10	-	-	-	0·07	-	0·04	0·32	-	10
11	0·24	-	0·37	0·02	-	-	-	0·03	-	-	0·01	0·10	11
12	0·05	0·01	0·05	-	0·17	-	0·08	0·28	-	-	-	0·05	12
13	0·22	-	0·24	-	-	-	0·02	0·02	-	-	0·03	0·10	13
14	0·03	-	0·19	-	0·02	-	-	-	-	0·04	0·20	0·42	14
15	0·05	-	0·04	-	0·08	-	-	-	0·80	-	0·08	0·24	15
16	0·14	0·07	0·11	-	0·06	-	-	-	-	0·10	-	0·01	16
17	0·01	-	-	-	-	-	-	-	-	0·04	-	0·15	17
18	0·14	-	0·01	0·30	-	-	0·06	-	0·01	-	0·03	0·07	18
19	0·01	-	0·18	-	-	-	-	-	0·07	-	-	0·14	19
20	-	-	0·28	0·01	-	-	0·09	-	-	-	-	-	20
21	0·02	-	0·01	0·09	-	0·10	-	0·02	-	0·04	-	-	21
22	-	-	-	-	-	-	-	0·26	0·18	-	0·01	0·05	22
23	-	-	-	0·25	-	0·25	-	-	-	-	0·01	0·10	23
24	-	-	0·05	0·07	-	0·04	0·59	0·05	0·20	-	-	-	24
25	0·11	0·07	-	0·14	-	0·09	-	-	-	0·04	-	0·39	25
26	0·01	-	-	0·25	-	0·06	-	-	0·01	-	-	0·09	26
27	0·01	-	-	0·18	-	0·13	-	-	-	0·04	-	0·34	27
28	-	0·16	-	0·64	-	0·01	-	0·87	-	-	0·04	0·30	28
29	-	-	-	-	-	-	0·07	-	0·13	-	-	0·01	29
30	0·04	×	-	-	-	-	-	0·03	-	-	-	0·15	30
31	0·01	×		×		×	-	0·13	×	0·13	×	0·04	31
TOTAL	1·34	0·26	2·18	2·14	0·74	0·79	0·91	2·09	2·00	1·18	1·95	5·02	YEAR'S TOTAL 20·60
*Days with ·01 in. or more.	24	5	18	12	7	8	6	15	9	14	13	26	157 ✓
*Days with ·04 in. or more.	10	2	13	10	6	7	5	10	7	13	7	23	113

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Alfred O. Knight

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 862

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Hendon Borough Council Outfall Works.

in the County of Mddx.

Diameter of Funnel of Gauge six in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 153·37 ft.

Your Ref. Stn. No. 862.

File No. 287136/33.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·10	0·03	-	0·04	-	0·17	0·33	-	0·01	-	0·29	-		1
2	-	-	-	0·06	-	-	-	-	0·34	0·16	-	-		2
3	-	0·06	0·06	0·08	-	0·35	-	-	0·12	0·41	0·18	-		3
4	-	-	-	0·16	-	0·25	-	-	0·22	0·15	-	0·14		4
5	-	0·24	0·04	0·10	-	0·16	-	-	0·31	-	-	-		5
6	-	-	-	0·31	-	0·35	-	-	-	-	-	-		6
7	-	-	-	0·50	-	0·01	-	-	-	0·02	1·00	0·12		7
8	-	-	-	0·29	-	-	-	-	-	0·24	0·17	0·10		8
9	-	-	-	0·12	-	0·60	-	-	-	0·50	0·09	-		9
10	0·01	-	-	0·02	-	0·02	-	-	-	-	0·09	0·03		10
11	0·20	-	-	0·03	-	0·08	0·03	-	-	-	0·21	-		11
12	-	-	-	-	-	0·11	-	0·07	-	-	0·40	-		12
13	0·12	0·14	-	0·17	0·14	0·03	-	-	-	-	-	-		13
14	-	-	-	0·01	0·22	0·08	-	-	-	-	0·02	0·11		14
15	-	0·22	-	0·36	-	0·27	-	-	0·06	-	0·25	0·10		15
16	-	0·03	0·01	0·01	-	0·07	-	-	0·11	-	0·50	0·01		16
17	-	-	-	0·03	-	0·26	-	0·01	-	-	0·36	-		17
18	-	-	-	0·21	0·07	0·16	0·11	-	0·36	-	0·10	0·03		18
19	-	-	-	0·01	0·16	0·01	0·06	-	0·01	-	0·14	0·03		19
20	-	0·14	-	0·02	0·20	0·06	0·09	-	0·25	-	0·12	-		20
21	-	0·17	-	-	-	-	-	-	-	0·05	0·03	-		21
22	-	0·02	0·03	-	-	-	-	0·36	0·09	-	-	-		22
23	-	-	0·16	-	-	-	-	0·29	0·03	0·01	-	0·14		23
24	0·04	0·44	-	-	-	-	-	0·11	0·49	-	-	0·32		24
25	0·06	0·11	-	0·20	0·01	0·20	-	-	-	-	-	0·14		25
26	-	0·10	-	-	-	-	-	0·29	0·02	-	-	0·28		26
27	Snow 0·24	0·41	-	-	-	-	-	-	0·20	-	0·11	0·24		27
28	-	0·01	-	-	0·06	-	-	-	-	0·06	-	0·14		28
29	-	-	-	-	-	-	-	-	0.52	-	-	0·14		29
30	0·04	✕	-	0·10	0·12	-	-	0·64	0·20	0·33	0·23	0·30		30
31	-	✕	-	✕	-	✕	-	-	✕	0·27	✕	0·36	Year's Total	31
TOTAL	0·81	2·12	0·30	2·83	0·98	3·24	0·62	1·77	3·34	2·20	4·29	2·73	25·23	
* Days with .01 in. or more.	8	14	5	21	8	19	5	7	17	11	18	18	151	
* Days with .04 in. or more.	7	10	3	14	7	15	4	6	13	9	16	14	118	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) A W Knight

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 862

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Hendon (Borough Council Sewage O/Wks)
in the County of Middlesex
Diameter of Funnel of Gauge Six in.
Height of top of Gauge above Ground 1 ft. 6 in.
,, Ground ,, Sea Level 153·37 ft.

Note:- At this Station January to May July, when outfall works were closed down. Subsequent records from June 11th by Hyetograph recorder at the Town Hall Hendon. X

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Ref. Stn No. 862- File 287136/33

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·30	0·12	0·06	0·10	–									1
2	0·02	0·04	–	–	–									2
3				0·17										3
4			0·09											4
5	0·05		0·01	–	–									5
6	0·18	–	–	–	0·14									6
7	0·31	–	0·07	–	–									7
8	0·16	–	0·02	–	–									8
9	0·61		0·04	–	–									9
10			–	–	–									10
11				0·02										11
12				0·10	–									12
13					#									13
14		0·05												14
15		0·06												15
16	Snow 0·43	0·07												16
17	Snow 0·12	0·42												17
18	Snow 0·03	0·10												18
19	0·26	0·02												19
20	0·07	0·05		0·30										20
21				0·20										21
22	0·14	0·38	0·02	0·02										22
23	–	–	–	0·07										23
24	0·13	0·12	–	–										24
25	0·08	–	0·07	0·16										25
26	0·08	0·09	0·18	0·02										26
27	0·14	0·04	–	0·02										27
28	0·74	–	–	–										28
29	0·12	0·08	–	–										29
30	0·09	✕	–	–										30
31	0·29	✕	0·17	✕		✕			✕		✕			31
TOTAL	4·29	1·64	0·67	1·18	incp								Year's Total incp	
* Days with .01 in. or more.	21	14	10	11										
* Days with .04 in. or more.	18	13	6	7										

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) A. O. KNIGHT Esq.

P.T.O.

862/5

111/ · m'sex / 1

Form 1090. **B** Mo Su Station.

862/5

KENTON.

KINGSHILL DRIVE

1934 - 1940

780204

*** The following register of month &c., is NOT required if daily o values are given on the other si this section and also the space for

ting to this register should be sent:—

RIVE

MIDDX

RAINFALL IN 1934

(Kingshill

At KENTON - MID

In the County of

8 am in Summer 8 am

Distance ½ mile Direction from gauge N.

Nearest Parish Church at HARROW Distance 1½ m Direction from gauge SW.

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft.* – *in.*
Height of Ground above Sea Level 250 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
Jan.	1·70				
Feb.	·48				
Mar.	2·65				
April	2·15				
May	1·14				
June	·81				
July	1·03				
Aug.	2·82				
Sept.	1·88				
Oct.	1·80				
Nov.	2·10				
Dec.	5·66				
Total	24·22 ✓				

Nature of objects nearest to gauge	—	—	House	House
Heights of objects	—	—	40 ft	40 ft
Distances	—	—	150 ft	120 ft
Directions from gauge	N	S	E	W

If gauge has been moved during the year state—

Date of move — Distance — Direction —

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

previous obs at Stancliff Hall nr Matlock.

Signature ~~T. Bedford Franklin Esq~~ X

381010/35.
1933 late rep.

CK print

*See Instruction 2 (*f*) below.

M.O.
5 - JAN 1935

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by John Corah & Son, Ltd., Loughborough and London.

(506) Wt.24107/1845 15000 3/33. Gp. 119/110.

862/5.

111/ · M'sex/1

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1934

At KENTON - MIDDx (Kingshill Drive)

In the County of

Rain Gauge

Diameter of Funnel 5 in.

Height of Top above Ground 1 *ft.* - *in.*

Height of Ground above Sea Level 250 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	1·70				
FEB.	·48				
MAR.	2·65				
APRIL	2·15				
MAY	1·14				
JUNE	·81				
JULY	1·03				
AUG.	2·82				
SEPT.	1·88				
OCT.	1·80				
NOV.	2·10				
DEC.	5·66				
Total	24·22 ✓				

Signature T. Bedford Franklin Esq. X

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

28 KINGSHILL DRIVE
KENTON MIDDx

Hour of observation by the clock—in Winter 8 am in Summer 8 am

Nearest Railway Station BELMONT LMS Distance ½ mile Direction from gauge N.

Nearest Parish Church at HARROW Distance 1½ m Direction from gauge SW

Nature of objects nearest to gauge	—	—	House	House
Heights of objects	—	—	40 ft	40 ft
Distances ..	—	—	150 ft	120 ft
Directions from gauge ..	N	S	E	W

If gauge has been moved during the year state—

Date of move — Distance — Direction —

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

previous obs at Stancliff Hall nr Matlock.

381010/35.
1933 late rp.

CK print

M.O.
5 - JAN 1935

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(506) Wt.24107/1845 15000 3/33. Gp. 119/110.

862/5

FORM 1090. **B** Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1935

At KENTON

In the County of MIDDx

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft.* – *in.*
Height of Ground above Sea Level 250 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	1·00				
FEB.	2·74				
MAR.	·48				
APRIL	3·06				
MAY	·64				
JUNE	3·38				
JULY	1·48				
AUG.	1·75				
SEPT.	3·90				
OCT.	2·62				
NOV.	4·30				
DEC.	2·81				
Total	28·16				

Signature T. Bedford Franklin

2 JAN. 1936

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
28 KINGSHILL DRIVE
KENTON – MIDDx

Hour of observation by the clock—in Winter 8 am in Summer 8 am

Nearest Railway Station BELMONT LTS Distance ½ mile Direction from gauge N

Nearest Parish Church at HARROW Distance 1½ mile Direction from gauge SW

Nature of objects nearest to gauge	—	—	House	House
Heights of objects	—	—	40 ft	40 ft
Distances ..	—	–	150 ft	120 ft
Directions from gauge ..	N	S	E	W

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)
If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked* ·005; *this graduation is to show the limit between the amounts which count as* 0·1 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(506) Wt.24107/1845 15000 3/33. Gp. 119/110.

862/5

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1936

At KENTON

In the County of MIDDx

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* – *in.*
- *Height of Ground above Sea Level* 250 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	4·32				
FEB.	1·91				
MAR.	1·14				
APRIL	1·76				
MAY	·45				
JUNE	3·50				
JULY	3·66				
AUG.	·60				
SEPT.	3·19				
OCT.	1·85				
NOV.	3·10				
DEC.	1·76				
TOTAL	27·24				

Signature T. Bedford Franklin

*See Instruction 2 (*f*) below.

C Particulars of Station,

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

28 KINGSHILL DRIVE
KENTON – MIDDx

Hour of observation by the clock—in Winter 8a in Summer 8a

Nearest Railway Station BELMONT LMS Distance ½ ~~mile~~ Direction from gauge N.

Nearest Parish Church at HARROW Distance 1½ ~~mile~~ Direction from gauge SW.

Nature of objects nearest to gauge	—	—	House	House
Height of objects	—	—	40 ft	40 ft
Distances ...	—	—	150 ft	120 ft
Directions from gauge ...	N	S	E	W

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) It is known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O. 7
– 2 JAN 1937

D INSTRUCTIONS.

1. Rules for measuring the rainfull and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceeding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked* ·005; *this graduation is to show the limit between the amounts which count as* ·01 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{array}{r}17\\18\end{array}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast, or through any Bookseller. Price 1d. Net.

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone.

Wt.3430/1699 15,000 2/35 W. H. & S. 663/91.

862/5

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1937

At KENTON

In the County of MIDD^x

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* — *in.*
- *Height of Ground above Sea Level* 250 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	4·00				
FEB.	4·41				
MAR.	2·87				
APRIL	2·97				
MAY	3·01				
JUNE	1·91				
JULY	·59				
AUG.	1·50				
SEPT.	1·69				
OCT.	2·35				
NOV.	1·39				
DEC.	3·57				
TOTAL	30·26	✓			

Signature T. Bedford Franklin

*See Instruction 2 (*f*) below.

C Particulars of Station,

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

28 KINGSHILL DRIVE
KENTON MIDD^x

Hour of observation by the clock—in Winter 8 am in Summer 8 am

Nearest Railway Station BELMONT LMS Distance ½ mile Direction from gauge N.

Nearest Parish Church at HARROW Distance 1½ mile Direction from gauge SW

Nature of objects nearest to gauge	—	—	House	House
Height of objects	—	—	40 ft	40 ft
Distances ...	—	—	150 ft	120 ft
Directions from gauge ...	N	S	E	W

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) It is known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O. 7
3 JAN. 1938

D INSTRUCTIONS.

1. Rules for measuring the rainfull and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(*a*) *Rain should be measured each morning, preferably at* 9 *a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January* 1*st is the rainfall for the* 24 *hours following* 9 *a.m. on January* 1*st; it is therefore the amount measured on January* 2*nd.* 9 *a.m. Greenwich Mean Time is* 10 *a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceeding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked* ·005; *this graduation is to show the limit between the amounts which count as* ·01 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\ 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast, or through any Bookseller. Price 1d. Net.

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone.

Wt.3430/1699 15,000 2/35 W. H. & S. 668/91.

862/5

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1938.

At ......KENTON......

In the County of ......MIDDX......

Rain Gauge { Diameter of Funnel......5......in.

Height of Top above Ground...1...*ft*......–......*in.*

Height of Ground above Sea Level....250...*ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	3·12				
FEB.	·45				
MAR.	·42				
APRIL	·15				
MAY	1·71				
JUNE	·47				
JULY	1·15				
AUG.	2·38				
SEPT.	2·08				
OCT.	3·23				
NOV.	3·63				
DEC.	3·56				
TOTAL	22·35 ✓				

✓

Signature ...T. Bedford Franklin...

*See Instruction 2 (*f*) below.

C Particulars of Station,

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

......28 KINGSHILL DRIVE......

......KENTON MIDDX......

Hour of observation by the clock—in Winter......8 a......in Summer......8 a......

Nearest Railway Station......BELMONT LMS...... Distance...½ m......Direction from gauge......N......

Nearest Parish Church at......HARROW...... Distance...1½ m......Direction from gauge......SW......

Nature of objects nearest to gauge	—	—	House	House
Height of objects	—	—	40 ft	40 ft
Distances ...	—	—	120 ft	120 ft
Directions from gauge ...	N	S	E	W

If gauge has been moved during the year state –

Date of move...................................... Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) It is known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceeding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast, or through any Bookseller. Price 1d. Net.

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone.

Wt.3430/1699 15,000 2/35 W. H. & S. 668/91.

8627/5

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1939

At KENTON

In the County of MIDDx

Rain Gauge

Diameter of Funnel 5 in.

Height of Top above Ground 1 *ft.* – *in.*

Height of Ground above Sea Level 250 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	5·20				
FEB.	·96				
MAR.	1·46				
APRIL	2·91				
MAY	1·53				
JUNE	2·00				
JULY	2·02				
AUG.	3·92				
SEPT.	1·50				
OCT.	5·84				
NOV.	4·55				
DEC.	1·39				
TOTAL	~~[illegible]~~ 33·28 ✓				

Signature T. Bedford Franklin

* See Instruction 3 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

28 KINGSHILL DRIVE
KENTON MIDDx

Hour of observation by the clock—in Winter 8 am in Summer 8 am

Nearest Railway Station BELMONT LMS Distance ½ m Direction from gauge N

Nearest Parish Church at HARROW Distance 1½ m Direction from gauge SW

Nature of objects nearest to gauge	–	–	House	House
Height of objects	–	–	40 ft	40 ft
Distances ...			150 ft	120 ft
Directions from gauge ...	N	S	E	W

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O. 7
-3 JAN. 1940

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. ~~Thus the entry for January 1st is the rainfall for the~~ 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, ~~the days covered by the next reading should be indicated by a~~ bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91. S.O. Code No. 40-9999

862/5

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1940

At KENTON

In the County of MIDD^x^

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* — *in.*
- *Height of Ground above Sea Level* 250 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	2·14				
FEB.	1·70				
MAR.	2·66				
APRIL	1·84				
MAY	1·60				
JUNE	1·15				
JULY	2·20				
AUG.	·26				
SEPT.	1·02				
OCT.	2·75				
NOV.	5·42				
DEC.	2·03				
TOTAL	24·77				

Signature T. Bedford Franklin

* See Instruction 3 *(f)* below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

28 KINGSHILL DRIVE
KENTON, HARROW, MIDD^x^

Hour of observation by the clock—in Winter 8 am in Summer 8 am

Nearest Railway Station BELMONT L.M.S. Distance ½ m Direction from gauge N

Nearest Parish Church at HARROW Distance 1½ m Direction from gauge SW

Nature of objects nearest to gauge	—	—	House	House
Height of objects	—	—	40 ft	40 ft
Distances ...	—	—	150 ft	120 ft
Directions from gauge ...	N	S	E	W

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M. O. 3a.
2 JAN 1941
B. R.

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91. S.O. Code No. 40-9999

862/7

HENDON

GARDEN SUBURB SCHOOL

19~~38~~ - 1939

480204

FORM 1090. **B** Mo Sun tation.

862/7

*** The following register of month &c., is NOT required if daily values are given on the other s section and also the space for

ng to this register should be sent :—

RAINFALL IN 193

At Hendon (Garden Suburb

In the County of Middlesex

......in Summer......

Direction from

Distance......gauge......

Direction from

Distance......gauge......

Rain Gauge
- Diameter of Funnel......5"
- *Height of Top above Ground*....1....*ft*....=......*in.*
- *Height of Ground above Sea Level*....200....*ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with 01 in. or more	Number of Days with ·04 in. or more
	Inches	Inches	Date		
JAN.	2·69	Not	available	(21*)	(16*)
FEB.	·45	·25	27	8	4
MAR.	·53	·28	27	3	2
APRIL	·06	·04	3	2	1
MAY	2·35	1·17	28 29	11	8
JUNE	·55	·23	26	4	3
JULY	1·52	·36	27	12	8
AUG.	2·79	1·35	Aug 12	11	9
SEPT.	1·85	·63	27	13	8
OCT.	2·97	·77	3	16	15
NOV.	3·59	1·35	Nov 26.	15	13
DEC.	3·69	·78	16	(20) ~~15~~	(15) ~~12~~
TOTAL	23·04			(136) ~~110~~ ✓	(102) ~~83~~ * ✓

* 11 months

Print GPB 21/3/39

Days adjusted by nearby stns. C.R. 20/3/39

Signature ....A. J. Allon....

THE HEADMASTER

f 884688/39

* See Instruction 3 (*f*) below.

M.O.

22 FEB 1939

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move...... Distance...... Direction......

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

......

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning preferably at 9 a.m., ~~Greenwich Mean Time.~~ The measurement is to be ~~credited to the~~ previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special ~~instruction. An entry ·005 is not to be made in the register.~~*

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 / 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W. H. & S. 668/91 S.O. Code No. 40-9999

FORM 1090.

B Mo Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1938.

At Hendon (Garden Suburb S. School)

In the County of Middlesex

Rain Gauge
- Diameter of Funnel 5" in.
- *Height of Top above Ground* 1 *ft.* = *in.*
- *Height of Ground above Sea Level* 200 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date		
JAN.	2·69	Not available		(21)	(16)
FEB.	·45	·25	27	8	4
MAR.	·53	·28	27	3	2
APRIL	·06	·04	3	2	1
MAY	2·35	1·17	28 29	11	8
JUNE	·55	·23	26	4	3
JULY	1·52	·36	27	12	8
AUG.	2·79	1·35	Aug 12	11	9
SEPT.	1·85	·63	27	13	8
OCT.	2·97	·77	3	16	15
NOV.	3·59	1·35	Nov 26.	15	13
DEC.	3·69	·78	16	(20) ~~15~~	(15) ~~12~~
TOTAL	23·04			(136) ~~110~~ ✓	(102) ~~83~~ ✓

* 11 months

Print CB 21/3/39

Days adjusted by nearby stns. C.R. 20/3/39

Signature A. J. Albon

THE HEADMASTER

£ 884688/39

* See Instruction 3 (*f*) below.

M.O. 22 FEB 1939

C Particulars of Station.

862/7

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

Hour of observation by the clock—in Winter……in Summer……

Nearest Railway Station……, Distance……Direction from gauge……

Nearest Parish Church at……Distance……Direction from gauge……

Nature of objects nearest to gauge				
Height of objects				
Distances …				
Directions from gauge …				

If gauge has been moved during the year state—

Date of move…… Distance…… Direction……

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction. An entry ·005 is not to be made in the register.*

d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{array}{r}17\\18\end{array}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W. H. & S. 668/91
S.O. Code No. 40-9999

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 862/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Garden Suburb School. Golders Green. N. W. 11.
in the County of MIDDLESEX.
Diameter of Funnel of Gauge 5" in.
Height of top of Gauge above Ground 1 ft. 6 in.
,, Ground ,, Sea Level 200 ft.

F884688/39

JMC

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	Tr	·35	·33	-	-							1
2	-	-	-	·03	·03	-	-	·29						2
3	·56	-	-	-	Tr	-	-	·79						3
4	-	-	·20	·60	-	-	·06	·50						4
5	-	-	-	·55	·04	-	·02	1·12						5
6	·48	-	-	-	-	-	·31	·02						6
7	-	·09	-	-	-	-	·06	·02						7
8	·01	·11	·12	-	-	-	·06	·03						8
9	·02	·08	·01	-	Tr	-	-	·89						9
10	·18	Tr	-	-	-	·35	-	·01						10
11	Tr.	-	·26	-	·02	·14	-	·26						11
12	-	·03	-	-	Tr	·01	-	-						12
13	-	-	-	·03	-	-	·05	-						13
14	·63	-	·02	·05	·08	·01	·02	-						14
15	·34	-	-	-	·53	·17	Tr.	·						15
16	·47	-	·15	·02	·09	·16	-	·						16
17	·19	·03	·02	Tr	·22	-	·15	·						17
18	·19	-	·05	-	-	-	·25	-						18
19	·25	-	Tr	-	-	·20	·23	·						19
20	-	Tr	·02	-	-	·13	·76	·						20
21	-	Tr	·31	-	-	·02	·23	1·75						21
22	·14	·23	·10	Tr.	-	-	-	-						22
23	·07	Tr	Tr	·13	-	-	·03	·04						23
24	·38	-	·01	·03	-	-	·65	·01						24
25	·85	·15	-	Tr	-	-	·11	·21						25
26	·02	·03	·04	·05	-	-	-	-						26
27	-	·01	·08	·04	-	-	Tr	-						27
28	-	·18	·08	·05	-	·01	·17	-						28
29	Tr	×	-	·34	-	-	·15	-						29
30	-	×	-	·62	-	·03	-	·						30
31	-	×	-	×	-	×	·08	·	×		×			31
TOTAL	4·78	·94	1·47	2·89	1·34	1·2~~0~~3	3·39	6·02					Year's Total	
* Days with .01 in. or more.	16	10	15	14	8	11	18	15						
* Days with .04 in. or more.	13	6	10	10	6	6	15	10						

Regret no recordings were possible after outbreak of War as school was closed to end of year. Readings have been regularly resumed since Jan 1st 1940

A.G.C

n.p. imp

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) A. J. Alton

[P.T.O.

862/9
EAST FINCHLEY
DEVON RISE

1940 ONLY

780203

Section **A** for the entry of I
AIR MINISTRY

FORM 1090

Station No. ~~862/7~~
RAINFALL ORGANIZATION

REGIS

19~~3~~40. 862/9

Kept at 14 Devon Rise (E
in the County of Midd
Diameter of Funnel of Gauge 5
Height of top of Gauge above Grou
" Ground " Sea L

THE MORNING MEASUREMENT … VIOUS DAY

An observer who does not conform to … of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	·02	-	-	Tr	-	-	-	-	-	4	-		1
2	-	·08	-	·10	-	-	·10	-	-	-	4 1·76	-		2
3	-	·20	-	·11	-	-	-	-	-	·32	4	·08		3
4	-	·09	-	·07	-	-	Tr	-	-	·17	4	·03		4
5	-	-	-	-	-	-	·01	-	-	·07	·30	·11		5
6	·10	·09	-	-	·01	-	·25	-	-	·25	·15	-		6
7	·25	·06	-	-	-	-	·14	-	·03	-	-	-		7
8	-	-	-	·02	-	-	·08	-	-	·11	·02	·27		8
9	-	-	-	·01	-	·15	-	-	-	·03	·10	·03		9
10	-	-	-	-	-	-	·14	·10	·01	·25	·12	·02		10
11	-	-	Tr	-	-	-	·07	-	-	-	·88	-		11
12	-	·02	·06	·03	-	·06	·05	-	·05		Tr	-		12
13	-	Tr	·57	Tr	-	-	-	-	·16		·90	-		13
14	-	-	·20	·10	-	-	-	Tr	-	✓ 1·03	-	·22		14
15	-	-	·07	·02	·22	-	·24	-	-		·22	Tr		15
16	·04	·08	·36	·01	-	·04	·54	-	·19	4	·75	·03		16
17	-	-	·27	-	-	-	·02	-	·02	-	·48	-		17
18	-	·48	·12	·27	-	-	·10	-	-	·11	·38	·15		18
19	-	·18	Tr	·07	-	-	-	-	·45	-	·08	·02		19
20	-	·03	-	·02	-	-	·06	·02	-	-	·13	-		20
21	·10	-	-	-	·18	~~·23~~	·16	·	-	·05	·26	-		21
22	·03	-	·02	-	·45	·28	-	-	·07	-	Tr	-		22
23	-	·09	Tr	·12	·02	·02	-	-	-	·04	-	Tr		23
24	-	-	-	·25	-	-	·25	-	-	-	-	Tr		24
25	-	-	·60	-	-	~~-~~	·10	-	-	-	-	·		25
26	1·12	·08	·65	-	·14	·02	-	-	-	-	-	✓		26
27	·46	$\overset{2}{·82}$	-	·08	·18	-	·05	-	-	-	-	✓		27
28	·70	-	-	·68	·03	-	-	-	-	-	-	·33		28
29	·03	·01	·10	-	·06	-	-	-	·01	-	-	4		29
30	·05	✗	-	·20	-	-	-	-	-	- 4	-	✓		30
31	·03	✗	-	✗	-	✗	-	-	✗	·64 4	✗	✓		31
TOTAL	2·91	1·73	3·02	2·16	1·29	·57	2·36	·12	·99	3·07	6·53	1·29	Year's Total 26·04	Print wt
* Days with .01 in. or more.	~~11~~	15	11	17	9	6	17	2	9	?14	?18	?15	144	
* Days with .04 in. or more.	8	11	10	11	6	4	15	1	5	?12	?17	?6	106	

Footnote
Station formerly called Hendon (Garden Suburb Sch.)
Gauge moved ½ mile N/E 1/1/40

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

~~THE HEADMASTER~~ X

Signed A. J. Albon, Esq. N X X

P.T.O.

Section **A** for the entry of Daily Observations

Station No. ~~0862/7~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~39~~40 .862/9

Kept at 11, Devon Rise (East Finchley No. 2

in the County of Middlesex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 150 ft.

Upiamp 1939.

See letter in file of this station

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	·02	-	-	Tr	-	-	-	-	-	4	-		1
2	-	·08	-	·10	-	-	·10	-	-	-	4 1·76	-		2
3	-	·20	-	·11	-	-	-	-	-	·32	4	·08		3
4	-	·09	-	·07	-	-	Tr	-	-	·17	4	·03		4
5	-	-	-	-	-	-	·01	-	-	·07	·30	·11		5
6	·10	·09	-	-	·01	-	·25	-	-	·25	·15	-		6
7	·25	·06	-	-	-	-	·14	-	·03	-	-	-		7
8	-	-	-	·02	-	-	·08	-	-	·11	·02	·27		8
9	-	-	-	·01	-	·15	-	-	-	·03	·10	·03		9
10	-	-	-	-	-	-	·14	·10	·01	·25	·12	·02		10
11	-	-	Tr	-	-	-	·07	-	-	-	·88	-		11
12	-	·02	·06	·03	-	·06	·05	-	·05		Tr	-		12
13	-	Tr	·57	Tr	-	-	-	-	·16		·90	-		13
14	-	-	·20	·10	-	-	-	Tr	-	1·03	-	·22		14
15	-	-	·07	·02	·22	-	·24	-	-		·22	Tr		15
16	·04	·08	·36	·01	-	·04	·54	-	·19	4	·75	·03		16
17	-	-	·27	-	-	-	·02	-	·02	-	·48	-		17
18	-	·48	·12	·27	-	-	·10	-	-	·11	·38	·15		18
19	-	·18	Tr	·07	-	-	-	-	·45	-	·08	·02		19
20	-	·03	-	·02	-	-	·06	·02	-	-	·13	-		20
21	·10	-	-	-	·18	~~·23~~	·16	-	-	·05	·26	-		21
22	·03	-	·02	-	·45	~~·28~~	-	-	·07	-	Tr	-		22
23	-	·09	Tr	·12	·02	·02	-	-	-	·04	-	Tr		23
24	-	-	-	·25	-	-	·25	-	-	-	-	Tr		24
25	-	-	·60	-	-	-	·10	-	-	-	-	-		25
26	1·12	·08	·65	-	·14	·02	-	-	-	-	-	✓		26
27	·46	~~·82~~ ·22	-	·08	·18	-	·05	-	-	-	-	✓		27
28	·70	-	-	·68	·03	-	-	-	-	-	-	·33		28
29	·03	·01	·10	-	·06	-	-	-	·01	-	-	4		29
30	·05	✕	-	·20	-	-	-	-	-	- 4	-	✓		30
31	·03	✕	-	✕	-	✕	-	-	✕	·64 4	✕	✓		31
TOTAL	2·91	1·73	3·02	2·16	1·29	·57	2·36	·12	·99	3·07	6·53	1·29	Year's Total 26·04	
* Days with .01 in. or more.	11	15	11	17	9	6	17	2	9	?14	?18	?15	144	
* Days with .04 in. or more.	8	11	10	11	6	4	15	1	5	?12	?17	?6	106	

Print Wt

Footnote

Station formerly called Hendon (Garden Suburb Sch.)

Gauge moved ½ mile N.E. 1/1/40.

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

~~THE HEADMASTER~~ (Signed) A. J. Albon, Esq.

P.T.O.

Section **A** for the entry of
AIR MINISTRY

863.

COPY FOR OFFICIAL USE.
AINFALL ORGANIZATION.

FORM 1090.

REGIST 1931.

863

HENDON

CENTRAL SCH.

1931, 1934-1938

480204

Kept at Bell Lane Scho

in the County of Middle

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Le

THE MORNING MEASU US DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: Nil

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·18	·01 s	·29	—	Tr.	·01	Tr	·08	—	—	·01	1
2	·09	·05	—	·36	·02	—	—	·02	·29	·01	—	—	2
3	·03	Tr. s	·02	·29	·20	—	—	·36	1·25	·02	·01	·04	3
4	—	·01 s.	—	·01	·06	—	·04	—	·09	·02	Tr.	·19	4
5	—	Tr. s.	Tr. s.	·26	·01	·54	·05	·26	·03	—	—	·08	5
6	—	·10	Tr. s	·17	—	·03	—	—	—	·20	—	·13	6
7	—	·01	Tr. s.	·01	·08	·06	·04	—	—	·02	·35	·05.	7
8	·01 s.	·05	·08 s.	Tr.	—	·15	—	·81	·01	·02	·13	·08	8
9	—	·03	·06 s	—	—	—	—	—	—	—	·09	·04	9
10	·03	·07	Tr. P.S.	—	Tr.	·04	·02	—	—	·01	·31	·03	10
11	·07	·18	Tr.	—	—	—	—	·13	·13	—	·19	·01	11
12	Tr.	·02	—	Tr.	—	—	·06	—	·15	—	·01	·02	12
13	—	Tr	Tr	—	—	—	·28	·05	—	—	—	—	13
14	·02	·11 s.	—	—	·01	Tr.	·79	·08	—	—	—	—	14
15	·02	·05	—	·09	·11	—	·13	·77	—	—	Tr.	·01	15
16	Tr.	·04 s	—	·11	·23	·05	·01	—	—	·01	—	—	16
17	·01	·03 s	—	·14	·08	Tr	·12	·42	—	·01	—	—	17
18	·02	·05 s	Tr.	·21	Tr.	·08	·08	—	·09	—	·09	—	18
19	·02	·02	—	·45 s	—	·25	·19	—	·03	—	—	·01	19
20	Tr	·02	—	·11	—	—	·12	·65	·05	—	·01	—	20
21	—	—	—	—	·46	—	Tr.	·19	—	—	—	—	21
22	·09	—	·05	—	·02	—	—	·02	·01	·01	·08	—	22
23	·12	·01	Tr	·02	·37	·08	—	—	·10	—	·10	·12	23
24	Tr.	Tr.	Tr.	·34	·14	·05	·05	Tr.	·01	—	·31	—	24
25	·07	Tr.	—	·31	·05	—	·32	—	·01	—	—	·09	25
26	—	·06	—	·14	—	—	·36	—	·03	—	·03	—	26
27	·10	·34	—	Tr.	·19	—	·28	—	—	—	—	—	27
28	·05	·25 s	—	·12	—	—	·55	—	·01	·15	—	—	28
29	·04	X	—	—	—	—	·12	—	02	—	·08	—	29
30	Some Snow ·05	X	—	Tr.	·06	—	Tr.	·09	—	—	—	—	30
31	·06	X	—	X	·09	X	—	—	X	—	X	·01	31
TOTAL	·90	1·68	·22	3·43	2·18	1·33	3·62	3·85	2·39	·48	1·79	·92	YEAR'S TOTAL 22·79
*Days with ·01 in. or more.	18	21	5	18	17	10	20	13	18	11	14	16	181
*Days with ·04 in. or more.	10	13	3	15	13	9	17	11	9	2	10	9	121

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) James Burgess. [P.T.O.]

863.

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Bell Lane School Hendon N.W.4.
in the County of Middlesex
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 4 in.
,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following
Nil

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·18	·01 s	·29	—	Tr.	·01	Tr	·08	—	—	·01	1
2	·09	·05	—	·36	·02	—	—	·02	·29	·01	—	—	2
3	·03	Tr. s	·02	·29	·20	—	—	·36	1·25	·02	·01	·04	3
4	—	·01 s.	—	·01	·06	—	·04	—	·09	·02	Tr.	·19.	4
5	—	Tr. s.	Tr. s.	·26	·01	·54	·05	·26	·03	—	—	·08	5
6	—	·10	Tr. s.	·17	—	·03	—	—	—	·20	~	·13	6
7	—	·01	Tr. s.	·01	·08	·06	·04	—	—	·02	·35	·05.	7
8	·01 s.	·05	·08 s.	Tr.	—	·15	—	·81	·01	·02	·13	·08	8
9	—	·03	·06 s	—	—	—	—	—	—	—	·09	·04	9
10	·03	·07	Tr. P.S.	—	Tr.	·04	·02	—	—	·01	·31	·03	10
11	·07	·18	Tr.	—	—	—	—	·13	·13	—	·19	·01	11
12	Tr.	·02	—	Tr.	—	—	·06	—	·15	—	·01	·02	12
13	—	Tr	Tr	—	—	—	·28	·05	—	—	—	—	13
14	·02	·11 s.	—	—	·01	Tr.	·79	·08	—	—	—	—	14
15	·02	·05	—	·09	·11	—	·13	·77	—	—	Tr.	·01	15
16	Tr.	·04 s	—	·11	·23	·05	·01	—	—	·01	—	—	16
17	·01	·03 s	—	·14	·08	Tr	·12	·42	—	·01	—	—	17
18	·02	·05 s	Tr.	·21	Tr.	·08	·08	—	·09	—	·09	—	18
19	·02	·02	—	·45	—	·25	·19	—	·03	—	—	·01	19
20	Tr	·02	—	·11	—	—	·12	·65	·05	—	·01	—	20
21	—	—	—	—	·46	—	Tr.	·19	—	—	—	—	21
22	·09	—	·05	—	·02	—	—	·02	·01	·01	·08	—	22
23	·12	·01	Tr	·02	·37	·08	—	—	·10	—	·10	·12	23
24	Tr.	Tr.	Tr.	·34	·14	·05	·05	Tr.	·01	—	·31	—	24
25	·07	Tr	—	·31	·05	—	·32	—	·01	—	—	·09	25
26	—	·06	—	·14	—	—	·36	—	·03	—	·03	—	26
27	·10	·34	—	Tr.	·19	—	·28	—	—	—	—	—	27
28	·05	·25 s	—	·12	—	—	·55	—	·01	·15	—	—	28
29	·04	×	—	—	—	—	·12	—	02	—	·08	—	29
30	Some Snow ·05	×	—	Tr.	·06	—	Tr.	·09	—	—	—	—	30
31	·06	×	—	×	·09	×	—	—	×	—	×	·01	31
TOTAL	·90	1·68	·22	3·43	2·18	1·33	3·62	3·85	2·39	·48	1·79	·92	YEAR'S TOTAL 22·79
*Days with ·01 in. or more.	18	21	5	18	17	10	20	13	18	11	14	16	181
*Days with ·04 in. or more.	10	13	3	15	13	9	17	11	9	2	10	9	121

40-9999

(Signed) James Burgess Mr [P.T.O.

*See Instruction 2 (*f*) on other side.

-X HENDON (CENTRAL SCHOOL) X

Section **A** for the entry of Daily Observations. Station No. 863

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

111/m'sex/1

Kept at Bell Lane School Hendon N.W.4

in the County of Middlesex

File No:- 926450/29.

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 4 ft 9" in.

,, Ground ,, Sea Level 200 ft.

1931 [illegible]
1932-1933. in file.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	·08	—	Tr.	—	—	·15	—	·02	—	·40		1
2	·08	Tr.	Tr.	—	·05	—	—	·02	·58	·16	—	·23		2
3	·07	—	—	—	—	—	—	·01	Tr.	·19	Tr	·01		3
4	·05	·02	·12	} ·12	—	—	—	—	Tr.	·26	·25	·41		4
5	—	Tr.	·02		·04	—	—	·04	Tr.	} ·14	·01	·44		5
6	Tr.	—	·28	—	·30	·10	—	·05	—	-	—	·44		6
7	·02	—	—	—	—	Tr.	—	·10	—	·12	Tr.	·17		7
8	Tr.	—	—	—	—	—	—	·04	·06	—	·32	} ·36		8
9	·01	—	·08	—	·10	—	—	—	—	Tr.	} 1·14			9
10	—	Tr.	·10	·11	—	—	—	·05	—	·04		·04		10
11	·30	—	·35	·03	—	—	—	·07	—	—	·01	·10		11
12	·06	Tr.	·30	Tr.	·10	—	·09	·27	—	—	Tr	·04		12
13	·21	Tr.	·06	Tr.	—	—	·04	·02	Tr.	—	·03	·10		13
14	·04	Tr.	—	·01	·03	—	—	—	—	Tr.	·22	·49		14
15	—	Tr.	Tr.	—	·15	—	—	—	1·06	·03	·07	·25		15
16	·20	Tr.	·10	—	·04	—	—	—	—	·11	Tr.	Tr.		16
17	·01	Tr.	·01	·05	Tr.	—	—	—	Tr.	·03	·05	·15		17
18	·17	—	·30	·29	—	—	·04	—	Tr.	Tr.	Tr.	·09		18
19	—	Tr.	·20	—	—	Tr.	—	—	·07	—	·01	·19		19
20	—	—	·30	} ·13	—	—	} ·07	·07	—	Tr	Tr	—		20
21	—	Tr	—		—	·16		} ·43	—	·01	Tr	—		21
22	—	—	Tr.	—	—	—	—		·22	—	·02	·10		22
23	Tr.	—	·01	·26	—	·25	·02	—	Tr.	—	·02	·05		23
24	—	·02	·01	·15	—	·04	·41	Tr.	·21	Tr.	Tr.	—		24
25	·10	·14	·03	·13	—	·12	—	—	—	·03	Tr.	·27		25
26	—	—	Tr.	·30	—	·07	—	—	·01	Tr.	Tr.	·22		26
27	Tr.	Snow ·02	—	·16	—	·14	—	·01	Tr.	·04	-	·60		27
28	—	·15	—	·94	—	·05	Tr.	·90	—	Tr.	Tr.	·21		28
29	—	—	—	—	—	—	·05	Tr.	·14	Tr.	·02	·05		29
30	·01	✗	—	—	—	—	Tr.	Tr.	·03	Tr.	—	·08		30
31	·01	✗	—	✗	—	✗	—	·12	✗	Snow Tr.	✗	·07		31
TOTAL	1·34	·35	2·35	2·68	·81	·93	·72	2·35	2·38	1·18	2·17	5·56	Year's Total 22·82	
*Days with ·01 in. or more.	15	5	17	(15) ~~13~~	8	8	(8) ~~7~~	~~16~~ (17)	9	13	14	27	~~151~~	(156)
*Days with .04 in. or more.	10	2	12	(12) ~~11~~	7	8	6	12	7	9	7	(2~~2~~5)	~~117~~	(117)

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) ~~James Burgess~~ X
J. BURGESS ESQ X

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 863

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Bell Lane School Hendon NW4.

in the County of Middlesex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 9 in.

" Ground " Sea Level ft.

File No:- 926450/29.

Aug & Sep adjusted by [illegible]

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·11	Tr	–	·03	·08	·18	·50	–	–	·01	·25	Tr		1
2	·11	–	–	·05	Tr	–	–	–	9 ·69	·16	·04	–		2
3	–	·11	·09	·09	–	·32	–	–	·2	·47	·14	Tr		3
4	Tr	–	–	·17	–	·30	–	–	·16	·16	Tr	Tr		4
5	Tr	·30	·02	·07	–	·09	–	–	·42	Tr	·01	·13		5
6	Tr	–	–	·39	–	·41	–	–	·33	Tr	Tr	Tr		6
7	·01	–	–	·50	–	–	–	–	–	·09	1·04	·13		7
8	–	–	–	·28	Tr	–	–	–	–	·23	·29	·14		8
9	–	–	–	·16	–	·65	–	–	–	·66	–	·01		9
10	·01	–	–	·03	–	·01	–	–	–	–	·11	·01		10
11	·17	–	–	·04	–	·09	–	–	–	Tr	·01	·04		11
12	Snow ·09	Tr	–	Tr	–	·11	Tr	–	·01	–	·66	Tr		12
13	·12	·16	–	·15	·14	·03	–	·05	–	Tr	Tr	·01		13
14	Tr	Tr	–	·03	·23	·11	–	–	–	–	·08	·14		14
15	–	·21	·01	·41	–	·19	–	–	·04	–	·21	·10		15
16	–	·03	·01	·02	–	·09	–	–	·17	–	·72	·01		16
17	–	Tr	Tr	·01	–	·23	Tr	–	·01	–	·24	Tr		17
18	Tr	–	Tr	·25	·12	·23	·11	–	·52	·03	·11	·03		18
19	Tr	Tr	Tr	·05	·23	·03	·07	–	·05	–	·14	·02		19
20	·01	·20	–	·01	·12	·08	·10	–	·08	–	·13	–		20
21	Tr	·21	–	–	–	–	–	–	·03	·05	·02	·01		21
22	–	–	–	–	–	–	–	–	·09	–	·01	·01		22
23	–	·02	·15	–	–	–	–	·34	·06	·02	Tr	Tr		23
24	·06	·47	·05	–	–	–	–	·33	·62	–	Tr	Tr		24
25	·01	·18	–	·21	–	·21	–	·04	Tr	Tr	·01	·15		25
26	Snow ·31	Snow ·08	–	Tr	–	–	–	–	·04	Tr	Tr	·09		26
27	Snow ·02	·38	Tr	–	–	–	–	·47	·21	–	·13	Tr		27
28	–	Tr	–	–	·04	–	–	–	·29	·06	·01	·13		28
29	·01	×	–	–	–	–	–	–	·45	Tr	Tr	·11		29
30	·04	×	–	·03	·15	–	–	(·60)	·06	·04	·31	·61		30
31	–	×	–	×	·01	×	–	–	×	·61	×	·14		31
Total	·98	2·35	·33	2·98	1·12	3·36	·78	1·83 ~~1·23~~	3·93 ~~4·53~~	2·59	4·67	2·02	Year's Total 26·94	
* Days with .01 in. or more.	14	12	6	21	9	18	4	56	21	13	22	20	165	
* Days with .04 in. or more.	7	10	3	14	8	15	4	56	18	10	16	12	122	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) James Burgess

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 863

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936.

Kept at Bell Lane School Hendon NW4

in the County of Middlesex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ... ft. 9 in.

,, Ground ,, Sea Level 200 ft.

File No: 926450/29.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·36	·12	·06	·15	Tr	·2	·2	·01	Tr	–	·26	Tr		1
2	·02	·04	·01	·01	–	·21	Tr	·04	Tr	Tr	·13	·1		2
3	·01	–	Tr	·16	·01	·04	Tr	·01	·2	Tr	·01	Tr		3
4	·01	Tr	·09	–	–	Tr	·02	·13	·4	Tr	·13	·03		4
5	·09	–	·02	–	Tr	·55	Tr	·03	·17	Tr	Tr	·03		5
6	·22	–	Tr	–	·18	Tr	·04	·08	·03	Tr	Tr	·15		6
7	·29	–	·04	–	Tr	·13	Tr	Tr	·03	Tr	·11	·05		7
8	·20	–	·01	–	–	–	·55	Tr	·28	Tr	·07	Tr		8
9	·87	–	·07	–	–	Tr	·2	Tr	Tr	Tr	·43	Tr		9
10	Tr	–	Tr	–	–	Tr	·1	Tr	·08	Tr	·02	Tr		10
11	–	–	Tr	·02	–	Tr	·32	·1	Tr	Tr	·9	Tr		11
12	–	–	Tr	–	–	·53	·1	Tr	·04	Tr	·28	Tr		12
13	Tr	–	–	·04	Tr	·08	·6	Tr	Tr	·04	·15	·12		13
14	Tr	·08	–	·19	–	·07	Tr	Tr	Tr	·06	Tr	·1		14
15	Sn ·01	·04	–	Tr	–	Tr	Tr	Tr	·18	Tr	·02	·3		15
16	Sn ·41	·41	–	Tr	–	·21	·01	–	·08	Tr	·44	Tr		16
17	·20	·12	–	·01	·1	·55	·05	–	Tr	Tr	·37	·03		17
18	–	·15	–	Tr	–	·25	·06	Tr	Tr	·1	Tr	·15		18
19	·34	·01	·01	Tr	–	·3	·12	·09	Tr	·11	Tr	·04		19
20	·01	·06	–	·03	Tr	–	·05	Tr	·85	Tr	Tr	Tr		20
21	–	·04	–	·32	–	·3	Tr	–	·06	Tr	Tr	Tr		21
22	Sn ·18	·41	·04	·21	·3	·02	·17	Tr	Tr	Tr	Tr	Tr		22
23	·02	Tr	Tr	·03	Tr	Tr	·9	Tr	Tr	·13	Tr	Tr		23
24	·13	·09	Tr	·1	–	–	·03	Tr	Tr	·37	Tr	Tr		24
25	·09	Tr	·19	–	–	·5	Tr	–	·14	·66	Tr	·05		25
26	·01	·21	·21	·17	–	·06	·23	–	–	·1	·04	·03		26
27	·17	·02	·03	·06	–	Tr	·01	Tr	·18	·06	Tr	Tr		27
28	·76	·03	·17	·03	–	·1	Tr	–	·02	Tr	Tr	·02		28
29	·14	·09	·01	Tr	·03	·2	·03	–	Tr	·46	Tr	·03		29
30	·33		Tr	Tr	Tr	·2	Tr	–	–	·08	·15	Tr		30
31	·12		·29		·04		·16	–		·5		·44		31
TOTAL	4·99	1·92	1·25	1·53	·66	4·5	3·95	·49	2·74	2·67	3·51	1·67	Year's Total 29·88	
* Days with .01 in. or more.	24	16	15	15	5	19	21	8	15	12	16	16	182	
* Days with .04 in. or more.	17	13	9	9	4	18	16	5	12	12	13	10	138	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations Station No. 863

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Bell Lane School Hendon N.W.4

in the County of Middlesex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 9 in.

,, Ground ,, Sea Level ft.

File No: 926450/29

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·30	Dr	·02	Dr	–	–	Dr	–	·03	–	·22	·82		1
2	·02	·14	·02	·52	–	–	–	–	·03	–	–	–		2
3	Dr	·18	·01	Dr	Dr	–	Dr	–	–	–	–	–		3
4	·06	·26	Dr	·01	·04	–	–	–	–	–	·71	·41		4
5	·21	·05	·24	Dr	–	–	Dr	–	–	–	·01	·02		5
6	·01	·10	Sn ·61	·02	–	–	Dr	–	–	·12	·02	·37		6
7	Dr	·71		·13	·02	–	–	–	·03	–	·05	–		7
8	·01	·07	Dr	–	·05	·06	·06	–	·02	–	·02	·01		8
9	Dr	Dr	·01	·35	·15	Dr	Dr	–	·24	–	·05	–		9
10	Dr	–	·60	·04	·40	·36	·07	–	–	–	–	·32		10
11	Dr	–	·01	Dr	·37	–	Dr	–	–	–	–	·08		11
12	·15	·28	·13	Dr	Dr	·60	Dr	·02	–	–	–	–		12
13	·14	·05	·50	Dr	Dr	·04	–	1·65	·01	–	–	·92		13
14	·01	·07	·15	·05	·27	–	·06	–	–	–	–	–		14
15	·14	·14	·02	·17	–	·23	·18	·25	·01	–	–	–		15
16	·01	·20	·24	·04	–	·07	–	·19	·27	–	·03	–		16
17	·27	Dr	·10	·11	–	–	–	–	·22	–	–	–		17
18	·26	·11	·13	Dr	–	–	–	–	·05	–	·18	–		18
19	Dr	·10	·03	·13	·15	–	·01	–	·03	·10	·02	·04		19
20	·35	·02	Dr	·50	·73	·15	–	–	–	–	–	·01		20
21	·32	·55	·04	·07	Dr	–	·05	–	–	–	–	·02		21
22	·35	·05	Dr	Dr	·04	·08	·04	–	–	·71	·01	·03		22
23	Dr	Dr	·01	Dr	·05	–	·03	–	–	–x	·32	–		23
24	·46	·58	Dr	–	Dr	–	–	–	–x	–x	·02	–		24
25	Dr	·38	·15	Dr	·24	–	–	–	·32x	·71x	–	–		25
26	·02	·23	·13	·04	Dr	–	–	–	–	·09	·02	–		26
27	·05	·02	Dr	·09	–	–	–	–	·03	–	–	–		27
28	–	Sn ·05	Dr	–	–	–	–	–	·03	·09	·01	–		28
29	–		·01	Dr	–	–	–	–	–	·07	·01	·13		29
30	·26	✕	Dr	–	–	–	–	·14	–	·22	·21	–		30
31	·28	✕	–	✕	–	✕	–	–	✕	·09	✕	·04		31
TOTAL	3·68	4·34	3·16	2·27	2·51	1·59	·50	2·25	1·30	2·20	1·91	3·22	Year's Total 28·93	
* Days with .01 in. or more.	21	22	21	15	12	8	8	5	14 5	9 11	17	14	166 9	
* Days with .04 in. or more.	15	20	12	13	11	8	6	4	5 6	9 11	7	9	119 22	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) James Burgess [P.T.O.

COPY FOR OFFICIAL USE

Section **A** **for the entry of Daily Observations** **Station No.** 863

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

(Nov. 19th, 22nd 25th 27th & 29th, Entries on May 3rd June 27th Sept 27th Oct 3rd, 7, & 8th 12th, 15th 26th & 31st, Dec 9th, 13th, 16th 29th & 31st amended by comp' with nearby stations. W.E.R. 4/39.

Kept at Bell Lane School Hendon NW4

in the County of Middlesex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 9 in.

„ Ground „ Sea Level ft.

File No: 926450/29

notified 24/2/39

corr for Dec. 19-26 snow, W.J.T.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	–	–	·02	·11	·20	–	·02	·02	–	·01		1
2	– x	·03	–	–	·01	–	–	–	–	– x	·04	·16		2
3	–	–	–	–	(·30)	·05	·45	–	–	x ·62 ~~·02~~	·02	·02		3
4	– ✓	–	–	·03	·03	–	–	·01	·02	–	·04	·54		4
5	·16	–	–	–	–	–	·15	–	–	–	–	·10		5
6	–	–	–	–	–	·10	·12	–	·05	–	–	·12		6
7	·01	–	·01	–	–	–	·05	·13	–	(·15)	·01	·02		7
8	–	–	–	–	–	–	·09	–	–	(·25)	·01	·03		8
9	x ·36	·01	–	–	–	–	·05	·14	·01	–	·02	·35 ~~·05~~		9
10	– x	·03	–	–	–	–	–	·18	·01	·02	·02	·01		10
11	·27	–	–	–	–	–	·02	·30	–	·01	–	·06		11
12	·30	·04	–	–	–	–	·02	1·21	–	·20 ~~·02~~	–	–		12
13	·14	–	–	–	·02	–	–	–	–	·01	·04	·02		13
14	·32	Sn ·02	–	–	–	–	–	–	·01	·01	·01	·07		14
15	–	·02	–	–	·14	·02	·19	–	–	·25 ~~·05~~	·01	·30 ~~·10~~		15
16	·45	·01	·02	–	–	–	·03	–	–	·02	–	·90 ~~·40~~		16
17	·01	Sn ·11	–	–	·10	–	·20	–	–	·07	–	·02		17
18	·03	–	–	·01	·16	–	–	·01	·02	–	–	–		18
19	·01		–	–	–	–	–	·05	·01	·05	·32 ~~·02~~	~~·01~~		19
20	–	·01	–	–	–	–	–	–	·04	·01	·02	~~·03~~		20
21	–	·01	–	–	·01	–	–	·03	·01	·02	·20	–		21
22	–	–	–	–	–	–	–	–	·06	–	(·13) ~~·03~~	~~·01~~ (1·00)		22
23	–	–	–	–	–	–	–	·03	·03	·02	·04			23
24	–	·01	·18	–	–	–	–	–	·56	·02	·03	Sn ~~·40~~		24
25	·09	·01	·12	·02	–	–	Tr	–	·03	·01	1·05	–		25
26	·19	·22	·14	·04	–	–	–	–	·01	·24 ~~·04~~	·02	·04		26
27	·12		–	–	–	(·20)	·03	·05	(·50)	–	(·30)	·03		27
28	·21	·05	–	–	·58	–	–	·09	·02	·09	·01	·06		28
29	·28	–	–	–	–	–	–	–	·01	–	(·10) ~~·01~~	·26 ~~·06~~		29 ?
30	·04	✕	–	·32	·41	·07	–	–	–	–	·15	·07		30
31	·13	✕	–	✕	·10	✕	–	–	✕	·10 ~~·01~~	✕	·24 ~~·04~~		31
TOTAL	✓ 3·12	✓ ·59	✓ ·47	✓ ·42	(1·88) ~~1·58~~	(·55) ~~·35~~	✓ 1·6	✓ 2·23	(1·42) ~~·92~~	(2·19) ~~·52~~	(2·59) ~~·80~~	(3·89) 1·98	Year's Total ~~14·58~~	(20·95) ~~15·09~~
* Days with .01 in. or more.	20 ~~18~~	14	5	5	11	~~5~~6	13	12	18 ~~17~~	22 ~~17~~	22 ~~21~~	27 ~~26~~	~~166~~	~~167~~ 175
* Days with .04 in. or more.	15 ~~14~~	4	3	2	~~6~~ 7	~~4~~ 5	9	8	~~4~~ 5	~~3~~ 11	~~7~~ 11	19 ~~15~~	~~81~~	~~83~~ 99

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) E. S. Knowlton B.Sc. [P.T.O.

Kingsbury (Eton G

863/2
KINGSBURY
EATON GROVE
1940 ONLY
780204

Section **A** for the entry of
AIR MINISTRY
FORM 1090

REGIS

Station No. 863/2
AINFALL ORGANIZATION
~~193~~/1940

Kept at Eton Grove Res
in the County of Middlesex
Diameter of Funnel of Gauge
Height of top of Gauge above Grou
,, Ground ,, Sea

om nearby Gage.

nearby stns.

THE MORNING MEASURE … **EVIOUS DAY**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	—	—	—	—	—	—	—	—	—				1
2	—	·10	—	·11	—	—	·08	—	—	·07				2
3	—	·25	—	·14	—	—	—	—	—	·14				3
4	—	·10	—	·05	—	—	—	—	—	·17				4
5	—	—	—	—	—	—	—	—	—	·03				5
6	·13	·11	—	—	·05	—	·26	—	—	·27				6
7	·26	·08	—	—	·04	—	·09	—	·03	—	·83			7
8	—	—	—	—	·10	—	—	—	—	·13				8
9	—	—	—	—	—	·38	—	—	·05	✗				9
10	—	—	—	—	—	—	·25	·04	—	✗				10
11	—	—	—	—	—	—	—	—	—	·				11
12	—	—	·06	—	—	·03	·07	—	·05					12
13	—	—	·55	—	—	·02	—	—	·13					13
14	—	—	·08	·07	—	—	—	—	—	✓				14
15	—	—	·04	·04	·10	—	·18	—	—	✓				15
16	—	—	·30	—	—	·01	·31	—	·20	✓				16
17	—	—	·35	—	—	—	·14	—	—	·				17
18	—	·49	·12	·29	—	—	·20	—	—	(2·00) ✓				18
19	—	·18	—	·11	—	—	—	—	·35	—				19
20	—	·02	—	—	—	—	·11	·02	—	—				20
21	—	—		—	·26	—	·17	—	—	✗				21
22	—	—	·04	—	·43	·35	—	—	·10	·				22
23	—	·04	—	·19	·14	—	—	—	—	·				23
24	—	—	—	·16	—	—	·21	—	—	·				24
25	—	—	·15	—	—	—	·12	—	—	·				25
26	(1·00) ~~·30~~	·05	·59	—	·15	·04	—	—	—	·				26
27	·40	·13	—	—	·21	—	·01	—	—	·				27
28	·21	—	—	·12	·05	—	—	—	—	·				28
29	·07	·05	·09	—	·10	—	—	—	—	·				29
30	—	✗	—	·24	—	—	—	—	—	✓				30
31	—	✗	—	✗	—	✗	—	—	✗	✗	✗			31
TOTAL	2·17 ~~1·67~~ ~~·79~~	1·60	2·37	1·52	1·63	·83	2·20	·06	·91	(2·83)			Year's Total	
* Days with .01 in. or more.	6	12	11	11	11	4	14	2	7	15				
* Days with .04 in. or more.	6	11	11	11	11	3	14	1	6	12				

Instrument destroyed by enemy action

np imp

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

C. S. Trapp Esq.

(Signed)

BOROUGH OF WEMBLEY
BOROUGH ENGINEER & SURVEYOR.

[P.T.O.

Kingsbury (Eton

Section **A** **for the entry of Daily Observations** **Station No.** 863/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN ~~193~~1940

Kept at Eton Grove Rec. ground Wembley

in the County of Middlesex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 50 ft.

Oct. 9th – 31st estd. from nearby stns.

Jan 26th estd. from nearby stns.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	**Jan.**	**Feb.**	**Mar.**	**April**	**May**	**June**	**July**	**Aug.**	**Sept.**	**Oct.**	**Nov.**	**Dec.**		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	–	–	–	–	–	–	–	–				**1**
2	–	·10	–	·11	–	–	·08	–	–	·07				**2**
3	–	·25	–	·14	–	–	–	–	–	·14				**3**
4	–	·10	–	·05	–	–	–	–	–	·17				**4**
5	–	–	–	–	–	–	–	–	–	·03				**5**
6	·13	·11	–	–	·05	–	·26	–	–	·27				**6**
7	·26	·08	–	–	·04	–	·09	–	·03	–	·83			**7**
8	–	–	–	–	·10	–	–	–	–	·13				**8**
9	–	–	–	–	–	·38	–	–	·05	✗				**9**
10	–	–	–	–	–	–	·25	·04	–	✗				**10**
11	–	–	–	–	–	–	–	–	–					**11**
12	–	–	·06	–	–	·03	·07	–	·05					**12**
13	–	–	·55	–	–	·02	–	–	·13					**13**
14	–	–	·08	·07	–	–	–	–	–	✓				**14**
15	–	–	·04	·04	·10	–	·18	–	–	✓				**15**
16	–	–	·30	–	–	·01	·31	–	·20	✗				**16**
17	–	–	·35	–	–	–	·14	–	–					**17**
18	–	·49	·12	·29	–	–	·20	–	–	(2.00) ✗				**18**
19	–	·18	–	·11	–	–	–	–	·35	-				**19**
20	–	·02	–	–	–	–	·11	·02	–	-				**20**
21	–	–	–	–	·26	–	·17	–	–	✗				**21**
22	–	–	·04	–	·43	·35	–	–	·10					**22**
23	–	·04	–	·19	·14	–	–	–	–					**23**
24	–	–	–	·16	–	–	·21	–	–					**24**
25	–	–	·15	–	–	–	·12	–	–					**25**
26	(1·00) ~~·60~~	·05	·59	–	·15	·04	–	–	–					**26**
27	·40	·13	–	–	·21	–	·06	–	–					**27**
28	·21	–	–	·12	·05	–	–	–	–					**28**
29	·07	·05	·09	–	·10	–	–	–	–					**29**
30	–	✕	–	·24	–	–	–	–	–	✗				**30**
31	–	✕	–	✕	–	✕	–	–	✕	✗	✕			**31**
TOTAL	2.17 ~~1·67~~ ~~·27~~	1·60	2·37	1·02	1·63	·83	2·25	·06	·91	(2·83)			Year's Total "	np
* Days with .01 in. or more.	6	12	11	11	11	6	14	2	7	15			"	imp
* Days with .04 in. or more.	6	11	11	11	11	3	14	1	6	12			"	

Instrument destroyed by enemy action

* See Instruction 3 (f) on other side. C. S. Trapp Esq. † Spare column, no entries required.

(Signed) .... [P.T.O.

BOROUGH OF WEMBLEY BOROUGH ENGINEER & SURVEYOR.

863/5

FINCHLEY
CHURCH END
1931- 1940

78 02 04

Section A for the ent
AIR MIN

SH RAINFALL ORGANIZATION.

FOR OFFICIAL USE.

863/5.

M'sex/41

FORM 1090.

REC IN 1931.

Kept at Church End

in the County of Mid

estimated by surrounding stations 9/4/3[illegible]

Diameter of Funnel of Gauge
Height of top of Gauge above
,, Ground ,,

THE MORNING MI EVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			-	·31	-	·09	-	·04	·06	Tr.	-	-	1
2			-	·38	-	-	Tr.	Tr	·08	·03	·01	-	2
3			-	·39	·44	-	-	·47	1·19	-	·01	·2	3
4			Tr		Tr	-	·02	·16	·06	Tr.	·04	Tr	4
5			-	·19	·04	·53	·07	·19	·02	·23	Tr.	·19	5
6			-	·07	-	-	·08	-	Tr.	Tr.	·55	-	6
7			-	-	·06	·05	-	·66	-	Tr.	·07	·03	7
8			S ·04	Tr	Tr.	·18	-	·22	-	·06	·08	·01	8
9		·70	S ·05	-	-	Tr.	Tr.	Tr.	-	-	·39	·01	9
10			Tr	-	-	·01	·07	·19	·03	-	·14	Tr	10
11			-	-	-	-	-	-	·06	-	·16	Tr.	11
12			-	-	-	-	-	·03	·36	Tr.	Tr	-	12
13			-	-	-	-	·2	·11	-	-	Tr.	-	13
14			-	-	Tr.	-	·7	·95	-	-	-	-	14
15			-	·09	·12	-	·15	·07	-	-	·01	·03	15
16		·01 82	-	·11	·28	·03	Tr	·58	Tr	-	-	-	16
17		·01	-	+S ·15	·12	Tr.	·12	Tr	·11	·01	-	-	17
18		·06	-	·21	-	·09	·07	·72	-	-	·53	-	18
19		-	-	·52	-	·19	·38	Tr	-	-	Tr	-	19
20		·01	-	·14	-	-	·05	·28	·12	Tr.	Tr	Tr	20
21		-	-	-	·55	-	-	-	Tr	-	-	-	21
22		-	·04	Tr	-	-	-	-	Tr.	-	Tr.	-	22
23		Tr	-	·01	·67	·01	-	-	·15	-	·11	·01	23
24		-	-	·25	·03	·09	·03	·03	·01	-	Tr.	-	24
25		-	-	·41	·05	-	·42	-	-	Tr.	·01	·01	25
26		·03	-	·17	-	-	·36	-	Tr.	-	·13	-	26
27		·4	-	Tr	·19	-	·25	-	-	-	·06	-	27
28		S ·3	-	·09	-	-	-	-	-	Tr.	Tr	·33	28
29		X	-	-	·02	-	·16	-	Tr	·25	-	·03	29 "d"
30		X	-	-	·03	-	·02	·14	-	-	-	-	30
31	(1.00)	X	-	X	-	X	Tr.	-	X	Tr.	X	·01	31
TOTAL	(1.00)	(1.52)	·13	3·49	2·60	1·27	3·15	4·84	2·25	·58	2·30	·86	YEAR'S TOTAL (23·99)
*Days with ·01 in. or more.			3	17	13	10	17	16	12	5	15	11	
*Days with ·04 in. or more.			3	16	10	7	14	14	9	3	11	3	

40-9999

N

(Signed) Sr. Marie Hilda [P.T.O.

*See Instruction 2 (*f*) on other side

Section **A** for the entry of Daily Observations.

FOR OFFICIAL USE. 863/5.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

M'sex/#1

Kept at Church End, Finchley.

in the County of Middlesex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 8 in.

,, Ground ,, Sea Level 300 ft.

Jan–Feb. 1–16th estimated by surrounding stations 8/4/3[illegible]

[illegible]

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			-	·31	-	·09	-	·04	·06	Tr	-	-	1
2			-	·38	-	-	Tr	Tr	·08	·03	·01	-	2
3			-	·39	·44	-	-	·47	1·19	-	·01	·2	3
4			Tr	{	Tr	-	·02	·16	·06	Tr	·04	Tr	4
5			-	·19	·04	·53	·07	·19	·02	·23	Tr	·19	5
6			-	·07	-	-	·08	-	Tr	Tr	·55	-	6
7			-	-	·06	·05	-	·66	-	Tr	·07	·03	7
8			S ·04	Tr	Tr	·18	-	·22	-	·06	·08	·01	8
9		·70"	S ·05	-	-	Tr	Tr	Tr	-	-	·39	·01	9
10			Tr	-	-	·01	·07	·19	·03	-	·14	Tr	10
11			-	-	-	-	-	-	·06	-	·16	Tr	11
12			-	-	-	-	-	·03	·36	Tr	Tr	-	12
13			-	-	-	-	·2	·11	-	-	Tr	-	13
14			-	-	Tr	-	·7	·95	-	-	-	-	14
15			-	·09	·12	-	·15	·07	-	-	·01	·03	15
16		·01 82	-	·11	·28	·03	Tr	·58	Tr	-	-	-	16
17		·01	-	+5 ·15	·12	Tr	·12	Tr	·11	·01	-	-	17
18		·06	-	·21	-	·09	·07	·72	-	-	·53	-	18
19		-	-	·52	-	·19	·38	Tr	-	-	Tr	-	19
20		·01	-	·14	-	-	·05	·28	·12	Tr	Tr	Tr	20
21		-	-	-	·55	-	-	-	Tr	-	-	-	21
22		-	·04	Tr	-	-	-	-	Tr	-	Tr	-	22
23		Tr	-	·01	·67	·01	-	-	·15	-	·11	·01	23
24		-	-	·25	·03	·09	·03	·03	·01	-	Tr	-	24
25		-	-	·41	·05	-	·42	-	-	Tr	·01	·01	25
26		·03	-	·17	-	-	·36	-	Tr	-	·13	-	26
27		·4	-	Tr	·19	-	·25	-	-	-	·06	-	27
28		S ·3	-	·09	-	-	-	-	-	Tr	Tr	·33	28
29		X	-	-	·02	-	·16	-	Tr	·25	-	·03	29 "d"
30		X	-	-	·03	-	·02	·14	-	-	-	-	30
31	(1.00)	X	-	X	-	X	Tr	-	X	Tr	X	·01	31
TOTAL	(1.00)	(1.52)	·13	3·49	2·60	1·27	3·15	4·84	2·25	·58	2·30	·86	YEAR'S TOTAL (23·99)
*Days with ·01 in. or more.			3	17	13	10	17	16	12	5	15	11	
*Days with ·04 in. or more.			3	16	10	7	14	14	9	3	11	3	

40-9999

N

(Signed) Sr. Marie Hilda

*See Instruction 2 (*f*) on other side.

[P.T.O.

863/5

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 863/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at FINCHLEY
in the County of MIDDLESEX
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ..... ft. 8 in.
,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	Tr	-	·19	·42	·04	·09	+·55	·05	·14	·04	Tr	1
2	·04	-	-	·08	·02	-	Tr	·05	·02	Tr	·02	·13	2
3	Tr	-	-	·11	·11	-	-	·01	·62	-	Tr	Tr	3
4	Tr.	Tr	Tr	-	Tr	·03	-	Tr	-	-	·1	Tr	4
5	·13	Tr	·03	-	Tr	-	·07	-	·06	-	-	-	5
6	·53	Tr	Tr	·08	Tr	-	Tr	Tr	·09	Tr	Tr	Tr	6
7	-	Tr	·08	·02	·01	Tr	Tr	-	·05	Tr	-	Tr	7
8	-	Tr	·05	·04	·11	-	-	-	·04	·22	-	Tr	8
9	·03	Tr	Tr	·05	·76	-	Tr	-	Tr	-	-	-	9
10	·35	Ⓢ ·02	Tr	·19	·09	Tr	Tr	-	·02	·08	Tr	-	10
11	·02	Ⓢ ·01	Tr	·04	·02	Tr	·1	·23	·04	·15	·05	-	11
12	·02	-	-	·01	·01	Tr	Tr	·01	Tr	·14	·02	Tr	12
13	·03	-	-	·12	·03	-	Tr	-	·04	·1	·03	Tr	13
14	·15	·02	Tr	+ ·22	·01	-	-	Tr	-	·01	-	Tr	14
15	Tr	Tr	Tr	·05	·24	-	Tr	Tr	Tr	·1	·02	Tr	15
16	·22	-	-	x	·09	-	-	-	-	Tr	Tr	Tr	16
17	Tr	-	-	x ·19	-	-	·13	-	Tr	·05	-	Tr	17
18	Tr	-	-	Tr	·01	-	·03	-	·2	-	·07	-	18
19	Tr	-	-	Tr	-	-	Tr	-	Tr	·2	·02	Tr	19
20	Tr	-	-	·11	·04	-	·05	+·13	·07	·78	·16	Tr	20
21	Tr	Tr	Tr	·08	·72	-	·05	·06	-	·23	Tr	·04	21
22	Tr	Tr	·34	Tr	·02	-	·22	Tr	·18	·25	·3	Tr	22
23	-	·11	·03	·01	·04	-	·19	-	·1	·95	Tr	·11	23
24	-	·01	-	-	-	Tr	Tr	-	-	·03	·09	-	24
25	-	Tr	-	Tr	-	-	·7	-	·05	·49	Tr	·01	25
26	-	Tr	·07	·17	·01	Tr	·07	-	-	Tr	Tr	Tr	26
27	-	-	·19	·18	·4	Tr	·15	-	-	·39	·12	·02	27
28	-	-	Tr	Tr	·1	Tr	·14	Tr	Tr	·14	Tr	Tr	28
29	-	-	·26	·04	·11	Tr	Tr	·34	·04	·26	Tr	·01	29
30	-	✕	·07	·03	·01	·6	-	·01	·08	·01	·25	·07	30
31	-	✕	·06	✕	Tr	✕	·05	Tr	✕	Tr	✕	·03	31
TOTAL	1·57	·17	1·18	2·01	3·38	·67	2·04	1·39	1·75	4·72	1·29	·42	YEAR'S TOTAL 20·59
*Days with ·01 in. or more.	11	5	10	22	23	3	14	9	17	20	14	8	156
*Days with .04 in. or more.	7	1	8	18	13	2	13	6	15	17	9	4	113

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Sr. Marie Hilda

[P.T.O.

863/5

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. ~~863/5~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at FINCHLEY

in the County of MIDDLESEX

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground - ft 8 in.

,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in	in.	in.	†	
1	·02	·17	·21	Tr.	H ·04	Tr	-	-	Tr.	Tr.	Tr.	-		1
2	·12	Tr.	·31	Tr.	·08	-	-	Tr.	Tr.	Tr.	-	-		2
3	·01	·18	·15	Tr.	·06	-	-	-	-	-	·01	-		3
4	+ ·42	Tr.	·07	Tr.	Tr.	-	-	Tr.	-	-	·03	-		4
5	·04	·01	·08	Tr.	·31	-	-	-	-	-	Tr.	-		5
6	Tr.	·07	·1	Tr.	+ ·5	-	-	-	-	·06	·06	Tr.		6
7	·14	·11	·05	-	Tr	-	-	-	-	·13	Tr.	Tr.		7
8	·05	Tr.	·01	-	·01	-	·05	-	-	+ ·08	Tr.	Tr.		8
9	-	Tr.	Tr.	Tr	+ ·1	-	·12	-	-	·06	·07	S ·01		9
10	Tr.	+ ·2	Tr.	-	·02	·02	·19	-	Tr	·09	Tr	Tr		10
11	·12	S Tr	Tr	Tr	·02	·06	·07	·08	·01	Tr	Tr	-		11
12	Tr	Tr	Tr	·28	Tr	·15	·07	-	·38	-	-	S Tr		12
13	·05	Tr	Tr	-	·15	Tr	·19	-	·15	-	·14	Tr		13
14	Tr	Tr	Tr	-	·01	Tr	·01	·03	Tr	·09	·43	Tr		14
15	·31	S Tr	·07	-	-	·15	·19	·14	Tr	Tr	·16	Tr		15
16	·02	·01	·61	Tr	Tr	·21	·08	-	Tr	·07	·05	Tr		16
17	·01	·02	·29	-	-	+ ·02	·01	Tr	·11	-	·05	-		17
18	·07	S ·16	·08	Tr	-	+ ·25	Tr	-	Tr	-	Tr	-		18
19	Tr	S ·07	·12	S ·01	-	+ H ·44	·01	Tr	·22	-	Tr	·02		19
20	-	S ·02	·02	·05	-	+ ·19	·01	Tr	·13	-	·01	-		20
21	Tr	S ·02	Tr	-	Tr	·07	Tr	·02	·32	Tr	·01	-		21
22	-	S Tr	Tr	-	-	Tr	Tr	·14	·32	·14	·03	-		22
23	-	S Tr	-	·12	-	Tr	-	·01	+ ·48	Tr	Tr	-		23
24	-	S ·23	Tr	·2	·02	·08	-	Tr	+ ·4	Tr	Tr	-		24
25	-	·18	Tr	·25	Tr	Tr	Tr	Tr	·03	·02	·02	·08		25
26	-	·28	Tr	·01	-	·01	-	-	·09	·03	-	·08		26
27	-	Tr	-	·05	·01	-	·01	-	Tr	·22	Tr	·07		27
28	-	Tr	-	Tr	+ ·17	-	Tr	-	·01	·36	-	·05		28
29	·04	×	·01	H ·08	·08	-	·17	-	Tr	·03	-	Tr		29
30	·1	×	·06	-	Tr	-	Tr	-	·01	·09	-	·13		30
31	·08	×	Tr	×	-	×	Tr	·13	×	Tr	×	-		31
TOTAL	1·60	1·73	2·24	1·05	1·58	1·65	1·18	·55	2·66	1·47	1·07	·44	Year's Total 17·22	
*Days with ·01 in. or more.	16	15	15	9	15	12	14	7	14	14	13	7	151	
*Days with ·04 in. or more.	11	10	12	7	9	9	9	4	10	11	7	5	104	

40-9999

*See Instruction 2 (*f*) on other side.

(1)

† Spare column, no entries required.

(*Signed*) Sr. Marie Hilda

[P.T.O.

863/5

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 863/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at FINCHLEY

in the County of MIDDLESEX

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground - ft 8 in.

,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in	in.	in.	†	
1	·02	—	—			—	—	·15	Tr	·02	—	·31	·50	1
2	·07	—	·08		·03	·03	—	Tr	·54	·16	Tr	·21	1·12	2
3	·01	·01	Tr	·16	—	—	—	Tr	Tr	·22	—	·01	·41	3
4	·12	Tr	·11	·02	Tr	Tr	Tr	—	Tr	·21	·1	·36	·91	4
5	—	—	·02	—	·04	Tr	Tr	·02		Tr	·01	·34	·43	5
6	Tr	Tr	·29	Tr	·24	·12	·12	·01	—	·13	Tr	·46	1·37	6
7	·02	—	Tr	Tr	—	Tr	Tr	·18	Tr	·13	—	·13	·46	7
8	—	Tr	—	—	—	—	—	·15	·09	—	·28	·02	·42	8
9	·01	Tr	·02		·1	—	—	Tr	—	Tr	·84	·33	1·30	9
10	Tr	Tr	·14	·1	—	—	—	·13	Tr	·03	·39	Tr	·79	10
11	·25		·37	·02	—	Tr	—	~~·03~~	—	—	·01	·11	·79	11
12	·08	·01	·03	—	·09	—	·09	·24	—	Tr	·01	·02	·57	12
13	·18	Tr	·29	·01	—	—	·05	·01	—	—	·03	·11	·68	13
14	·05	Tr	·17	Tr	·03	Tr		Tr	—	·03	—	·39	·97	14
15	·03	—	·08	—	·15		Tr	Tr	2·02	—	·06	·29	2·63	15
16	·16	Tr	·12	Tr	·07			—	—	·1	·01	tr	·46	16
17	·01	—	—	Tr	Tr			—	·01	·05	·02	·1	·19	17
18	·18	—	Tr	·3	Tr	—	·08	—	tr	Tr	—	·08	·64	18
19	Tr	—	·17	—	—	Tr	—	—	·06	Tr	Tr	·14	·37	19
20	—	—	·33	Tr	Tr	Tr	·04	Tr	Tr	Tr	Tr	—	·37	20
21	—	Tr	Tr	·13	—	·05	Tr	·06	Tr	·01	Tr	Tr	·35	21
22	—	—	Tr		—	Tr	Tr	·41	·18	tr	Tr	Tr	·59	22
23	—	Tr	—	·25	Tr	·24	—	·02	—	—	·01	·14	·63	23
24	Tr	Tr	·05	·13	—	·54	·71	·01	·18	Tr	Tr	}	1·12	24
25	·06	·08	Tr	·18	—	·03	—	Tr	—	·02	—	·38	·75	25
26	·08	S Tr	Tr	·29	—	·07	Tr	Tr	·02	·01	—	·09	·56	26
27	·01	S Tr	—	·17	—	·07	—	—	·1	·07	Tr	·32	·65	27
28	Tr	S ·19	—	1·09	—	·19	Tr	·85	Tr	—	·01	·39	2·72	28
29	·04	×	Tr	—	—		·01	Tr	·14	Tr	·01	·03	·23	29
30	·01	×		—			—	·04	·01	—	—	·11	·17	30
31	—	×		×	Tr	×	Tr	·11	×	·08 S	×	·05	·24	31
TOTAL	1·39	·29	2·27	2·85	·75	·91	1·10	2·30	3·26	1·26	2·09	4·92	Year's Total 23·39 ✓	
*Days with ·01 in. or more.	14	2	15	13	8	9	6	13	8	12	8	24	~~132~~	
*Days with .04 in. or more.	10	2	12	9	5	6	5	8	7	8	5	21	~~98~~	

4—9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Sister Marie Jacques [P.T.O.

COPY FOR OFFICIAL USE.

Section **A.** for the entry of Daily Observations.

Station No. 863/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Finchley

in the County of Middlesex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 8 in.

,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·12	·02	Tr	·02	·01	·05	·68	—	·02	·04	·25	—		1 1·21
2	·02	—	Tr	·03	—	·09	—	—	·2	·17	·05	Tr		2 ·56
3	Tr	·04	·08	Sn t Hail ·14	Tr	·33	Tr	Tr	·16	·47	·16	Tr		3 1·38
4	—	·02	—	·12^{+s}	—	·11	—	Tr	·33	·15	·01	·09^{+s}		4 ·83
5	—	·27	·02	·1^{+s}	—	·34	—	—	·32	·01	·01	Tr		5 1·07
6	Tr	Tr	·01	·33	—	·33	—	—	Tr	Tr	Tr	·01^{fog}		6 ·68
7	—	—	Tr	·49	—	·02	—	—	Tr	—	·89	·11		7 1·51
8	—	Tr^{s}	—	·27	Tr	Tr	—	—	Tr	·29	·14	·12		8 ·82
9	—	—	Tr^{s}	·1	—	·7	—	—	Tr^{dew}	·56	·13	·01		9 1·5
10	·02	Tr	—	·03	—	·02	—	—	—	·01	·04	·02		10 ·14
11	·24^{+s}	Tr	—	·04	—	·11	—	—	—	Tr	·18	·01		11 ·58
12	—	Tr	Tr	—	—	·09	—	·09	·01	Tr^{d}	·38	—		12 ·57
13	·11	·14	Tr	·17	·11	·05	—	—	Tr	Tr^{d}	Tr	Tr		13 ·58
14	—	—	—	·01	·21	·06	—	—	·01	Tr	·02	·1		14 ·41
15	Tr	·23	—	·42	Tr	·24	—	—	·08	—	·23	·09		15 1·29
16	—	·02	·01	·02	Tr^{s}	·11^{+hail}	—	—	·08	—	·6	·01		16 ·85
17	·01	—	·01	·02	Tr	·22	·05	—	·02	—	·45	Tr		17 ·77
18	—	—	—	·22	·09	·14	·2	—	·35	·03	·12	Tr		18 1·15
19	Tr	Tr	—	·04	·16	·03	·05	—	·01	—	·14	·04^{s}		19 ·47
20	·01	·15	Tr	·02	·28	·08	·14	—	·11	—	·1	Tr		20 ·89
21	Tr	·13	Tr	·01	Tr	Tr^{d}	—	—	·02	·05	·03	—		21 ·24
22	—	·02	·11	—	Tr	Tr^{d}	—	·08	·08	Tr	Tr	—		22 ·29
23	Tr	Tr	·14	—	—	Tr^{d}	Tr^{d}	·58	Tr	·02	—	·09^{s}		23 ·83
24	·05	·33	Tr	Tr	—	—	—	·08	·6	—	—	·02		24 1·08
25	·04	·27	—	·2	·01	·21	—	·01	—	—	—	·51		25 1·25
26	·46^{s}	Tr	Tr^{d}	—	—	—	—	·36	·04	Tr	—	·28		26 1·14
27	·02	·46	Tr^{d}	Tr	Tr	—	Tr	—	·21	Tr	·11	·27		27 1·07
28	—	·01	[illegible]	Tr	·06	—	—	Tr	·02	·05	·01	·14		28 ·29
29	Tr^{fog}	X	—	—	—	—	—	Tr	·5	Tr	Tr	·09		29 ·59
30	·04	X	Tr	·06	·27	—	—	·65	·26	·33	·28	·2		30 2·09
31	—	X	—	X	·04	X	—	Tr	X	·27	X	·39		31 ·7
TOTAL	1·14	2·11	·38	2·86	1·24	3·36	1·12	1·85	3·43	2·45	4·29	2·60	Year's Total.	26·83
* Days with .01 in. or more.	12	14	6	22	10	20	5	7	21	14	22	20		173
* Days with .04 in. or more.	7	9	2	14	8	17	5	6	14	10	17	14		123

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

X Sister Maria Jacques X (Signed) Sr. Marie Jacques

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 863/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at FINCHLEY

in the County of Middlesex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ... ft. 8 in.

,, Ground ,, Sea Level 296 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·3	·16	·06	·26	—	·16	·14	·11	—	Tr	·08	·09		1
2	·02	·03	·01	·03	—	·24	·13	·05	—	—	·03	·01		2
3	—	—	—	·08	·01	·02	·04	—	·02	—	·32	·02		3
4	Tr	—	0·09	Tr	Tr	·42	·01	·01	·5	—	Tr	·02		4
5	·05	Tr	·01	—	Tr	Tr	·01	·02	·09	—	·06	+Snow ·12		5
6	·27	—	Tr	—	·04	·07	Tr	·07	·04	·01	·1	·02		6
7	·33	—	·03	Tr	Tr	·13	·01	—	·02	Tr	·07	·01		7
8	·15	—	·01	—	Tr	—	·01	Tr	·01	Tr	·35	·18		8
9	·72	—	·04	—	—	Tr	·54	Tr	·13	·01	Tr	Tr		9
10	·01	—	Tr	Tr	·01	Tr	·2	·12	·2	Tr	·01	—		10
11	—	—	Tr	·03 +hail	—	—	·16	·05	·01	—	·73	—		11
12	—	—	—	·16 +snow	—	·24	·16	·02	·12	—	·28	·09		12
13	—	—	—	·07 +hail	—	·27	Tr	Tr	—	Tr	·02	·03		13
14	Tr (frost)	·04	—	·01	—	·05	·29	—	·01	·11	·19	·22		14
15	Tr (frost)	·07	Tr	Tr	—	·01	·29	—	·28	—	·01	·01		15
16	·54 snow	·07	—	—	—	—	·02	—	·08	Tr	·43	·03		16
17	·1 snow	·43	—	—	·15	·13	·01	Tr	·01	·01	·16	·12		17
18	·02 snow	·02		—	—	·51	·09	Tr	Tr	Tr	·02	·11		18
19	·25	·06	Tr	·01	—	·16	·08	·07	Tr	·1	Tr	Tr		19
20	·01	·05	·01	·32	Tr	·01	·02	—	·6	Tr	—	Tr		20
21	—	—	Tr	·19	·02	·3	Tr	—	·07	·01	—	—		21
22	+hail & snow ·17	·41	·04	·02	·26	·04	·16	—	Tr (mist)	Tr	—	·11		22
23	·01	Tr	Tr	·09	·02	Tr	·04	—	Tr	·1	Tr	—		23
24	·12	·06	Tr	·01	—	—	·01	—	·01	·28	—	Tr (thawing)		24
25	·09	—	·11	·18	Tr	·11	·08	—	·14	+hail ·09	·05	·03		25
26	Tr	·13	·28	·08	Tr	·26	·01	—	·02	·08	Tr	·03		26
27	·15	·04	·02	·04	—	Tr	·02	—	·2	·06	·01	Tr		27
28	·64	Tr	·03	Tr	—	·12	·71	Tr	·02	—	—	·04		28
29	·09	·08	·15	Tr	—	·19	·07	—	Tr	·01	·1	Tr		29
30	·09	✕	Tr	—	·02	·16	Tr	—	Tr	·22	Tr	·02		30
31	·22	✕	·17	✕	Tr	✕	·19	—	✕	·69	✕	·09		31
TOTAL	4·35	1·65	1·06	1·58	·53	3·6	3·5	·52	2·58	1·78	3·02	1·4	Year's Total 25·57	
* Days with .01 in. or more.	22	14	15	16	8	21	27	9	21	14	19	21	207	
* Days with .04 in. or more.	17	12	8	10	3	18	17	6	12	9	13	10	135	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Sr. Marie Jacques [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 863/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

File no 57/8/30

Kept at Finchley
in the County of Middlesex
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ft. 8 in.
,, Ground ,, Sea Level 296 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·59	·01	snow ·02	·03	—	—	Tr	—	·01	Tr	·78	·64		1
2	Tr	·1	·02	·57	—	—	Tr	—	·04	Tr	Tr	·59		2
3	Tr	·11	·02	Tr	Tr	Tr	Tr	—	Tr	Tr	Tr	·04		3
4	·05	·33	Tr	Tr	·03	—	Tr	·23	—	—	—	·35		4
5	·16	·12	·25 snow	Tr	Tr	—	·04	Tr	—	Tr	Tr	·01		5
6	·04	·02	·42 snow	Tr	·15	Tr	·02	—	—	·12	·04	—		6
7	—	·8	·06 snow	·1	—	—	—	—	·02	·01	—	Tr		7
8	Tr	·03	Tr	Tr	Tr	·08	Tr	—	—	Tr	·05	·3 + snow		8
9	—	·04	—	·31	·23	·02	·06	Tr	·27	Tr	—	·02		9
10	·01	Tr	·57	·11	·14	·42	·11	·01	Tr	Tr	Tr	·21		10
11	—	—	·19	·01	·67	·01	·01	—	—	·01	—	·05		11
12	·16	·3	·12	Tr	·2	·4	·01	—	·02	Tr	—	Tr		12
13	·11	·03	·26	Tr	Tr	·48	Tr	2·15	·03	—	—	·88		13
14	·02	·05	+ snow ·36	·07	·01	·01	Tr	·37	·08	—	—	·01		14
15	·05	·13	—	·19	Tr	·2	·23	Tr	·03	—	Tr frost	snow ·02		15
16	·08	·2	·2	·36	—	·09	—	·19	·25	—	—	·02		16
17	·21	Tr	·1	·17	—	·01	Tr	—	·24	Tr mist	·04	—		17
18	·24	·06	·01	Tr	·15	·18	—	Tr	Tr	Tr fog	·2	—		18
19	·02	·1	·03	·1	·05	·15	·02	—	·06	Tr fog	—	·14 snow		19
20	·16	·01	·01	·49	·58	·03	—	—	·09	·01 fog	—	—		20
21	·24	·46	·02	·06	·04	Tr	·06	Tr	Tr	Tr	Tr mist	·01		21
22	·23	·08	·03	Tr	·02	·12	·02	—	Tr	·58	·26	·02		22
23	·29	Tr	—	·01	·01	Tr	·06	—	—	·54	·01	·01		23
24	·47	·56	·01	—	·02	Tr	Tr	—	·13	·13	—	—		24
25	·02	·31	·12	—	·16	Tr	—	—	·1	·26	Tr fog	·01 fog		25
26	·01	·19	snow ·16	—	·07	Tr	—	—	Tr	·02	—	·01 fog		26
27	·04	·07	Tr	·13	Tr	—	~~Tr~~ —	Tr	·05	·57	—	—		27
28	Tr Snow	snow ·05	Tr	·05	—	·01	—	—	—	·08	—	·02		28
29	snow ·08	×	Tr	Tr	—	Tr	—	—	—	·06	·04	·01		29
30	·23	×	—	Tr	—	Tr	—	·14	—	Tr	·17	·03		30
31	·24	×	—	×	—	×	—	—	×	·2	×	·05 + snow		31
TOTAL	3·75	4·16	2·88	2·76	2·53	2·21	·64	3·09	1·42	2·59	1·59	3·45	Year's Total 31·07	✓
* Days with .01 in. or more.	24	24	21	16	16	15	11	6	15	13	9	23	193	✓
* Days with .04 in. or more.	19	19	12	13	11	9	6	5	10	9	8	10	131	✓

† Spare column, no entries required.

(*Signed*) L. Marie Jacques [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

File No 57750/30

Section **A** for the entry of Daily Observations

Station No. 863/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Finchley

in the County of Middlesex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 8 in.

" Ground " Sea Level 296 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	Tr	—	—	—	·01	·11	·25	Tr	—	x	·03	·01		1
2	·13	·01	—	·03	·04	Tr	Tr	—	—	(·95) x	·02	·08		2
3	Tr	Tr	—	—	·33	Tr	·01	—	·03	~~1·5~~ x	·02	—		3
4	·04	Tr	—	—	—	·01	·16	—	Tr	·03	Tr	·05		4
5	·01	—	Tr mist	Tr	—	—	·26	·01	Tr	·09	—	·06		5
6	·03	—	—	—	—	—	·02	—	·03	Tr	Tr	Tr		6
7	Tr	—	—	—	—	Tr	·06	·42	·01	·11	Tr	·08		7
8	·1	—	Tr mist	—	—	Tr	·09	Tr	—	·22	—	·01		8
9	·05	Tr	—	—	—	·01	·08	·21	—	Tr	—	·33		9
10	+ snow ·15	·04	—	—	—	·13	·01	·19	—	—	—	·02		10
11	·24	Tr	—	—	—	Tr	Tr	·01	—	—	·12	·06		11
12	·23	·02	—	Tr	·03	—	·02	·73	Tr mist	·18	·02	Tr		12
13	·14	·02 Snow	—	—	Tr	—	—	Tr	—	·06	·05	·11		13
14	·19	·01 Sn.	—	—	·21	—	Tr	Tr	·08	Tr	·01	·02		14
15	·02	·02 Sn.	—	—	Tr	—	·12	—	—	·26	Tr fog	·38		15
16	·32	·01	·01	—	Tr	—	·05	·01	—	·06	·01	·93		16
17	Tr	·07 Sn	Tr	Tr	·29	—	·02	Tr	—	·03	·22	—		17
18	·02	·01	—	Tr	·11	Tr	Tr	Tr	·01	Tr	·2	—		18
19	—	Tr	—	—	Tr	—	Tr	·03	·12	—	·34	Tr Snow		19
20	Tr	Tr	—	—	Tr	—	—	—	·04	Tr mist	·02	Tr Snow		20
21	·01	—	—	~~Tr~~ —	Tr	—	—	·02	·05	Tr mist	·03	·49 Snow		21
22	Tr	—	—	Tr	—	·03	—	·01	·06	—	·13	·38 Snow		22
23	—	—	—	Tr	—	—	—	—	—	—	·03	·01 Snow		23
24	—	—	·15	—	·01	Tr	—	—	·01	Tr mist	~~1~~·08	·02 Snow		24
25	·1	·02	·16	·03	·09	Tr	·02	Tr (mist)	·61	·04	1·06	·13 Snow		25
26	·16	·14	—	·01	Tr	—	—	Tr		·2	Tr	·3 + Snow		26
27	·09	·05	·08	Tr	·05	·22	·4	·01		·08	·33	Tr		27
28	+ hail ·18	·04	Tr	Tr	·94	·01	Tr	Tr	(·55)	Tr	·02	·04		28
29	·28	X	—	·01	·09	—	Tr	Tr		Tr	·09	·24		29
30	·01	✕	—	·05	·06	·08	—	·01		·07	·17	Tr		30
31	·1	✕	—	✕	·08	✕	—	Tr	✕	·08	✕	·2		31
TOTAL	2·60	·46	·4	·13	2·34	·6	1·57	1·66	~~1·05~~ (1·60)	~~3·01~~ (2·46)	3·	3·95	Year's Total 20·77	✓
* Days with .01 in. or more.	21	13	4	5	14	8	15	12	~~11~~ 9 (17)	9 (17)	21	22	169	✓
* Days with .04 in. or more.	16	5	3	1	11	4	9	4	~~6~~ 9 (11)	9 (15)	11	16	106	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(*Signed*) Sr Marie Jacques

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 863/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Finchley

in the County of Middlesex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 8 in.

,, Ground ,, Sea Level 296 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

error in copying out X april March

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	~~Mar.~~	~~April~~ March	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·02	—	·06	Tr	·39	—	Tr	·25	—	—	—	Tr		1
2	·02	—	·3	—	·02	—	Tr	·6	·64	·01	·01	Tr		2
3	+snow ·42	Tr mist	Tr	—	Tr	—	—	·71	—	Tr	·25	·07		3
4	·1	—	·33	·18	Tr	—	·04	1·27	—	·34	·05	·02		4
5	—	—	·7	—	·05	—	·02	·05	—	·21	·25	·05		5
6	·35	Tr frost	·01	—	—	—	·23	Tr	—	·02	·48	·03		6
7	·07	·09	—	—	—	—	Tr	·2	—	Tr	·07	·04		7
8	Tr	·06	—	·11	—	—	·02	·61	—	·3	·15	·41		8
9	·02	·06	—	—	—	—	—	·02	Tr	·58	·04	·17		9
10	·18	Tr	—	—	—	·38	—	·25	Tr	·16	Tr	Tr		10
11	Tr	Tr	—	·25	Tr	·12	—	—	·01	·26	·01	·01		11
12	—	·07	—	—	·01	·02	—	Tr	Tr	Tr	Tr	Tr		12
13	—	—	·02	·01	—	Tr	·03	—	·03	1·18	Tr	—		13
14	·52	Tr	·03	·01	·08	Tr	·04	—	Tr	·38	·39	·01		14
15	·2	—	Tr	Tr	·62	·15	Tr	—	·14	1·66	·01	·07		15
16	·4	—	·02	·11	·06	·14	·01	—	·04	Tr	·42	Tr		16
17	·15	·02	·01	·02	·17	Tr	·12	—	Tr	Tr	·02	—		17
18	·17	—	—	·03	—	·15	·26	—	Tr	·04	·31	—		18
19	·22	·01	—	·01	—	—	·21	—	—	·36	·01	—		19
20	·13	—	—	·01	—	·16	·57	Tr	—	Tr	Tr	·02		20
21	·11	Tr	—	·31	—	·02	·3	2·09	·27	—	—	—		21
22	·05	·18	Tr	·09	—	Tr	·01	—	·01	·04	·07	Tr		22
23	·08	—	·09	·01	—	Tr	·02	·01	Tr	·15	·69	·02		23
24	+snow ·14	Tr	·01	·01	—	Tr	·39	·1	—	Tr	Tr	·01		24
25	snow 2·13	·19	·01	·05	—	—	·02	·12	—	·28	·51	—		25
26	·17 snow	·01	·06	Tr	—	—	·01	—	—	·13	·28	—		26
27	·02	·01	·03	·08	—	—	·01	Tr	—	·08	·18	·02		27
28	·01	·16	·06	·08	—	·02	—	Tr	—	Tr	·12	snow ·09		28
29	Tr	X	·31	Tr	—	Tr	·19	Tr	—	·12	·13	—		29
30	Tr	X	·83	Tr	—	·03	—	Tr	—	Tr	·15	·03		30
31	—	X	X ~~April~~	X ~~March~~	—	X	·11	·45	X ·94	5·7	X	Tr		31
TOTAL	5·83	·86	2·88	1·37	1·40	1·19	2·58	6·79	5·94	5·7	4·6	1·01	Year's Total 35·15	✓
* Days with .01 in. or more.	23	11	17	17	8	10	20	14	7	19	23	16	185	✓
* Days with .04 in. or more.	18	7	9	9	6	6	11	12	4	17	18	6	123	✓

† Spare column, no entries required.

(*Signed*) L. Mani Jacques

P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 863/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1930

Kept at Finchley

in the County of Middlesex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ... ft. 8 in.

,, Ground ,, Sea Level 296 ft.

Ack Bwp

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	·02	Tr	–	Tr	–	–	–	–	–	·10			1
2	–	·06	–	·14	–	–	·07	–	–	·05	4			2
3	–	·18	–	·10	–	–	Tr	–	–	·23	1·52	4		3
4	Tr	·15	–	·08	–	–	–	–	–	·16	4	·18		4
5	–	Tr	–	–	–	–	·01	–	–	·06	4	4		5
6	·10	·08	–	Tr	·01	–	·28	–	–	4	·62 4	–		6
7	·25	·08	–	–	·06	–	4	–	·01	·21	–	Tr		7
8	Tr	Tr	–	·01	Tr	–	·19	–	–	·14	·01	4		8
9	–	–	–	Tr	[illegible]	·14	·01	[illegible]	·06	·03	·11	✓		9
10	–	–	–	Tr	–	Tr	·14	·05	Tr	·22	4	✓		10
11	–	–	Tr	·03	–	Tr	Tr	–	–	Tr	4			11
12	–	·01	·05	·01	–	·08	·05	–	4	Tr	✓			12
13	[illegible]	·01	·55	✓	–	Tr	Tr	Tr	·21 4	–	1·86			13
14	Tr	–	·22	·10 4	–	–	–	Tr	·01	·02	–	·54		14
15	Tr	–	4	·01	·20	–	·21	–	4	–	·19	–		15
16	snow ·03	·09	·48 4	·01	Tr	·04	·42	–	·15 4	4	·81	·04 4		16
17	–	–	·20	Tr	–	Tr	·02	–		1·09	4			17
18	Tr snow	·45	·13	·32	–	–	·08	–	·55 ✓	·14	4	4		18
19	–	·18	·01	·07	–	–	Tr	–	4	–	·97 4	·15		19
20	–	·03	–	·01	–	Tr	·05	Tr	·01	0·05 4	Tr	Tr		20
21	snow ·05	Tr	Tr	Tr	·18	–	·15	–	–	·01	·21	Tr		21
22	·01 snow	–	–	Tr	·47	·31	Tr	–	4		Tr	–		22
23	Tr	·05	·08 4	·16	·01	·04	–	–	4	·04 4	·01	–		23
24	–	Tr	Tr	·21	Tr	Tr	·22	–		Tr	Tr	–		24
25	–	–	·49	Tr	·02	–	·11	–	·04	–	Tr	–		25
26	·91	·05	·69	·01	·10	Tr	Tr	–	–	–	–	·02		26
27	snow ·56	·16	–	·17	·14	–	·08	–	Tr	–	–	·01		27
28	snow ·39	Tr	Tr	·11	·06	–	Tr	–	–	–	–			28
29	snow ·04	·01	·07	Tr	·06	·02	Tr	–	–	~~·06~~	–	4		29
30	·06	✕	Tr	·18	Tr	Tr	–	–	Tr	[illegible]	–	·27		30
31	·01	✕	–	✕	Tr	✕	–	–	✕	·47	✕	·07		31
TOTAL	2·41	1·61	2·9	1·73	1·31	·63	2·09	·05	·99	2·98	6·41	1·22	Year's Total 24·33	
* Days with ·01 in. or more.	11	16	12	19	11	6	17	1	11	16	19	15	154	
* Days with ·04 in. or more.	8	11	11	11	8	5	14	1	7	13	16	7	112	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) S. Marie Jacques
Radha

[P.T.O.

Middx/1

Section A for the entry of
AIR MINIST

Station No. 863/7

RAINFALL ORGANIZATION

FORM 1090

REGIS

N 193 6

863/7

RUISLIP RESERVOIR

1936 – 1940

480204

Kept at X Ruislip Reserv
in the County of .... Middle
Diameter of Funnel of Gauge.... 5
Height of top of Gauge above Gro
,, Ground ,, Sea

THE MORNING MEASUR ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.27	.16	.06	.27	-	.07	.17	.11	-	-	.07	.06		1
2	.02	.14	-	.01	-	.47	.24	.11	-	-	.04	-		2
3	-	-	-	.07	-	.03	.06	-	.21	-	.32	.04		3
4	.01	-	.12	-	-	.39	-	-	.52	-	-	.03		4
5	.08	-	.03	.01	-	.01	-	.02	.13	-	.07	.09		5
6	.36	-	-	-	-	.11	-	.13	.08	.02	.12	.08		6
7	.22	-	.05	-	-	.12	.54	.01	.03	-	.14	.01		7
8	.20	-	.07	-	-	-	.19	-	.01	-	.45	.17		8
9	.45	-	.02	-	-	-	.37	-	.16	.03	.01	-		9
10	.06	-	-	-	-	.01	.14	.09	.12	.01	-	-		10
11	-	-	-	.03	-	-	.07	.01	-	-	.87	-		11
12	-	-	-	.05	-	.39	.23	-	.16	-	.57	.13		12
13	-	-	-	.02	-	.34	.05	-	-	.02	.02	.12		13
14	-	.12	-	-	-	.07	.35	-	.01	.05	.09	.26		14
15	-	.05	-	-	-	.01	.03	-	.05	-	.05	.03		15
16	.25	.10	-	-	-	-	.05	-	.05	-	.42	.02		16
17	.15	.44	-	-	.08	.01	.02	-	-	.02	.19	.13		17
18	-	.06	-	-	-	.29	.15	-	-	.03	.02	.08		18
19	.29	.06	.05	.02	-	.48	.08	.13	-	.15	-	.01		19
20	.11	.05	.06	.36	-	-	.04	-	.68	-	-	-		20
21	-	-	-	.17	.05	.34	.02	-	.17	-	-	-		21
22	.16	.41	.05	.01	.46	.05	.17	-	-	-	-	.11		22
23	.02	.01	.04	.10	.01	-	.08	-	-	.11	-	-		23
24	.09	.07	-	.01	-	-	.01	-	.07	.40	-	-		24
25	.05	-	.13	.18	-	.62	.11	-	.14	.06	.02	.03		25
26	.01	.14	.19	.07	-	.14	.02	-	.03	.27	-	.02		26
27	.15	.03	.03	-	-	-	.02	-	.17	.09	-	-		27
28	.72	.05	.03	-	-	-	.51	-	-	-	-	.05		28
29	.09	.06	.11	-	-	.12	.13	-	-	.03	.17	.03		29
30	.12	X	.02	-	.08	.15	.01	-	-	.18	-	-		30
31	.22	X	.17	X	-	X	.13	-	X	.59	X	.31		31
TOTAL	4.10	1.95	1.23	1.38	.68	4.22	3.99	.61	2.79	2.06	3.64	1.81	Year's Total 28.46	
* Days with .01 in. or more.	23	16	17	15	5	21	28	8	18	16	18	21	206	
* Days with .04 in. or more.	19	14	12	8	4	16	21	5	14	9	14	13	149 [illegible]	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) X GRAND UNION CANAL CO. X [P.T.O.

Middx/1

Section A **for the entry of Daily Observations**

Station No. 863/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Ruislip Reservoir

in the County of Middlesex

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level ~~approx.~~ 170 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.27	.16	.06	.27	-	.07	.17	.11	-	-	.07	.06		1
2	.02	.14	-	.01	-	.47	.24	.11	-	-	.04	-		2
3	-	-	-	.07	-	.03	.06	-	.21	-	.32	.04		3
4	.01	-	.12	-	-	.39	-	-	.52	-	-	.03		4
5	.08	-	.03	.01	-	.01	-	.02	.13	-	.07	.09		5
6	.36	-	-	-	-	.11	-	.13	.08	.02	.12	.08		6
7	.22	-	.05	-	-	.12	.54	.01	.03	-	.14	.01		7
8	.20	-	.07	-	-	-	.19	-	.01	-	.45	.17		8
9	.45	-	.02	-	-	-	.37	-	.16	.03	.01	-		9
10	.06	-	-	-	-	.01	.14	.09	.12	.01	-	-		10
11	-	-	-	.03	-	-	.07	.01	-	-	.87	-		11
12	-	-	-	.05	-	.39	.23	-	.16	-	.57	.13		12
13	-	-	-	.02	-	.34	.05	-	-	.02	.02	.12		13
14	-	.12	-	-	-	.07	.35	-	.01	.05	.09	.26		14
15	-	.05	-	-	-	.01	.03	-	.05	-	.05	.03		15
16	.25	.10	-	-	-	-	.05	-	.05	-	.42	.02		16
17	.15	.44	-	-	.08	.01	.02	-	-	.02	.19	.13		17
18	-	.06	-	-	-	.29	.15	-	-	.03	.02	.08		18
19	.29	.06	.05	.02	-	.48	.08	.13	-	.15	-	.01		19
20	.11	.05	.06	.36	-	-	.04	-	.68	-	-	-		20
21	-	-	-	.17	.05	.34	.02	-	.17	-	-	-		21
22	.16	.41	.05	.01	.46	.05	.17	-	-	-	-	.11		22
23	.02	.01	.04	.10	.01	-	.08	-	-	.11	-	-		23
24	.09	.07	-	.01	-	-	.01	-	.07	.40	-	-		24
25	.05	-	.13	.18	-	.62	.11	-	.14	.06	.02	.03		25
26	.01	.14	.19	.07	-	.14	.02	-	.03	.27	-	.02		26
27	.15	.03	.03	-	-	-	.02	-	.17	.09	-	-		27
28	.72	.05	.03	-	-	-	.51	-	-	-	-	.05		28
29	.09	.06	.11	-	-	.12	.13	-	-	.03	.17	.03		29
30	.12	X	.02	-	.08	.15	.01	-	-	.18	-	-		30
31	.22	X	.17	X	-	X	.13	-	X	.59	X	.31		31
TOTAL	4.10	1.95	1.23	1.38	.68	4.22	3.99	.61	2.79	2.06	3.64	1.81	Year's Total 28.46	
* Days with .01 in. or more.	23	16	17	15	5	21	28	8	18	16	18	21	206	
* Days with .04 in. or more.	19	14	12	8	4	16	21	5	14	9	14	13	149	

† Spare column, no entries required.

*See Instruction 3 (f) on other side.

(*Signed*) GRAND UNION CANAL CO. [P.T.O.

N

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations   Station No. 863/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Ruislip Reservoir

in the County of Middx.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 170.00 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.26	-	-	.03	-	-	-	-	.05	-	.52	.59		1
2	.02	.16	.02	.57	-	-	-	-	.04	-	.01	.65		2
3	-	.19	-	.01	.02	-	-	-	-	-	.01	.08		3
4	.06	.30	-	.01	.02	-	-	-	-	.01	-	.38		4
5	.25	.07	.23	-	-	-	.05	-	-	.01	-	-		5
6	.03	-	.18	-	.21	-	.19	-	-	.06	.01	-		6
7	-	.74	.02	.17	-	-	-	-	.08	-	-	-		7
8	-	.08	-	.01	.04	.06	-	-	-	-	.05	.22		8
9	-	.07	-	.27	.21	.02	.10	-	.29	-	-	.12		9
10	-	-	.58	.14	.11	.31	.15	.02	-	-	-	.19		10
11	-	-	.22	-	.44	-	.03	-	-	-	-	.04		11
12	.18	.29	.14	-	.13	.09	.01	.05	-	-	-	.06		12
13	.11	.07	.36	.01	.01	.36	-	.21	.07	-	-	.93		13
14	.05	.05	.29	.05	-	-	-	1.43	.15	-	-	-		14
15	.11	.15	-	.18	-	.03	.20	-	.08	-	-	-		15
16	.11	.13	.30	.41	-	.06	-	.20	.53	-	-	.03		16
17	.30	.01	.12	.14	-	-	-	-	.38	-	.01	-		17
18	.22	.11	.03	.01	.14	.31	-	-	.03	-	.15	.09		18
19	.11	.12	.10	.18	.01	.17	.11	-	.08	-	-	.07		19
20	.33	.03	.02	.63	.62	.03	-	-	.03	-	-	-		20
21	.26	.54	.02	.09	.03	-	.06	-	.01	-	.01	.04		21
22	.32	.02	.01	.01	.04	.13	.04	-	-	.59	.23	.03		22
23	.23	.03	.01	-	.21	-	.07	-	-	.41	-	.01		23
24	.35	.55	.03	-	.02	-	.01	-	.19	.17	-	.01		24
25	.03	.46	.15	-	.59	-	-	-	.06	.16	-	-		25
26	.01	.35	.09	-	.17	-	-	.01	-	.05	-	-		26
27	.02	.12	-	.13	-	-	-	-	-	.59	.02	-		27
28	.02	.02	-	.01	-	-	-	-	-	.09	-	.03		28
29	.02		-	-	-	.02	-	-	-	.04	.05	.03		29
30	.28		-	-	-	-	-	-	-	.01	.18	.01		30
31	.32		-		-		-	-		.19		.03		31
TOTAL	4.00	4.66	2.92	3.06	3.02	1.59	1.02	1.92	2.07	2.38	1.25	3.64	Year's Total 31.53	
* Days with .01 in. or more.	25 ~~7~~	24 ~~5~~	20 ~~8~~	20 ~~8~~	18 ~~8~~	12 ~~4~~	12 ~~3~~	6 ~~8~~	15 ~~3~~	13 ~~3~~	12 ~~8~~	21 ~~8~~	~~63~~	198
* Days with .04 in. or more.	18	19	12	12	12	8	9	4	12	10	6	13	135	

*See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. Sharod [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 863/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at RUISLIP RESERVOIR

in the County of MIDDLESEX

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 170·00 ft.

Days w.g.t. [illegible]

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	·16	·05	·–	·03	·–	·03	·–	·–	·02	·18	·21		1
2	·05	·–	·01	·–	·02	·–	·03	·–	·05	·03	·–	·01		2
3	·08	·01	·–	·–	·02	·–	·–	·–	·–	·20	·01	·01		3
4	·–	·–	·–	·–	·22	·–	·01	·–	·05	·82	·05	·–		4
5	·04	·–	·–	·–	·–	·03	·09	·–	·01	·15	·–	·12		5
6	·–	·–	·–	·–	·–	·02	·08	·–	·–	·19	·01	·02		6
7	·05	·–	·–	·–	·–	·–	·06	·–	·05	·01	·01	·–		7
8	·01	·–	·–	·–	·–	·–	·25	1·60	·02	·34	·–	·02		8
9	·11	·–	·–	·–	·–	·–	·18	·08	·04	·31	·–	·–		9
10	·08	·02	·–	·–	·–	·–	·08	·19	·–	·–	·–	·67		10
11	·19	·04	·–	·–	·–	·–	·02	·26	·–	·–	·–	·05		11
12	·28	·–	·–	·–	·–	·–	·01	·14	·–	·–	·26	·04		12
13	·32	·02	·–	·–	·02	·–	·01	·06	·–	·31	·01	·–		13
14	·10	·02	·–	·–	·–	·–	·–	·–	·–	·03	·19	·09		14
15	·26	·–	·–	·–	·09	·–	·03	·–	·06	·–	·02	·02		15
16	·05	·01	·–	·–	·01	·–	·14	·–	·–	·26	·01	·20		16
17	·54	·–	·04	·–	·–	·–	·03	·06	·–	·08	·03	·24		17
18	·–	·04	·01	·–	·07	·–	·01	·–	·02	·19	·–	·–		18
19	·05	·–	·–	·–	·–	·–	·–	·01	·11	·02	·31	·–		19
20	·–	·–	·–	·–	·01	·–	·–	·12	·04	·–	·18	·05		20
21	·01	·–	·–	·–	·–	·–	·–	·–	·02	·–	·49	·20		21
22	·03	·–	·–	·–	·–	·–	·–	·11	·06	·–	·03	·15		22
23	·–	·–	·–	·01	·–	·03	·–	·05	·01	·–	·18	·16		23
24	·–	·–	·–	·04	·–	·–	·–	·–	·–	·–	·02	·35		24
25	·–	·–	·21	·–	·–	·–	·–	·–	·26	·–	·04	·15		25
26	·11	·03	·07	·06	·–	·–	·02	·06	·04	·05	·86	·25		26
27	·22	·15	·08	·03	·–	·–	·–	·01	·24	·18	·–	·17		27
28	·12	·05	·01	·02	·–	·21	·21	·04	·75	·07	·29	·–		28
29	·21		·–	·–	·–	·05	·–	·39	·02	·–	·–	·10		29
30	·39		·–	·02	·–	·–	·–	·01	·02	·–	·15	·19		30
31	·06		·–		·–		·–	·–		·05		·–		31
TOTAL	3·39	·55	·48	·18	·49	·34	1·41	3·19	1·87	3·31	3·33	3·47	Year's Total 22·01	✓
* Days with .01 in. or more.	24~~4~~	11~~6~~	8~~8~~	6~~7~~	9~~6~~	5~~3~~	18~~8~~	16~~3~~	19~~7~~	19~~5~~	21~~9~~	23~~5~~	~~63~~	179 ✓
* Days with .04 in. or more.	20	5	5	2	3	2	10	13	12	14	12	18	116	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 863/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Ruislip Reservoir.

in the County of Middlesex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 170.00 ft.

"B" Type Bottle Gauge.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03		.01	.44	.29			.17	.44					1
2	.01			.02	.01			.45	.41		.14			2
3	.42			.26				.29			.24	.18		3
4	.02		.22	.31				.52		.31	.04	.02		4
5			.01	.32	.14		.04	.08		.18	.28	.13		5
6	.45	---	---	.02	.01	---	.22	.04			.47	.14		6
7	.04	.15					.02	.02		.07	.14	.19		7
8	.01	.14	.15				.04	.05		.49	.22	.47		8
9	.02	.12						.02		.22	.04	.18		9
10	.20	.01				.45		.26	.02	.16		.01		10
11			.21			.11			.03	.22	.01			11
12		.03			.01	.02			.02					12
13				.03		.02	.02			1.05	.01			13
14	.43		.02	.04	.08	.05	.05		.02	.24	.54			14
15	.19		.05	.01	.57	.31	.01		.05	1.01	.04	.01		15
16	.38		.08	.02	.07	.21	.02		.02		.43			16
17	.15	.04	.02	.04	.22		.05				.06			17
18	.23	.01	.05		.01	.11	.19			.07	.30			18
19	.26		.02				.30							19
20	.19		.01			.31	.44	.05				.01		20
21	.04	.02	.28			.02	.14	1.21	.03					21
22	.15	.15	.09			.01	.02				.12			22
23	.02		.01	.10			.04	.01		.03	.82			23
24	.34	.01	.01	.03			.02		.01	.14				24
25	.24	.14	.08				.06	.01		.25	.67			25
26	.16	.04	.01	.02			.01	.03		.14	.30			26
27		.02	.09			.02	.01			.08	.15			27
28	.01	.16	.05	.02		.02	.29			.10	.19	.13		28
29				.29			.09				.20			29
30		X		.75		.15	.01		.03		.26	.05		30
31		X		X		X	.05		X		X			31
TOTAL	3.99	1.04	1.47	2.72	1.41	1.81	2.14	3.21	1.08	4.76	5.67	1.52	Year's Total 30.82	
* Days with .01 in. or more.	23	14	20	17	10	14	23	15	11	17	23	12	199	
* Days with .04 in. or more.	16	8	11	9	6	8	14	10	3	16	21	8	130	

† Spare column, no entries required

(*Signed*) C. G. Wilson. [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations **Station No.** 863/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~ 40

Kept at RUISLIP RESERVOIR
in the County of MIDDLESEX
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
,, Ground ,, Sea Level 170.00 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		.03		.01	.03						.14			1
2		.08		.11			.09			.05	.51			2
3		.09		.14						.15	.98	.08		3
4		.09		.02						.23	.11	.03		4
5		.01					.04			.13	.33	.14		5
6	.14	.14			.03		.61			.32	.12			6
7	.24	.12			.07		.11							7
8	.01			.05					.09	.24		.33		8
9				.01		1.57	.01	.01	.04		.08	.06		9
10						.01	.26	.04		.24	.13	.03		10
11			.09	.03		.26					.96			11
12		.01	.07	.01		.22	.16		.04		.04			12
13		.01	.49			.11	.18		.11		1.03			13
14			.06	.14	.02				.02	.05		.28		14
15			.01	.05	.06		.24		.01	.02	.34	.01		15
16	.03	.03	.33			.02	.53		.29	.81	.69	.03		16
17			.39	.02			.04		.06	.03	.59			17
18		.47	.19	.26			.03			.14	.33	.13		18
19		.21	.02	.13			.11		.47		.07			19
20		.02	.01	.02			.05	.02	.05		.12			20
21	.04	.02	.02		.23		.08	.01		.08	.35			21
22	.01	.01	.03	.02	.61				.08	.02				22
23		.06	.07	.13	.20	.53	.01			.03	.03	.03		23
24				.17		.03	.29					.01		24
25		.01	.26		.02		.14				.02			25
26	1.09		.36	.03	.46	.04								26
27	.31	.16		.03	.07		.01							27
28	.22	.01		.01	.17									28
29	.04		.12	[illegible]	.20							.31		29
30	.10	✕		.32						.08		.02		30
31	.02	✕	.01	✕		✕			✕	.59	✕			31
TOTAL	2.25	1.58	2.53	1.71	2.17	2.79	2.99	.08	1.26	3.21	6.97	1.49	Year's Total 29.03	
* Days with .01 in. or more.	12	19	17	21	13	9	19	4	11	17	20	14	176	
* Days with .04 in. or more.	8	9	11	10	9	6	15	1	9	13	18	7	116	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) C. A. Wilson
Engineer

[P.T.O.

Section **A** for the entry of D
AIR MINISTRY.

864

WEALDSTONE S.W.

1931 - 1936

Y80204

864

COPY FOR OFFICIAL USE.
RAINFALL ORGANIZATION.

FORM 1090.

REGIST 1931.

Kept at Wealdstone Sew

in the County of Middlesex

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Le

THE MORNING MEASUR US DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	·08	–	·21	–	·25	–	–	·02	–	–	–	1
2	·09	·05	–	·33	–	–	–	–	·52	·04	–	·09	2
3	·01	–	·01	·32	·54	–	–	·36	·68	–	·02	·17	3
4	–	–	–	–	·005	–	·01	·11	·22	·005	·09	·01 ~~·005~~	4
5	–	–	–	·15	·08	·54	·05	·15	–	–	–	·22	5
6	–	·10.	–	·09	–	–	–	–	–	·31	·38	–	6
7	–	–	–	–	·05	·03	–	·66	–	·05	·15	·06	7
8	–	·06	·05	–	–	·18	–	·54	–	·02	·12	·01	8
9	–	·06	·03	–	–	–	–	–	–	–	·40	·02	9
10	·01	·07	·01	–	–	·03	·08	·26	–	–	·24	–	10
11	·11	·24	–	–	–	–	–	–	·03	·005	·12	–	11
12	–	·02	–	–	–	–	–	·11	·38	–	–	·01 ~~·005~~	12
13	·01	–	–	–	–	–	·07	·13	–	–	–	–	13
14	·01	·09	–	–	–	–	1·04	1·13	–	–	–	–	14
15	·03	·03	–	·08	·12	–	·21	·09	–	–	–	·02	15
16	–	·07	–	·09	·24	·04	–	·07	·04	–	–	–	16
17	·01	·01	–	·20	·09	–	·13	–	·08	–	–	–	17
18	·02	·06	–	·17	–	·14	·08	·70	–	–	·56	tr ~~·005~~	18
19	·01	–	–	·48	–	·17	·21	·05	·06	–	–	·01 ~~·005~~	19
20	–	·03	–	·08	–	–	·06	·19	–	–	·005	tr ·005	20
21	·01	–	–	–	·39	–	–	–	–	–	–	–	21
22	·19	–	·02.	·01	–	–	–	–	·005	–	·005	–	22
23	·18	·005	–	·02	·55	–	–	–	·03	–	·13	·03	23
24	–	–	–	·22	·06	·05	·05	–	–	–	–	–	24
25	·08	–	–	·48	·04	–	·52	–	–	–	·03	–	25
26	–	·05	–	·38	–	–	·49	–	·01	–	·16	–	26
27	·16	·40	–	–	·23	–	·46	–	–	–	·17	–	27
28	·05	·14	–	·08	–	–	–	–	–	–	–	·23	28
29	·06	×	–	–	·05	–	·17	–	–	·27	·01	·05	29
30	·04	×	–	–	·01	–	·06	·12	–	–	–	–	30
31	·17	×	–	×	·05	×	–	–	×	–	×	–	31
TOTAL	1·25	1·565	·12.	3·39.	2·505	1·43	3·69	4·67	2·075	·70	2·59	·925 ·93	YEAR'S TOTAL 24·91
*Days with ·01 in. or more.	19.	17.	5.	17.	14.	9.	16.	15.	11.	5.	14.	10.	152.
*Days with ·04 in. or more.	10.	13.	1.	15.	13.	7.	15.	15.	8.	4.	11.	6.	118

40-9999

M

*See Instruction 2 (f) on other side.

(Signed) B. C. May.
Acting Surveyor

[P.T.O.

864

Section **A** for the entry of

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931 .

Kept at Wealdstone Sewage Disposal Works
in the County of Middlesex
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level 153·50 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	·08	–	·21	–	·25	–	–	·02	–	–	–	1
2	·09	·05	–	·33	–	–	–	–	·52	·04	–	·09	2
3	·01	–	·01	·32	·54	–	–	·36	·68	–	·02	·17	3
4	–	–	–	–	·005	–	·01	·11	·22	·005	·09	·01 ·005	4
5	–	–	–	·15	·08	·54	·05	·15	–	–	–	·22	5
6	–	·10.	–	·09	–	–	–	–	–	·31	·38	–	6
7	–	–	–	–	·05	·03	–	·66	–	·05	·15	·06	7
8	–	·06	·05	–	–	·18	–	·54	–	·02	·12	·01	8
9	–	·06	·03	–	–	–	–	–	–	–	·40	·02	9
10	·01	·07	·01	–	–	·03	·08	·26	–	–	·24	–	10
11	·11	·24	–	–	–	–	–	–	·03	·005	·12	–	11
12	–	·02	–	–	–	–	–	·11	·38	–	–	·01 ·005	12
13	·01	–	–	–	–	–	·07	·13	–	–	–	–	13
14	·01	·09	–	–	–	–	1·04	1·13	–	–	–	–	14
15	·03	·03	–	·08	·12	–	·21	·09	–	–	–	·02	15
16	–	·07	–	·09	·24	·04	–	·07	·04	–	–	–	16
17	·01	·01	–	·20	·09	–	·13	–	·08	–	–	–	17
18	·02	·06	–	·17	–	·14	·08	·70	–	–	·56	·005	18
19	·01	–	–	·48	–	·17	·21	·05	·06	–	–	·01 ·005	19
20	–	·03	–	·08	–	–	·06	·19	–	–	·005	·005	20
21	·01	–	–	–	·39	–	–	–	–	–	–	–	21
22	·19	–	·02.	·01	–	–	–	–	·005	–	·005	–	22
23	·18	·005	–	·02	·55	–	–	–	·03	–	·13	·03	23
24	–	–	–	·22	·06	·05	·05	–	–	–	–	–	24
25	·08	–	–	·48	·04	–	·52	–	–	–	·03	–	25
26	–	·05	–	·38	–	–	·49	–	·01	–	·16	–	26
27	·16	·40	–	–	·23	–	·46	–	–	–	·17	–	27
28	·05	·14	–	·08	–	–	–	–	–	–	–	·23	28
29	·06	×	–	–	·05	–	·17	–	–	·27	·01	·05	29
30	·04	×	–	–	·01	–	·06	·12	–	–	–	–	30
31	·17	×	–	×	·05	×	–	–	×	–	×	–	31
TOTAL	1·25	1·565	·12.	3·39.	2·505	1·43	3·69	4·67	2·075	·70	2·59	·925 ·93	YEAR'S TOTAL 24·91
*Days with ·01 in. or more.	19.	17.	5.	17.	14.	9.	16.	15.	11.	5.	14.	10.	152.
*Days with ·04 in. or more.	10.	13.	1.	15.	13.	7.	15.	15.	8.	4.	11.	6.	118

40-9999

M

*See Instruction 2 (*f*) on other side.

(*Signed*) B. G. May.
Acting Surveyor

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 864

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Wealdstone Sewage Works.

in the County of Middlesex

Diameter of Funnel of Gauge 5. in.

Height of top of Gauge above Ground 1. ft 0. in.

,, Ground ,, Sea Level 153·50 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	–	–	·20	·31	·03	·20	·17	·02	·10.	·02	–	1
2	·07	–	–	·12	·05	–	–	·06	·25	·02	·02	·13	2
3	–	–	–	·18	·08	–	–	–	·41	–	–	–	3
4	–	–	–	–	–	·10	–	–	–	–	·09	–	4
5	·16	–	·04	–	·01	–	·13	–	·06	–	–	–	5
6	·53	–	·005	·13	·03	–	–	–	·12	–	–	–	6
7	–	–	·11	·05	–	–	–	–	·06	–	–	–	7
8	–	–	·04	·10	·24	–	–	–	·04	·19	–	–	8
9	·12	–	–	·03	·77	–	–	–	–	·02	–	–	9
10	·38	–	·005	·22	·10	·02	–	–	–	·15	·04	–	10
11	–	–	·005	·06	·01	–	·49	·12	·15	·12	·04	·01	11
12	·06	–	–	–	·03	–	–	·01	–	·08	·02	–	12
13	·06	–	–	·12	·02	–	–	–	·03	·15	·02	·01	13
14	·15	–	–	·10	·005	–	–	–	–	·01	·04	–	14
15	–	·01	–	·04	·35	–	–	–	–	·08	–	–	15
16	·52	–	–	·16	·06	–	–	–	–	–	–	–	16
17	·005	–	–	·005	–	–	·09	–	·02	·07	–	–	17
18	·01	–	–	–	·01	–	–	–	·23	–	·11	–	18
19	–	–	–	–	–	–	–	–	·03	·25	–	–	19
20	·005	–	–	·13	·01	–	–	·16	·06	·70	·17	–	20
21	·02	–	–	·16	·80	–	–	·03	–	·23	–	·03	21
22	·005	–	·35	–	·10	–	·18	–	·10	·19	·33	–	22
23	–	·06	–	·005	·04	–	–	–	·04	·81	·05	·12	23
24	–	·005	–	–	–	–	·47	–	·03	·02	·02	·005	24
25	–	–	–	–	–	–	·58	–	·04	·44	–	–	25
26	–	–	·09	·17	·03	–	·03	–	–	·005	–	–	26
27	–	–	·18	·21	·35	–	·10	–	–	·44	·13	·02	27
28	–	–	·03	–	·03	–	·09	–	–	·18	·005	–	28
29	–	–	·30	·01	·13	·01	·01	·29	·05	·25	·02	·005	29
30	–	×	·03	·01	·09	·61	–	–	·15.	·01	·27	·17	30
31	–	×	·03	×	–	×	·01	–	×	–	×	·03	31 ·61
TOTAL	2·135	·075	1·215	2·21	3·655	·77	2·38	·84	1·89	4·515	1·395	·53	YEAR'S TOTAL 21·[illegible]
*Days with ·01 in. or more.	12.	2.	10.	19.	23.	5	12.	7.	19.	22	16.	8.	155·
*Days with .04 in. or more.	10.	1.	7.	16.	14	2	9.	5.	14.	17.	10.	3	108·

40-9999 M

*See Instruction 2 (f) on other side.

(Signed) ~~[illegible]~~ P.T.O.

X The Surveyor X Surveyor for Wealdstone U.D.C.

Examined by Cards for T.V. √KJ.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 864

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Wealdstone Sewage Works

in the County of Middlesex.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 153·50 ft.

T.V.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·07	·12	·14	–	·09	–	–	–	–	–	·02	–		1
2	·19	–	·28	–	·18	–	–	–	–	–	–	–		2
3	–	·17	·15	–	·29	–	–	–	–	–	–	–		3
4	·37	–	·09	–	·12	–	–	–	–	–	·05	–		4
5	–	·01	·19	–	·15	–	–	–	–	–	·01	–		5
6	–	·06	·02	–	·42	–	–	–	–	·05	·05	–		6
7	·15	·09	·13	–	·01	–	–	–	–	·10	–	–		7
8	·05	·01	·01	–	·02	–	·05	–	–	·14	–	–		8
9	–	–	–	–	·06	–	·15	–	–	·10	·08	–		9
10	–	·31	–	–	·01	·02	·28	–	–	·16	·01	–		10
11	·14	–	–	–	·01	·02	·18	·08	–	–	–	–		11
12	–	–	–	·03	–	·04	–	–	·47	–	–	–		12
13	·06	–	–	–	·13	–	·19	–	·08	–	·12	–		13
14	–	–	–	–	·01	–	–	·01	–	·05	·56	·01		14
15	·31	–	·13	–	–	·86	·03	·10	–	–	·02	–		15
16	·01	·005	·62	–	–	·18	·47	–	–	·04	·08	–		16
17	·02	·02	·30	–	–	–	·02	–	·12	–	·06	–		17
18	·07	·05	·10	–	–	·21	–	–	–	–	–	–		18
19	–	·07	·13	–	–	·06	–	–	·73	–	·02	·06		19
20	–	·02	·10	·07	–	·24	–	–	–	–	–	–		20
21	–	·005	–	–	–	·04	–	·02	·24	–	–	–		21
22	–	–	–	–	·02	–	–	·16	–	·20	·02	–		22
23	–	–	–	·15	–	–	–	–	·34	–	–	–		23
24	–	·22	–	·16	–	·77	–	–	·36	–	·01	–		24
25	–	·33	–	·28	–	–	–	–	·13	·01	·01	·06		25
26	–	·27	–	·07	–	–	–	–	·13	·07	–	·09		26
27	–	–	–	–	·14	–	·01	–	–	·19	·02	·06		27
28	–	–	–	–	·07	–	–	–	–	·31	–	·01		28
29	·08	×	·01	·02	–	–	·03	–	–	·12	–	–		29
30	·10	×	·11	–	–	–	·02	–	–	–	–	·14		30
31	·10	×	·01	×	–	×	–	·16	×	·02	×	–		31
TOTAL	1·72	1·76	2·52	·78	1·73	2·44	1·43	·53	2·60	1·56	1·14	·43	Year's Total 18·64 √.	
*Days with ·01 in. or more.	14 √	14 √	17 √	7 √	16 √	10 √	11 √	6 √	9 √	14 √	16 √	7 √	141 √	
*Days with .04 in. or more.	12 √	10 √	13 √	5 √	10 √	8 √	6 √	4 √	9 √	12 √	7 √	5 √	101 √	

40-9999

*See Instruction 2 (*f*) on other side.

10 M

† Spare column, no entries required.

(*Signed*) F. Gray

Surveyor to Wealdstone U.D.C.

[P.T.O.

Ex 8L

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 864

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Wealdstone Sewage Works

in the County of Middlesex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 153·50 ft.

T.V.

Days ✓

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	-	-	-	-	-	.	·11	-	·03	.	·42		1
2	·04	-	·08	-	·08	-	.	-	·53	·15	.	·22		2
3	·01	·02	-	·14	-	-	.	-	-	·28	.	·01		3
4	·12	-	·09	·02	·01	.	.	-	-	·27	·08	·35		4
5	·01	-	·01	-	·04	-	.	·02	.	.	·02	·41		5
6	-	-	·27	.	·32	·05	.	·05	-	·12	.	·44		6
7	·03	.	-	.	-	.	.	·11	-	·10	.	·14		7
8	-	-	-	.	·09	.	.	·04	·11	.	·32	·01		8
9	·01	-	·01	.	-	.	.	-	-	.	·86	·27		9
10	·01	.	·09	·14	-	-	.	·12	-	.	·18	·01		10
11	·22	-	·32	·05	-	-	.	·02	-	.	.	·10		11
12	·04	-	·07	·01	·05	.	·13	·21	-	.	·01	·03		12
13	·23	.	·16	-	-	-	·05	·04	-	.	·02	·09		13
14	·05	-	·22	-	·02	-	-	.	-	·01	·22	·32		14
15	·06	-	·01	-	·17	-	-	.	·22	.	·04	·31		15
16	·19	.	·12	-	·09	-	-	.	-	·10	.	.		16
17	·01	-	-	·02	·01	-	-	.	-	·07	·02	·07		17
18	·14	-	·01	·14	-	-	·07	.	-	-	·01	·10		18
19	-	.	·17	-	-	.	-	.	·07	·01	·01	·10		19
20	-	.	·28	·04	-	-	·15	·01	·01		.	·01		20
21	-	.	-	·10	-	·09	·01	·02	-	·03	.	.		21
22	-	.	-	-	-	-	-	·54	·20	.	.	·03		22
23	-	-	-	·31	-	·14	-	.	-	.	·01	·08		23
24	-	-	·06	·10	-	·04	·58	·05	·24	.	.	.		24
25	·19	·05	-	·13	-	·06	.	.	.	·02	.	·34		25
26	-	-	-	·29	-	·06	.	.	·01	·01	.	·34		26
27	·01	·02	-	·05	-	·12	.	-	.	·06	-	·37		27
28	-	·19	-	·06	-	·09	.	·91	.	.	·03	·20		28
29	-	×	-	-	.	-	.	·02	·16	.	·01	·02		29
30	·04	×	-	-	.	-	.	·04	-	.	.	·12		30
31	·02	×	-	×	.	×	.	·09	×	·21	×	·03		31
TOTAL	1·45	·28	1·97	1·60	·88	·65	·99	2·40	1·55	1·47	1·84	4·94	Year's Total. 20·02 ✓	
* Days with .01 in. or more.	20	4	16	15	10	8	6	17	9	15	15	28	163	
* Days with .04 in. or more.	11.	2	12	12	7	8	5	12	7	9	6.	20	111	

40-9999

* See Instruction 2 (f) on other side.

M

† Spare column, no entries required.

(Signed) J. Percy Bennetts
Surveyor.

[P.T.O.

17

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 864

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Wealdstone Sewage Works

in the County of Middlesex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 153·50 ft.

Duration

TV

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·09	·03	-	·04	·01	·14	·64	-	-	·02	·10	·		1
2	·01	-	-	·06	-	-	-	-	·20	·17	·04	·		2
3	·	·07	·06	·03	-	·16	-	-	·11	·58	·16	·		3
4	-	-	-	·12	-	·18	-	-	·33	·06	-	·15		4
5	-	·31	·02	·09	-	·32	-	-	·31	-	-	·03		5
6	·03	-	-	·30	-	·35	-	-	-	-	-	·01		6
7	-	-	-	·45	-	·04	-	-	-	·04	1·16	·14		7
8	-	·	-	·24	·	-	-	-	-	·29	·13	·11		8
9	-	-	-	·13	·	·65	-	-	-	·52	·10	·01		9
10	-	-	-	-	-	·01	-	-	-	-	·03	·02		10
11	·25	-	-	·03	-	·07	·37	-	-	-	·17	·01		11
12	-	-	-	-	-	·09	·	·05	·01	-	·50	·		12
13	·11	·14	-	·17	·13	·02	-	-	-	-	·01	·		13
14	-	-	-	·01	·17	·06	-	-	-	-	·02	·11		14
15	-	·24	-	·38	-	·25	-	-	·10	-	·17	·08		15
16	·	·02	·02	-	-	·18	-	-	·08	-	·35	·02		16
17	-	-	-	·04	-	·17	·06	-	·01	-	·36	·01		17
18	-	-	-	·23	·04	·04	·13	-	·47	·02	·06	·03		18
19	-	-	-	·04	·21	·03	·05	-	·04	-	·15	·04		19
20	-	·14	-	·06	·09	·06	·03	-	·07	-	·11	·		20
21	-	·23	·	-	-	-	-	-	·01	·05	·01	·		21
22	-	·02	·04	-	-	-	-	·33	·15	-	-	·		22
23	-	·02	·20	-	·	-	-	·32	·06	·03	-	·18		23
24	·06	·54	-	-	-	-	-	·07	·67	-	-	·33		24
25	·10	·11	-	·25	-	·17	·	-	-	-	-	·11		25
26	·12	·10	-	-	-	-	-	·30	·05	-	-	·31		26
27	·01	·35	-	-	·01	-	-	-	·36	-	·11	·28		27
28	-	-	-	-	·02	-	-	-	·01	·05	-	·21		28
29	·	X	-	-	-	-	-	-	·56	-	-	·11		29
30	·04	✕	-	·09	·03	-	-	·53	·06	·28	·28	·29		30
31	-	✕	-	✕	-	✕	-	-	✕	·25	✕	·27		31
													Year's Total	
TOTAL	·82 ✓	2·32 ✓	·34 ✓	2·76 ✓	·71 ✓	2·99 ✓	1·28 ✓	1·60 ✓	3·66 ✓	2·36 ✓	4·02 ✓	2·86 ✓	25·72 ✓	✓
* Days with .01 in. or more.	10 ✓	14 ✓	5 ✓	19 ✓	9 ✓	19 ✓	6 ✓	6 ✓	20 ✓	13 ✓	20 ✓	23 ✓	164 ✓	
* Days with .04 in. or more.	7 ✓	10 ✓	3 ✓	16 ✓	5 ✓	16 ✓	5 ✓	6 ✓	16 ✓	10 ✓	16 ✓	15 ✓	125 ✓	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

M

(*Signed*) [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.
Station No. 864

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Wealdstone Sewage Works (+A)
in the County of Middlesex
Diameter of Funnel of Gauge..................in.
Height of top of Gauge above Ground.........ft.........in.
,, Ground ,, Sea Level 154 ft.

Copy by B.R.O.
TV

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.55	·13	·07	23		·14	·09							1
2	·02	·08	·02			·26	·17							2
3						·07	·03							3
4			·10	·04		·11								4
5	·08		·01											5
6	·30					·16								6
7	·20		·03			·02	·56							7
8	·16		·02				·05							8
9	·58		·05				·48							9
10	·01						·08							10
11				·12			·08							11
12				·11		43	·19							12
13				·14		·41	·01							13
14		·11				·05	·29							14
15		·08					·01							15
16	·30	·07					·03							16
17	·12	·45			·03	·01	·01							17
18	·01	·10				·27	·09							18
19	·30	·03	·01	·01		·12	·04		#					19
20		·05	·01	·32			·03							20
21				·15	·06	·32								21
22	·14	·34	·02		·28	·04	·18							22
23	·03		·07	·08			·04							23
24	·09	·07												24
25	·07		·13	·17		·54	·17							25
26		·12	·16	·05		·14								26
27	·20	·07	·02				·01							27
28	·70		09				·38							28
29	·05	·08	·06			·22	·08							29
30	·09	✕	·01		·03	·14		#						30
31	·28	✕	·24	✕		✕	·13		✕		✕			31
													Year's Total	
TOTAL	4·28	1·78	1·12	1·42	·39	3·45	3·23						nil	
* Days with .01 in. or more.	21	14	18	11	4	18	24						—	
* Days with .04 in. or more.	17	13	9	10	2	16	17						—	

g. ±(+A) moved to Stanmore (870/S)

40-9999.
* See Instruction 2 (f) on other side.

† Spare column, no entries required.
✓ (*Signed*) HARROW U.D.C. [P.T.O.

Section **A** for the entry of Daily O
AIR MINISTRY.—ME
FORM 1090

CO

REGISTER

Station No. 864/5.
ALL ORGANIZATION

37.

864/5
PINNER
HILLCREST AVE
1937-40

78 02 04

Kept at "St.Eloy", Hillcrest
in the County of Pinner, Mi
Diameter of Funnel of Gauge Five i
Height of top of Gauge above Ground 1
,, Ground ,, Sea Level ...

THE MORNING MEASUREMENT … US DAY

An observer who does not conform to this rule should insert the reading … he following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1										--	0.51	0.68		1
2										Tr.-	--	.56		2
3										--	--	.11		3
4										--	--	.36		4
5										Tr.-	--	--		5
6										0.05	.01	--		6
7										--	--	--		7
8										--	.03	.19		8
9										--	--	.20		9
10										--	--	.21		10
11									Commencement of Readings	--	--	.03		11
12										--	--	.03		12
13										--	--	1.05		13
14										--	--	Tr.-		14
15										--	--	.01		15
16										--	--	.02		16
17										Tr. -	Tr.-	.01		17
18										--	.14	--		18
19										--	--	.14		19
20										Tr. -	--	.--		20
21									--	--	--	.03		21
22									--	.61	.33	.03		22
23									--	.42	--	.01		23
24									0.14	.16	--	--		24
25									.10	.28	--	.01		25
26									--	.04	--	--		26
27									Tr. -	.61	--	--		27
28									--	.09	--	.02		28
29									--	.05	.04	.02		29
30		✕							--	--	.18	--		30
31		✕		✕		✕			✕	.27	✕	.02		31
TOTAL										2.58	1.24	3.74	Year's Total	
* Days with .01 in. or more.										10	7	21		
* Days with .04 in. or more.										10	5	9		

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) (C.S. Lewis)

P.T.O.

H

7/2/38

CO

Section **A** for the entry of Daily O Station No. 864/5.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at "St.Eloy", Hillcrest Avenue,

in the County of Pinner, Middlesex.

Diameter of Funnel of Gauge Five in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level .... ft.

735625/38

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1										--	0.51	0.68		1
2										Tr.-	--	.56		2
3										--	--	.11		3
4										--	--	.36		4
5										Tr.-	--	--		5
6										0.05	.01	--		6
7										--	--	--		7
8										--	.03	.19		8
9										--	--	.20		9
10										--	--	.21		10
11									Commencement of Readings	--	--	.03		11
12										--	--	.03		12
13										--	--	1.05		13
14										--	--	Tr.-		14
15										--	--	.01		15
16										--	--	.02		16
17										Tr. -	Tr.-	.01		17
18										--	.14	--		18
19										--	--	.14		19
20										Tr. -	--	--		20
21									--	--	--	.03		21
22									--	.61	.33	.03		22
23									--	.42	--	.01		23
24									0.14	.16	--	--		24
25									.10	.28	--	.01		25
26									--	.04	--	--		26
27									Tr. -	.61	--	--		27
28									--	.09	--	.02		28
29									--	.05	.04	.02		29
30		✕							--	--	.18	--		30
31		✕		✕		✕			✕	.27	✕	.02		31
TOTAL										2.58	1.24	3.74	Year's Total	
* Days with .01 in. or more.										10	7	21		
* Days with .04 in. or more.										10	5	9		

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Lewis (C.S. Lewis) [P.T.O.

H

7/2/38

PINNER (HILLCREST AV.)

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 864/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at "St. Eloy", Hillcrest Avenue, Pinner.
in the County of Middlesex
Diameter of Funnel of Gauge Five in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level c 200 ft.

[illegible] 1937
735625/38
[illegible]

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.05	-	-	-	Tr -	0.08	0.01	-	-	0.02	0.02	Tr -		1
2	.07	0.02	-	0.02	0.03	-	-	-	-	.17	-	0.01		2
3	Tr -	-	-	-	.24	Tr -	-	-	0.03	.82	.03	-		3
4	.04	-	-	-	-	.01	.10	Tr -	-	.12	-	.08		4
5	-	-	-	Tr-	-	-	.11	-	-	.14	Tr -	.03		5
6	.04	-	-	-	-	-	.08	-	.02	-	.01	-		6
7	-	-	-	-	-	-	.04	1.73	.02	.31	-	.01		7
8	.14	-	-	-	-	-	.05	.15	.01	.31	-	-		8
9	.05	.01	-	-	-	Tr -	.11	.24	-	Tr -	-	.61		9
10	.18	.03	-	-	-	Tr -	.02	.21	-	-	-	.04		10
11	.38	-	-	-	-	-	-	1.06	-	-	.16	.04		11
12	.38	.01	-	-	.01	-	.01	.08	-	.30	.04	-		12
13	.11	.01	-	-	-	-	-	-	-	.04	.17	.11		13
14	.29	.01	-	-	.05	-	.03	-	.05	-	.01	-		14
15	.02	Tr -	-	-	-	-	.14	-	-	.26	Tr -	.22		15
16	.54	.01	Tr -	-	-	-	.02	.04	-	.07	.02	.31		16
17	-	.07	-	-	.08	-	-	-	.01	.06	-	-		17
18	.04	-	-	-	.07	-	-	-	.10	.01	.42	-		18
19	-	-	-	-	-	-	-	.10	.03	-	.15	-		19
20	-	-	-	-	-	-	-	-	.01	-	.57	Sn.01		20
21	.02	-	-	-	-	-	-	.10	.03	-	.02	Sn.40		21
22	-	-	-	Tr -	-	.01	-	.01	-	-	.17	Sn.26		22
23	-	-	-	.02	Tr -	-	-	-	.02	-	.01	Sn.02		23
24	-	-	.19	Tr -	.02	-	-	-	.30	-	.04	-		24
25	.10	.01	.08	.06	.04	-	.01	.02	.02	.03	1.04	Sn.09		25
26	.20	.15	.07	Tr -	-	-	-	-	.23	.18	-	Sn.21		26
27	.11	.03	-	.01	.01	.13	.21	.04	.71	.11	.32	-		27
28	.20	.04	-	-	.71	.04	-	.26	.01	-	.03	.05		28
29	.33	×	-	Tr -	.11	-	-	-	.03	-	.12	.22		29
30	.04	×	-	.03	.04	.11	-	-	.01	.05	.17	-		30
31	.18	×	-	×	.10	×	-	-	×	.19	×	.30		31
TOTAL	3.51	0.40	0.34	0.14	1.51	0.38	0.94	4.04	1.64	3.19	3.52	3.02	Year's Total 22.63	
* Days with .01 in. or more.	22	12	3	5	13	6	14	13	18	18	20	19	163	
* Days with .04 in. or more.	20	3	3	1	9	4	8	11	5	15	12	14	105	

[illegible]
GB
21/3/39

C. S. LEWIS ESQ

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) C. S. Lewis.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 864/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at "St. Eloy", Hillcrest Avenue, Pinner.

in the County of Middlesex

Diameter of Funnel of Gauge Five in.

Height of top of Gauge above Ground 1 ft. 0 in.

" Ground " Sea Level .... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0.02	-	Tr-	0.39	0.33	-	0.01	0.25	0.52	0.03	-	0.01		1
2	Sn01	-	-	.03	.01	-	-	.62	.29	-	0.04	.01		2
3	Part Sn.35	-	-	.21	-	-	-	.36	-	.03	.27	.15		3
4	.04	-	0.22	.32	-	-	Tr-	.68	-	.21	.02	Tr-		4
5	-	-	-	.35	.11	-	.03	.10	-	.24	.25	.09		5
6	.46	-	-	.05	-	-	.25	.03	-	-	.48	.13		6
7	.08	0.11	-	-	-	-	-	.02	-	.06	.11	.14		7
8	Tr-	.14	.13	-	-	-	.02	.02	-	.39	.11	.48		8
9	.01	.11	-	-	-	-	-	.01	-	.36	.11	.21		9
10	.21	-	-	-	-	0.43	-	.26	-	.03	.01	-		10
11	Tr-	-	.21	-	-	.28	-	-	-	.28	.01	-		11
12	-	.03	-	-	.01	Tr-	-	-	.02	-	Tr-	-		12
13	-	-	Tr -	.01	-	Tr-	.01	-	.06	.98	Tr-	-		13
14	.43	-	.01	.04	.09	.04	.03	-	.01	.26	.43	-		14
15	.23	-	.02	-	.76	.36	-	-	.03	1.17	.01	-		15
16	.40	-	.08	.01	.07	.19	-	-	Tr-	Tr-	.43	-		16
17	.14	.03	.03	.01	..16	Tr-	.10	-	-	-	.07	.01		17
18	.34	-	.03	-	Tr-	.07	.11	-	-	.03	.33	-		18
19	.27	-	.03	-	-	-	.07	-	-	.19	-	-		19
20	.11	-	-	-	-	.69	.48	-	-	-	-	-		20
21	.08	Tr-	.31	-	-	.01	.14	.81	.03	-	-	-		21
22	.11	.21	.09	.01	-	-	-	-	-	-	.08	-		22
23	.08	-	Tr.-	.08	-	Tr-	.01	-	-	.03	.85	.01		23
24	Part Sn.21	-	.01	.01	-	-	Tr-	-	-	.09	-	Tr-		24
25	Sn1.12	.15	.06	-	-	-	.07	-	-	-	.60	.01		25
26	Part Sn.21	.03	.01	-	-	-	-	.02	-	.26	.28	.02		26
27	Tr -	.01	.10	Tr-	-	Tr-	-	-	-	.04	.12	-		27
28	.02	.11	.05	Tr-	-	.02	.16	-	-	.07	.11	Sn.08		28
29	-		-	.25	-	-	.24	-	-	.13	.17	-		29
30	-	✕	-	.79	-	.15	-	-	-	.01	.26	Sn.01		30
31	-	✕	-	✕	-	✕	.02	-	✕	.03	✕	-		31
TOTAL	4.93	0.93	1.39	2.56	1.54	2.24	1.75	3.18	0.96	4.92	5.15	1.36	Year's Total 30.91	
* Days with .01 in. or more.	22	10	16	15	8	10	16	12	7	22	23	14	175	
* Days with .04 in. or more.	18	6	9	9	6	8	9	7	3	15	19	7	116	

† Spare column, no entries required

(*Signed*) .... C. S. Lewis [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 864/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~ 40

Kept at "St.Eloy", Hillcrest Avenue, Pinner,

in the County of Middlesex.

Diameter of Funnel of Gauge......Five...in.

Height of top of Gauge above Ground....1..ft....0...in.

,, Ground ,, Sea Level ....ft.

Days

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	Sn.03	-	-	-	-	-	-	-	-	0.11	-		1
2	-	Sn.05	-	0.13	-	-	0.08	-	-	0.03	.53	-		2
3	-	.18	-	.11	-	-	-	-	-	.15	.90	.08		3
4	-	.13	-	-	-	-	-	-	-	.20	.12	.02		4
5	-	.01	-	Tr-	-	-	-	-	-	.06	.30	.14		5
6	0.11	.13	-	-	0.05	-	.51	-	-	.31	.17	-		6
7	.26	.11	-	-	.06	-	.17	-	-	-	Tr-	-		7
8	-	-	-	.06	-	-	-	-	0.06	.21	-	.32		8
9	-	-	-	-	-	1.27	-	-	.03	.04	.08	.03		9
10	-	-	-	-	-	-	.34	0.20	-	.16	.16	.02		10
11	-	-	Tr-	.03	-	-	-	-	-	-	.91	.01		11
12	-	Sn.01	0.08	-	-	.11	.14	-	.03	-	.03	-		12
13	-	Tr-	.50	-	-	.29	-	-	.12	-	1.03	Tr-		13
14	-	-	.15	.13	.02	-	-	-	.01	.04	-	.27		14
15	-	-	.04	.05	.05	-	.21	-	.01	Tr-	.20	-		15
16	Sn.05	Sn.06	.18	-	-	.02	.57	-	.22	.71	.72	.02		16
17	-	-	.49	-	-	-	.01	-	.05	.13	.65	Tr-		17
18	-	.46	.16	.29	-	-	.07	-	-	-	.38	.13		18
19	-	.18	.01	.06	-	-	.01	-	.56	Tr-	.02	.01		19
20	-	.02	-	.01	-	-	.15	.02	.01	-	.15	-		20
21	Sn.04	Tr-	-	-	.24	-	.10	-	-	.07	.25	-		21
22	Tr-	-	.04	-	.54	.41	-	-	.08	-	Tr-	-		22
23	-	.08	.06	.15	.02	.03	-	.02	-	-	.01	-		23
24	-	Tr-	-	.18	-	-	.25	-	-	-	-	Tr-		24
25	-	-	.35	-	.01	-	.11	-	-	-	-	-		25
26	Part Sn/1.03	.10	.50	.08	.31	.01	-	-	-	-	-	-		26
27	Sn.40	.15	-	.03	.12	-	-	-	-	-	-	-		27
28	Sn.25	-	-	-	.03	-	-	-	-	-	-	-		28
29	Sn.05	.07	.10	-	.04	-	-	-	-	-	-	.28		29
30	Sn.08	✕	-	.32	-	-	-	-	-	.06	-	-		30
31	Sn.02	✕	-	✕	-	✕	-	-	✕	.59	✕	.01		31
TOTAL	2.29	1.77	2.66	1.63	1.49	2.14	2.72	0.24	1.18	2.76	6.72	1.34	Year's Total 26.94	
* Days with .01 in. or more.	~~2~~ 10	~~4~~ 16	~~1~~ 13	~~3~~ 14	~~4~~ 12	~~3~~ 7	~~2~~ 14	~~2~~ 3	~~5~~ 11	~~1~~ 14	~~3~~ 19	~~7~~ 13	~~37~~ 146	
* Days with .04 in. or more.	8 9	12	12	11	8	4	12	1	6	13	16	6	~~109~~ 110	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

P.T.O.

865

Section **A** for the entry of I

AIR MINISTRY.

865

WEALSTONE

KODAK LTD

1931 - 40

780204

COPY FOR OFFICIAL USE.

RAINFALL ORGANIZATION.

FORM 1090.

REGIST 1931 .

Kept at Kodak

in the County of Middle

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Lev

THE MORNING MEASUR US DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	Jan 31st 0.20	Feb 28th 0.16	0.15	—	0.09	Trace	Trace	0.03	—	—	—	1
2	0.09	0.06	—	0.40		Trace	Trace	—	0.54	0.03	Trace	0.02	2
3		Trace	Trace	0.34	0.49	—	—	0.29	0.55		0.02	0.22	3
4	0.02	Trace	—	0.04	Trace	—		0.43	0.19	0.01	0.08	Trace	4
5	—	Trace	—	0.11	0.09	0.52	0.06	0.14		—	0.01		5
6	—	0.10	Trace	0.09	—		Trace	Trace	0.01	0.29	0.39	0.18	6
7	—			—	0.05	Trace	0.01	0.59	—	0.02		0.05	7
8	0.01	0.04	0.06	Trace	Trace	0.12	Trace		—	0.05	0.33	0.01	8
9	—	0.02	0.03	0.01		0.03	Trace	0.46	—	Trace	0.38	0.01	9
10		0.09	0.01	—	—	0.03	0.08	0.23	—		0.28	0.01	10
11	0.10	0.22	—		Trace	Trace		Trace	0.03	—	0.10	—	11
12	Trace	0.01	—	Trace	—	—	Trace	0.09		—	—		12
13	0.01	Trace	—	—	—		0.02	0.04	0.38	Trace	—	Trace	13
14	0.01			—	Trace	—	0.98	1.16	—	—		—	14
15	0.02	0.09	—	0.07	0.12	—	0.20		—	—	Trace	0.03	15
16	—	0.10	—	0.08		Trace	Trace	0.16	0.01	—	—	—	16
17		0.01	—	0.22	0.46	0.06	0.12	—	0.11		—	—	17
18	0.10	0.07	Trace		0.01	0.16		0.83	—	Trace	0.55	—	18
19	0.01	Trace	—	0.74	—	0.21	0.18	0.21		—	Trace		19
20	Trace	0.02	Trace	0.12	—		0.05	0.21	0.04	Trace	0.01	0.01	20
21	0.01			Trace	0.36	Trace	—	Trace	—	—		—	21
22	0.13	—	0.01	0.01	Trace	—	—		0.01	—	Trace	—	22
23	0.20	Trace	Trace	0.01	0.50	Trace	—	—	0.03	—	0.12	0.03	23
24		—	—	0.19	0.07	0.05	0.03	—	0.01		Trace	—	24
25	0.07	Trace	—		0.07	—		—	—	Trace	0.03	0.01	25
26	Trace	0.03	—	0.72	Trace	—	0.82	—		—	0.14	—	26
27	0.15	0.38	—	0.01	0.03		0.30	—	Trace	—	0.03	0.01	27
28	0.04			0.07	0.19	—	—	—	Trace	0.01		0.18	28
29	0.05	×	—	Trace	0.09	—	0.18		—	0.29	0.01	0.06	29
30	0.05	×	—	—		—	0.07	0.17	Trace	—	—	—	30
31		×	—	×	0.02	×	Trace	—	×	—	×	—	31
TOTAL	1.07	1.44	0.27	3.38	2.55	1.27	3.10	4.71	1.94	0.70	2.48	0.83	YEAR'S TOTAL 23.44
*Days with ·01 in. or more.	~~17~~	~~15~~	~~5~~	~~18~~	~~14~~	~~9~~	~~14~~	~~14~~	~~13~~	~~7~~	~~15~~	~~14~~	~~155~~
*Days with ·04 in. or more.	~~10~~	~~10~~	~~2~~	~~14~~	~~11~~	~~7~~	~~11~~	~~14~~	~~6~~	~~3~~	~~9~~	~~5~~	~~102~~

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Kodak Ltd per [illegible]

[P.T.O.

865

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931 .

Kept at Kodak Ltd. Wealdstone

in the County of Middlesex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 192 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in. Jan 31st	in. Feb 28th	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	0.20	0.16	0.15	—	0.09	trace	trace	0.03	—	—	—	1
2	0.09	0.06	—	0.40		trace	trace	—	0.54	0.03	trace	0.02	2
3		trace	trace	0.34	0.49	—	—	0.29	0.55		0.02	0.22	3
4	0.02	trace	—	0.04	trace	—		0.43	0.19	0.01	0.08	trace	4
5	—	trace	—	0.11	0.09	0.52	0.06	0.14		—	0.01		5
6	—	0.10	trace	0.09	—		trace	trace	0.01	0.29	0.39	0.18	6
7	—			—	0.05	trace	0.01	0.59	—	0.02		0.05	7
8	0.01	0.04	0.06	trace	trace	0.12	trace		—	0.05	0.33	0.01	8
9	—	0.02	0.03	0.01		0.03	trace	0.46	—	trace	0.38	0.01	9
10		0.09	0.01	—	—	0.03	0.08	0.23	—		0.28	0.01	10
11	0.10	0.22	—		trace	trace		trace	0.03	—	0.10	—	11
12	trace	0.01	—	trace	—	—	trace	0.09		—	—		12
13	0.01	trace	—	—	—		0.02	0.04	0.38	trace	—	trace	13
14	0.01			—	trace	—	0.98	1.16	—	—		—	14
15	0.02	0.09	—	0.07	0.12	—	0.20		—	—	trace	0.03	15
16	—	0.10	—	0.08		trace	trace	0.16	0.01	—	—	—	16
17		0.01	—	0.22	0.46	0.06	0.12	—	0.11		—	—	17
18	0.10	0.07	trace		0.01	0.16		0.83	—	trace	0.55	—	18
19	0.01	trace	—	0.74	—	0.21	0.18	0.21		—	trace		19
20	trace	0.02	trace	0.12	—		0.05	0.21	0.04	trace	0.01	0.01	20
21	0.01			trace	0.36	trace	—	trace	—	—		—	21
22	0.13	—	0.01	0.01	trace	—	—		0.01	—	trace	—	22
23	0.20	trace	trace	0.01	0.50	trace	—	—	0.03	—	0.12	0.03	23
24		—	—	0.19	0.07	0.05	0.03	—	0.01		trace	—	24
25	0.07	trace	—		0.07	—		—	—	trace	0.03	0.01	25
26	trace	0.03	—	0.72	trace	—	0.82	—		—	0.14	—	26
27	0.15	0.38	—	0.01	0.03		0.30	—	trace	—	0.03	0.01	27
28	0.04			0.07	0.19	—	—	—	trace	0.01		0.18	28
29	0.05	×	—	trace	0.09	—	0.18		—	0.29	0.01	0.06	29
30	0.05	×	—	—		—	0.07	0.17	trace	—	—	—	30
31		×	—	×	0.02	×	trace	—	×	—	×	—	31
TOTAL	1.07	1.44	0.27	3.38	2.55	1.27	3.10	4.41	1.94	0.70	2.48	0.83	YEAR'S TOTAL 23.44
*Days with ·01 in. or more.	17	15	5	18	14	9	14	14	13	7	~~15~~	~~14~~	~~155~~
*Days with ·04 in. or more.	~~10~~	~~10~~	~~2~~	~~14~~	~~11~~	~~7~~	~~11~~	~~14~~	~~6~~	~~3~~	~~9~~	~~5~~	~~102~~

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Kodak Ltd per [illegible]

P.T.O.

865

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 865

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Kodak Ltd, Wealdstone

in the County of Middlesex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft ~~4~~ in.

,, Ground ,, Sea Level 198 ~~193~~ ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.04	–	–	0.18	April 30th 0.33	0.02	0.19	0.15	0.02		0.03	Tr	1
2		–	–		0.06	–		0.03	0.08	0.12	0.02	0.14	2
3	0.05	–	–	0.30	0.08	–	–	Tr		Tr	–		3
4	0.01	Tr	–	–	Tr		0.16	–	0.60	–	0.08	0.01	4
5	0.17	0.01		–	0.01	0.10	–	–	0.06	–		–	5
6	0.44		0.04	0.12	0.03	Tr	–	–	0.13	–	–	–	6
7	Tr	–	0.07	0.06		Tr	–	–	0.10	Tr	–	Tr	7
8	–	Tr	0.07	0.12	0.08	–	–	–	0.03	0.22	–	–	8
9		Tr	–		1.00	–	–	–	–	0.01	–	–	9
10	0.44	0.01	0.01	0.26	0.06	0.01	–	–		0.11	0.03		10
11	0.02	0.01	0.02	0.04	0.02		0.40	0.08	0.13	0.10	0.04	0.01	11
12	0.06	Tr		Tr	0.04	Tr	–	0.03	Tr	0.14		–	12
13	0.09		–	0.13	0.01	–	–		0.01	0.12	0.04	–	13
14	0.13	Tr	–	0.09	0.08	–	–	Tr	–	0.02	0.03	–	14
15	Tr	0.01	–	0.04	0.35	–	Tr	–	–		–	Tr	15
16		Tr	–		0.10	–	Tr	–	–	0.08	–	–	16
17	0.48	–	–	0.16	–	–	0.05	–		0.07	–		17
18	Tr	–	–	Tr	0.02		0.02	–	0.21	–	0.09	–	18
19	–	–		–	–	–	–	–	Tr	0.27		–	19
20	–		–	0.20	0.04	–	Tr	0.44	0.06	0.73	0.16	–	20
21	Tr	–	Tr	0.12		–	Tr	0.07	–	0.23	–	0.02	21
22	Tr	0.01	0.34	Tr	0.97	–	0.17	0.01	0.15		0.34	–	22
23		0.04	Tr		0.11	–	0.01	–	0.03	0.94	0.04	0.12	23
24	–	0.01	–	Tr	Tr	Tr	0.29	–		0.02	0.10	0.01	24
25	–	Tr	–	Tr	Tr		0.51	–	0.07	0.41	0.01	–	25
26	–	–	0.10	0.20	0.02	–	0.06	–	–	Tr		–	26
27	–		0.29	0.20	0.40	Tr	0.19		Tr	0.44	0.11	Tr	27
28	–	Tr	0.05	Tr		Tr	0.12	–	–	0.15	–	0.01	28
29	–	–	0.29	0.02	0.45	Tr	0.01	0.12	0.05		0.03	Tr	29
30		×	0.01		0.04	0.68	0.02	Tr	0.15	0.26	0.28	0.19	30
31	Tr	×	0.03	×	Tr	×	0.01	Tr	×	–	×	0.04	31
TOTAL	1.93	0.10	1.32	2.24	4.30	0.81	2.21	0.93	1.88	4.44	1.43	0.55	YEAR'S TOTAL 22.14
*Days with ·01 in. or more.	11	7	12	16	22	4	15	8	16	19	16	9	(155)
*Days with ·04 in. or more.	9	1	8	15	16	2	9	5	12	16	10	4	(107)

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Kodak Ltd per S. Hedge

P.T.O.

865

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. ~~865~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Kodak Ltd, Wealdstone

in the County of Middlesex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level 198 ft

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0.04	0.15	0.15	–	0.12	–	–	–	–	Trace	0.03	–		1
2	0.22	–	0.29	–	0.14	–	–	–	–	–	0.02	–		2
3	Trace	0.18	0.12	–	0.36	–	–	–	–	–	–	–		3
4	0.33	0.02	0.25	–	0.08	–	–	–	–	–	0.05	–		4
5	0.01	x	x	–	0.20	–	–	–	–	–	0.01	–		5
6	–	0.06	0.07	–	0.38	–	–	–	–	0.04	0.04	–		6
7	–	0.09	0.13	–	–	–	–	–	–	0.08	Trace	Trace		7
8	0.18	0.01	0.01	–	0.02	–	0.06	–	–	0.07	–	–		8
9	–	–	–	Trace	0.06	Trace	0.16	–	–	0.10	0.08	–		9
10	–	0.22	–	–	0.01	0.06	0.26	–	–	0.18	0.02	–		10
11	0.15	–	–	–	0.01	Trace	0.16	0.07	–	–	0.01	–		11
12	–	–	–	0.01	–	0.06	0.01	–	0.43	–	–	–		12
13	0.06	–	–	–	0.15	0.01	0.20	–	0.11	–	0.12	–		13
14	0.36	–	–	–	0.01	Trace	0.01	0.02	–	0.05	0.55	0.01		14
15	x	Trace	0.09	–	–	1.01	0.11	0.12	–	0.01	0.06	–		15
16	0.02	–	0.68	–	–	0.18	0.40	–	–	0.05	0.02	–		16
17	0.02	Trace	0.27	–	Trace	0.01	0.03	Trace	0.11	Trace	0.09	–		17
18	0.09	0.08	0.11	Trace	–	0.23	–	–	Trace	–	0.01	–		18
19	Trace		0.12	Trace	–	0.15	–	–	0.40	–	0.02	0.07		19
20	–	0.08	0.10	0.14	–	0.45	Trace	–	0.07	–	0.01	–		20
21	–	–	–	–	Trace	0.02	–	0.03	0.23	Trace	–	Trace		21
22	–	0.03	–	–	0.03	0.01	–	0.19	–	0.23	0.03	–		22
23	–	–	–	0.14	–	Trace	–	0.01	0.31	–	0.01	–		23
24	–	0.22	–	0.18	0.01	0.47	–	–	0.33	Trace	0.02	–		24
25	–	0.64	–	0.35	–	Trace	–	–	0.20	Trace	0.03	0.14		25
26	–	x	–	0.05	Trace	Trace	–	–	0.11	0.05	Trace	0.06		26
27	–	Trace	–	0.02	0.15	–	Trace	–	Trace	0.22	0.02	0.06		27
28	0.09	–	–	–	0.09	–	Trace	–	–	0.33	–	0.01		28
29	x	X	0.01	0.09	–	–	0.04	–	–	0.08	–	Trace		29
30	0.02	X	0.10	–	–	–	0.03	–	0.01	0.02	–	0.11		30
31	0.13	X	0.01	X	–	X	Trace	0.16	X	0.03	X	0.01		31
TOTAL	1.72	1.78	2.51	0.98	1.82	2.66	1.44	0.60	2.61	1.54	1.25	0.44	Year's Total 19.41	
*Days with ·01 in. or more.	14	~~12~~ 13	~~16~~ 17	8	16	12	12	7	11	15	21	8	~~152~~	154
*Days with .04 in. or more.	10	~~9~~ 10	13	6	10	8	8	4	10	12	7	5	~~102~~	103

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Kodak Ltd

per L. [illegible]

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 865

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at KODAK LTD. WEALDSTONE

in the County of MIDDLESEX

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" Ground " Sea Level 198.6 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0·02	–	–	–	–	–	–	0·16	–	0·03	0·01	0·53		1
2	0·05	–	0·09	–	0·07	–	–	0·01	0·57	0·15	Trace	0·13		2
3	0·01	0·03	Trace	0·13	–	–	–	–	Trace	0·25	–	Trace		3
4	0·12	0·01	0·09	0·04	Trace	–	–	–	–	0·22	0·08	0·34		4
5	–	Trace	0·01	–	0·04	–	–	0·03	–	–	0·02	0·42		5
6	0·01	–	0·26	–	0·32	0·05	–	0·06	–	0·14	Trace	0·50		6
7	0·03	–	Trace	–	–	Trace	–	0·11	–	0·12	–	0·17		7
8	–	Trace	–	–	0·09	–	–	0·04	0·12	–	0·33	0·02		8
9	0·01	–	0·03	–	Trace	–	–	Trace	–	–	0·81	0·30		9
10	0·02	Trace	0·14	0·12	–	–	–	0·08	–	–	0·15	0·01		10
11	0·24	–	0·33	0·06	–	–	–	0·03	–	–	Trace	0·14		11
12	0·04	Trace	0·07	0·02	0·09	–	0·14	0·17	–	–	Trace	0·03		12
13	0·28	–	0·18	Trace	–	–	0·07	0·02	–	Trace	0·01	0·07		13
14	0·07	Trace	0·27	Trace	0·02	–	–	–	–	0·02	0·17	0·37		14
15	0·06	Trace	0·04	–	0·18	–	–	–	0·04	Trace	0·05	0·26		15
16	0·21	Trace	0·14	–	0·07	–	–	–	–	0·12	Trace	Trace		16
17	0·02	–	Trace	0·02	0·01	–	–	–	–	0·07	0·02	0·09		17
18	0·17	–	–	0·22	–	–	0·15	–	0·01	–	–	0·10		18
19	–	–	0·19	0·01	–	–	Trace	–	0·07	0·01	0·01	0·10		19
20	–	–	0·29	0·07	–	–	0·18	0·02	0·01	Trace	0·01	0·02		20
21	–	–	Trace	0·11	–	0·12	0·01	0·02	–	0·02	–	Trace		21
22	–	Trace	Trace	–	–	–	–	0·39	0·20	–	0·01	0·10		22
23	–	Trace	–	0·30	–	0·16	–	Trace	–	–	0·02	0·01		23
24	–	0·03	0·06	0·11	–	0·07	0·72	0·02	0·23	–	Trace	Trace		24
25	0·16	0·03	–	0·13	–	0·06	Trace	–	–	0·02	–	0·34		25
26	0·02	–	Trace	0·34	–	0·06	–	–	0·02	0·01	–	0·51		26
27	0·03	Trace	–	0·06	–	0·12	–	–	–	0·05	–	0·30		27
28	–	0·20	–	0·01	–	0·02	0·01	0·93	–	–	0·02	0·23		28
29	–	✕	–	–	–	–	–	0·03	0·16	–	Trace	0·04		29
30	0·05	✕	–	–	–	Trace	–	0·08	Trace	Trace	–	0·13		30
31	0·02	✕	–	✕	–	✕	0·02	Trace	✕	0·21	✕	0·03		31
TOTAL	1·64	0·30	2·19	1·75	0·89	0·66	1·30	2·20	1·43	1·44	1·72	5·29	Year's Total. 20·81	
* Days with .01 in. or more.	21	5	15	16	9	8	8	17	10	15	15	27	166	
* Days with .04 in. or more.	11	1	13	12	7	7	5	9	7	9	6	21	108	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) Kodak Ltd

[P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations.

Station No. 865

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Kodak Ltd, Wealdstone.

in the County of Middlesex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 198 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·11	0·03	—	0·06	0·01	0·11	0·83	—	Trace	0·03	0·09	—		1
2	Trace	Trace	—	0·04	—	0·02	—	—	0·27	0·15	0·04	Trace		2
3	—	0·07	0·04	0·03	—	0·12	—	—	0·12	0·53	0·20	Trace		3
4	—	Trace	—	0·13	Trace	0·13	—	—	0·31	0·07	—	0·15		4
5	—	0·32	0·02	0·09	—	0·70	—	—	0·34	0·01	0·02	0·03		5
6	0·03	Trace	0·01	0·31	—	0·42	—	—	—	—	Trace	Trace		6
7	Trace	—	—	0·44	—	0·07	—	—	—	0·06	1·12	0·15		7
8	—	—	—	0·24	—	Trace	—	—	—	0·25	0·10	0·12		8
9	—	—	—	0·16	—	0·61	—	—	Trace	0·50	0·17	0·03		9
10	Trace	—	—	0·01	—	Trace	—	—	—	—	0·05	0·02		10
11	0·26	—	—	0·02	—	0·09	0·13	—	Trace	—	0·18	—		11
12	0·01	Trace	—	—	—	0·11	—	0·07	0·01	—	0·56	—		12
13	0·11	0·16	—	0·20	0·14	0·01	—	—	—	—	Trace	—		13
14	—	—	—	Trace	0·20	0·06	—	—	—	—	0·03	0·14		14
15	Trace	0·27	—	0·40	Trace	0·32	—	—	0·16	—	0·20	0·08		15
16	—	0·04	0·02	0·02	—	0·11	—	—	0·10	—	0·45	0·02		16
17	—	—	—	0·02	—	0·16	0·05	—	0·02	—	0·28	—		17
18	—	—	—	0·24	0·08	0·05	0·17	—	0·50	0·02	0·07	0·04		18
19	—	Trace	—	0·07	0·21	0·04	0·05	—	0·05	Trace	0·16	0·05		19
20	Trace	0·15	—	0·09	0·22	0·07	0·05	—	0·08	—	0·13	—		20
21	0·01	0·27	—	Trace	—	—	—	—	0·19	0·06	0·01	—		21
22	Trace	0·02	0·04	Trace	—	—	—	0·25	0·06	—	—	—		22
23	Trace	0·01	0·23	—	—	—	—	0·37	0·05	0·07	—	0·15		23
24	0·05	0·49	Trace	—	—	—	—	0·07	0·70	—	—	0·33		24
25	0·10	0·12	—	0·29	—	0·15	—	—	—	—	—	0·15		25
26	0·12	0·11	—	—	—	—	—	0·28	0·06	Trace	—	0·32		26
27	—	0·42	—	—	0·01	—	—	0·01	0·23	Trace	0·13	0·32		27
28	Trace	0·01	—	—	0·02	—	—	Trace	0·53	0·06	Trace	0·07		28
29	Trace	×	—	—	—	—	—	—	0·18	Trace	Trace	0·13		29
30	0·03	×	—	0·09	0·02	—	—	0·55	0·11	0·30	0·31	0·31		30
31	Trace	×	—	×	0·01	×	—	Trace	×	0·25	×	0·26		31
TOTAL	0·83	2·49	0·36	2·95	0·92	3·35	1·28	1·60	4·07	2·36	4·30	2·87	Year's Total 27·38	
* Days with .01 in. or more.	10	15	6	20	10	19	6	7	20	14	20	20	167	
* Days with .04 in. or more.	6	11	3	15	5	17	6	6	18	11	17	16	131	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 865

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Kodak Ltd., Wealdstone

in the County of Middlesex

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 198.6 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·50	0.15	0.05	0.25	.	0.14	0.11	0.15	-	-	0.08	0.07		1
2	0·03	0.12	0.04	0.20	.	0.33	1.20	.	-	.	0.08	-		2
3	.	.	-	0.05	-	0.05	0.05	-	0.16	-	0.26	-		3
4	.	-	0.10	.	.	0.13	-	-	0.50	-	0.05	0.05		4
5	0·12	-	0.02	.	.	-	.	0.02	0.21	-	0.02	0.03		5
6	0·25	.	-	.	.	0.20	-	0.11	0.06	-	0.10	0.23		6
7	0·18	-	0.03	.	.	-	0.50	-	0.03	-	0.10	-		7
8	0·20	-	0.02	-	-	-	0.08	.	0.01	-	0.41	0.20		8
9	0·50	-	0.04	-	-	-	0.40	-	0.32	0.03	-	.		9
10	0·03	-	-	-	-	.	0.11	0.05	0.18	-	-	-		10
11	.	.	-	0.10	.	.	0.10	0.02	-	-	0.83	-		11
12	.	.	.	0.13	.	0.45	0.20	0.07	0.09	-	0.21	0.10		12
13	.	-	-	0.13	-	0.43	0.02	-	-	0.01	0.05	0.10		13
14	-	0.10	-	-	-	0.08	0.43	-	0.01	0.04	0.09	0.23		14
15	-	0.09	-	-	-	-	0.01	.	0.02	-	0.01	0.04		15
16	0·30	0.10	-	-	-	-	0.04	.	0.07	-	0.41	-		16
17	0·12	0.45	-	.	0.05	0.01	-	-	-	0.01	0.25	0.13		17
18	0·34	0.11	-	.	-	0.45	0.12	-	-	0.13	0.02	0.07		18
19	.	0.04	0.02	0.01	.	0.20	0.03	0.10	-	0.05	-	-		19
20	.	0.05	0.04	0.35	.	-	0.05	-	0.67	-	-	.		20
21	-	-	-	0.17	0.03	0.33	-	.	0.09	-	-	-		21
22	0·11	0.37	0.02	.	0.32	0.10	0.17	-	-	-	-	0.12		22
23	0.07	-	0.01	0.09	0.01	-	0.05	-	-	0.10	-	-		23
24	0.10	0.10	-	-	-	.	0.01	.	0.02	0.35	-	-		24
25	0.06	.	0.14	0.18	-	0.67	0.20	-	0.10	0.14	0.03	0.03		25
26	-	0.14	0.19	0.07	.	0.16	-	-	0.02	0.19	-	-		26
27	0.16	0.05	0.01	-	-	-	0.02	-	0.17	0.05	-	-		27
28	0.72	-	.	-	-	-	0.40	-	-	0.05	-	0.04		28
29	0.07	0.09	0.15	.	-	0.22	0.05	-	-	0.02	0.17	-		29
30	0.10	✕	0.01	-	0.05	0.16	0.06	.	-	0.26	-	-		30
31	0.26	✕	0.01	✕	-	✕	0.12	-	✕	0.55	✕	0.24		31
TOTAL	4.24	1.96	0.90	1.73	0.46	4.11	3.53	0.52	2.73	1.98	3.17	1.68	Year's Total 27.01	
* Days with .01 in. or more.	21	14	17	12	5	17	25	7	18	15	17	15	183	
* Days with .04 in. or more.	19	14	8	11	3	16	20	5	12	11	13	13	145	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Geo. T. Driver

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 865

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM [illegible]090.

REGISTER OF RAINFALL IN 1937.

Kept at Wealdstone, Kodak Works

in the County of Middlesex

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground ...... ft. ...... in.

,, Ground ,, Sea Level 195 ft.

Copy by B R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.24	–		.03	–	–	–	–	.04	–	.63	.95		1
2	TR	.19		.52	–	–	–	–	.02	–	–	.45		2
3	–	.23			.07	–	–	–	–	–	–	.09		3
4	.05	.28			.02	–	–	–	–	–	–	.35		4
5	.23	.07	.19		–	–	.02	–	–	–	–	–		5
6	.01	.18	.47		.17	–	–	–	–	.07	.03	–		6
7	.01	.53		.20	–	–	–	–	.04	–	–	–		7
8	–	.05			.14	.06	–	–	–	–	.03	.30		8
9	–	.05		.26	.11	.02	.08	–	.25	–	–	.09		9
10	–	–	.49	.05	.08	.39	.15	–	–	–	–	.22		10
11	–	–	.15		.54	–	.02	–	–	–	–	.05		11
12	.18	.30	.12		.23	–	–	–	.04	–	–	.08		12
13	.12	.05	.50		–	.50	–	.78	.13	–	–	.84		13
14	.04	.05	.07	.06	–	–	–	.69	.09	–	–	–		14
15	.15	.14		.20	–	.02	.19	–	.06	–	–	–		15
16	.06	.16	.25	.33	–	.05	–	.16	.44	–	–	.04		16
17	.24	.01	.16	.08	–	.04	–	–	.42	–	–	.01		17
18	.22	.11	.03		.11	.25	–	–	–	–	.12	.09		18
19	.10	.11	.08	.17	–	.23	.06	–	.06	–	–	.07		19
20	.28	.01	.02	.62	.65	.07	–	–	.02	–	–	–		20
21	.25	.52	.03	.08	.03	–	.05	–	–	–	–	.03		21
22	.32	–			.03	.08	.03	–	–	–	.37	.04		22
23	.24	–	.04		.23	–	.05	–	–	.61	–	–		23
24	.30	.53	.03		.02	–	–	–	.19	.44	–	.05		24
25	.02	.33	.11		.35	–	–	–	.06	.15	–	.01		25
26	–	.36	.06		.29	–	–	–	–	.38	.01	–		26
27	.03	.17		.12	–	–	–	–	–	.05	.01	–		27
28	–	.02		.02	–	–	–	–	–	.56	–	.02		28
29	TR	–			–	–	–	–	–	.09	.05	.02		29
30	.31	✕			–	–	–	–	–	.05	.17	–		30
31	.31	✕		✕	–	✕	–	–	✕	.37	✕	.02		31
TOTAL	3.71	4.45	2.80	2.74	3.07	1.71	.65	1.63	1.86	2.77	1.42	3.82	Year's Total 30.63	✓
* Days with .01 in. or more.	22	23	17	14	16	11	9	3	14	10	9	21	169	✓
* Days with .04 in. or more.	18	20	13	12	12	9	6	3	12	10	5	15	135	✓

40-9999. † Spare column, no entries required.

(Signed) .... [P.T.O.

* See Instruction 2 (f) on other side.

July corrd. for surr. Stns.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 865

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1

REGISTER OF RAINFALL IN 1938

Kept at Wealdstone, Kodak Works.

in the County of Middlesex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 195 ft.

Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03				·01	·09	·04		·02	·02	·02	TR		1
2	·09	·02		·03	·08		tr		–	·16	–	·01		2
3	–				·19		tr		·04	·76	·03	–		3
4	·04						·13		–	·10	TR	·13		4
5	–						·11	tr	TR	·12	TR	TR		5
6	·04						·13		·03	·01	TR	TR		6
7	–						·04	1·37	·01	·33	–	·02		7
8	·16						·05	·01	TR	·29	–	·01		8
9	·07	·01					·15	·21	–	TR	–	·55		9
10	·18	·04					·02	·19	–	–	–	·03		10
11	·28						tr	·48	–	–	·20	·05		11
12	·36				·02		tr	·14	–	·28	·01	TR		12
13	·12	·03					–	tr	–	·04	·12	·13		13
14	·18				·04		–	tr	·08	TR	–	TR		14
15	·16						·15		–	·27	TR	·25		15
16	·36						·01	·03	–	·09	·02	·47		16
17	–	·06			·08		tr	tr	TR	·06	–	–		17
18	·04				·10		–	tr	·05	TR	·33	–		18
19	–						–	·08	·04	–	·15	–		19
20	–						–	tr	·02	–	·50	·01		20
21	–						–	·06	·03	TR	·03	·45		21
22	–					·01	–	·03	–	–	·18	·40		22
23	–						–		·01	–	·01	TR		23
24	–		·20	·02	·01		–		·38	–	·06	TR		24
25	·11	·01	·08	·12	·05		~~·20~~ ·02	tr	·02	–	1·02	·15		25
26	·19	·15	·09				–	tr	·20	·16	–	·16		26
27	·10	·04		·01	·02	·18	·27	·05	·54	·17	·30	–		27
28	·18	·05			·70	·04	tr	·23	·01	TR	·04	·06		28
29	·33				·10		–	tr	·06	·01	·13	·20		29
30	·03	✕		·03	·05	·08	–		·02	·05	·15	·01		30
31	·14	✕		✕	·10	✕	–		✕	·14	✕	·27		31
TOTAL	3·19	·41	·37	·21	1·55	·40	~~1·30~~ 1·12	2·88	1·56	3·06	3·30	3·36	Year's Total 21·41	
* Days with .01 in. or more.	21	9	3	5	14	5	12	12	17	18	18	19	153	
* Days with .04 in. or more.	19	5	3	1	10	4	~~10~~ 9	9	8	15	12	13	108	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. H. Pledge

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations — Station No. 865

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Wealdstone, Kodak Works.
in the County of Middlesex
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 195 ft.

Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.02	–	tr	.49	.30	–	.01	.25	.57	–	–	tr		1
2	.02	–	–	.03	.02	–	tr	.75	.83	.01	.04	–		2
3	.37	.01	–	.22	–	–	–	.32	–	.01	.23	.19		3
4	.06	TR	.19	.35	TR	–	.02	.63	–	.25	.01	.01		4
5	–	–	–	.37	.09	–	tr	.13	–	.27	.24	.08		5
6	.49	–	tr	.02	TR	–	.21	.04	–	–	.51	.08		6
7	.07	.10	–	TR	–	–	tr	.02	–	–	.09	.17		7
8	.01	.14	.15	–	–	–	.03	.04	–	.49	.22	.46		8
9	TR	.10	–	–	–	–	–	.02	–	.33	.26	.20		9
10	.23	TR	–	–	–	.45	–	.26	–	.09	.01	tr		10
11	–	–	.20	–	–	.36	–	–	–	.46	–	tr		11
12	–	.06	–	–	TR	.02	–	–	.04	–	–	–		12
13	–	–	–	.02	–	tr	.01	–	.04	1.14	.01	–		13
14	.45	–	tr	.02	.08	.01	.04	–	–	.16	.45	tr		14
15	.23	–	tr	TR	.83	.35	.01	–	.09	1.08	.04	–		15
16	.40	–	.10	.02	.10	.17	.02	–	.05	–	.40	–		16
17	.16	.03	.02	.01	.20	tr	.07	–	–	–	.07	–		17
18	.30	TR	.05	–	TR	.10	.18	–	–	.03	.32	–		18
19	.25	–	.08	–	TR	tr	.11	–	–	.21	–	tr		19
20	.22	–	.01	–	TR	.47	.45	tr	–	–	–	.02		20
21	.02	TR	.31	–	–	.03	.10	1.07	.04	–	–	–		21
22	.15	.23	.14	TR	–	tr	tr	–	–	–	.11	–		22
23	.05	–	.02	.07	–	.01	tr	.02	–	.03	.79	tr		23
24	.30	–	.02	.01	–	tr	.02	tr	tr	.09	–	.01		24
25	1.29	.15	.05	TR	TR	–	.04	.02	–	–	.57	tr		25
26	.22	.04	.02	.02	–	tr	tr	.01	–	.34	.31	.02		26
27	.02	.03	.12	.02	–	–	tr	tr	–	.08	.14	–		27
28	TR	.17	.04	.03	–	.02	.21	–	–	.10	.15	.07		28
29	–		tr	.29	–	tr	.06	–	–	.12	.18	–		29
30	TR	✕	tr	.80	–	.10	–	–	–	–	.21	.04		30
31	–	✕	tr	✕	–	✕	.03	.02	✕	.02	✕	–		31
TOTAL	5.33	1.06	1.52	2.79	1.62	2.09	1.62	3.60	1.66	5.31	5.36	1.35	Year's Total 38.31	
* Days with .01 in. or more.	22	11	16	17	7	12	18	15	7	20	23	12	180	
* Days with .04 in. or more.	17	8	11	7	6	7	10	9	7	15	20	8	125	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 865

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Wealdstone, (Kodak Works)
in the County of Middlesex
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" Ground " Sea Level 195 ft.

BRITISH RAINFALL ORGANIZATION.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf ✓

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	·03	–	tr	TR	–	–	–	–	–	·13	–		1
2	–	·06	–	·14	–	–	·08	–	–	·05	·55	–		2
3	–	·21	–	·15	–	–	–	–	–	·13	·88	·08		3
4	–	·12	–	·04	–	–	TR	–	–	·20	·12	·02		4
5	–	tr	–	–	–	–	TR	–	–	·10	·32	·14		5
6	·13	·12	–	–	·04	–	·66	–	–	·23	·19	·01		6
7	·27	·09	–	·01	·07	–	15	–	–	–	–	·01		7
8	–	–	–	·03	–	–	·04	–	·03	·15	–	·29		8
9	–	–	–	tr	–	1·24	TR	–	·02	·21	·10	·03		9
10	–	–	tr	–	–	–	·24	·20	–	·09	·17	·02		10
11	–	–	tr	·03	–	–	–	–		tr	·95	–		11
12	–	·01	·07	–	–	·05	·10	–	04	–	·03	–		12
13	–	tr	·56	–	–	·27	–	–	·13	–	1·17	–		13
14	–	–	·15	·09	·04	–	TR	–	·02	·01	–	·28		14
15	–	–	·04	·03	·09	tr	·21	–	·01	tr	·16	–		15
16	·05	·15	·27	tr	–	02	·42	–	·21	·68	·70	·03		16
17	–	–	·38	–	–	–	·01	–	·02	–	·72	–		17
18	tr	·49	·17	·22	–	–	·06	–	–	·12	·36	·15		18
19	–	·19	·01	·05	–	–	TR	–	·51	·01	·14	·01		19
20	–	·03	–	tr	–	tr	·20	·02	·01	tr	·07	–		20
21	·04	–	·01	–	·32	–	·10	–	–	06	·21	–		21
22	tr	–	03	tr	·49	·36	–	–	·10	·01	–	–		22
23	–	·06	·05	·16	·10	·03	–	·02	–	·01	–	tr		23
24	–	–	tr	·12	TR	–	·21	–	–	–	–	·01		24
25	–	–	·37	–	·02	–	·15	–	–	–	–	tr		25
26	1·15	·09	·48	·16	·22	·05	–	–	–	–	–	–		26
27	·30	·15	–	·02	·13	–	–	–	–	–	–	tr		27
2·00 28	·40	–	–	·26	·04	–	–	–	–	–	–	–		28
29	·05	·07	·11	–	·02	–	–	–	–	–	–	·25		29
30	·05	×		·32	–	–	–	–	–	·08	–	·02		30
31	·05	×	tr	×	–	×	–	–	×	·64	×	·01		31
TOTAL	2·49	1·87	2·70	1·83	1·58	2·02	2·63	·24	1·10	2·78	6·97	1·36	Year's Total 27·57	✓
* Days with .01 in. or more.	10	15	14	16	12	7	14	3	11	17	18	16	153	✓
* Days with .04 in. or more.	10 ✓	12 ✓	11 ✓	11 ✓	10 ✓	5 ✓	13 ✓	1 ✓	5 ✓	13 ✓	17	6	114	✓

† Spare column, no entries required.

(*Signed*) Messrs. Kodak Ltd. [P.T.O.

* See Instruction 3 (f) on other side.

866

866

Section **A** for the entry o

AIR MINISTR

COPY FOR OFFICIAL USE.

RAINFALL ORGANIZATION.

FORM 1090.

REGIS

1931.

866

WEALDSTONE HSE

1931- 1939

78 02 03

Kept at Wealdstone Hou

in the County of Middle

r days in Sept

Diameter of Funnel of Gauge

Height of top of Gauge above Grou

,, Ground ,, Sea

THE MORNING MEAS

IOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in	in.	in.	in.	in.	
1	—	·05	s tr	·16	—	·11	—	—	+	—	—	—	1
2	·10	·05	—	·36	—	—	tr	·01	+	04	tr	·11	2
3	·01	s tr	—	·36	·42	—	—	·29	+	—	·04	·21	3
4	—	s ·01	—	tr	—	—	·05	·63	+	·01	·08	·01	4
5	—	s tr	—	·14	·02	·60	·04	·13	✓	—	·01	·23	5
6	—	s ·11	—	·11	·10	—	—	—		·29	·39	—	6
7	—	—	s tr	tr	·08	tr	—	·62		·07	·19	·07	7
8	·02	·08	s ·08	tr	—	·15	—	·44		·02	·16	·01	8
9		·05	S ·03	·01	—	tr	—	tr		·01	40	·02	9
10	·01	·06	s ·01	—	—	·04	·10	—		—	·27	tr	10
11	·09	·25	—	—	—	—	—	—	✓	tr	·14	·01	11
12	—	s ·02	—	tr	—	—	·02	·14	+	—	—	—	12
13	tr	s tr	—	—	—	tr	·03	·05		tr	—	—	13
14	s ·01	S ·09	—	—	·02	tr	·95	·28		—	·01	—	14
15	·03	·05	—	·08	·14	—	·20	·12		—	·02	·04	15
16	—	S ·08	—	·10	·24	·02	·01	·09		—	—	—	16
17	·02	S ·01	—	·24	·11	·05	—	—	+	·01	—	—	17
18	·02	S ·09	—	·24	—	·19	·13	·62		—	·59	—	18
19	—	—	—	·60	—	·20	·15	·04	+	—	—	—	19
20	—	·03	—	·11	—	—	·06	·25		—	·01	—	20
21	·01	—	·01	—	·39	—	—	·01	✓	—	—	—	21
22	·19	—	—	·03	—	—	—	—	✓	—	tr	—	22
23	·17	·01	—	·01	·49	·03	—	—	✓	—	·08	·04	23
24	—	—	—	·33	·08	·04	—	—	✓	—	·04	—	24
25	·08	—	—	·36	·07	—	·33	—		tr	·10	—	25
26	—	·04	—	·17	—	—	·50	—		—	—	—	26
27	·16	·38	—	tr	·23	—	·35	—		—	·04	—	27
28	·05	S ·12	—	·07	—	—	—	—		·01	tr	S ·26	28
29	·06	×	—	—	·09	—	·19	—		·25	—	S tr	29
30	S ·03	×	—	—	·01	—	·08	·28	✓	—	—	—	30
31	·18	×	—	×	·02	×	—	—	×	—	×	tr	31
TOTAL	1·24	1·58	·13	3·48	2·51	1·43	3·19	4·00	1·75	·71	2·57	1·01	YEAR'S TOTAL 23·60
*Days with ·01 in. or more.	18	19	4	18	16	10	16	16	(14)	9	17	11	168 154
*Days with ·04 in. or more.	9	14	1	15	12	8	13	14	(7)	4	13	7	(110)

excluding September

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Honora O E Cobb

[P.T.O.

866 866

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Wealdstone House Harrow

in the County of Middlesex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 236 ft.

Est gaps in Sept ✓

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·05	s tr	·16	—	·11	—	—	+	—	—	—	1
2	·10	·05	—	·36	—	—	tr	·01	+	·04	tr	·11	2
3	·01	s tr	—	·36	·42	—	—	·29	+	—	·04	·21	3
4	—	s ·01	—	tr	—	—	·05	·63	4	·01	·08	·01	4
5	—	s tr	—	·14	·02	·60	·04	·13	✓	—	·01	·23	5
6	—	s ·11	—	·11	·10	—	—	—		·29	·39	—	6
7	—	—	s tr	tr	·08	tr	—	·62		·07	·19	·07	7
8	·02	·08	s ·08	tr	—	·15	—	·44		·02	·16	·01	8
9		·05	S ·03	·01	—	tr	—	tr		·01	40	·02	9
10	·01	·06	s ·01	—	—	·04	·10	—		—	·27	tr	10
11	·09	·25	—	—	—	—	—	—	✓	tr	·14	·01	11
12	—	s ·02	—	tr	—	—	·02	·14	+	—	—	—	12
13	tr	s tr	—	—	—	tr	·03	·05		tr	—	—	13
14	s ·01	S ·09	—	—	·02	tr	·95	·28		—	·01	—	14
15	·03	·05	—	·08	·14	—	·20	·12		—	·02	·04	15
16	—	S ·08	—	·10	·24	·02	·01	·09		—	—	—	16
17	·02	S ·01	—	·24	·11	·05	—	—	+	·01	—	—	17
18	·02	S ·09	—	·24	—	·19	·13	·62		—	·59	—	18
19	—	—	—	·60	—	·20	·15	·04	4	—	—	—	19
20	—	·03	—	·11	—	—	·06	·25		—	·01	—	20
21	·01	—	·01	—	·39	—	—	·01	✓	—	—	—	21
22	·19	—	—	·03	—	—	—	—	✓	—	tr	—	22
23	·17	·01	—	·01	·49	·03	—	—	✓	—	·08	·04	23
24	—	—	—	·33	·08	·04	—	—	✓	—	·04	—	24
25	·08	—	—	·36	·07	—	·33	—		tr	·10	—	25
26	—	·04	—	·17	—	—	·50	—		—	—	—	26
27	·16	·38	—	tr	·23	—	·35	—		—	·04	—	27
28	·05	S ·12	—	·07	—	—	—	—		·01	tr	S ·26	28
29	·06	×	—	—	·09	—	·19	—		·25	—	S tr	29
30	S ·03	×	—	—	·01	—	·08	·28	✓	—	—	—	30
31	·18	×	—	×	·02	×	—	—	×	—	×	tr	31
TOTAL	1·24	1·58	·13	3·48	2·51	1·43	3·19	4·00	1·75	·71	2·57	1·01	YEAR'S TOTAL 23·60
*Days with ·01 in. or more.	18	19	4	18	16	10	16	16	(14)	9	17	11	(168) 154
*Days with ·04 in. or more.	9	14	1	15	12	8	13	14	(7)	4	13	7	110

excluding September

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Honora O E Cobb

[P.T.O.

866.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 866

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Wealdstone House, Harrow
in the County of Middlesex

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
,, Ground ,, Sea Level 236 ft.

Est days — Sep

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	—	—	·21	·33	·03	·17	·13	/	·11	·04	—	1
2	·06	—	—	·15	·06	—	—	·04	x	·02	·03	·17	2
3	—	—	—	·18	·10	—	—	tr	x	tr	—	—	3
4	tr	—	—	—	tr	·11	—	—		—	·09	—	4
5	·19	—	·04	—	·02	—	·16	—	x	—	—	—	5
6	·52	—	tr	·13	·04	—	—	—	x	—	—	—	6
7	—	—	·12	·08	tr	—	tr	—	x	tr	—	—	7
8	—	—	·04	·11	·16	—	—	—	x	·22	—	—	8
9	·07	tr	—	·03	·76	—	—	—		tr	—	—	9
10	·35	S ·03	·01	·20	·10	·03	—	—		·15	·04	—	10
11	—	tr	S ·03	·08	·01	—	·37	·11	x	·05	·06	·03	11
12	·07	—	—	tr	·05	—	—	·03		·14	·02	—	12
13	·08	tr	—	·17	·02	—	—	—	/	·12	·04	·02	13
14	·15	tr	—	·10	tr	—	—	—		·01	·04	—	14
15	—	·02	—	·06	·41	—	·01	—		·08	tr	tr	15
16	·52	—	—	·17	·07	—	tr	—		—	—	—	16
17	—	—	—	tr	—	—	·09	—	/	·06	—	—	17
18	—	—	—	—	·02	—	tr	—	x	—	·11	—	18
19	—	—	—	—	—	—	—	—	/	·31	·01	—	19
20	tr	—	—	·24	·06	—	—	·32	x	·76	·17	—	20
21	·02	—	—	·18	·81	—	·01	·17		·26	—	·04	21
22	—	·01	·35	·01	·17	—	·18	—	x	·17	·38	—	22
23	—	·05	tr	tr	·19	—	tr	—	x	·74	·04	·12	23
24	—	·01	—	—	—	tr	·36	—	/	·02	·12	—	24
25	—	tr	—	tr	—	—	·45	—	x	·43	·01	·01	25
26	—	—	·11	·21	·07	—	·06	—		·01	—	—	26
27	—	—	·25	·23	·38	tr	·25	—		·44	·13	·02	27
28	—	—	·15	tr	·10	·02	·16	—		·17	tr	·01	28
29	—	—	·31	·02	·37	·03	·01	·12	x	·27	·04	tr	29
30	—	×	·02	·01	·04	·74	·01	·05	x	·02	·31	·20	30
31	—	×	·03	×	tr	×	·02	—	×		×	·04	31 "d"
													YEAR'S TOTAL
TOTAL	2·08	·12	1·46	2·57	4·34	·96	2·31	·97	1·97	4·56	1·68	·66	23·68
*Days with ·01 in. or more.	11	5	12	20	23	6	15	8	(19)	22	18	10	(169) ~~150~~
*Days with .04 in. or more.	10	1	8	16	19	2	10	7	(14)	17	14	5	(123) ~~109~~

~~ex~~cluding Sep:

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Honora O E Cobb

P.T.O.

866

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** ~~866~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Wealdstone House Harrow

in the County of Middlesex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 236 ft.

Est days for Sept.

J.O.O. 26/1/34

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·09	·15	·19	—	·08	—	—	—		—	·02	—	1
2	·29	—	·31	—	·39	—	—	—		—	tr	—	2
3	—	·20	·17	—	tr	—	—	—		—	—	—	3
4	·32	tr	·06	—	·23	—	—	—		—	·05	—	4
5	·01	·01	·23	—	·05	—	—	—		—	—	—	5
6	—	·07	·02	—	·40	—	—	—		·04	·05	—	6
7	·17	·11	·10	—	tr	—	—	—		·08	tr	tr	7
8	·03	tr	·01	—	·03	—	·05	—		·02	—	tr	8
9	—	—	·08	tr	·06	—	·18	—		·11	·09	—	9
10	—	·12	—	—	·01	·04	·27	—		·20	·01	—	10
11	·17	—	—	—	·01	tr	·15	·10		—	tr	—	11
12	—	—	—	·03	·03	·07	·17	—	✓	—	—	—	12
13	—	—	—	—	·14	—	·19	—	✓	tr	·14	—	13
14	·07	—	—	—	·03	—	·02	·02		·05	·56	—	14
15	·37	—	·15	—	—	·69	·11	·11		—	·05	—	15
16	tr	·01	·74	—	—	·21	·52	—		·06	·05	—	16
17	·02	·01	·28	—	—	·01	·02	—	✓	—	·03	—	17
18	·08	S ·08	·12	—	—	·25	—	—		—	—	—	18
19	—	S ·07	·06	tr	—	·17	—	—	✓	—	·02	·09	19
20	—	·01	—	·08	—	·32	—	—	✓	—	·01	—	20
21	—	S ·02	—	—	tr	·01	—	·04	✓	tr	—	—	21
22	—	—	—	—	·07	·01	—	·21		·21	·04	—	22
23	—	S tr	—	·09	—	·01	—	—	✓	—	tr	—	23
24	—	S ·28	—	—	·02	·36	—	—	✓	—	·03	—	24
25	—	·38	—	·36	—	—	—	—	✓	·01	·04	·05	25
26	—	·30	—	·10	—	—	tr	—	✓	·07	—	·15	26
27	—	—	—	—	·14	—	tr	—		·19	·02	·06	27
28	—	—	—	—	·05	—	—	—		·32	—	·01	28
29	·11	—	·01	·10	—	—	·03	—		·09	—	—	29
30	·08	×	·09		—	—	·03	—		·01	—	·09	30
31	·13	×	·01	×	—	×	—	·18	×	·02	×	—	31
TOTAL	1·94	1·82	2·63	·76	1·74	2·15	1·74	·66	2·66	1·48	1·21	·45	YEAR'S TOTAL 19·24
*Days with ·01 in. or more.	14	15	17	6	16	12	12	6	10	15	16	6	14[illegible] 135
*Days with .04 in. or more.	11	10	13	5	10	8	8	5	9	11	9	5	104 95

excluding Sept

40-9999

*See Instruction 2 (*f*) on other side.

Wt. 7·630/26

(*Signed*) Honora O.E. Cobb

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 866

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Wealdstone House, Harrow

in the County of Middlesex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 1 in.

,, Ground ,, Sea Level 236 ft.

Est Sept Days ✓ ay

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·02	—	—	—	—	—	—	·18		✓	—	·47		1
2	·06	—	·10	—	·04	—	—	tr	✗	·20	—	·20		2
3	·01	·03	—	·12	—	—	—	—		✗	—	tr		3
4	·12	—	·09	·02	·03	—	—	—		·20	·08	·35		4
5	—	—	·02	—	·02	—	—	·03		·15	·02	·41		5
6	·01	—	·24	—	·33	·07	—	·08		·14	—	·52		6
7	·04	—	—	—	—	—	—	·03		—	—	·18		7
8	—	—	—	—	·10	—	—	·04	✗	—	·33	·01		8
9	·01	—	·03	—	—	—	—	—		—	·87	·31		9
10	·02	—	·12	·13	—	—	—	·05		—	·17	tr		10
11	·27	—	·31	·05	—	—	—	·02		—	—	·14		11
12	·03	—	·06	·01	·09	—	·14	·26		—	·01	·04		12
13	·31	—	·17	tr	—	—	·17	·07		tr	·17	·07		13
14	·07	—	·28	—	·02	—	—	—		·07	—	·39		14
15	·05	—	·03	—	·11	—	—	—	✗	tr	·05	·26		15
16	·21	—	·18	—	·03	—	—	—		·13	—	tr		16
17	·02	—	—	·02	—	—	—	—		·09	·02	·10		17
18	·19	—	tr	·20	—	—	·13	—	✓	—	·01	·10		18
19	—	—	·19	·01	—	tr	—	—	✗	·02	·01	·10		19
20	—	—	·30	·07	—	tr	·16	·01	✓	—	—	·01		20
21	—	—	—	·06	—	·12	—	·02		·02	—	tr		21
22	—	—	—	—	—	—	—	·37	✗	—	·01	·04		22
23	—	—	—	·31	—	·17	tr	tr		—	·01	·09		23
24	—	·02	·06	·08	—	·06	·59	·01	✗	—	—	—		24
25	·18	·05	—	·12	—	·05	—	—		·03	—	·36		25
26	·02	—	—	·30	—	·07	—	—	✓	·02	—	·47		26
27	·01	·09	—	·06	—	·12	—	—		·07	—	·31		27
28	—	S ·15	—	·03	—	·02	—	·93		—	·03	·24		28
29	—	—	—	—	—	—	·01	—	✗	—	tr	·02		29
30	·04	✕	—	—	—	—	—	·11		—	—	·14		30
31	·02	✕	—	✕		✕	·02	—	✕	·22	✕	·03		31
TOTAL	1·71	·34	2·18	1·59	·77	·68	1·22	2·21	1·44	1·36	1·79	5·36	Year's Total 20·65 ✓	
*Days with ·01 in. or more.	21	5	15	16	9	8	7	15	(10)	15	14	26	(161)	
*Days with ·04 in. or more.	11	3	12	11	5	7	5	9	(4)	10	6	22	(108)	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Honora O E Cobb

[P. T. O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 866

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

File No.
678659/26

Kept at Wealdstone House, Harrow

in the County of Middlesex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 1 in.

,, Ground ,, Sea Level 236 ft.

All
Days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in	in.	in.	in.	in.	in.	in.	†	
1	·11	·03		·05	tr	·11	1·25			·02	·11	tr		1
2	tr			·06		·01				·17	·03			2
3		·09	·05	·03		·12				·56	·18	tr		3
4				·07		·26				·05		·15		4
5		·32	·03	·09		·47	tr				·02	·02		5
6	·03	tr	·01	·31		·45					·01	·01		6
7				·45		·06				·07	1·07	·18		7
8				·24						·17	·11	·10		8
9				·17		·63				·49	·17	·04		9
10				tr		tr					·04	·03		10
11	·26	tr		·01		·09	·24				·17	·01		11
12		tr				·10		·07			·57	·12		12
13	·12	·16	tr	·21	·14	·01					tr			13
14					·18	·06					·04			14
15		·26		·42	·01	·31					·20	·10		15
16		·04	·03	·04		·14					·36	·02		16
17	tr		·01	·01		·19	·05				·34			17
18				·24	·07	·03	·24			·03	·09	·05		18
19		tr		·07	·26	·03	·05				·16	·05		19
20	·01	·17		·08	·15	·08	·05				·12			20
21	·02	·27								·05	·02			21
22		·02	·04					·27						22
23			·21					·33		·06		·08		23
24	·06	·51	·01					·06		·01		·36		24
25	·08	·11		·18		·16						·13		25
26	S ·12	·11						·26				·32		26
27	·02	·43			·02			·01		tr	·13	·31		27
28					·03					·06	·01	·13		28
29	tr									tr	tr	·15		29
30	·04	×		·10	·03			·56		·29	·31	·31		30
31		×		×	tr	×			×	·27	×	·28		31
TOTAL	·87	2·52	·39	2·83	·89	3·31	1·88	1·56	3·50	2·30	4·26	2·95	Year's Total. 27·26	
* Days with .01 in. or more.	11	13	8	19	9	19	6	7	—	14	22	22	~~150~~	
* Days with .04 in. or more.	7	11	3	16	5	15	6	6	—	11	17	17	~~114~~	

} incomplete

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) for H. O. E. Cobb

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 866

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Wealdstone House, Harrow

in the County of Middlesex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

„ Ground „ Sea Level 236 ft.

Sept. days estd. [illegible]

see sept.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·53	·15	·04	·23	—	·16	·15	·06		—	·07	·06		1
2	·01	·10	·03	·01	—	·32	·14	·10		—	·08	—		2
3	—	—	—	·05	—	·05	·04	tr		—	·25	·04		3
4	—	—	·11	—	—	·14	—	tr		—	·03	·03		4
5	·06	—	·01	—	—	·17	tr	·02		·01	·03	·15		5
6	·27	—	·05	—	—	·01	—	·11		·01	·11	·10		6
7	·19	—	—	—	—	—	·48	—		—	·09	·01		7
8	·19	—	·02	—	—	—	·07	—		—	·41	·19		8
9	·52	—	·06	—	tr	—	·43	—		·04	—	·01		9
10	·04	—	—	—	—	—	·10	·10		—	tr	·01		10
11	—	—	—	·09	—	—	·10	tr		—	·82	—		11
12	—	—	—	·14	—	·52	·23	·05		—	·23	·11		12
13	—	—	—	·07	—	·37	tr	—		·02	·03	·12		13
14	—	·10	—	—	—	·09	·39	—		·04	·11	·25		14
15	—	·08	—	—	—	—	tr	—		—	·01	·04		15
16	S ·27	·09	—	—	—	—	·05	—		—	·41	·01		16
17	S ·15	·49	—	—	·05	·10	tr	—		·02	·23	·13		17
18	—	·12	—	—	—	·26	·19	—		·12	·03	·06		18
19	·31	·05	·02	·03	—	·18	·04	·12		·06	—	—		19
20	tr	·05	·04	·31	—	—	·05	—		—	—	—		20
21	—	—	—	·17	·03	·31	tr	—		—	—	—		21
22	·11	·36	·02	—	·32	·08	·20	—		—	—	·11		22
23	·04	tr	·02	·09	—	—	·05	—		·11	—	—		23
24	·11	·09	—	—	—	—	tr	—		·34	—	—		24
25	·06	—	·13	·17	—	·57	·18	—		·11	·04	04		25
26	—	·14	·18	·06	—	·11	tr	—		·19	—	·06		26
27	·16	·04	·02	—	—	—	·01	—		·06	—	—		27
28	·75	—	·07	—	—	tr	·36	—		·02	—	·05		28
29	·08	·09	·10	—	—	·12	·04	—		—	·17	·01		29
30	·11	✕	·01	—	·05	·16	·07	—		·24	—	—		30
31	·24	✕	·24	✕	—	✕	·12	—	✕	·56	✕	·26		31 d
													Year's Total	
Total	4·20	1·95	1·17	1·42	·45	3·72	3·49	·56	2·76	1·95	3·15	1·85	26·67	
* Days with .01 in. or more.	20	14	18	12	4	18	22	7	(28)	16	18	22	(199) ~~171~~	excluding Sept.
* Days with .04 in. or more.	19	14	10	10	3	17	21	6	(12)	11	13	16	~~140~~ (152)	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Honora O. E. Cobb

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 866

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Wealdstone House, Harrow

in the County of Middlesex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ½ in.

,, Ground ,, Sea Level 236 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·31	—	tr	·02	—	—	—	—	✗	—	·60	·91		1
2	tr	·18	·01	·54	—	—	—	—	✓	tr	·01	·51		2
3	—	·22	·04	—	·09	—	tr	—		—	—	·08		3
4	·05	·31	—	—	·03	—	—	—		—	—	·34		4
5	·22	·07	·20	—	—	—	·05	—		·02	—	—		5
6	·03	tr	·39	tr	·16	—	·06	—		·05	·02	—		6
7	—	·72	·16	·17	—	—	—	—	✓	—	—	—		7
8	—	·06	—	—	·10	·06	—	—	✓	—	·03	·37		8
9	—	·03	—	·28	·16	·02	·09	—	✗	—	—	·11		9
10	—	—	·53	·05	·27	·41	·12	·02		—	—	·22		10
11	—	—	·17	—	·34	—	·02	—		—	—	·03		11
12	·19	·29	·11	—	·26	·44	tr	—	✗	tr	—	·08		12
13	·11	·05	·38	tr	—	·10	—	·55	✗	—	—	·85		13
14	·03	·06	·19	·07	—	—	—	—	✗	—	—	—		14
15	·18	·13	—	·20	—	tr	·19	—	✗	—	—	tr		15
16	·08	·16	·25	·31	—	·04	—	·16	✗	—	—	·05		16
17	·28	·01	·10	·07	—	·04	tr	—	✗	—	tr	·02		17
18	·25	·11	·04	tr	·11	·21	—	—		—	·13	·06		18
19	·10	·11	·08	·16	tr	·14	·05	—	✗	—	—	·08		19
20	·29	tr	·01	·64	·68	·21	—	—	✗	—	—	·01		20
21	·25	·50	·03	·08	·01	—	·06	—			—	·02		21
22	·33	tr	·01	—	·03	·08	·04	—		·61	·36	·03		22
23	·25	·01	·03	—	·22	—	—	—		·46	—	·01		23
24	·31	·51	·02	—	·02	·01	—	—	✗	·14	—	tr		24
25	·02	·34	·11	—	·29	—	tr	—	✗	·34	—	·02		25
26	—	·33	·05	—	·28	—	—	—		·05	—	—		26
27	·03	·10	tr	·11	—	—	—	—		·56	tr	—		27
28	·02	·11	—	·02	—	tr	—	—		·09	—	·02		28
29	·02	×	—	—	—	tr	—	—		·05	·06	·02		29
30	·26	✖	—	—	—	tr	—	—		tr	·17	tr		30
31	·30	✖	—	✖	—	✖	—	—	✖	·37	✖	·03		31 d.
TOTAL	3·91	4·41	2·91	2·72	3·05	1·76	·68	·73	1·76	2·74	1·38	3·87	Year's Total 29·92	✓
* Days with .01 in. or more.	23	22	21	14	16	12	9	3	(15)	11	8	22	~~164~~	excluding Sept. (176)
* Days with .04 in. or more.	17	19	15	12	12	10	8	2	(12)	10	5	12	~~122~~	(134)

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Honora O. E. Cobb

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations Station No. 866

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938 File 1667 8659/26

Kept at Wealdstone House, Harrow

in the County of Middlesex

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. – ½ in.

,, Ground ,, Sea Level 236 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	-	-	-	·01	·09	·03	-	·02	·01	-	tr		1
2	·09	·02	-	-	·12	-	tr	-	-	·16	tr	·02		2
3	tr	-	-	-	·14	-	tr	-	·03	·81	·05	-		3
4	·04	-	-	-	-	·01	·06	-	-	·10	-	·15		4
5	tr	-	-	tr	-	tr	·08	-	tr	·12	-	tr		5
6	·04	-	-	-	-	-	·12	-	·02	·04	·01	-		6
7	tr	-	-	-	-	-	·05	1·08	·02	·29	-	·03		7
8	·17	-	-	-	-	tr	·04	-	tr	·30	-	·01		8
9	·06	·01	-	-	-	tr	·11	·20	-	tr	-	·56		9
10	·18	·02	-	-	-	·01	·02	·21	-	-	-	·04		10
11	·30	-	-	-	-	-	-	·14	tr	-	·18	·05		11
12	·35	·01	-	-	·01	tr	tr	·10	-	·30	·03	-		12
13	·11	·02	-	-	-	-	-	-	-	·04	·17	·13		13
14	·21	tr	-	-	·04	-	·03	-	·08	-	·01	tr		14
15	·05	·01	-	-	tr	-	·14	-	-	·27	tr	·25		15
16	·51	tr	·01	-	tr	-	·03	·04	-	·08	·02	·45		16
17	-	·07		-	·09	-	tr	tr	·01	·06	-	-		17
18	·04	-		tr	·09	-	-	·02	·05	tr	·30	-		18
19	-	-		-	-	-	tr	·07	·04	-	·16	·01		19
20	-	-		-	-	-	-	-	·02	-	·52	·03		20
21	·01	-		tr	-	-	-	·05	·03	-	·03	·49		21
22	-	tr		tr	-	·01	-	·03	-	-	·19	·30		22
23	-	-		·03	tr	-	-	-	·01	-	·02	tr		23
24	-	-	·20	tr	·01	-	-	-	·38	-	·06	tr		24
25	·09	·02	·09	·13	·06	-	·02	tr	·01	·04	·99	·13		25
26	·21	·14	·06	tr	-	-	-	-	·21	·16	-	·19		26
27	·10	·04	·02	·01	·03	·19	·26	·05	·56	·15	·31	-		27
28	·20	·04	-	tr	·71	·04	-	·23	·06	-	·03	·07		28
29	·30	-	-	tr	·11	-	-	-	·01	tr	·15	·21		29
30	·02	✖	-	·04	·07	·09	-	-	·03	·07	·16	·01		30
31	·17	✖	-	✖	·10	✖	-	-	✖	·16	✖	·31		31
TOTAL	3·28	·40	·38	·21	1·59	·44	·99	2·22	1·59	3·16	3·39	3·44	Year's Total 21·09	✓
* Days with .01 in. or more.	22	11	5	4	14	7	13	12	18	18	19	20	163	✓
* Days with .04 in. or more.	19	4	3	2	10	4	8	10	*7	17	12	14	110	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) H. O. E. Cobb

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 866

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Wealdstone House, Harrow

in the County of Middlesex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 236 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	—	tr	·49	·27	—	·01	·29	·62	—	tr	·01		**1**
2	·02	—	—	·03	·02	—	tr	·71	·86	·02	·04	—		**2**
3	·36	—	—	·21	—	—	—	·32	—	tr	·24	·28		**3**
4	·04	—	·20	·31	tr	—	·02	·61	—	·33	·02	·02		**4**
5	—	—	—	·37	·09	—	tr	·13	—	·19	·23	·11		**5**
6	·51	—	—	·03	—	—	·24	·05	—	—	·47	·06		**6**
7	·07	·11	—	—	—	—	tr	·02	—	tr	·10	·19		**7**
8	tr	·13	14	—	—	—	·02	·03	—	·56	·30	·45		**8**
9	·01	·10	—	—	—	—	—	tr	—	·27	·04	·19		**9**
10	·22	tr	—	—	—	·47	—	·27	·01	·11	·01	—		**10**
11	—	—	·20	—	tr	·31	—	—	—	·48	tr	tr		**11**
12	—	·06	tr	—	tr	·02	—	—	·04	—	—	tr		**12**
13	—	tr	—	·01	—	—	·03	—	·05	1·12	·02	—		**13**
14	·43	—	·01	·02	·10	·03	·03	—	tr	·19	·45	·02		**14**
15	·23	—	tr	—	·79	·40	tr	—	·09	1·07	·11	tr		**15**
16	·37		·09	·02	·14	·11	·02	tr	tr	—	·36	tr		**16**
17	·17	·03	·02	·01	·06	tr	·03	—	—	—	·04	tr		**17**
18	·29	tr	·05	—	—	·12	·19	—	—	·14	·33	—		**18**
19	·23	tr	·08	—	—	—	·10	—	—	·11	—	·01		**19**
20	·19	—	tr	—	—	·30	·46	·03	—	—	—	·02		**20**
21	·05	tr	·30	—	—	·01	·08	·68	·06	—	—	—		**21**
22	·15	·23	·13	tr	—	—	tr	—	—	—	·15	—		**22**
23	·03	—	·01	·08	—	·01	tr	tr	tr	·04	·79	—		**23**
24	·38	—	·03	·02	—	tr	·05	tr	·01	·10	—	—		**24**
25	1·11	·14	·05	tr	tr	·02	·04	·03	—	·06	·62	·02		**25**
26	21	·03	·02	·02	—	—	tr	·01	tr	·29	·32	·03		**26**
27	tr	·02	·13	·01	—	—	tr	—	—	·08	·17	—		**27**
28	·02	·15	05	·03	—	—	·27	—	—	·16	·16	·09		**28**
29	—	×	—	·30	—	tr	·04	—	—	·09	·19	—		**29**
30	tr	✕	—	·90	—	·11	—	—	—	tr	·21	tr		**30**
31	—	✕	—	✕	—	✕	·02	·01	✕	·02	✕	·02		**31**
TOTAL	5·12	1·00	1·51	2·86	1·47	1·91	1·65	3·19	1·74	5·43	5·37	1·52	Year's Total 32·77	✓
* Days with .01 in. or more.	22	10	16	17	7	12	17	14	8	20	23	15	181	✓
* Days with .04 in. or more.	17	7	11	7	6	7	9	8	6	18	20	7	123	✓

† Spare column, no entries required.

*See Instruction 3 (f) on other side.

(*Signed*) Honora O.E. Cobb

[P.T.O.

FORM 1090. **B** Month… Summ…

…n.

867

867

TANDRIDGE

1931 - 1938

78 02 04

, The following register of monthly to… &c., is NOT required if daily or we… values are given on the other side.

…ction and also the space for

…this register should be sent:—

… Northwood - Middlesex

RAINFALL IN 1931

At Tandridge Watford Road Northw…

…30. am Summer 8.30 am

In the County of Middlesex

…ance 3/4 mile gauge Direction from gauge S W.

Rain Gauge
Diameter of Funnel 5
Height of Top above Ground … *ft* 12 *in.*
Height of Ground above Sea Level … *ft.*

Nearest Parish Church at Immanuel Distance 1/40 mile Direction from gauge S E

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 in or more *	Number of Days with ·04 in. or more *
	Inches.	Inches.	Date.		
JAN.	1·28	·26	24	16	10
FEB.	1·64	·41	28	16	13
MAR.	·33	·13	11	4	3
APRIL	3·20	·40	26	16	15
MAY	2·42	·52	24	15	13
JUNE	1·16	·24	20	11	7
JULY	3·71	1·10	15	20	17
AUG.	4·66	·81	15	15	14
SEPT.	2·16	·59	3	9	6
OCT.	·71	·31	7	7	3
NOV.	2·77	·59	19	13	12
DEC.	1·02	·27	29	8	7
Total	25·06			150	120

Nature of objects nearest to gauge	House			
Heights of objects	30 feet			
Distances ..	95 feet			
Directions from gauge ..	West			

If gauge has been moved during the year state—

Date of move – Distance – Direction –

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Signature Charles Price

*See Instruction 2 (*f*) below.

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 }·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

FORM 1090.

B Monthly Summary.

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1931

At Tandridge Watford Road Northwood

In the County of Middlesex

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground .... ft 12 in.
Height of Ground above Sea Level .... ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	1.28	·26	24	16	10
FEB.	1.64	·41	28	16	13
MAR.	·33	·13	11	4	3
APRIL	3·20	·40	26	16	15
MAY	2·42	·52	24	15	13
JUNE	1·16	·24	20	11	7
JULY	3·71	1·10	15	20	17
AUG.	4·66	·81	15	15	14
SEPT.	2·16	·59	3	9	6
OCT.	·71	·31	7	7	3
NOV.	2·77	·59	19	13	12
DEC.	1·02	·27	29	8	7
Total	25.06			150	120

Signature Charles Price

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
Charles Price
Tandridge Watford Road Northwood Middlesex

Hour of observation by the clock—in Winter 8.30. am Summer 8.30 am

Nearest Railway Station Northwood Distance 3/4 mile Direction from gauge S W.

Nearest Parish Church at Emmanuel Distance 1/4 mile Direction from gauge S E

Nature of objects nearest to gauge	House			
Heights of objects	30 feet			
Distances ..	95 feet			
Directions from gauge ..	West			

If gauge has been moved during the year state—

Date of move — Distance — Direction —

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)
If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

867

FORM 1090.

B Monthly Summary.

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1932

At Tandridge, Northwood

In the County of Middlesex

Rain Gauge
- Diameter of Funnel Five in.
- *Height of Top above Ground ... ft 12 in.*
- *Height of Ground above Sea Level ... ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	1·89	·45	7	11	10
FEB.	·14	·05	24	5	4
MAR.	1·44	·37	30	12	9
APRIL	2·22	·21	28	18	18
MAY	4·38	·90	22	20	16 16
JUNE	·22	·11	5	4	2
JULY	3·90	1·49	12	13	12
AUG.	2·40	·93	12	8	7
SEPT.	2·14	·56	4	17	14
OCT.	4·89	·75	21	24	19
NOV.	1·41	·40	23	17	12
DEC.	·83	·28	1	9	5
Total	25·86			158	128

Signature Charles Price

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
Charles Price, Tandridge, Northwood
Middlesex

Hour of observation by the clock—in Winter 8-30 am in Summer 8-30 am

Nearest Railway Station Northwood Distance 3/4 mile Direction from gauge S-W

Nearest Parish Church at Emmanuel Distance 1/4 mile Direction from gauge S-E

Nature of objects nearest to gauge	House			
Heights of objects	Thirty	feet		
Distances ..	95 feet			
Directions from gauge ..	W			

If gauge has been moved during the year state—

Date of move ... Distance ... Direction ...

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{array}{c}17\\18\end{array}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(457) Wt.9673/738 16000 8/32. Gp. 119/110.

867

FORM 1090.

B Monthly Summary.

*** **The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 1933

At Tandridge

In the County of Middlesex

Rain Gauge
Diameter of Funnel 5 inches in.
Height of Top above Ground ...... *ft* 12 *in.*
Height of Ground above Sea Level ...... *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	1·71	·34	16	13	12
FEB.	1·78	·44	26	11	10
MAR.	2·63	·72	17	14	3
APRIL	1·07	·31	26	6	6
MAY	1·69	·32	4	13	11
JUNE	1·70	·64	16	9	8
JULY	1·00	·22	14	8	7
AUG.	·37	·17	23	4	4
SEPT.	2·56	·81	13	9	8
OCT.	1·38	·29	29	12	4
NOV.	1·10	·44	15	14	7
DEC.	·45	·15	27	5	5
Total	17·46			118	102

Signature Charles Price

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
Charles Price Tandridge Northwood
Middlesex

Hour of observation by the clock—in Winter 8 am in Summer 8. am

Nearest Railway Station Northwood Distance 3/4 Direction from gauge SW

Nearest Parish Church at Emmanuel Distance 1/4 mile Direction from gauge S

Nature of objects nearest to gauge	Tree	House		
Heights of objects		30 feet		
Distances ..		95 -		
Directions from gauge ..		W		

If gauge has been moved during the year state—

Date of move ...... Distance ...... Direction ......

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(506) Wt.24107/1845 15000 3/33. Gp. 119/110.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 867

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Tandridge Northwood

in the County of Middlsx

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 12 in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: nil

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·02	·18			·03					·16			1
2								·21				·47		2
3	·05		·08		·07				·69	·13		·20		3
4	·01	·03		·09						·22				4
5			·07	·10						·13	·08	·32		5
6	·11							·07				·40		6
7			·23		·35					·15		·50		7
8								·21		·15		·19		8
9	·05				·10			·04	·13		·34			9
10			·02								·72	·30		10
11	·04		·10	·10				·04			·16			11
12	·28		·35	·08			·01	·03				·13		12
13	·03		·09	·01			·13	·21				·07		13
14	·29		·12				·13	·06			·01	·24		14
15	·08		·26								·14	·33		15
16			·05		·09				·01		·01	·24		16
17	·21		·12							·16				17
18	·02									·08		·10		18
19	·14			·17								·09		19
20			·19						·08			·08		20
21			·35	·06			·21	·03						21
22				·12		·10	·03	·04		·03				22
23							·02	·26	·25					23
24				·31		·29						·11		24
25		·03	·04	·11		·08	1·23		·21					25
26	·07	·06		·14		·09				·02		·36		26
27	·09			·37		·06			·02			·27		27
28						·10				·08		·34		28
29				·68		·14		·95				·32		29
30		×					·02	·04	·17			·03		30
31	·06	×		×		×	·03		×		×	·14		31
TOTAL	1·53	·14	2·35	1·74	·61	·89	1·81	2·19	1·56	1·15	1·62	5·20	Year's Total. 20·72	
* Days with .01 in. or more.	15	4	21	13	4	8	9	13	8	10	8	22	135	
* Days with .04 in. or more.	12	0	14	12	4	7	4	12	6	8	6	21	106	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Charles Price

[P.T.O.

867

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1935

At Taudridge Northwood

In the County of Middlesex

Rain Gauge
- Diameter of Funnel Five in.
- *Height of Top above Ground.........ft.........in.*
- *Height of Ground above Sea Level.........ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	·85	·28	12	9	7
FEB.	2·16	·37	28	13	11
MAR.	·45	·23	24	6	4
APRIL	3·04	·53	8	19	15
MAY	1·14	·43	21	8	6
JUNE	3·79	·77	16	17	17
JULY	·72	·35	19	5	5
AUG.	1·40	·65	24	4	3
SEPT.	4·25	·77	30	16	14
OCT.	2·32	·60	10	12	11
NOV.	4·64	1·10	8	19	18
DEC.	2·86				
Total	27·62			~~128~~ ..	111 ,,

Signature Charles Price

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
Charles Price
Taudridge Northwood Middlesex

Hour of observation by the clock—in Winter 8-05 am in Summer 8.15 am

Nearest Railway Station Northwood Distance 3/4 mile Direction from gauge SW

Nearest Parish Church at Emmanuel Distance 1/2 mile Direction from gauge ....

Nature of objects nearest to gauge	House			
Height of objects	30 feet			
Distances ..	95 –			
Directions from gauge ..	W			

If gauge has been moved during the year state—

Date of move......... Distance......... Direction.........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—
None

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

× gauge low?

M.O
8 JAN 1936

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-guage should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(586) Wt.283/202 16,000 5/34. Gp.119/110.

867

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1936

At Tandridge Northwood

In the County of Middlesex

Rain Gauge
Diameter of Funnel Five in.
Height of Top above Ground One *ft.* – *in.*
Height of Ground above Sea Level .... ft.

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	3·95	·71	29	21	20
FEB.	2·09	·47	18	14	13
MAR.	1·06	·20	27	17	13
APRIL	1·48	·31	21	11	9
MAY	·66	·47	23	5	4
JUNE	3·86	·61	20	16	17
JULY	3·73	·49	3	21	19
AUG.	·72	·15	7	7	6
SEPT.	2·79	·62	21	16	15
OCT.	1·33	·34	25	12	9
NOV.	4·15	·91	12	15	13
DEC.	1·48	·21	15	15	12
TOTAL	27·30 ✓	✓		170 ✓	150 ✓

Signature Charles Price

*See Instruction 2 *(f)* below.

C Particulars of Station,

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

....

....

Hour of observation by the clock—in Winter 8 oclock in Summer 8-oclock

Nearest Railway Station Northwood Distance 3/4 mile Direction from gauge W

Nearest Parish Church at Emmanuel Distance 1/2 mile Direction from gauge ~~1/2 mile~~ W

Nature of objects nearest to gauge	House			
Height of objects	30 feet			
Distances ...	95 –			
Directions from gauge ...	W.			

If gauge has been moved during the year state –

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) It is known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O. 7
5 JAN 1937

D INSTRUCTIONS.

1. Rules for measuring the rainfull and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.* 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceeding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast, or through any Bookseller. Price 1d. Net.

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone.

Wt.3430/1690 15,000 2/35 W. H. & S. 638/91.

867.

FORM 1090.

B Monthly Summary.

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1937

At Tandridge Northwood

In the County of Middlesex

Rain Gauge
- Diameter of Funnel 5-Inch in.
- *Height of Top above Ground* 1 *ft.* *in.*
- *Height of Ground above Sea Level* *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	3·62	·32	2	21	20
FEB.	4·48	·51	26	22	20
MAR.	2·99	·44	11	20	14
APRIL	2·62	·57	21	13	12
MAY	2·85	60	21	13	12
JUNE	1·56	35	11	11	8
JULY	·84	19	16	10	8
AUG.	1·16	53	15	4	3
SEPT.	2·04	49	17	13	12
OCT.	2·22	62	23	9	9
NOV.	1·36	52	2	7	6
DEC.	3·73	91	14	19	18
TOTAL	29·38			162	137

Signature Charles Price

* See Instruction 3 *(f)* below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

Charles Price
Tandridge Northood Middlesex.

Hour of observation by the clock—in Winter 8-30 in Summer 8-30

Nearest Railway Station Northwood Distance 3/4 mile Direction from gauge SW

Nearest Parish Church at Emmanuel Distance 1/2 mile Direction from gauge S

Nature of objects nearest to gauge	House			
Height of objects	30 feet			
Distances ...	95 –			
Directions from gauge ...	West			

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st ~~; it is therefore the~~ amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
- (A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
- (B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON : PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses : Adastral House, Kingsway, London, W.C.2 ; 120 George Street, Edinburgh 2 ; York Street, Manchester 1 ; 1 St. Andrew's Crescent, Cardiff ; 80 Chichester Street, Belfast ; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91.
S.O. Code No. 40-9999

867

FORM 1090. **B** Monthly Summary.

, The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1938

At TANDRIDGE NORTHWOOD

In the County of MIDDLESEX

Rain Gauge
- Diameter of Funnel FIVE in.
- *Height of Top above Ground* 12 *ft.* .... *in.*
- *Height of Ground above Sea Level* ---- *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with ·01 in. or more	Number of Days with ·04 in. or more
	Inches	Inches	Date	*	*
JAN.	3·36	·60	17	22	21
FEB.	·55	·17	1	9	6
MAR.	·45	·18	25	5	4
APRIL	·13	·05		~~5~~ 7	2
MAY	1·58	·70	29	~~3~~ 12	9
JUNE	·54	·24	28	~~2~~ 7	5
JULY	1·22	·22	28	14	9
AUG.	4·38	1·59	8	12	12
SEPT.	1·72	·70	28	17	9
OCT.	2·93	·70	4	15	14
NOV.	3·16	·84	26	17	18
DEC.	2·80	1·04	27	~~10~~ 19	9
TOTAL	22·82 ✓			~~131~~ 156 ✓	113 ✓

Signature Charles Price?

* See Instruction 3 *(f)* below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

CHARLES PRICE
TANDRIDGE NORTHWOOD MIDDX

Hour of observation by the clock—in Winter 8.30 A.M. in Summer 8.30 a.M.

Nearest Railway Station NORTHWOOD Distance 3/4 M Direction from gauge S.W.

Nearest Parish Church at EMMANUEL Distance 1/4 M Direction from gauge S.E

Nature of objects nearest to gauge	House			
Height of objects	30 feet			
Distances ...	95 feet			
Directions from gauge ...	W			

If gauge has been moved during the year state—

Date of move.................. Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Raindays corrected by nearby stns.
W.S.R.

M.O. 7
-6 FEB. 1939

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
  (A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
  (B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{array}{r}17\\18\end{array}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W. H. & S. 668/91 S.O. Code No. 40-9999

867/3

NORTHWOOD (RAVENSWOOD)

1936 – 1940

78 02 04

Section **A** for the entry of
AIR MINISTR

Middx/1

Station No. 867/3

RAINFALL ORGANIZATION.

FORM 1090.

REGIS 1936.

~~Kept~~ at Northwood (R

in the County of Middle

Diameter of Funnel of Gauge.......

Height of top of Gauge above Gr

,, Ground ,, Sea

W.D.

Comparison with sts:
~~Value estimated~~ for Jan–July

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following
·27.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1								·13			·55			1
2								·08			·17	·06		2
3											·08			3
4									·55		·29	·04		4
5									·19		·06	·03		5
6								·02				·10		6
7								·15	·21	·03	·12	·16		7
8									·09					8
9											·55	·17		9
10									·26	·04				10
11								·05	·16					11
12											·91	·03		12
13									·16		·62	·13		13
14										·02	·04	·14		14
15										·03		·23		15
16									·07		·18	·05		16
17									·05		·42	·03		17
18											·18	·13		18
19										·15		·11		19
20								·15		·04				20
21									·64					21
22									·09					22
23												·14		23
24										·10				24
25									·09	·36				25
26									·18	·06	·06	·03		26
27									·02	·22		·02		27
28									·21	·08				28
29												·05		29
30		✕								·03	·16	–		30
31		✕		✕		✕			✕	·34	✕	·27		31
TOTAL							~~18~~ (16·40)	·58 ~~·57~~	2·97	55 ~~1·50~~ 2·05	3·84 ~~4·39~~	1·92 ~~1·65~~	Year's Total ~~(27·76)~~	
* Days with .01 in. or more.								6	15	14 ~~13~~	14 ~~17~~	19 ~~18~~	–	
* Days with .04 in. or more.								5	14	10	14	14	–	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) M. T. Allen [P.T.O.

X M. T. Allen Esq X

COPY FOR OFFICIAL

Middx / 1

Station No. 867/3

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

X *Kept at* Northwood (Ravenswood) X

in the County of Middlesex

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

699334/26. W.D.

adjusted by comparison with sts: Nos 866, 865. ~~Value estimated~~ for Jan-July

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: ·27.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1								·13			·55			1
2								·08			·17	·06		2
3								-			·08			3
4									·55		·29	·04		4
5									·19		·06	·03		5
6								·02				·10		6
7								·15	·21	·03	·12	·16		7
8									·09					8
9											·55	·17		9
10									·26	·04				10
11								·05	·16					11
12											·91	·03		12
13									·16		·62	·13		13
14										·02	·04	·14		14
15										·03		·23		15
16									·07		·18	·05		16
17									·05		·42	·03		17
18											·18	·13		18
19										·15		·11		19
20								·15		·04				20
21									·64					21
22									·09					22
23												·14		23
24										·10				24
25									·09	·36				25
26									·18	·06	·06	·03		26
27									·02	·22		·02		27
28									·21	·08				28
29												·05		29
30		✕								·03	·16	–		30
31		✕		✕		✕			– ✕	·34	– ✕	·27		31
TOTAL							·13 (16·40)	·58 ~~·57~~	2·97	·55 ~~1·50~~ 2·05	3·84 ~~4·39~~	1·92 ~~1·65~~	Year's Total ~~(27·76)~~	
* Days with .01 in. or more.								6	15	14 ~~13~~	14 ~~17~~	19 ~~18~~	–	
* Days with .04 in. or more.								5	14	10	14	14	–	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) M. T. Allen [P.T.O.

X M. T. Allen Esq X

Northwood (Ravenswood)

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 867/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

FILE NO 6999334/26

Kept at "RAVENSWOOD" NORTHWOOD
in the County of ~~MDX — HERTS~~ Midd'x BOUNDARY
Diameter of Funnel of Gauge standard in.
Height of top of Gauge above Ground 6 ft. in.
,, Ground ,, Sea Level 365 ft.

1936 C [illegible]

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	27	19	16						4		53	69		1
2	30			3					1			72		2
3		19	2	48								10		3
4		17			2							40		4
5	7	36					3							5
6	26	7	25		13		16			5	6			6
7	82		48						5					7
8		75	4	15	5	5					7	16		8
9		8			21	2	12		30			34		9
10		4		28	10	36	10	2				15		10
11			48	14	63		3					3		11
12			24		19	39			5			7		12
13	20	29	13			22		52	20			98		13
14	14	6	33					84	9					14
15	3	7	27	10		4	20		15					15
16	15	15		17		7		15	58			3		16
17	5	15	31	36		3			37					17
18	28		14	11	13	23	11		6		17			18
19	22	13	4			14			10			18		19
20	5	10	10	20	62	7	7		3					20
21	35	1		62	1						30	5		21
22	25	50	4	7		18	3			66		3		22
23	30		3		36		5			41				23
24	22		2		1				24	15				24
25	34	50			49				7	26				25
26	4	52	18		17					8				26
27		29	7	16						62				27
28	3	7		2						10		6		28
29	2					2				5	7	3	print	29
30	2	✗									19			30
31	28	✗		✗		✗			✗	28	✗	3		31
TOTAL	4·69	4·69	3·33	2·89	3·12	1·82	·90	1·53	2·34	2·66	1·39	4·05	Year's Total 33·41	✓ GB
* Days with .01 in. or more.	23	21	19	14	14	13	10	4	15	10	7	17	167	✓
* Days with .04 in. or more.	19	20	16	12	11	10	7	3	13	10	7	12	140	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) MT Allen Esq

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 867/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

notified 2/3/39

Snow

corr for Dec 19-26 snow. w.j.f.

Days

Totals

w.j.f.

Kept at NORTHWOOD
in the County of MDX
Diameter of Funnel of Gauge STANDARD
Height of top of Gauge above Ground 7 ft. in.
" Ground " Sea Level 365 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	06	·	·	·	03	09	10	·	05	05	·	·		1
2	09	03	·	04	05	·	·	/	·	21	03	02		2
3	·	·	·		25	·	·	/	04	79	06	·		3
4	05	·	·	·	·	·	05	·	·	12	·	12		4
5	·	·	·	·	·	02	14	·	·	13	·	·		5
6	05	·	·	·	·	·	10	·	03	06	03	·		6
7	·	·	·	·	·	·	12	1·96	02	36	·	04		7
8	12	02	·	·	·	·	07	04	04	30	·	·		8
9	08	03	·	·	·	04	13	32	·	03	·	63		9
10	18	·	·	·	·	·	04	31	·	·	·	05		10
11	31	04	·	·	·	·	·	33	·	·	12	04		11
12	35	·	·	·	·	·	02	26	·	35	07	·		12
13	10	02	·	·	·	·	·	·	·	05	14	11		13
14	27	·	·	·	09	·	04	·	13	·	02	03		14
15	08	·	·	·	·	·	13	·	·	28	·	24		15
16	60	05	04	·	·	·	03	05	·	10	03	30		16
17	·	·	·	·	07	·	·	·	·	08	·	·		17
18	07	·	·	·	08	·	·	·	11	03	33	·		18
19	·	·	·	·	·	·	·	14	04	·	18	·		19
20	·	·	·	·	·	·	·	·	02	·	48	~~08~~ ✓		20
21	03	·	·	·	·	·	·	09	05	·	04	(·70) ~~06~~ ✓		21
22	·	·	·	·	·	02	·	03	·	·	22	~~05~~ ✓		22
23	·	·	·	04	·	·	·	·	·	·	05	·		23
24	·	·	18	·	03	·	·	·	31	·	03	·		24
25	08	07	13	05	10	·	03	15	03	04	86	14		25
26	26	17	08	02	·	·	·	·	24	17	·	17		26
27	12	05	·	03	03	25	24	03	70	08	29	04		27
28	23	04	·	·	68	05	·	40	03	·	03	08		28
29	38		·	02	15	·	·	·	04	06	17	32		29
30	04	✕	·	04	09	05	·	·	·	21	22	02		30
31	18	✕	·	✕	13	✕	·	·	✕	·	✕	31		31
												(3·26)	Year's Total	24·58
TOTAL	3·73	·52	·43	·24	1·78	·48	1·24	4·11	1·87	3·52	3·40	~~2·75~~	~~24·07~~	✓
* Days with .01 in. or more.	~~21~~ 22	10	4	7	13	7	14	13	16	20	20	20	~~165~~	166 ✓
* Days with .04 in. or more.	21	6	4	4	10	5	11	11	11	18	14	~~17~~ 16	~~132~~	✓ 131

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 867/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at "RAVENSWOOD" NORTHWOOD

in the County of MDX.

Diameter of Funnel of Gauge STANDARD. B.

Height of top of Gauge above Ground 2 ft. — in.

,, Ground ,, Sea Level 365 ft.

Days ✓ W.S.R.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	4	.	2	42	39	.	2	12	41	.	.	2		1
2	2	.	.	3	3	.	.	45	36	1	3	2		2
3	41	.	.	23	.	.	.	28	.	1	30	16		3
4	4	.	22	26	.	.	3	63	.	23	3	2		4
5	.	.	.	53	14	.	.	10	.	22	31	11		5
6	52	.	.	5	.	.	35	5	.	.	44	11		6
7	7	12	.	.	.	.	.	2	.	4	10	21		7
8	3	11	14	.	.	.	3	10	.	48	19	45		8
9	6	12	.	.	.	.	.	3	.	27	3	18		9
10	20	.	.	.	.	51	.	24	2	20	2	.		10
11	.	.	21	.	.	33	.	.	.	28	3	2		11
12	.	7	.	.	2	2	.	.	3	2	.	.		12
13	.	.	.	2	.	.	.	.	5	115	1	.		13
14	45	.	3	5	14	6	4	.	2	23	40	.		14
15	22	.	2	.	63	33	.	.	4	114	5	.		15
16	36	.	9	3	7	21	2	.	2	.	43	.		16
17	13	3	4	2	15	.	12	.	.	1	6	.		17
18	29	.	10	.	.	7	15	.	.	4	33	.		18
19	24	.	2	.	.	.	7	.	.	18	.	.		19
20	18	.	2	.	.	41	44	2	.	.	.	2		20
21	8	3	32	.	.	2	31	62	3	.	.	.		21
22	26	15	11	.	.	.	.	.	1	.	11	.		22
23	5	.	.	8	.	2	4	.	.	3	90	.		23
24	4	.	4	4	.	.	3	.	.	9	.	.		24
25	30	16	6	.	.	.	2	.	.	.	64	.		25
26	80	4	3	2	.	.	.	3	.	24	34	2		26
27	3	3	11	3	.	2	.	.	.	8	15	.		27
28	2	14	5	2	.	2	26	.	.	6	19	12		28
29	.		.	27	.	.	12	.	.	14	21	.		29
30	.	✗	.	116	.	20	.	.	.	.	23	3		30
31	.	✗	.	✗	.	✗	8	.	✗	3	✗	.		31
TOTAL	4·84	1·00	1·63	3·31	1·57	2·22	2·13	2·69	·99	5·18	5·53	1·49	Year's Total 32·58	✓
* Days with .01 in. or more.	24	11	18	17	8	13	17	13	10	23	24	14	192	(RECORD)
* Days with .04 in. or more.	20	8	12	10	6	8	11	9	4	17	18	7	130	✓ ?

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) W. D. Allen

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 867/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~ 40

Kept at Northwood

in the County of MDX

Diameter of Funnel of Gauge 4¼ in.

Height of top of Gauge above Ground 2 ft. – in.

,, Ground ,, Sea Level 365 ft.

Days

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		5			1						13			1
2		6		13			9			7	16			2
3		20		11						15	98	9		3
4		10		5						25	14	3		4
5		2								14	35	17		5
6	15	15			7		55			31	18			6
7	22	12			5		10							7
8	2			5			2		1	24		32		8
9						32			4	14	9	2		9
10							34	2		6	17	2		10
11				5		25					105	4		11
12		3	8	2		11	16		6		3			12
13		4	55			9	13		13		109	2		13
14			14	8	4				3	5		30		14
15			4	2	7		21		2	1	35			15
16	4	7	26	1		2	51		30	75	72	2		16
17			45				2				68			17
18		49	17	22			5			16	35	14		18
19		18	2	11			5		38		16	1		19
20		3	3	4				2		8	7			20
21	6	2			35		17	1		5	36			21
22			6	1	41	49			7					22
23		4	7	15	12	3		1						23
24				13			32					2		24
25			36		1		18							25
26	106	9	43	4	34	4								26
27	45	16		1	14		2							27
28	26	1		15	5									28
29	4	9	13		4							28		29
30	8	✕		35						10		2		30
31	4	✕		✕		✕			✕	63	✕	2		31
TOTAL	2·42	1·75	2·79	1·73	1·70	1·35	2·92	·06	1·04	3·02	7·06	1·54	Year's Total 27·38	
* Days with .01 in. or more.	11	19	14	19	13	8	16	4	9	16	18	16	163	
* Days with .04 in. or more.	10	14	12	14	11	6	13	-	6	15	17	7	125	

† Spare column, no entries required.

(*Signed*) Allen

* See Instruction 3 (f) on other side.

P.T.O.

~~Station No. 869~~ 8·75

Section **A** for the entry of I

AIR MINISTRY.

~~867/5~~

NORTHWOOD
ST. MARY'S AVE
1932 - 1933

COPY FOR OFFICIAL USE.

...AINFALL ORGANIZATION.

FORM 1099.

REGIST... 1932.

M'SEX

Kept at X Northwood (ST

in the County of Hertford

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

" Ground " Sea Lev

869

...tinuation Record.

... observer teeing him to 867/5

OK ...

780203

THE MORNING MEASUR... S DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					·47	·03	·09	from 31/7	·02	·17	·04	·01	1
2					·07	—	tr		·13	·05	·04	·17	2
3	This record was				·11	—	—		·75	·02	tr	·01	3
4	not commenced				tr	—	—	·09	tr	tr	·08	—	4
5	until 19th April 1932				tr	—	·21		·08	—	tr	—	5
6					tr	—	tr		·15	—	tr	—	6
7					—	—	·04		·06	·02	—	·01	7
8					·04	—	—	—	·12	·23	—	tr	8
9					·90	—	—	—	tr	tr	tr	—	9
10					·08	tr	—	—	·02	·14	·10	—	10
11					·04	·01	1·45	1·21	·04	·07	·04	·01	11
12					·07	—	tr	·07	·01	·19	·03	tr	12
13					·01	—	—	—	·03	·11	·05	·02	13
14					·01	—	—	tr	—	·05	·03	tr	14
15					·44	—	—	—	—	·08	tr	—	15
16					·12	—	—	tr	—	tr	tr	—	16
17					—	—	·12	—	tr	·05	—	—	17
18					tr	—	·01	—	·29	—	·11	—	18
19				—	—	—	—	—	tr	·32	·01	—	19
20				·13	·02	—	—	·78	·08	·75	·15	tr	20
21				·14	·91	—	·11	·18	—	·26	—	·06	21
22				tr	·01	—	·24	·02	·22	·31	·44	tr	22
23				tr	·12	—	—	—	·04	·68	·03	·12	23
24				tr	—	—	·23	—	·04	·02	·11	·01	24
25				tr	tr	—	·30	—	·05	·13	·03	·01	25
26				·17	·03	—	·05	—	tr	·01	tr	tr	26
27				·23	·44	·02	·11	—	—	·34	·11	·02	27
28				·01	} ·40 ①	·04	·23	tr	—	·15	tr	tr	28
29				·05	①	tr	tr	·14	·07	·30	·08	tr	29
30		×		·15	·05	·68	—	tr	·20	·02	·31	·13	30
31		×		×	tr	×	② } to 1/8	—	×	tr	×	·06	31
TOTAL				~~·68~~ inp	4·34	·78	3·19	2·49	2·40	4·77	1·79	·64	YEAR'S TOTAL inp
*Days with ·01 in. or more.					21	5	13		19	24	18	13	
*Days with ·04 in. or more.					16	2	12		15	19	13	5	

40-9999

N

(Signed) R H Daw [P.T.O.

*See Instruction 2 (*f*) on other side.

① Both days counted as days of ·04 in or more as there was much rain on both days

② It is ~~as~~ believed that no rain fell on this day & this is assumed in counting the rain & wet days & also in the totals

~~Station No. 869~~ 875

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

M'SEX / 1

Kept at Northwood (ST MARY'S AVENUE)

in the County of Hertford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 231 ft.

See if continuation of 869.

Not a continuation Record.

Card sent to observer telling him of 867/5

Comp 1932

OK by new station

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					·47	·03	·09	from 31/7	·02	·17	·04	·01	1
2					·07	—	tr		·13	·05	·04	·17	2
3	This record was				·11	—	—		·75	·02	tr	·01	3
4	not commenced				tr	—	—	} ·09	tr	tr	·08	—	4
5	until 19th April 1932				tr	—	·21		·08	—	tr	—	5
6					tr	—	tr		·15	—	tr	—	6
7					—	—	·04		·06	·02	—	·01	7
8					·04	—	—	—	·12	·23	—	tr	8
9					·90	—	—	—	tr	tr	tr	—	9
10					·08	tr	—	—	·02	·14	·10	—	10
11					·04	·01	1·45	1·21	·04	·07	·04	·01	11
12					·07	—	tr	·07	·01	·19	·03	tr	12
13					·01	—	—	—	·03	·11	·05	·02	13
14					·01	—	—	tr	—	·05	·03	tr	14
15					·44	—	—	—	—	·08	tr	—	15
16					·12	—	—	tr	—	tr	tr	—	16
17					—	—	·12	—	tr	·05	—	—	17
18					tr	—	·01	—	·29	—	·11	—	18
19				—	—	—	—	—	tr	·32	·01	—	19
20				·13	·02	—	—	·78	·08	·75	·15	tr	20
21				·14	·91	—	·11	·18	—	·26	—	·06	21
22				tr	·01	—	·24	·02	·22	·31	·44	tr	22
23				tr	·12	—	—	—	·04	·68	·03	·12	23
24				tr	—	—	·23	—	·04	·02	·11	·01	24
25				tr	tr	—	·30	—	·05	·43	·03	·01	25
26				·17	·03	—	·05	—	tr	·01	tr	tr	26
27				·23	·44	·02	·11	—	—	·34	·11	·02	27
28				·01	} ·40 ①	·04	·23	tr	—	·15	tr	tr	28
29				·05	①	tr	tr	·14	·07	·30	·08	tr	29
30		×		·15	·05	·68	—	tr	·20	·02	·31	·13	30
31		×		×	tr	×	② } 1/8	—	×	tr	×	·06	31
TOTAL				inc ~~·58~~	4·34	·78	3·19	2·49	2·40	4·77	1·79	·64	YEAR'S TOTAL inc
*Days with ·01 in. or more.					21	5	13		19	24	18	13	
*Days with ·04 in. or more.					16	2	12		15	19	13	5	

40-9999

N

*See Instruction 2 (*f*) on other side.

(*Signed*) R H Daw

[P.T.O.

① Both days counted as days of ·04 in or more as there was much rain on both days

② It is ~~ass~~ believed that no rain fell on this day & this is assumed in counting the rain & wet days & also in the totals

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 867/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Northwood (St Mary's Ave)
in the County of Hertford

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft — in.
,, Ground ,, Sea Level 231 ft.

C 867 868 905507/29 Msex/1
C imp 1932. good agreement

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	·21	·17	—	·10	—	—	—	—	tr	·04	—	1
2	·32	—	·35	—	·22	—	—	—	—	—	tr	—	2
3	tr	·20	·13	—	·26	—	—	—	—	—	tr	—	3
4	·24	·01	·06	—	·17	—	—	—	—	tr	·03	—	4
5	·03	·01	·20	—	·16	—	—	—	tr	—	tr	—	5
6	tr	·08	·06	—	·31	—	—	—	—	·06	·05	tr	6
7	·17	·13	·11	—	tr	—	—	—	—	·09	tr	·01	7
8	·03	·01	·02	—	·04	—	·09	—	tr	·03	—	tr	8
9	—	—	—	tr	·04	—	·18	—	—	·09	·10	tr	9
10	tr	·06	—	—	tr	·03	·15	—	—	·29	·03	—	10
11	·13	tr	—	—	tr	·01	·04	·05	·02	tr	·01	—	11
12	—	—	—	tr	·01	·06	·02	—	·55	—	—	tr	12
13	·09	—	—	—	·17	tr	·22	—	·09	—	·10	—	13
14	tr	—	—	—	·01	—	·01	·02	tr	·04	·43	·01	14
15	·39	—	·09	—	—	·55	·01	·07	—	tr	·18	tr	15
16	·02	·01	·75	—	—	·18	·08	—	·01	·05	tr	—	16
17	·01	tr	·37	—	—	·01	·02	—	07	—	·04	—	17
18	·10	·07	·12	—	—	·15	—	—	—	—	tr	—	18
19	·01	tr	·19	—	—	·15	—	—	·27	—	·02	·05	19
20	—	·01	·10	·16	—	·24	—	—	·07	—	·01	—	20
21	—	·02	tr	tr	tr	·06	—	·09	·23	tr	tr	tr	21
22	—	—	—	—	·01	·08	—	·18*	tr	·23	·03	—	22
23	—	tr	—	·17	—	tr	—	—	·32	·01	tr	—	23
24	—	·27	—	·15	·03	·14	—	—	·32	tr	·03	—	24
25	—	·56	—	·33	—	tr	tr	—	·05	tr	·02	·08	25
26	—	·30	—	·09	tr	tr	—	—	·22	·04	—	·14	26
27	—	tr	—	·02	·04	—	tr	—	tr	·22	tr	·08	27
28	—	tr	—	tr	·05	—	tr	—	·01	·28	—	·01	28
29	·07	X	tr	·23	—	—	·01	—	—	·04	—	—	29
30	·12	X	·14	tr	—	—	·02	—	tr	·04	—	·12	30
31	·18	X	·01	X	—	X	tr	·18*	X	·03	X	—	31
													YEAR'S TOTAL
TOTAL	1·96	1·95	2·87	1·15	1·62	1·66	·85	·59	2·23	1·54	1·12	·50	18·04
*Days with ·01 in. or more.	16	15	16	7	15	12	12	6	13	15	15	8	150
*Days with .04 in. or more.	11	9	14	6	11	9	6	5	10	12	7	5	105

* Heaviest fall for month of ·18 fell on 22nd & 31st

40-9999

*See Instruction 2 (*f*) on other side

(Signed) R H Haw ESQ

P.T.O.

868.

Section **A** for the entry of Dai

AIR MINISTRY.—

COPY FOR OFFICIAL USE.

INFALL ORGANIZATION.

FORM 1090.

REGISTE

931.

868

NORTHWOOD

HASLEMERE

1931 - 1933

780204

Kept at Haslemere

in the County of Middlese

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Level

THE MORNING MEASUREM DAY.

An observer who does not conform to this r *of the following year in the space on the right of this paragraph.*

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	·02	–	·18	–	·11	–	–	·16	–	–	–	1
2	–	·04	–	·52	–	–	–	–	·58	·02	–	·26	2
3	·09	–	✓ –	·20	·42	–	–	·01	·45	–	·03	–	3
4	–	·01	–	·03	–	–	·11	·35	·62	·01	·05	·10	4
5	–	–	–	·14	·11	–	·05	·52	·06	–	–	·29	5
6	–	·13	–	·12	–	·52	–	·15	–	·33	·46	–	6
7	–	–	–	–	·09	·07	·11	–	–	·18	·22	·06	7
8	·02	·08	✗ –	–	–	·14	–	·65	–	–	·13	·01	8
9	–	·12	✓ –	·03	–	–	–	·35	–	·01	·51	·01	9
10	–	–	✗	–	–	·04	–	·01	–	–	·41	–	10
11	·11	·30	✓·23	–	–	–	·05	·23	·03	–	·21	–	11
12	–	·03	–	–	–	–	–	–	·33	–	–	–	12
13	–	–	✓ –	–	–	–	–	·13	–	–	–	–	13
14	–	·09	–	–	–	–	·19	·04	–	–	–	–	14
15	–	·05	–	·10	·14	–	1·14	·80	–	–	–	06	15
16	·02	·11	–	·11	·28	·03	·18	·16	–	–	–	–	16
17	–	–	–	·49	·12	–	–	·25	·15	·03	–	–	17
18	·03	·08	–	–	–	·17	·16	·72	–	–	·65	–	18
19	·02	–	–	·69	–	·39	·07	·04	·04	–	–	–	19
20	–	·06	–	·17	–	–	·16	·22	–	–	–	–	20
21	·02	–	–	–	·32	–	·12	·01	·01	–	–	–	21
22	·23	–	✓ –	·07	–	–	–	–	–	–	–	–	22
23	·26	–	–	·06	·54	–	–	–	–	–	·18	·04	23
24	–	–	–	·45	·09	·09	–	–	·02	–	–	–	24
25	·10	–	–	·26	·16	–	–	–	–	–	·07	–	25
26	–	·05	–	·21	–	–	·52	–	–	–	·18	–	26
27	·22	–	–	·02	·25	–	·54	–	–	–	·06	–	27
28	·06	·46	–	·06	–	–	·21	–	–	–	–	·28	28
29	–	·20	–	–	·04	–	–	–	–	·33	–	–	29
30	·12	×	–	–	–	–	·16	·22	·01	–	–	–	30
31	·20	×	–	×	·06	×	·03	–	×	–	×	–	31
TOTAL	1·50	1·83	–·23	3·91	2·62	1·56	3·70	4·86	2·46	–·91	3·16	1·11	YEAR'S TOTAL 27·85
*Days with ·01 in. or more.	14	16	4	19	13	9	16	18	12	7	13	9	153
*Days with ·04 in. or more.	9	13	2	16	13	8	15	15	8	3	12	7	121

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) L. McBean

[P.T.O.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

868

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at ~~Haslemere~~ Northwood

in the County of Middlesese

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level ft.

dapp

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	·02	-	·18	-	·11	-	-	·16	-	-	-	1
2	-	·04	-	·52	-	-	-	-	·58	·02	-	·26	2
3	·09	-	✓ -	·20	·42	-	-	·01	·45	-	·03	-	3
4	-	·01	-	·03	-	-	·11	·35	·62	·01	·05	·10	4
5	-	-	-	·14	·11	-	·05	·52	·06	-	-	·29	5
6	-	·13	-	·12	-	·52	-	·15	-	·33	·46	-	6
7	-	-	-	-	·09	·07	·11	-	-	·18	·22	·06	7
8	·02	·08	✗ -	-	-	·14	-	·65	-	-	·13	·01	8
9	-	·12	✓ -	·03	-	-	-	·35	-	·01	·51	·01	9
10	-	-	✗	-	-	·04	-	·01	-	-	·41	-	10
11	·11	·30	✓·23	-	-	-	·05	·23	·03	-	·21	-	11
12	-	·03	-	-	-	-	-	-	·33	-	-	-	12
13	-	-	✓ -	-	-	-	-	·13	-	-	-	-	13
14	-	·09	-	-	-	-	·19	·04	-	-	-	-	14
15	-	·05	-	·10	·14	-	1·14	·80	-	-	-	06	15
16	·02	·11	-	·11	·28	·03	·18	·16	-	-	-	-	16
17	-	-	-	·49	·12	-	-	·25	·15	·03	-	-	17
18	·03	·08	-	-	-	·17	·16	·72	-	-	·65	-	18
19	·02	-	-	·69	-	·39	·07	·04	·04	-	-	-	19
20	-	·06	-	·17	-	-	·16	·22	-	-	-	-	20
21	·02	-	-	-	·32	-	·12	·01	·01	-	-	-	21
22	·23	-	✓ -	·07	-	-	-	-	-	-	-	-	22
23	·26	-	-	·06	·54	-	-	-	-	-	·18	·04	23
24	-	-	-	·45	·09	·09	-	-	·02	-	-	-	24
25	·10	-	-	·26	·16	-	-	-	-	-	·07	-	25
26	-	·05	-	·21	-	-	·52	-	-	-	·18	-	26
27	·22	-	-	·02	·25	-	·54	-	-	-	·06	-	27
28	·06	·46	-	·06	-	-	·21	-	-	-	-	·28	28
29	-	·20	-	-	·04	-	-	-	-	·33	-	-	29
30	·12	×	-	-	-	-	·16	·22	·01	-	-	-	30
31	·20	×	-	×	·06	×	·03	-	×	-	×	-	31
TOTAL	1·50	1·83	-·23	3·91	2·62	1·56	3·70	4·86	2·46	-·91	3·16	1·11	YEAR'S TOTAL 27·85
*Days with ·01 in. or more.	14	16	7	19	13	9	16	18	12	7	13	9	153
*Days with ·04 in. or more.	9	13	2	16	13	8	15	15	8	3	12	7	121

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) L. McBean

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. **Station No.** 868.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Haslemere Northwood

in the County of Middlesex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·21	·53	·04	·20	·03	·03	·18	·06		1
2	·15			·17	·03				·38	·04		·18	2
3				·13	·14				·37	·04			3
4						·15					·11		4
5	·25		·07				·27		·17				5
6	·44		·01	·14					·07				6
7			·14	·06					·06				7
8			·04	·05					·13	·26			8
9		·02		·05	1·00					·01			9
10	·59	·01	·02	·10	·12					·15	·11		10
11			·01	·15	·01		1·54		·16	·13	·05	·03	11
12					·12			·97		·19			12
13				·18					·05	·15	·07		13
14				·20						·04	·06		14
15	·49			·06	·56					·09			15
16	·28			·23	·13								16
17							·16			·06	·18		17
18									·26				18
19				·14						·31	·16		19
20					·02			·75	·09	·81		·02	20
21	·02			·17	·94		·03	·16		·29	·43	·06	21
22			·38		·02		·12	·01	·24	·26	·06		22
23		·07	·09		·11				·05	·72	·21	·13	23
24							·28		·06	·03	·02		24
25							·29		·05	·47		·02	25
26			·10	·22	·11		·32				·11		26
27			·28	·25	·40		·25			·38			27
28			·11		·08	·10	·09			·18			28
29			·46	·05	·27	·07	·01	·18	·08	·28			29
30		×	·08	·17		·61			·24	·01	·32	·19	30
31		×	·02	×		×	·09		×		×		31 d
TOTAL	2·22	0·10	1·81	2·73	4·59	·97	3·65	2·10	2·49	5·08	1·95	·63	YEAR'S TOTAL 28·32
*Days with ·01 in. or more.	~~7~~	~~3~~	~~14~~	~~19~~	~~17~~	~~5~~	~~13~~	~~6~~	~~17~~	~~23~~	~~14~~	~~7~~	~~145~~
*Days with .04 in. or more.	6	1	10	19	13	5	11	4	16	20	13	4	122

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) L. McBean

[P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. **Station No.** 868

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Haslemere, Northwood
in the County of Middlesex
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground – ft. 6 in.
,, Ground ,, Sea Level ft.

Days in October estimated by neigbouring stations 6/4/34 J.W.V.
gobeant 19/6/34 suggesting amendments to June, July, Sept, & Dec. observer agrees 2/7/34. adjusted by surrounding stations.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0·14	·16	·19	–	·14	–	–	–	–	–	–	–		1
2	0·26	–	·32	–	·50	–	–	–	–	–	·02	–		2
3	–	–	·16	–	–	–	–	–	–	–	–	–		3
4	0·26	·21	–	–	·34	–	–	–	–	–	–	–		4
5	0·02	–	·28	–	–	–	–	–	–	–	–	–		5
6	–	–	–	–	·32	–	–	–	–	·08	·07	–		6
7	0·18	·18	–	–	–	–	–	–	–	–	–	–		7
8	·04	·04	·12	–	·05	–	·10	–	–	·12	–	–		8
9	–	–	·03	–	·07	–	(·18)	–	–	–	·11	–		9
10	–	–	–	–	–	·06	(·25)	–	–		·05	–		10
11	0·16	·08	–	–	–	–	(·15) –	·05	·02		–	–		11
12	–	–	–	–	–	·07	–	–	·65		–	–		12
13	·08	–	–	–	·21	–	(·20)	–	·08		–	–		13
14	–	–	–	–	–	–	–	–	–		·55	(·01)		14
15	·42	–	·21	–	–	·33	·10	·07	–	·40	·07	–		15
16	–	–	·68	–	–	·20	·22	–	·01	–	·05	–		16
17	–	–	·43	–	–	–	·18	–	·07	–	–	–		17
18	·12	–	–	–	–	·19	·08	–	–	–	·01	–		18
19	–	–	·30	–	–	·12	–	–	(·50)	–	·02	(·08)		19
20	–	·11	–	·20	–	(·25)	·28	–	–	–	–	–		20
21	–	–	–	–	–	·08	–	–	(·24) –	–	–	–		21
22	–	·02	–	–	–	–	–	·06	–	·27	·05	–		22
23	–	–	–	·22	–	–	·08	·20	(·34)	–	–	–		23
24	–	–	–	·42	·02	(·50)	–	–	(·35)	–	·03	–		24
25	–	·37	–	·10	–	–	–	–	(·10)	·03	·03	(·06)		25
26	–	·55	–	–	–	–	–	–	(·15)	·12	–	(·13)		26
27	–	·32	–	–	06	–	–	–	–	·20	–	(·06)		27
28	–	–	–	–	09	–	–	–	–	·27	–	(·01)		28
29	·14	–	–	·22	–	–	·01	–	–	·09	–	–		29
30	·09	×	·18	–	–	–	·01	–	–	–	–	(·12)		30
31	·20	×	–	×	–	×	·03	·21	×	·02	×	–		31
TOTAL	2·11	2·04	2·90	1·16	1·80	~~1·05~~ (1·80)	~~1·09~~ (1·87)	0·59	~~0·83~~ (2·51)	1·60	1·06	(·47) ~~0·0~~	Year's Total ~~16·23~~ (19·91)	
*Days with ·01 in. or more.	~~13~~	~~10~~	~~11~~	~~5~~	~~10~~	~~7~~	~~10~~	~~5~~	~~5~~	(11)	~~12~~	~~0~~	(99)	
*Days with ·04 in. or more.	~~12~~	~~9~~	~~10~~	~~5~~	~~9~~	~~7~~	~~7~~	5	3	(8)	7	0	(8~~4~~2)	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) L. McBean

[P.T.O.

Station No. 869.

869

Section **A** for the ent
AIR MINI ...H RAINFALL ORGANIZATION.

FOR OFFICIAL USE.

FORM 1090.

REG ... N 1931.

869
PINNER
1931–1932

780204

Kept at Pinne

in the County of Mid

Station No. 869

Diameter of Funnel of Gauge

Height of top of Gauge above

,, Ground ,,

THE MORNING ME... EVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	tr	tr	·15	—	·02	tr	—	·04	—	—	—	1
2	·10	·08	—	·36	—	tr	tr	✓	·67	·03	tr	·06	2
3	·01	tr	·02	·34	·45	—	—	+	·63	—	·02	·20	3
4	—	tr	tr	·03	·01	—	·07	+	·19	·01	·08	tr	4
5	—	·01	—	·13	·11	·49	·04	+	·01	—	tr	·20	5
6	—	·13	—	·11	tr	tr	·01	— 3·47	—	·28	·41	—	6
7	—	·01	—	tr	·05	·02	tr	+	—	·03	·20	·05	7
8	tr	·06	·04	—	·01	·14	—	+	—	·04	·10	·01	8
9	—	·02	·02	—	—	·02	tr	—	—	tr	·39	·01	9
10	·02	·10	·03	tr	tr	·03	·07	—	—	tr	·24	·01	10
11	·10	·24	·01	—	tr	tr	tr	—	·03	tr	·13	—	11
12	tr	·02	—	—	—	—	—	+	·39	tr	tr	tr	12
13	—	—	·02	—	—	tr	·04	+	tr	tr	—	—	13
14	·02	·10	—	—	—	tr	1·00	+	—	—	—	—	14
15	·02	·01	—	·08	·10	—	·16	+	—	—	-·01	·04	15
16	—	·10	—	·09	·25	·01	·01	·09	tr	—	—	tr	16
17	—	·01	—	·23	·08	·09	·12	tr	·13	·01	—	—	17
18	·03	·09	—	·24	·01	·21	·07	·58	—	—	·56	tr	18
19	·01	tr	—	·52	—	·36	·18	·25	·04	—	tr	tr	19
20	—	·02	tr	·14	—	tr	·06	·19	—	tr	·01	—	20
21	·01	tr	tr	tr	·33	—	tr	·02	·01	—	tr	—	21
22	·14	—	·01	·01	tr	—	—	—	·01	—	tr	—	22
23	·22	—	—	tr	·37	·01	—	tr	·02	—	·13	·03	23
24	—	—	tr	·22	·08	·06	·03	—	·02	—	tr	tr	24
25	·09	—	—	·46	·10	—	} ·96 +	—	—	tr	·04	·01	25
26	—	—	—	·17	—	—	+	—	tr	—	·15	tr	26
27	·16	·41	—	·01	·20	—	·35	—	—	—	·04	tr	27
28	·05	·21	—	·12	·05	—	tr	—	—	tr	tr	·26	28
29	·08	×	—	tr	·11	—	·18	—	—	·27	·01	·04	29
30	·03	×	—	—	} ·04 ✓	—	·08	·20	·01	tr	tr	—	30
31	·19	×	—	×	✓	×	① (see below)	tr	×	—	×	·02	31
TOTAL	1·28	1·62	·15	3·41	2·35	1·46	3·43	4·80	2·20	·67	2·52	·94	YEAR'S TOTAL 24·83
*Days with ·01 in. or more.	17	17	7	18	18	12	18② ✓	17	14	7	16	13	174
*Days with ·04 in. or more.	9	10	1	15	13	6	15② ✓ (see below)	14	7	3	12	7	112

40-9999 ① It is thought that no rain fell on this day although no measurement was made on 1st Aug. Total & number of rain & wet days calculated on this assumption

*See Instruction 2 (*f*) on other side. ② 25th & 26th July both counted as rain & wet days. Since there was much rain on both days

(Signed) RH Daw

[P.T.O.

Station No. 869.

869

Section **A** for the ent [redacted]

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Pinner

in the County of Middlesex

Station No. 869

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 185 ft.

Days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	tr	tr	·15	—	·02	tr	—	·04	—	—	—	1
2	·10	·08	—	·36	—	tr	tr	✓	·67	·03	tr	·06	2
3	·01	tr	·02	·34	·45	—	—	+	·63	—	·02	·20	3
4	—	tr	tr	·03	·01	—	·07	4	·19	·01	·08	tr	4
5	—	·01	—	·13	·11	·49	·04	4	·01	—	tr	·20	5
6	—	·13	—	·11	tr	tr	·01	— 3·47	—	·28	·41	—	6
7	—	·01	—	tr	·05	·02	tr	+	—	·03	·20	·05	7
8	tr	·06	·04	—	·01	·14	—	4	—	·04	·10	·01	8
9	—	·02	·02	—	—	·02	tr	—	—	tr	·39	·01	9
10	·02	·10	·03	tr	tr	·03	·07	—	—	tr	·24	·01	10
11	·10	·24	·01	—	tr	tr	tr	—	·03	tr	·13	—	11
12	tr	·02	—	—	—	—	—	+	·39	tr	tr	tr	12
13	—	—	·02	—	—	tr	·04	+	tr	tr	—	—	13
14	·02	·10	—	—	—	tr	1·00	+	—	—	—	—	14
15	·02	·01	—	·08	·10	—	·16	4	—	—	·01	·04	15
16	—	·10	—	·09	·25	·01	·01	·09	tr	—	—	tr	16
17	—	·01	—	·23	·08	·09	·12	tr	·13	·01	—	—	17
18	·03	·09	—	·24	·01	·21	·07	·58	—	—	·56	tr	18
19	·01	tr	—	·52	—	·36	·18	·25	·04	—	tr	tr	19
20	—	·02	tr	·14	—	tr	·06	·19	—	tr	·01	—	20
21	·01	tr	tr	tr	·33	—	tr	·02	·01	—	tr	—	21
22	·14	—	·01	·01	tr	—	—	—	·01	—	tr	—	22
23	·22	—	—	tr	·37	·01	—	tr	·02	—	·13	·03	23
24	—	—	tr	·22	·08	·06	·03	—	·02	—	tr	tr	24
25	·09	—	—	·46	·10	—	·96 +	—	—	tr	·04	·01	25
26	—	—	—	·17	—	—	+	—	tr	—	·15	tr	26
27	·16	·41	—	·01	·20	—	·35	—	—	—	·04	tr	27
28	·05	·21	—	·12	·05	—	tr	—	—	tr	tr	·26	28
29	·08	×	—	tr	·11	—	·18	—	—	·27	·01	·04	29
30	·03	×	—	—	·04 ✓	—	·08	·20	·01	tr	tr	—	30
31	·19	×	—	×	✓	×	① (see below)	tr	×	—	×	·02	31
TOTAL	1·28	1·62	·15	3·41	2·35	1·46	3·43	4·80	2·20	·67	2·52	·94	YEAR'S TOTAL 24·83
*Days with ·01 in. or more.	17	17	7	18	18	12	18② ✓	17	14	7	16	13	174
*Days with ·04 in. or more.	9	10	1	15	13	6	(see below) 15②	14	7	3	12	7	112

40-9999 ① It is thought that no rain fell on this day although no measurement was made on 1st Aug. Total & number of rain & wet days calculated on this assumption.

*See Instruction 2 (*f*) on other side. ② 25th & 26th July both counted as rain & wet days. Since there was much rain on both days

(Signed)

P.T.O.

Station No 869 905507/29 869

Section A for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM No.

REGISTER OF RAINFALL IN 1932

~~76~~

Kept at Pinner

in the County of Middlesex

Station No 869

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 185 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	—	—	·18									1
2	·06	—	—	·14									2
3	—	—	—	·13									3
4	tr	—	—	tr									4
5	·15	tr	·04	—									5
6	·45	tr	—	·12									6
7	tr	—	·11	·11									7
8	—	tr	·07	·04									8
9	·18	tr	—	·07									9
10	·32	tr	·02	·20									10
11	·02	tr	·02	·02									11
12	·05	·01	—	tr									12
13	·07	tr	—	·13									13
14	·15	tr	—	·09									14
15	tr	·01	—	·05									15
16	·46	tr	—	·18									16
17	—	—	—	tr									17
18	tr	—	—	tr									18
19	—	—	—										19
20	tr	—	—										20
21	·02	—	—										21
22	·01	·01	·34										22
23	tr	·06	·02										23
24	—	·02	—										24
25	—	·01	—										25
26	—	—	·09										26
27	—	—	·23										27
28	—	—	·08										28
29	—	—	·28										29
30	—	×	·03										30
31	—	×	·05	×		×			×		×		31
TOTAL	1·96	·12	1·38										YEAR'S TOTAL
*Days with ·01 in. or more.	13	6	13										
*Days with ·04 in. or more.	9	1	9										

Records were discontinued at this Station on 19th April.

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) R H Dun

P.T.O.

870

Section **A** for the entry of Dail
AIR MINISTRY.—M

870

EDGEWARE- M.C.C. DEPOT

1931 — 1940

780204

FOR OFFICIAL USE.
NFALL ORGANIZATION.

FORM 1090.

REGISTE 931.

Kept at Edgware (M

in the County of Middles

Diameter of Funnel of Gauge 5"
Height of top of Gauge above Ground
,, Ground ,, Sea Level

THE MORNING MEASUREM DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·09		·23	·01	·02			·02				1
2	·12	·07		·38					·65	·04		·13	2
3	·02			·36	·58			·33	·66		·05	·19	3
4								·42	·25		·11		4
5				·20	·07	·59	·12	·14				·25	5
6		·13		·10		[illegible]				·33	·50		6
7		·02			·08	·03		·73		·05	·13	·05	7
8		·07				·20		·33			·16		8
9		·04	·05	·02							·40	·02	9
10		·08	·03			·05	·09	·27			·28		10
11	·19	·30							·05		·13		11
12		·02					·01	·11	·38				12
13							·04	·12					13
14		·07			·01		·83	·89					14
15		·04		·07	·14		·19	·09				·02	15
16		·06		·12	·30	·03	·02	·06					16
17	·05	·02		·18	·12		·15		·15				17
18	·03	·08		·22		·10	·06	·21			·62		18
19	·02			·57		·29	·32	·03	·06				19
20		·04		·09			·11	·28					20
21					·53			·01					21
22	·20								·02		·02		22
23	·19	·03	·01	·03	·56				·04		·17	·01	23
24				·28	·07	·07	·04						24
25	·09			·50	·02		·38				·03		25
26		·06		·24			·57				·17		26
27	·17	·40			·27		·35				·03		27
28	·08	·23	·01	·07								·28	28
29	·06	×			·05		·18			·29		·09	29
30	·04	×			·03		·13	·16					30
31	·20	×	·01	×	·10	×			×		×		31
TOTAL	1·46	1·85	·11	3·66	2·94	1·38	3·59	4·18	2·28	·71	2·80	1·04	YEAR'S TOTAL 26·00
*Days with ·01 in. or more.	14	19	5	17	16	9	17	16	10	4	14	9	150
*Days with ·04 in. or more.	11	15	1	15	12	6	15	14	8	4	11	6	118

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) ....

[P.T.O.

870

Section **A** for the entry of Dail

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Edgware (M.C.C. Depot)

in the County of Middlesex

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground - ft. 9" in.

,, Ground ,, Sea Level 179·16 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·09		·23	·01	·02			·02				1
2	·12	·07		·38					·65	·04		·13	2
3	·02			·36	·58			·33	·66		·05	·19	3
4								·42	·25		·11		4
5				·20	·07	·59	·12	·14				·25	5
6		·13		·10		[illegible]				·33	·50		6
7		·02			·08	·03		·73		·05	·13	·05	7
8		·07				·20		·33			·16		8
9		·04	·05	·02							·40	·02	9
10		·08	·03			·05	·09	·27			·28		10
11	·19	·30							·05		·13		11
12		·02					·01	·11	·38				12
13							·04	·12					13
14		·07			·01		·83	·89					14
15		·04		·07	·14		·19	·09				·02	15
16		·06		·12	·30	·03	·02	·06					16
17	·05	·02		·18	·12		·15		·15				17
18	·03	·08		·22		·10	·06	·21			·62		18
19	·02			·57		·29	·32	·03	·06				19
20		·04		·09			·11	·28					20
21					·53			·01					21
22	·20								·02		·02		22
23	·19	·03	·01	·03	·56				·04		·17	·01	23
24				·28	·07	·07	·04						24
25	·09			·50	·02		·38				·03		25
26		·06		·24			·57				·17		26
27	·17	·40			·27		·35				·03		27
28	·08	·23	·01	·07								·28	28
29	·06	×			·05		·18			·29		·09	29
30	·04	×			·03		·13	·16					30
31	·20	×	·01	×	·10	×			×		×		31
TOTAL	1·46	1·85	·11	3·66	2·94	1·38	3·59	4·18	2·28	·71	2·80	1·04	YEAR'S TOTAL 26·00
*Days with ·01 in. or more.	14	19	5	17	16	9	17	16	10	4	14	9	150
*Days with ·04 in. or more.	11	15	1	15	12	6	15	14	8	4	11	6	118

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) ....

[P.T.O.

870

Section A for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Edgware (M.C.C. Depot)

in the County of Middlesex

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground - ft 9" in.

,, Ground ,, Sea Level 179·16 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07			·24	·37	·04	·22	·07	·03	·07	·06		1
2	·06			·12	·04			·01	·32	·02	·10	·15	2
3				·22	·11				·43				3
4					·02	·11					·10		4
5	·20		·04				·16		·07				5
6	·55			·16					·14				6
7			·14	·05			·16		·05				7
8			·04	·12	·33			-	·04	·20			8
9	·08			·06	·88			~~·04~~		·02			9
10	·44	·03	·02	·23	·13	·02			·02	·16	·04		10
11			·01	·03			·62	·08	·05	·07	·06	·02	11
12	·07				·06			·01		·10	·02		12
13	·10	·01		·16	·03				·04	·12	·03	·02	13
14	·16			·13	·01					·01	·03		14
15				·06	·41					·13			15
16	·50			·20	·14								16
17							·10		·03	·05			17
18									·25		·09		18
19										·30	·19		19
20				·18	·02			·18	·07	·77	·19		20
21	·03			·18	·90		·02	·10		·23		·04	21
22			·42		·11		·37		·12	·19	·37		22
23		·07			·43				·05	·82		·14	23
24							·40		·02	·	·13		24
25							·50		·02	·48	·01		25
26			·08	·22	·04		·10			·02			26
27			·23	·23	·38		·34			·41	·16	·03	27
28			·06		·10		·18			·18		·02	28
29			·36	·03	·07	·02		·52	·04	·30	·02	·01	29
30		×	·04		·02	·78		·02	·17	·02	·36	·19	30
31		×	·06	×		×	·10		×		×	·04	31
TOTAL	2·26	·11	1·50	2·62	4·60	·97	3·27	·99	1·96	4·67	1·76	·66	YEAR'S TOTAL 25·37
*Days with ·01 in. or more.	11	3	12	18	21	5	13	8	19	22	16	10	168
*Days with ·04 in. or more.	10	1	10	16	16	3	12	5	14	17	11	5	120

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 870

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Edgware. (M.C.C. Depot).

in the County of Middlesex.

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground – ft 9" in.

" Ground " Sea Level 179'-16" ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08	·10	·12		·18						·03		1
2	·27		·32		·15								2
3		·21	·19		·11						·01		3
4	·46		·10		·18						·10		4
5		·01	·21		·14								5
6		·08	·01		·50					·06	·07		6
7	·17	·12	·10		·02					·15			7
8	·06		·01		·04		·04			·04			8
9					·06		·20			·10	·08		9
10		·35			·03	·03	·32			·19			10
11	·15					·02	·16	·08					11
12				·07		·04	·07		·44				12
13	·05				·18		·23		·08		·16		13
14					·05		·01			·05	·60		14
15	·36		·17			·95	·02	·12			·02		15
16		·01	·73			·20	·32		·14	·07	·04	·01	16
17	·03		·27				·03				·04		17
18	·06		·10			·23							18
19			·20			·46			·76			·07	19
20		·07	·04	·11		·20							20
21					·01	·06		·04	·27				21
22						·02		·20		·18	·10		22
23				·17					·50				23
24		·22		·20		·28			·34		·02		24
25		·31		·33					·03		·02	·07	25
26		·35		·07					·30	·05		·09	26
27					·06					·22		·08	27
28					·08					·38			28
29	·08						·08			·12			29
30	·11	×	·07				·03					·11	30
31	·16	×		×		×		·16	×	·02	×		31
TOTAL	2·04	1·83	2·64	·95	1·79	2·49	1·51	·60	2·86	1·63	1·28	·43	YEAR'S TOTAL 20·05
*Days with ·01 in. or more.	13	11	15	6	15	11	12	5	9	13	13	6	129
*Days with ·04 in. or more.	12	9	13	6	12	8	8	5	8	12	8	5	106

40-9999

*See Instruction 2 (*f*) on other side.

D

(*Signed*)

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 870

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Edgware (M.C.C. Depôt)

in the County of Middlesex

Total

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft 9 in.

,, Ground ,, Sea Level 179'-16" ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·02							·16	·01	·02	·02	·48		1
2	·06		·10		·11				·66	·20		·28		2
3	·02			·08						·34		·02		3
4	·15		·11	·02						·30	·10	·38		4
5					·06			·02				·45		5
6			·27		·40	·10		·08		·15		·50		6
7	·04									·13		·16		7
8					·12				·06		·30	·01		8
9			·01								·95	·31		9
10			·11	·15				·05		·01	·35			10
11	·27		·30	·09				·02			·02	·11		11
12	·06		·04	·02	·11		·10	·24				·03		12
13	·30		·26				·16	·05				·11		13
14	·06		·29		·01					·03	·24	·36		14
15	·05		·03		·16				·40		·05	·35		15
16	·22		·15		·05					·11				16
17	·02			·01	·01					·07	·02	·09		17
18	·20			·24			·10					·12		18
19			·20						·08	·01		·16		19
20			·35	·06			·26							20
21				·11		·12		·01		·02				21
22							·01	·58	·23					22
23				·31		·24						·10		23
24			·06	·13		·03	·37		·27					24
25	·13	·14		·16		·07				·03		·38		25
26				·44		·07			·02			·36		26
27				·07		·12				·07		·42		27
28		·21		·40		·03		·95				·26		28
29							·01	·01	·19			·03		29
30	·07	×					·02	·06				·15		30
31	·01	×		×		×		·11	×	·06	×	·03		31
TOTAL	1·68	·35	2·28	2·29	1·03	·78	1·03	2·34	1·92	1·55	2·05	5·65	Year's Total 22·95	
*Days with ·01 in. or more.	16	2	14	15	9	8	8	13	9	15	9	25	143	
*Days with ·04 in. or more.	12	2	12	12	7	7	5	9	7	9	6	20	108	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*)

P.T.O.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 870

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Edgware

in the County of Middlesex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground - ft. 9 in.

,, Ground ,, Sea Level 179'-16" ft.

Duration

Totals

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·12	·03		·04	·02	·18	·71			·03	·13			1
2	·03			·12					·19	·23	·03			2
3		·10	·07	·10		·19			·11	·58	·17			3
4				·15		·20			·19	·14		·17		4
5		·36	·03	·12		·30			·34					5
6	·04			·33		·46						·04		6
7				·48							1·15	·14		7
8				·26						·35	·16	·19		8
9				·17		·68				·54	·13			9
10											·13	·02		10
11	·25			·02		·10	·50				·21			11
12						·14		·05			·45			12
13	·12	·15		·22	·16	·08								13
14					·22	·08					·05	·13		14
15		·29		·44	·02	·25			·06		·19	·11		15
16		·04	·02			·50			·15		·41			16
17	·02					·18	·05		·01		·14			17
18				·27	·12	·15	·32		·51	·02	·13			18
19				·08	·22	·05	·08		·04		·10	·01		19
20		·22		·05	·30	·08	·15		·14		·03			20
21		·26								·05				21
22			·04					·30	·22					22
23			·25					·38	·04	·02		·02		23
24	·07	·61						·06	·69			·47		24
25	·03	·27		·30		·24						·06		25
26	·09	·10						·29	·06			·35		26
27		·41							·40		·14	·31		27
28					·04				·02	·06		·22		28
29									·68		·02	·23		29
30	·08	×		·12	·09			·62	·07	·30	·37	·34		30
31		×		×		×			×	·30	×	·35		31
TOTAL	·85	2·84	·41	3·27	1·19	3·86	1·81	1·70	3·92	2·62	4·14	3·16	Year's Total. 29·77	✓
* Days with .01 in. or more.	10	12	5	17	9	17	6	6	18	12	19	17	148	✓
* Days with .04 in. or more.	7	11	3	16	7	17	6	6	16	9	16	14	128	✓

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 870

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936. D

Dec. corr. by obsr

Kept at Edgware
in the County of Middlesex
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground – ft. 9 in.
,, Ground ,, Sea Level 179 ~~16~~ ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·44	·15	·05	·20			·11	·04			·05	·07		1
2	·01	·03				·36	·18	·10			·09	~~·04~~		2
3				·04		·02	·03		·10		·30	·04		3
4			·11			·16			·48			·01		4
5	·04							·05	·15		·02	·16		5
6	·33				·13	·14		·10			·08	·07		6
7	·25		·04			·07	1·00				·07			7
8	·22		·03				·10				·43	·25		8
9	·61		·14				·42		·29			·09 *		9
10	·03						·10	·04	·28					10
11				·08			·11				·75			11
12				·13		·43	·23		·08		·23	·10		12
13				·09		·39						·08		13
14		·13				·07	·47			·05	·14	·31		14
15		·12							·15		·01	·02		15
16	·31	·05					·05		·06		·41			16
17	·04	·51			·03	·03					·20	·06		17
18	·05	·13				·31	·12			·07		·04		18
19	·30					·19	·05	·10		·08				19
20		·03	·08	·34			·06		·69					20
21				·21	·03	·34	·01		·09					21
22	·09	·34	·03	·02	·36	·01	·17					·12		22
23	·05		·02	·07			·05			·09				23
24	·14	·08							·01	·36				24
25	·07		·13	·19		·38	·43		·15	·08	·01	·03		25
26		·15	·23	·11		·16				·18				26
27	·19	·03	·02				·02		·35	·06				27
28	·74		·13			·03	·75					·06		28
29	·06	·16	·07			·17	·02				·21	·02		29
30	·11	✕			·05	·19	·03			·26				30
31	·31	✕	·24	✕		✕	·17		✕	·50	✕	·30		31
TOTAL	4·39	1·91	1·32	1·48	·60	3·45	4·68	·43	2·88	1·73	3·00	~~1·74~~ 1·83	Year's Total 27·70	
* Days with .01 in. or more.	21	13	14	11	5	18	23	6	13	10	15	~~17~~ 18	~~166~~ 167	
* Days with .04 in. or more.	19	10	10	10	3	14	18	6	12	10	12	~~13~~ 14	~~137~~ 138	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) .... [P.T.O.

* Guage frozen [·09 ins. added for duration from automatic charts]

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 870

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Edgware (M.C.C. Depot)

in the County of Middlesex

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 179.16 ft.

Totals

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·33	—	—	—	—	—	—	—	0·04	—	0·63	0·80		1
2	0·01	0·17	—	0·62	—	—	—	—	0·02	—	—	0·67		2
3	—	0·20	0·02	—	—	—	—	—	—	—	—	0·05		3
4	0·05	0·33	—	—	0·04	—	—	—	—	—	—	0·40		4
5	0·17	0·05	0·20	—	—	—	0·04	—	—	—	—	—		5
6	—	—	0·29	—	0·20	—	0·04	—	—	0·10	—	—		6
7	—	0·72	0·23	0·13	—	—	—	—	0·07	—	—	—		7
8	—	0·05	—	—	0·05	0·04	—	—	—	—	0·04	0·33		8
9	—	0·03	—	0·32	0·18	0·02	0·09	—	0·28	—	—	0·05		9
10	—	—	0·47	0·05	0·10	0·43	0·10	—	—	—	—	0·24		10
11	—	—	0·25	—	0·64	—	—	—	—	—	—	—		11
12	0·20	0·30	0·05	—	0·27	0·55	—	—	0·04	—	—	0·10		12
13	0·12	0·05	0·44	—	—	0·25	—	0·78	0·22	—	—	0·79		13
14	—	0·06	0·23	0·03	—	—	—	0·45	0·10	—	—	—		14
15	0·14	0·14	—	0·20	—	0·04	0·20	—	0·07	—	—	—		15
16	0·04	0·17	0·24	0·35	—	0·03	—	0·20	0·28	—	—	—		16
17	0·30	—	0·19	0·23	—	—	—	—	0·23	—	—	0·02		17
18	0·20	0·11	—	—	0·16	0·18	—	—	—	—	0·23	—		18
19	0·08	0·12	0·10	0·15	0·03	0·13	0·04	—	0·05	—	—	0·12		19
20	0·30	0·01	—	0·58	0·71	0·04	—	—	0·07	—	—	—		20
21	0·23	0·50	0·03	0·08	0·02	—	0·06	—	—	—	—	—		21
22	0·32	0·02	—	—	0·03	0·28	0·03	—	—	0·54	0·31	—		22
23	0·25	—	0·03	—	0·11	—	0·04	—	—	0·54	—	—		23
24	0·30	0·54	—	—	0·01	—	—	—	0·19	0·15	—	—		24
25	0·01	0·30	0·13	—	0·32	—	—	—	0·06	0·23	—	—		25
26	—	0·35	0·08	—	0·30	—	—	—	—	—	—	—		26
27	0·02	0·08	—	0·10	—	—	—	—	—	0·50	—	—		27
28	—	0·10	—	0·02	—	—	—	—	—	0·10	—	—		28
29	—	✕	—	—	—	—	—	—	—	0·09	0·07	—		29
30	0·34	✕	—	—	—	—	—	—	—	—	0·16	—		30
31	0·29	✕	—	✕	—	✕	—	0·04	✕	0·30	✕	0·02		31
													Year's Total	
TOTAL	3·70	4·40	2·98	2·86	3·17	1·99	0·64	1·47	1·72	2·55	1·44	3·59	30·51	✓
* Days with .01 in. or more.	20	22	16	13	16	11	9	4	14	9	6	12	152	✓
* Days with .04 in. or more.	17	19	13	11	12	9	8	4	13	9	6	10	131	✓

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) ....

P.T.O.

COPY FOR OFFICIAL USE.

Section | **A** | for the entry of Daily Observations. Station No. 870

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1938.

Kept at Edgware

in the County of Middlesex

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

December and Annual Total corrected for Arithmetic. LR

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·02	–	–	–	–	0·12	·32	–	·02	–	·01	–		1
2	0·08	0·04	–	0·02	0·10	–	·03	–	–	–	·02	·01		2
3	–	–	–	–	0·20	–	–	–	·03	·76	·04	–		3
4	0·02	–	–	–	–	–	·10	–	–	·11	–	·16		4
5	–	–	–	–	–	–	·13	–	–	·16	–	·01		5
6	0·04	–	–	–	–	–	·06	–	·02	·05	–	–		6
7	–	–	–	–	–	–	·03	1·13	·02	·28	–	·03		7
8	0·16	–	–	–	–	–	·03	–	–	·30	–	–		8
9	–	–	–	–	–	–	·17	·20	–	–	–	·55		9
10	0·16	0·04	–	–	–	0·03	–	·18	–	–	–	·02		10
11	0·31	–	–	–	–	–	–	·05	–	–	·15	·04		11
12	0·36	0·04	–	–	0·01	–	–	·87	–	·30	·05	–		12
13	0·12	0·01	–	–	–	–	–	–	–	·04	·12	·11		13
14	0·19	–	–	–	0·07	–	·02	–	·06	·01	·01	–		14
15	0·08	–	–	–	–	–	·16	–	–	·31	–	·30		15
16	0·45	–	–	–	–	–	·02	–	–	·06	–	·57		16
17	–	0·11	–	–	0·13	–	–	–	–	·07 ~~·72~~	–	–		17
18	0·03	–	–	–	0·15	–	–	–	·10	–	·29	–		18
19	–	–	–	–	–	–	–	·07	–	–	·19	–		19
20	–	–	–	–	–	–	–	–	·02	–	·50	·05		20
21	0·02	–	–	–	–	–	–	·04	·05	–	·05	·30		21
22	–	–	–	–	–	0·02	–	·02	–	–	·18	·20		22
23	–	–	–	–	–	–	–	–	–	–	·03	·02		23
24	–	–	0·21	–	–	–	–	–	·45	–	·07	–		24
25	0·10	–	–	0·06	0·04	–	·01	–	·01	·04	1·06	·10		25
26	0·20	0·18	0·02	–	–	–	–	–	·22	·19	–	·20		26
27	0·10	0·04	–	–	0·05	0·20	·26	·04	·59	·18	·34	–		27
28	0·21	0·03	–	0·02	0·76	0·04	–	·21	·05	–	·03	·06		28
29	0·29	X	–	–	0·12	–	–	–	·10	–	·14	·22		29
30	0·02		–	0·02	0·05	0·11	–	–	·05	·07	·16	–		30
31	0·15		–		0·11		–	–		·15		·29		31
													Year's Total	
TOTAL	3·11	0·49	0·23	0·12	1·79	0·52	1·34	2·81	1·79	3·08	3·44	3·24	21·9~~5~~ 6	
* Days with .01 in. or more.	21	8	2	4	12	6	13	10	15	17	19	19	146 ✓	
* Days with .04 in. or more.	16	6	1	1	11	4	7	9	9	16	14	14	108 ✓	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) W K Morgan
County Surveyor.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 870

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Edgware

in the County of Middlesex

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	–	·01	·52	·30	–	·02	·36	·48	—	—	–		1
2	·01	–	–	·02	·01	–	–	·83	·77	·01	·03	·01		2
3	·31	–	–	·21	–	–	–	·41	—	—	·03	·18		3
4	·37	–	·19	·37 ~~·34~~	–	–	·02	·80	—	·39	·02	·01		4
5	—	–	–	·29 ~~·42~~	·06	–	—	·10	—	·17	·27	·07		5
6	—	–	–	·01	–	–	·23	·04	—	—	·49	·03		6
7	·59	·08	–		–	–	—	·01	—	—	·10	·11		7
8	—	·09	·15	–	–	–	·05	·04	—	·46	·34	·50		8
9	·01	·09	–	–	–	–	—	·03	—	·45	·05	·19		9
10	·24	–	–	–		·47	—	·23	—	·06	—	–		10
11	–	–	·22	–	·01	·15	—	–	—	·83	·01	–		11
12	—	·06	–	–	–	·01	—	–	·01	—	—	–		12
13	–	–	–	·01	–	–	·04	–	·05	·99	—	–		13
14	·45	–	·01	·07	·07	–	·03	–	·02	·30	44 ~~·47~~	–		14
15	·23	–	–	–	·81	·29	·04	–	·06	1·22	·02 ~~·05~~	–		15
16	·43	–	·09	·01	·08	·16	—	–	·07	—	·39 ~~·38~~	–		16
17	·16	·05	·01	·02	·10	–	·05	–	—	—	·03 ~~·05~~	–		17
18	·31	–	·03	–	–	·11	·18	–	—	·03	34 ~~·35~~	–		18
19	·24	–	—	–	–	–	·06	–	—	·28	—	–		19
20	·18	–	·01	–	–	·22	·42	–	—	—	–	·01		20
21	·05	–	·38	–	–	·02	·19	1·16	·07	—	–	–		21
22	·13	·23	·17	–	–	–	—	–	—	—	·12	–		22
23	·04	–	·01	·06	–	·01	—	·01	—	·04	·23	–		23
24	·07	–	–	–	–	–	·22	–	—	·18	–	–		24
25	1·11	·16	·07	–	–	–	·01	·06	—	—	·38	–		25
26	·92	·03	–	·02	–	–	–	–	—	·26	·31	·03		26
27	–	–	·12	·06	–	–	–	·01	—	·10	·17	–		27
28	·01	·16	·04	·01	–	–	·17	—	—	·08	·15	·03		28
29	–		–	·32	–	–	·05	—	—	·15	·17	–		29
30	–	✕	–	·93	–	·11	–	—	—	—	·18	–		30
31	–	✕	–	✕	–	✕	·07	–	✕	—	✕	–		31
TOTAL	5·88	·95	1·51	2·93	1·44 ~~[illegible]~~	1·55	1·85	4·09	1·53	6·00	4·97 ~~5·05~~	1·17	Year's Total 33·87	✓
* Days with ·01 in. or more.	21	9	15	16	8	10	17	14	8	18	22	11	169	✓
* Days with ·04 in. or more.	17	8	9	9	6	7	13	10	6	16	16	5	122	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

County Engineer. M.C.C.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 870

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Edgware

in the County of Middlesex

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

Entries on Jan 25th-31st, Feb 4th, 19th adjusted to agree with nearby stns.

Oct 24 Dec 11, 13, 17 estd fr. nearby stns.

Totals

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	-	-	-	-	-	-	-	-	-	·12	-		1
2	-	-	-	·15	-	-	·08	-	-	·04	·50	-		2
3	-	-	-	·13	-	-	-	-	-	·16	·90	·07		3
4	-	·50 ~~1·18~~	-	·07	-	-	-	-	-	·20	·18	·03		4
5	-	·02	-	-	-	-	-	-	-	·09	·36	·12		5
6	·25	·12	-	-	·03	-	·36	-	-	·23	·17	-		6
7	·30	·05	-	-	·07	-	·03	-	-	-	-	-		7
8	-	-	-	·02	-	·01	·05	-	-	·13	-	·26		8
9	-	-	-	-	-	·51	-	-	·01	·17	·10	-		9
10	-	-	-	-	-	-	·23	·17	-	·09	·17	·03		10
11	-	-	-	·03	-	-	-	-	-	-	·93	(·02)		11
12	-	-	·06	-	-	·03	·05	-	·07	-	-	-		12
13	-	-	·57	·01	-	-	-	-	·11	-	1·39	(·04)		13
14	-	-	·19	·09	-	-	-	-	·01	-	-	·25		14
15	-	-	·05	-	·10	-	·17	-	-	·01	·19	-		15
16	-	-	·27	-	-	·02	·36	-	·24	·94	·77	·02		16
17	-	=	·37	-	-	-	·02	-	-	-	·57	(·01)		17
18	-	·50	·15	·30	-	-	·06	-	-	·12	·31	-		18
19	-	(·20)	-	·08	-	-	-	-	·40	-	·15	·04		19
20	-	·01	-	·02	-	-	·10	-	-	-	·06	-		20
21	-	-	-	-	·24	-	·07	-	-	·05	·22	-		21
22	-	-	·05	-	·45	·34	-	-	·13	-	-	-		22
23	-	·04	·04	·17	·16	·04	-	-	-	·02	-	·01		23
24	-	-	-	·18	-	-	·22	-	-	(·01)	-	-		24
25	-	-	·47	-	-	-	·14	-	-	-	-	-		25
26	(1·18)	·06	·69	·01	·16	·05	-	-	-	-	-	-		26
27	-	·15	-	·02	·11	-	·07	-	-	-	-	-		27
28	(·90)	-	-	·10	·05	-	-	-	-	-	-	-		28
29	-	·06	·10	-	·10	-	-	-	-	-	-	·25		29
30	-	✕	-	·23	-	-	-	-	-	·08	-	·01		30
31	-	✕	-	✕	-	✕	-	-	✕	·63	✕	·01		31
TOTAL	2·63 ~~·73~~	1·71 ~~2·19~~	3·01 ~~2·91~~	1·61	1·47	1·00	2·01	·17	·97	2·97	2·09	(1·20) ~~1·13~~	Year's Total ~~24·34~~	25·84 ~~25·7~~
* Days with .01 in. or more.	6 ~~7~~	13 ~~20~~	12	16	10	7	15	1	7	15	17	12	~~129~~	131
* Days with .04 in. or more.	6 ~~7~~	8 ~~9~~	12	10	9	4	13	1	5	13	17	6	105	108

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) ....

[P.T.O.

COPY

Section A for the entry of Daily Obse

AIR MINISTRY.—METE

Form 1090

o. A200661/40

Station No 870|22

L ORGANIZATION

870|2

MILL HILL

LYNHURST AVE

1940 ONLY

780204

REGISTER

O

Kept at BRENDON, 41 LYNDHURST

in the County of MIDDLESEX

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1

,, Ground ,, Sea Level

Amend monthly totals

THE MORNING MEASUREMENT S **DAY**

An observer who does not conform to this rule *following year in the space on the right of this paragraph.*

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						-								1
2			-								1.60 ~~2.31~~			2
3		(snow) .05						-						3
4					-									4
5										.48 ~~.68~~				5
6	-			.33			.41							6
7									.02			0.23		7
8						1.00								8
9			-								.80			9
10		(ice) .52						.29						10
11					.10									11
12										.60				12
13	.04			.06			.35							13
14									.25			0.57		14
15						-								15
16			1.35								3.32			16
17		.08						-						17
18					.15									18
19										1.23				19
20	(snow) .04			.52			.74							20
21									.56			-		21
22						.38								22
23			.34								1.33			23
24		.70						-						24
25					.86									25
26										.06				26
27	(snow) 1.60													27
28									-			.21		28
29		.25				.07								29
30		X	1.30	.83					.20		.01			30 Print
31	(snow) .40	X		X	-	X	.57	.02	X	.71	X	.28		31 WH
Total	2.08	1.60	2.99	1.74	1.11	1.45	2.07	0.31	1.03 ~~0.83~~	3.08 ~~2.57~~	7.06 ~~7.77~~	1.29	Year's Total 25.81	"W"
* Days with .01 in. or more.														
* Days with .04 in. or more.														

X C. E. MILLS, Esq X

N

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(*Signed*) H. Mills

[P.T.O.

COP A200661/40

Section A for the entry of Daily Observations

Station No X022

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

~~REGISTER OF~~ RAINFALL IN 1940

Kept at BRENDON, 41 LYNDHURST AVE MILL HILL X

in the County of MIDDLESEX

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level ft.

f. A20066 1/40

Amend monthly totals

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1						-								1
2			-								1.60 ~~2.31~~			2
3		(snow) .05						-						3
4					-									4
5										.48 ~~.68~~				5
6	-			.33			.41							6
7									.02			0.23		7
8						1.00								8
9			-								.80			9
10		(ice) .52						.29						10
11					.10									11
12										.60				12
13	.04			.06			.35							13
14									.25			0.57		14
15						-								15
16			1.35								3.32			16
17		.08						-						17
18					.15									18
19										1.23				19
20	(snow) .04			.52			.74							20
21									.56			-		21
22						.38								22
23			.34								1.33			23
24		.70						-						24
25					.86									25
26										.06				26
27	(snow) 1.60													27
28									-			.21		28
29		.25				.07								29
30		X	1.30	.83					.20		.01			30 Print
31	(snow) .40	X		X	-	X	.57	.02	X	.71	X	.28		31 WH
TOTAL	2.08	1.60	2.99	1.74	1.11	1.45	2.07	0.31	1.03 ~~0.83~~	3.08 ~~2.57~~	7.06 ~~7.77~~	1.29	Year's Total 25.81	"W"
* Days with .01 in. or more.														
* Days with .04 in. or more.														

X C.E. MILLS, Esq X

N

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(*Signed*) Mills

[P.T.O.

870/5

870/5
STANMORE
HARROW U.D.C.
1936-1940
480204

Section **A** for the entry of Dail

Station No. ~~870 A~~

AIR MINISTRY.— NFALL ORGANIZATION.

FORM 1090.

REGISTE 936.

Kept at Stanmore (Replac ly from Wealdstone (Sew. wks) (864)

in the County of Middlesex 6. from Sudbury (Station approach) (856)

Diameter of Funnel of Gauge.........

Height of top of Gauge above Ground...

" Ground " Sea Level

IV

THE MORNING MEASUREMENT

An observer who does not conform to this ru insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1										–	·07	·07		1
2										–	·11	–		2
3										–	·28	–		3
4										–	·05	·01		4
5										–	·03	·10		5
6										–	·11	·06		6
7										–	·07	–		7
8										–	·43	·20		8
9										·04	–	–		9
10										–	–	–		10
11										–	74	–		11
12										–	·24	·10		12
13										·02	08	·09		13
14										·08	·07	·30		14
15										–	–	·05		15
16										–	·41	–		16
17										·01	·21	·10		17
18									#	·09	·01	·09		18
19									·06	·06	–	–		19
20									·06	–	–	–		20
21										–	–	–		21
22										–	–	·12		22
23										·11	–	–		23
24										·35	–	–		24
25									·12	·15	·04	·02		25
26										·14	–	·04		26
27									·19	·06	-	–		27
28										–	-	·05		28
29										·01	·18	·04		29
30		✗								·29	–	–		30
31		✗		✗		✗			✗	·51	✗	·42		31
TOTAL	(4·28)	(1·78)	(1·12)	(1·42)	(·39)	(3·45)	(3·23)	(·37)	(2·79) ~~[illegible]~~	1·92	3·13	1·86	Year's Total ~~[illegible]~~	(25·74)
* Days with .01 in. or more.									–	14	17	17	–	
* Days with .04 in. or more.									–	11	15	15	–	n/p note on 10 yr. sheet

40-9999.

* See Instruction 2 (f) on other side.

N

† Spare column, no entries required.

(*Signed*) ......HARROW U.D.C...... [P.T.O.

~~COPY FOR OFFICI~~

(870/5)

Section A for the entry of Daily Observations. Station No. ~~870 A~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Stanmore (Replacing Wealdstone) (+ A)

in the County of Middlesex

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground.......ft.........in.

,, Ground ,, Sea Level 281 ft.

note on 10 yr. sheet.

Jan – July from Wealdstone (Sew. wks) (864)

Aug. – Sept. from Sudbury (Station approach) (856)

TV

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1										–	·07	·07		1
2										–	·11	–		2
3										–	·28	–		3
4										–	·05	·01		4
5										–	·03	·10		5
6										–	·11	·06		6
7										–	·07	–		7
8										–	·43	·20		8
9										·04	–	–		9
10										–	–	–		10
11										–	·74	–		11
12										–	·24	·10		12
13										·02	·08	·09		13
14										·08	·07	·30		14
15										–	–	·05		15
16										–	·41	–		16
17										·01	·21	·10		17
18									#	·09	·01	·09		18
19									·06	·06	–	–		19
20									·06	–	–	–		20
21										–	–	–		21
22										–	–	·12		22
23										·11	–	–		23
24										·35	–	–		24
25									·12	·15	·04	·02		25
26										·14	–	·04		26
27									·19	·06	–	–		27
28										–	–	·05		28
29										·01	·18	·04		29
30		✕								·29	–	–		30
31		✕		✕		✕			✕	·51	✕	·42		31
TOTAL	(4·28)	(1·78)	(1·12)	(1·42)	(·39)	(3·45)	(3·23)	(·37)	(2·79) ~~[illegible]~~	1·92	3·13	1·86	Year's Total ~~[illegible]~~	(25·74)
* Days with .01 in. or more.									–	14	17	17	–	
* Days with .04 in. or more.									–	11	15	15	–	up note on 10 yr. sheet

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) HARROW U.D.C. [P.T.O.

N

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 870/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Stanmore, Harrow, U.D.C. Offices

in the County of Middlesex

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

adj: by Harrow and surrounding stations.

c imp 1936

Copy by B.R.O.

665446/26

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·25	–	–	·02			–	–	·03	–	·62	·61		1
2	–	·20	·01	·68			–	–	·01	–	–	·45		2
3	–	·20	·02	–	·04		–	–	–	–	–	·10		3
4	·07	·31	–	–			–	–	–	–	–	·30		4
5	·23	·06	·13	–	(·05)		·02	–	–	–	–			5
6	·02	–	·17	–	·21		·09	–	–	·06	·03			6
7	–	·62	·30	·15			–	–	·06	–	–			7
8	–	·06	–	–	·06	·09	–	–	–	–	·03	·19		8
9	–	·03	–	·29	·21	·02	·10	–	·30	–	–	·29		9
10	–	–	·46	·04	·09	·39	·10	·02	–	–	–	·23		10
11	–	–	·17	–	·60		–	–	–	·02	–	·03		11
12	·20	·31	·10	–	·32	·15	·01	–	·05	–	–	·06		12
13	·15	·07	·36	–		·55	–	·50	·45	–	–	·62		13
14	·02	·08	·24	·08			–	·75	·09	–				14
15	·15	·14	–	·20			·20	–	·08	–	–			15
16	·04	·16	·27	·31		·05	–	·17	·40	–	–	·03		16
17	·28	–	·17	·10		·04	–	–	·39	–	–	·01		17
18	·24	·13	·03	–	·10	·16	–	–	–	–	·12	·04		18
19	·09	·10	·07	·17		·14	·05	–	·08	–	–			19
20	·30	–	–	·55	·67	·19	–	–	·06	–	–			20
21	·26	·48	·05	·09	·01		·05	–	–	–	–	·13		21
22	·33	–	–	–	·02	·29	·04	–	–	·70	·35	·03		22
23	·25		·02	–	·15		·05	–	–	·34	–			23
24	·25	·49	–	–	·03		–	–	·23	·14	–			24
25	·02	·33	·12	–	·36		–	–	·07	·38	–			25
26	–	·34	·06	–	·26		–	–	–	·04	–			26
27	·05	·08	–	·12			–	–	–	·39	–			27
28	·01	·11	–	·01			–	–	–	·09	–	·02		28
29	·05	–	–	–			–	–	–	·07	·05	·02		29
30	·28	✕	–	–			–	–	–	–	·16			30
31	·26	✕	–	✕		✕	–	–	✕	·35	✕	·02		31
TOTAL	3·80	4·30	2·75	2·81	3·18	2·07	·71	1·44	2·30	2·58	1·36	3·18	Year's Total 30·48	
* Days with .01 in. or more.	23	20	18	14	16	11	10	4	14	11	7	18	166	
* Days with .04 in. or more.	19	19	14	12	13	10	8	3	12	10	5	11	136	

other copy [illegible]

† Spare column, no entries required.

*See Instruction 3 (f) on other side.

(*Signed*) ....

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 870/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Stanmore

in the County of Middlesex

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 150 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.25	—	—	0.02	—	—	—	—	0.03	—	0.62	0.61		1
2	—	0.20	0.01	0.68	—	—	—	—	0.01	—	—	0.45		2
3	—	0.20	0.02	—	0.04	—	—	—	—	—	—	0.10		3
4	0.07	0.31	—	—	—	—	—	—	—	—	—	0.30		4
5	0.23	0.06	0.13	—	0.05	—	0.02	—	—	—	—	—		5
6	0.02	—	0.17	—	0.21	—	0.09	—	—	0.06	0.03	—		6
7	—	0.62	0.30	0.15	—	—	—	—	0.06	—	—	—		7
8	—	0.06	—	—	0.06	0.09	—	—	—	—	0.03	0.19		8
9	—	0.03	—	0.29	0.21	0.02	0.10	—	0.30	—	—	0.29		9
10	—	—	0.46	0.04	0.09	0.39	0.10	0.02	—	—	—	0.23		10
11	—	—	0.17	—	0.60	—	—	—	—	0.02	—	0.03		11
12	0.20	0.31	0.10	—	0.32	0.15	0.01	—	0.05	—	—	0.06		12
13	0.15	0.07	0.36	—	—	0.55	—	0.50	0.45	—	—	0.62		13
14	0.02	0.08	0.24	0.08	—	—	—	0.75	0.09	—	—	—		14
15	0.15	0.14	—	0.20	—	—	0.20	—	0.08	—	—	—		15
16	0.04	0.16	0.27	0.31	—	0.05	—	0.17	0.40	—	—	0.03		16
17	0.28	—	0.17	0.10	—	0.04	—	—	0.39	—	—	0.01		17
18	0.24	0.13	0.03	—	0.10	0.16	—	—	—	—	0.12	0.04		18
19	0.09	0.10	0.07	0.17	—	0.14	0.05	—	0.08	—	—	—		19
20	0.30	—	—	0.55	0.67	0.19	—	—	0.06	—	—	—		20
21	0.26	0.48	0.05	0.09	0.01	—	0.05	—	—	—	—	0.13		21
22	0.33	—	—	—	0.02	0.29	0.04	—	—	0.70	0.35	0.03		22
23	0.25	—	0.02	—	0.15	—	0.05	—	—	0.34	—	—		23
24	0.25	0.49	—	—	0.03	—	—	—	0.23	0.14	—	—		24
25	0.02	0.33	0.12	—	0.36	—	—	—	0.07	0.38	—	—		25
26	—	0.34	0.06	—	0.26	—	—	—	—	0.04	—	—		26
27	0.05	0.08	—	0.12	—	—	—	—	—	0.39	—	—		27
28	0.01	0.11	—	0.01	—	—	—	—	—	0.09	—	0.02		28
29	0.05	✕	—	—	—	—	—	—	—	0.07	0.05	0.02		29
30	0.28	✕	—	—	—	—	—	—	—	—	0.16	—		30
31	0.26	✕	—	✕	—	✕	—	—	✕	0.35	✕	0.02		31
TOTAL	3.80 ✓	4.30 ✓	2.75 ✓	2.81 ✓	3.18 ✓	2.07 ✓	0.71 ✓	1.44 ✓	2.30 ✓	2.58	1.36	3.18	Year's Total	
* Days with .01 in. or more.	23 ✓	20 ✓	18 ✓	14 ✓	16 ✓	11 ✓	10 ✓	4 ✓	14 ✓	11	7	18		
* Days with .04 in. or more.	19 ✓	19 ✓	14 ✓	12 ✓	13 ✓	10 ✓	8 ✓	3 ✓	12 ✓	10	5	11		

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) ....

870/5

17A

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. ~~8??~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at H.U.D. Council Offices Stanmore

in the County of Middlesex

Diameter of Funnel of Gauge 6" in.

Height of top of Gauge above Ground 1 ft. 6 in.

" Ground " Sea Level 280 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·25			·02					·03		·62	·61		1
2		·20	·01	·68					·01			·45		2
3		·20	·02		·04							·10		3
4	·07	·31										·30		4
5	·23	·06	·13		·05		·02							5
6	·02		·17		·21		·09			·06	·03			6
7		·62	·30	·15					·06					7
8		·06			·06	·09					·03	·19		8
9		·03		·29	·21	·02	·10		·30			·29		9
10			·46	·04	·09	·39	·10	·02				·23		10
11			·17		·60					·02		·03		11
12	·20	·31	·10		·32	·15	·01		·05			·06		12
13	·15	·07	·36			·55		·50	·45			·62		13
14	·02	·08	·24	·08				·75	·09					14
15	·15	·14		·20			·20		·08			·03		15
16	·04	·16	·27	·31		·05		·17	·40			·01		16
17	·28		·17	·10		·04			·39		·12	·04		17
18	·24	·13	·03		·10	·16								18
19	·09	·10	·07	·17		·14	·05		·08					19
20	·30			·55	·67	·19			·06					20
21	·26	·48	·05	·09	·01							·13		21
22	·33				·02	·29	·05			·70	·35	·03		22
23	·25		·02		·15		·04			·34				23
24	·25	·49			·03		·05		·23	·14				24
25	·02	·33	·12		·36				·07	·38				25
26		·34	·06		·26					·04				26
27	·05	·08		·12						·39				27
28	·01	·11		·01						·09		·02		28
29	·05									·07	·05	·02		29
30	·28										·16			30
31	·26									·35		·02		31
TOTAL	3·80	4·30	2·75	2·81	3·18	2·07	0·71	1·44	2·30	2·58	1·36	3·18	Year's Total 30·48	
* Days with .01 in. or more.	23	20	18	14	16	11	10	4	14	11	7	18		
* Days with .04 in. or more.	19	19	14	12	13	10	8	3	12	10	5	11		

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[illegible] 1/2

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 870/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Council Offices H.U.D.C. S. [illegible]

in the County of Middlesex

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea-Level 280 ft.

~~[illegible]~~

Inc.

Gauge measure broken. no value available after April 1937

Apr 24–30 for [illegible]

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·25	–	–	·02										1
2	–	·20	·01	·68										2
3	–	·20	·02	–										3
4		·31	–	–										4
5	·07	·06	·13	–										5
6	·23	–	·17	–										6
7	·02	·12	·30	·15										7
8	–	·06	–	–										8
9	–	·03	–	·29										9
10	–	–	·46	·04										10
11	–	–	·17	–										11
12	·20	·31	·10	–										12
13	·15	·07	·36	–										13
14	·02	·08	·24	·08										14
15	·15	·14	–	·20										15
16	·04	·16	·27	·31										16
17	·28	–	·17	·10										17
18	·24	·13	·03	–										18
19	·09	·10	·07	·17										19
20	·30	–	–	·55										20
21	·26	·48	·05	·09										21
22	·33	–	–	–										22
23	·25	–	·02	–										23
24	·25	·49	–	–										24
25	·02	·33	·12	–										25
26	–	·34	·06	–										26
27	·05	·08	–	·12										27
28	·01	·11	–	·01										28
29	·05	–	–	–										29
30	·28	✕	–	–										30
31	·26	✕	–	✕		✕			✕		✕			31
TOTAL	3·80	4·30	2·75	(2·81)									Year's Total	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

X STANMORE X

Dec. Est. & adjust'd. by nr. Stas. for snow. T.V. table

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No 870/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 10

REGISTER OF RAINFALL IN 1938

Kept at Stanmore, Harrow U.D.C. Offices.

in the County of Middlesex

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

T V

Copy by B.R.O.

Entry on {Jan 12th est'd from nearby stns

mp 3637 f665446/26

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·02	–	·01		·01	·09	·02	–	·03	–	–			1
2	·05	·02	–	·01	·05		–	–	–	·15	·01	·01		2
3	–	–	–		·20		–	–	·03	·50	·05			3
4	·04	–	–				·05	–	–	·15	–	·14		4
5	–	–	–				·09	–	–	·14	–			5
6	–	–	–				·13	–	·01	·01	–			6
7	–	–	–				·03	1·09	·03	·37	–	·03		7
8	·18	–	–				·05	–	–	·30	–			8
9	·05	–	–				·09	·20	–	–	–	(·56) ~~·16~~		9
10	·20	·04	–			·02	·01	·17	–	–	–			10
11	·29	–	–				·01	·01	–	–	·17			11
12	(·27)	·01	–				–	·53	–	·32	–			12
13	·08	·01	–				–	–	–	·03	·18	·12		13
14	·21	–	–		·03		·03	–	·05	–	–			14
15	·04	–	–				·14	–	–	·31	–	·30		15
16	·36	–	·02				·03	·03	–	·07	·03	(·47) ~~·27~~		16
17	–	·05	–		·10		–	–	–	·05	·05			17
18	·04	–	–		·08		–	–	·12	·01	·33			18
19	–	–	–				–	·09	·03	–	·17			19
20	–	–	–				–	–	·02	–	·52			20
21	–	–	–				–	·04	·02	–	·03	(·40)		21
22	·02	–	–				–	·02	–	–	·20	(·30)		22
23	–	–	–	·03			–	–	·04	–	·02			23
24	–	·02	·20		·02		–	–	·37	–	·07			24
25	·07	·01	·13	·13	·09		·02	–	·01	·03	1·04	(·15)		25
26	·23	·13	·08	0·1	·01		–	–	·22	·16	–	(·15)	✓	26
27	·03	·04	–	·02	·03	·21	·26	·03	·60	·19	·31			27
28	(·20)	·03	–		·70	·05	–	·25	–	–	·02	·06		28
29	·26	–	–		·13		–	–	–	–	·20	·15		29
30	–	✕	–	·03	·05	·08	–	–	–	·08	·20			30
31	·17	✕	–	✕	·04	✕	–	–	✕	·17	✕	(·26) ~~·16~~		31
TOTAL	2·81 ~~2·34~~	·36	·44	·23	1·54	·45	·96	2·46	1·58	3·04	3·60	(3·10) ~~1·10~~	Year's Total 20·~~10~~57	
* Days with .01 in. or more.	20 ~~19~~	10	5	6	14	5	14	11	14	18	18	14	14~~7~~9	
* Days with .04 in. or more.	17 ~~56~~	4	3	1	9	4	7	7	6	14	13	12	9~~5~~7	

96

10.3.39

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) H. W. Rackham [P.T.O.

X HARROW U.D.C. X

Adjusted by [illegible] for snow. T.V.

COPY FOR OFFICIAL USE

Section 1 for the entry of Daily Observations

Station No. 870/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Stanmore, Harrow U.D.C Offices Observer phoned re Mar.

in the County of Middlesex

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

TV

Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

·30

·03

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	~~·18~~	·50	·31	-	·03	·18	·58	-	—	-		1
2	— ·05	—	—	·01	·02	-	-	·69	·88	-	·04	·02		2
3	— ·20	—	—	·21	-	-	-	·36	-	·01	·25	·17		3
4	·25	—	·20	·32	-	-	·02	·58	-	·32	·03	—		4
5	—	—	—	·37	·11	-	-	·16	-	·21	·27	·13		5
6	·30	—	~~·20~~	·02	-	-	·29	—	-	-	·46	·02		6
7	~~·63~~ ·03	·08	—	—	-	-	—	·03	-	-	·10	·22		7
8	~~·03~~	·11	·11	—	-	-	·02	·03	-	·50	·21	·43		8
9	·02	·10	—	—	-	-	—	·01	-	·34	·03	·22		9
10	·23	—	—	—	-	·44	—	·26	-	·06	—	—		10
11	—	·06	·21	—	-	·14	—	—	-	·51	—	—		11
12	—	—	—	—	-	·01	—	—	·04	-	—	—		12
13	—	—	·03	·01	-	-	·02	—	·06	1·09	—	—		13
14	·45	—	—	·02	·11	·03	·04	—	·01	·18	·47	—		14
15	~~·68~~ ·23	—	—	·01	·74	·34		—	·09	1·11	·05	—		15
16	·38	—	·07	·02	·14	·18	·11	—	·01	-	·38	—		16
17	·18	—	·01	·02	·06	·01	·03	—	-	-	·05	-		17
18	·39	—	·04	—	-	·14	·17	—	·01	·09	·35	-		18
19	·23	—	·04	—	-	-	·18	—	-	·17	—	—		19
20	·19	—	—	—	-	·27	·50	—	-	-	—	·02		20
21	·04	·01	·35	—	-	·01	·15	1·26	·07	-	—	·02		21
22	~~·19~~ ·15	·20	·15	—	-	-	·01	—	-	-	·11	·03		22
23	·03	—	·02	·04	-	·02	-	·01	-	·04	·81	—		23
24	·05	—	·05	·02	-	-	·12	—	-	·09	—	—		24
25	·60	·15	·05	—	-	-	·02	·03	-	-	·64	-		25
26	·60	~~·10~~ ·04	·02	·02	-	·01	-	—	-	·32	·33	-		26
27	—	·02	·15	·01	-	·01	·01	·01	-	·09	·16	·02		27
28	—	·18	·07	·03	-	·01	·25	—	-	·10	·17	-		28
29	·02	—	—	·34	-	-	·05	—	-	·15	·19	-		29
30	—		—	·87	-	·12	-	—	-	-	·21	-		30
31	—		—		-		·02	·01		-		·02		31
TOTAL	4·42	·95	~~1·75~~ 1·57	2·84	1·49	1·74	2·04	3·62	1·75	5·38	5·31	1·32	Year's Total 32·43	
* Days with .01 in. or more.	20 ~~19~~	~~9~~ 10	~~19~~ 16	18	7	15	19	14	9	18	21	12	180	
* Days with .04 in. or more.	14 ~~15~~	~~7~~ 8	~~13~~ 12	7	6	7	10	7	6	17	19	5	111	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 870/5 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Stanmore.

in the County of Middlesex.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 281 ft.

Jany & Febry. adjusted for snow.

BRITISH RAINFALL ORGANIZATION.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf ✓

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	-	-	-	-	-	-	-	-	-	·12	-		1
2	-	-	-	·15	-	-	·11	-	-	·11	·55	-		2
3	-		-	·14	-	-	-	-	-	·10	·97	·10		3
4	-	(·32) ·47	-	·07	-	-	-	-	-	·22	·18	·04		4
5	-	(·15)	-	-	-	-	-	-	-	·11	·37	·16		5
6	·07	·13	-	·02	·05	-	·68	-	-	·28	·16	-		6
7	·19	·07	-	-	·04	-	·14	-	-	-	-	-		7
8	-	-	-	·02	-	-	·02	-	·01	·15	-	·30		8
9	·01	-	-	-	-	·45	·01	·12	·02	·17	·09	·02		9
10	-	~~·05~~	-	-	-	-	·32	·02	-	·06	·20	·02		10
11	-	-	-	·03	-	-	·02	-	-	-	1·03	·01		11
12	-	·05 ~~·02~~	·11	-	-	·04	·15	-	·09	-	·01	·04		12
13	-	·02 -	·56	-	-	·01	-	-	·12	-	1·25	-		13
14	-	-	·19	·08	·03	-	-	-	·02	·02	-	·25		14
15	-	-	·06	-	·10	-	·22	-	-	-	·16	-		15
16	-	·12 -	·01	-	-	·02	·48	-	·30	·73	·18	·03		16
17	(·03) ~~·28~~	~~·12~~	·70	-	-	-	·04	-	-	-	1·27	·02		17
18	-	·48	·16	·25	-	-	·03	-	-	·12	·27	·13		18
19	-	·18	-	·06	-	-	·01	-	·46	-	·17	·02		19
20	-	·02	-	·04	-	·01	·05	·01	-	·10	·06	-		20
21	(·11) ~~·31~~	-	-	·02	·47	-	·09	-	-	·03	·24	-		21
22	-	·02	·06	·02	·29	·37	-	-	·11	·02	-	-		22
23	~~·14~~ -	·03	·06	·17	·11	·02	-	·01	-	-	·01	-		23
24	-	-	·03	·15	-	-	·25	-	-	·01	·01	·01		24
25	-	-	·41	-	·01	·01	·16	-	-	-	-	-		25
26	(1·10)	·05	·50	·07	·28	·06	-	-	-	-	-	-		26
27	·40	·15	-	·02	·11	-	·04	-	-	-	-	-		27
28	(·40)	-	-	·54	·03	-	-	-	-	-	-	-		28
29	-	·05	·13	·01	·07	-	-	-	-	-	-	·25		29
30	-	✕	-	·28	-	-	-	-	-	·07	-	-		30
31	·10	✕	-	✕	-	✕	-	-	✕	·65	✕	·01		31
TOTAL	2·41	1·84	2·98	2·14	1·62	·99	2·82	·16	1·13	2·95	7·30	1·41	Year's Total 27·75	✓
* Days with .01 in. or more.	9	~~14~~ 15	13	19	12	9	18	4	8	17	20	16	160	✓
* Days with .04 in. or more.	9 ✓	~~10~~ 11	11 ✓	12 ✓	9 ✓	4 ✓	13 ✓	1 ✓	5 ✓	13 ✓	17	8	111	✓

2·00

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Harrow U.D.C.

[P.T.O.

871

Section **A** for the entry of Dai

AIR MINISTRY.—

COPY FOR OFFICIAL USE.

INFALL ORGANIZATION.

FORM 1090.

REGISTE 1931.

871

MILL HILL

RIDGEWAY HSE

1931 - 1936

780204

Kept at Ridgeway House, M

in the County of Middlesex

Diameter of Funnel of Gauge 5 in

Height of top of Gauge above Ground

,, Ground ,, Sea Level

THE MORNING MEASUREM ... DAY.

An observer who does not conform to this ... reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·10	—	·15	—	—	—	·03	·02	—	—		1
2	—	·06	—	·51	—	—	—	·01	·62	·05	—	·02	2
3	—	trace	·14	·34	·46	—	—	·36	1·58	—	·01	·21	3
4	·15	—	—	·18	—	—	·01	·48	·08	—	·06	—	4
5	trace	—	—	—	·03	—	·08	·16	·10	—	—	·23	5
6	—	·04	—	·08	—	·68	·01	—	—	·27	·53	—	6
7	—	·07	—	—	·05	—	·01	·80	—	·02	·15	·03	7
8	—	·06	·05	—	—	·08	—	·35	—	·06	·08	·02	8
9	—	·02	·05	—	—	·13	—	—	—	—	·34	—	9
10	—	·10	·02	—	—	·05	·09	·20	—	—	·20	—	10
11	·16	·25	·03	—	—	·02	—	—	·06	—	·12	—	11
12	—	—	·01	—	—	—	—	·03	·38	—	—	—	12
13	—	—	—	—	—	—	·03	·10	—	—	—	—	13
14	—	·05	—	—	·13	—	·85	·75	—	—	—	—	14
15	·04	·09	—	·03	·28	—	·23	·10	—	—	—	·02	15
16	—	·06	—	·10	·08	—	·02	·08	·07	·01	—	—	16
17	·02	·02	—	·12	—	·03	·02	—	·07	—	—	—	17
18	·02	·07	—	·17	—	·15	·02	·58	—	—	·54	—	18
19	·01	—	—	·44	·54	·22	·15	·07	·10	—	—	—	19
20	·01	·01	—	·12	—	—	·05	·26	—	—	—	·01	20
21	·15	—	—	—	—	—	—	·01	·01	—	—	—	21
22	·22	—	—		—	—	—	—	·01	—	—	—	22
23	·22	·01	—	·05	—	—	—	—	·09	—	·12	·02	23
24	·01	—	—	·25	—	·06	·04	—	·01	—	—	·01	24
25	·07	—	—	·35	·05	—	·34	—	—	—	·02	—	25
26	—	·05	—	—	·53	—	·58	—	·01	—	·12	—	26
27	·16	·40	—	·19	·04	—	·25	—	—	—	·03	—	27
28	·05	·07	—	—	—	—	—	—	—	—	—	·39	28
29	·05	—	—	—	·16	—	·16	—	—	·25	·01	—	29
30	·02	×	—		·07	—	·14	·20	—	—	—	—	30
31	·20	×	—	×	·04	×	—	—	×	—	×	·01	31
TOTAL	1·56	1·53	·30	3·08	2·46	1·42	3·08	4·57	2·21	·66	2·33	·97	YEAR'S TOTAL 24·17
*Days with ·01 in. or more.	17	18	6	15	13	9	19	18	15	6	14	11	161
*Days with ·04 in. or more.	11	14	3	14	13	7	12	14	10	4	10	3	115

40-9999

(Signed) Norman G. Brett-James. Major. MA., B.Litt., F.S.A.

P.T.O.

*See Instruction 2 (*f*) on other side.

871

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Ridgeway House, Mill Hill. N.W.7

in the County of Middlesex

Diameter of Funnel of Gauge 5 in. in.

Height of top of Gauge above Ground / ft 10 in.

,, Ground ,, Sea Level 375 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·10	—	·15	—	—	—	·03	·02	—	—		1
2	—	·06	—	·51	—	—	—	·01	·62	·05	—	·02	2
3	—	trace	·14	·34	·46	—	—	·36	1·58	—	·01	·21	3
4	·15	—	—	·18	—	—	·01	·48	·08	—	·06	—	4
5	trace	—	—	—	·03	—	·08	·16	·10	—	—	·23	5
6	—	·04	—	·08	—	·68	·01	—	—	·27	·53	—	6
7	—	·07	—	—	·05	—	·01	·80	—	·02	·15	·03	7
8	—	·06	·05	—	—	·08	—	·35	—	·06	·08	·02	8
9	—	·02	·05	—	—	·13	—	—	—	—	·34	—	9
10	—	·10	·02	—	—	·05	·09	·20	—	—	·20	—	10
11	·16	·25	·03	—	—	·02	—	—	·06	—	·12	—	11
12	—	—	·01	—	—	—	—	·03	·38	—	—	—	12
13	—	—	—	—	—	—	·03	·10	—	—	—	—	13
14	—	·05	—	—	·13	—	·85	·75	—	—	—	—	14
15	·04	·09	—	·03	·28	—	·23	·10	—	—	—	·02	15
16	—	·06	—	·10	·08	—	·02	·08	·07	·01	—	—	16
17	·02	·02	—	·12	—	·03	·02	—	·07	—	—	—	17
18	·02	·07	—	·17	—	·15	·02	·58	—	—	·54	—	18
19	·01	—	—	·44	·54	·22	·15	·07	·10	—	—	—	19
20	·01	·01	—	·12	—	—	·05	·26	—	—	—	·01	20
21	·15	—	—	—	—	—	—	·01	·01	—	—	—	21
22	·22	—	—		—	—	—	—	·01	—	—	—	22
23	·22	·01	—	·05	—	—	—	—	·09	—	·12	·02	23
24	·01	—	—	·25	—	·06	·04	—	·01	—	—	·01	24
25	·07	—	—	·35	·05	—	·34	—	—	—	·02	—	25
26	—	·05	—	—	·53	—	·58	—	·01	—	·12	—	26
27	·16	·40	—	·19	·04	—	·25	—	—	—	·03	—	27
28	·05	·07	—	—	—	—	—	—	—	—	—	·39	28
29	·05	—	—	—	·16	—	·16	—	—	·25	·01	—	29
30	·02	×	—		·07	—	·14	·20	—	—	—	—	30
31	·20	×	—	×	·04	×	—	—	×	—	×	·01	31
TOTAL	1·56	1·53	·30	3·08	2·46	1·42	3·08	4·57	2·21	·66	2·33	·97	YEAR'S TOTAL 24·17
*Days with ·01 in. or more.	17	18	6	15	13	9	19	18	15	6	14	11	161
*Days with ·04 in. or more.	11	14	3	14	13	7	12	14	10	4	10	3	115

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Norman G. Brett-James. MA., B.Litt., F.S.A.
Major.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 871

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Ridgeway House. Mill Hill. N.W.7

in the County of Middlesex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft 10 in.

,, Ground ,, Sea Level 375 ft.

490404/36

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	·17	·40	·04	·19	·06	·02	·06	·06	—	1
2	·10	—	—	·08	·05	—	—	·55	·46	·01	·04	·15	2
3	—	—	—	·09	·11	—	—	·05	·30	—	tr	—	3
4	—	—	—	—	—	—	—	·02	—	—	·10	—	4
5	·10	—	·02	—	·02	·06	·09	—	·06	—	—	—	5
6	·58	—	·01	·13	·01	—	—	·01	·08	—	—	·01	6
7	—	—	·09	·02	—	—	·03	—	·05	—	—	tr	7
8	—	—	·04	·02	·14	—	—	—	·02	·20	—	—	8
9	·13	—	tr.	·13	·77	—	—	—	—	tr	—	—	9
10	·40	·01	·02	·15	·09	tr	—	—	—	·10	·01	—	10
11	—	—	—	·08	·03	—	·16	—	·01	·09	·06	·01	11
12	·10	·01	—	·02	·03	—	—	·20	—	·09	·03	—	12
13	·05	—	—	·15	·01	—	—	—	·04	·16	·02	·01	13
14	·15	·01	—	·16	·01	—	—	—	—	·02	·03	tr	14
15	—	—	—	·05	·33	—	—	—	—	·10	tr	—	15
16	·65	—	—	·21	·17	—	—	—	—	—	tr	—	16
17	·01	—	—	·02	—	—	·27	—	·02	·03	—	—	17
18	—	—	—	—	·01	—	—	—	·21	—	·07	—	18
19	—	—	—	—	—	—	—	—	·01	·24	·02	—	19
20	—	—	—	·11	·01	—	—	—	·05	·74	·09	—	20
21	—	—	—	·11	·70	—	·01	·31	—	·22	tr	—	21
22	·01	—	·37	·01	·09	—	·26	·09	·10	·22	·31	·07	22
23	—	·09	·08	—	·16	—	—	—	·08	·81	tr	·12	23
24	—	·01	—	—	—	—	·21	—	·02	·02	·10	—	24
25	—	—	·06	—	—	—	·76	—	·01	·47	·01	—	25
26	—	—	·18	·22	·02	—	·03	—	—	·01	—	—	26
27	—	—	·01	·23	·45	tr	·47	—	—	·34	·10	—	27
28	—	—	·30	tr	·12	—	·21	—	—	·14	·01	—	28
29	—	—	·08	·04	·17	—	—	·49	·05	·26	·01	·01	29
30	—	×	·03	—	tr	·65	tr	·02	·13	·01	·32	·02	30
31	—	×	—	×	·01	×	—	—	×	—	×	·02	31
TOTAL	2·28	·13	1·29	2·20	3·91	·75	2·69	1·80	1·72	4·28	1·49	·42	YEAR'S TOTAL 22·96
*Days with ·01 in. or more.	11	5	13	21	24	3	12	10	19	22	18	9	167
*Days with .04 in. or more.	9	1	8	16	14	3	9	7	12	16	10	3	108

40-9999

*See Instruction 2 (*f*) on other side,

(*Signed*) W. G. Brett James

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 871

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Ridgeway House, MILL HILL

in the County of MIDDLESEX

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 10 in.

,, Ground ,, Sea Level 375 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·25	·16	·13	—	—	—	—	—	—	—	—	—		1
2	·23	—	·34	—	·03	—	—	—	—	—	—	—		2
3	—	·18	·16	—	·16	—	—	—	—	—	—	—		3
4	·42	—	·08	—	·05	—	—	—	—	—	·01	—		4
5	—	—	·13	—	·30	—	—	—	—	—	—	—		5
6	—	·07	·07	—	·42	—	—	—	—	·05	·07	—		6
7	·15	·11	·05	—	·03	—	—	—	—	·13	—	—		7
8	·05	—	—	—	·02	—	—	—	—	·07	—	—		8
9	—	—	—	—	·09	—	·21	—	—	·06	·09	—		9
10	—	·14	—	—	·02	·03	·20	—	—	·19	—	—		10
11	·14	—	—	—	·05	·03	·21	·10	—	—	trace	—		11
12	—	—	—	—	·18	·05	·05	—	·48	—	trace	—		12
13	·05	—	—	·30	—	—	·20	—	·03	—	·15	—		13
14	—	—	—	—	—	—	·01	·04	—	·04	·40	—		14
15	·35	—	·11	—	—	·26	·06	·11	—	—	·12	·01		15
16	—	—	·73	—	—	·18	·14	—	—	·09	—	—		16
17	—	—	·23	—	—	—	·02	—	·16	—	·12	—		17
18	·09	·05	·10	—	—	·12	—	—	—	—	—	—		18
19	—	·09	·17	·05	—	·26	·01	—	·54	—	—	—		19
20	—	·11	·02	—	—	·13	—	—	—	—	—	—		20
21	—	—	—	—	—	—	—	·02	·28	—	·04	·02		21
22	—	—	—	—	—	—	—	·16		·15	—	—		22
23	—	—	—	·10	—	·01	—	·01	·63	—	·01	—		23
24	—	·10	—	·26	·03	·58	—	—	·39	—	·04	—		24
25	—	·16	—	—	—	—	—	—	—	—	—	—		25
26	—	·32	—	·08	—	—	—	—	·05	·05	—	·16		26
27	—	—	—	—	·16	—	—	—	·03	·23	—	·09		27
28	—	—	—	trace	·14	—	—	—	—	·37	—	·01		28
29	·06	—	—	—	—	—	·09	—	—	·06	—	—		29
30	·12	×	—	—	—	—	·01	—	—	·07	—	·10		30
31	·15	×	·05	×	—	×	—	·14	×	·01	×	—		31
TOTAL	2·06	1·49	2·37	·79	1·68	1·65	1·21	·58	2·59	1·57	1·05	·39	Year's Total 17·43	
*Days with ·01 in. or more.	12	11	14	5	14	10	12	7	9	14	10	6	124	
*Days with ·04 in. or more.	12	11	13	5	14	9	8	5	7	13	8	3	108	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) N.G. Brett-James.

[P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No. 871

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Ridgeway House, Mill Hill

in the County of Middlesex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft 10 in.

,, Ground ,, Sea Level 375 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	—	—	—	—	—	—	·15	—	·04		·47		1
2	—	—	—	—	—	—	—	Trace	·64	·16	—	·15		2
3	—	·03	—	·12	—	—	—	—	—	·24	—	·05		3
4	·19	—	·17	—	—	—	—	—	—	—	·10	·35		4
5	—	—	—	·32	—	—	—	·01	—	·28	·01	·43		5
6	—	—	—	—	·32	·15	—	·06	—	·14	—	·45		6
7	—	—	—	—	—	—	—	·12	—	·13	—	·18		7
8	—	—	·26	·10	·10	—	—	·05	—	—	·33	·31		8
9	—	—	·01	—	—	—	—	—	—	—	·92	—		9
10	—	—	·07	·10	—	—	—	·06	—	·01	·31	·15		10
11	·06	—	·34	·02	—	—	—	·01	—	—	—	·03		11
12	·37	—	·02	—	·09	—	·07	·24	—	—	—	—		12
13	·28	—	·30	—	—	—	·10	·02	—	—	—	·11		13
14	—	—	·24	—	·01	—	—	—	—	·02	·27	·40		14
15	·03	—	·01	—	·04	—	—	—	·21	—	·08	·35		15
16	·20	—	·11	—	—	—	—	—	—	·12	·06	—		16
17	·01	—	·27	—	—	Trace	—	—	—	—	—	·11		17
18	·16	—	—	·70	—	Trace	·08	—	—	·01	—	·09		18
19	—	—	·02	—	—	—	—	—	·07	—	—	·20		19
20	—	—	·40	—	—	—	·10	—	—	—	—	—		20
21	—	—	—	·20	—	·11	—	·01	—	·03	—	—		21
22	—	—	—	—	—	—	—	·52	·20	—	—	—		22
23	—	—	—	·25	—	·16	—	·06	—	—	Trace	·14		23
24	—	—	·20	·03	—	·04	·50	·02	·21	—	—	—		24
25	·06	·11	—	·12	—	·13	—	—	—	·03	—	·40		25
26	·12	—	—	·25	—	·05	—	—	—	—	—	·18		26
27	—	—	—	·10	—	·11	—	—	—	·07	—	·50		27
28	—	·20	—	·44	—	·13	·02	·90	—	—	·04	·27		28
29	—		—	—	—	—	—	·02	·14	—	—	—		29
30	·06	×	—	—	—	—	—	—	—	—	—	·11		30
31	—	×	—	×	—	×	—	·05	×	·14	×	·04		31
TOTAL	1·54	·34	2·42	2·75	·56	·88	·87	2·30	1·47	1·42	2·12	5·47	Year's Total 22·14	
*Days with ·01 in. or more.	11	3	14	13	5	8	6	16	6	14	9	23	128	
*Days with ·04 in. or more.	9	2	10	11	4	8	5	10	6	8	8	22	103	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) W. G. Brett-James.

[P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No. 871

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Ridgeway House Mill Hill

in the County of Middlesex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

approx * " Ground " Sea Level 400 ft.

Corrected for arithmetic

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·11	·03	–	–	–	·24	·55	–	–	·13	·09	–		1
2	·01	–	–	–	–	–	–	–	·14	·16	–	–		2
3	–	–	–	–	–	·13	–	–	·09	·64	·25	–		3
4	–	·01	–	·30	–	·18	–	–	·13	·16	Tr	Tr		4
5	–	·36	–	–	–	·22	–	–	·30	Tr.	–	Tr		5
6	–	–	–	–	–	·42	–	–	–	Tr.	Tr	Tr.		6
7	–	–	–	·54	–	·02	–	–	–	–	1·01	·01		7
8	–	–	–	·48	–	–	–	–	–	·39	·13	·12		8
9	–	–	–	·14	–	·83	–	–	–	·45	·10	Tr		9
10	–	·05	–	·02	–	·02	–	–	–	–	–	·03		10
11	·01	–	–	–	–	·10	–	–	–	–	·20	·01		11
12	·04	–	–	–	–	·08	–	–	–	–	·37	–		12
13	·39	–	–	·19	·06	·04	–	–	–	–	Tr	–		13
14	–	–	–	–	·22	·02	–	–	–	–	·03	·12		14
15	–	·35	–	·40	–	·23	–	–	·04	–	·13	–		15
16	–	·01	·04	·02	–	·53	–	–	·25	Tr	·58	–		16
17	–	–	–	–	–	·17	–		–	–	·37	·01		17
18	–	–	–	·23	·10	·17	·25	–	·59	–	·09	–		18
19	–	–	–	·03	·17	·04	·03	–	·06	–	·09	–		19
20	·01	·22	–	–	·17	·08	·09	–	·06	–	–	–		20
21	–	·22	–	–	–	–	–	–	·08	·01	·03	–		21
22	–	–	–	–	–	–	–	·22	–	Tr	Tr	–		22
23	–	–	·24	–	–	–	–	·63	–	Tr	–	·2		23
24	·08	·50	·06	–	–	–	–	·05	·63	–	–	·35		24
25	–	·17	–	·25	–	·37	–	·31	–	–	Tr	·13		25
26	–	–	–	–	–	–	–	–	·04	–	–	·3		26
27	–	·40	–	–	–	–	–	–	·27 ·27	–	·1	·29		27
28	·42	–	–	–	–	–	–	–	·27	·04	Tr	·18		28
29	·30	–	–	–	–	–	–	–	·57	·23	–	·1		29
30	·03	✕	–	·08	·21	–	–	·71	·18		·32	·4		30
31		✕	–	✕	·02	✕	–	–	✕	·26	✕	·28		31 d
TOTAL	1·40	2·32	·34	2·68	·95	3·89	·92	1·9~~1~~ 2	~~3·43~~ 3·70	2·47	3·89	~~2·72~~ 2·53	Year's Total ~~26·92~~	27·01
* Days with .01 in. or more.	10	11	3	12	7	19	4	5	16	10	16	15	~~128~~	
* Days with .04 in. or more.	6	7	[illegible]	9	5	15	3	5	16	9	14	12	104	

[illegible]-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) ……………………

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 871

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Ridgeway House
in the County of Middlesex
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3½ in.
,, Ground ,, Sea Level ~~400~~ 375 ft.?

Acc.
Aug. days est.
~~BA~~
Not B.A.
GHR.
~~Damp~~

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.11	.17	.08	.07	–	.29	.12		–	–	.07	–		1
2	.18	.04	–	.11	–	.24	–		–	–	.07	–		2
3	.16	–	–	.08	Tra	.02	–		.09	–	.32	–		3
4	.21	–	.07	–	–	.21	–		.13	–	–	–		4
5	.07	–	–	–	–	–	–		.15	–	.06	.11		5
6	.21	–	–	–	.04	.15	–		.04	–	.06	–		6
7	.15	–	.04	–	–	.07	.29		tra	–	–	–		7
8	.25	–	.02	–	–	–	.04		–	–	.36	.19		8
9	.49	–	.08	–	–	–	.77		.3	–	–	–		9
10	–	–	–	–	–	–	.09		.13	–	–	–		10
11	–	–	–	.04	–	–	.26		–	–	.7	–		11
12	–	–	–	.12	–	.39	.2		.03	–	.31	.09		12
13	–	–	–	.07	–	.24	–		–	–	–	–		13
14	–	.06	–	–	–	.07	.31		.02	.09	.15	.27		14
15	–	.07	–	–	–	–	.2		.33	–	–	–		15
16	–	.05	–	–	–	–	.02		.01	–	.38	–		16
17	.33	.5	–	–	.14	.08	–		–	–	.12	.14		17
18	–	.05	–	–	–	.36	.09		–	–	–	.06		18
19	.45	.07	Tra	.01	–	.14	.04		–	.11	–	–		19
20	–	.04	.03	.27	–	–	.02		.76	–	–	–		20
21	tra	–	–	.18	.01	.33	–		.09	–	–	–		21
22	.09	.41	.04	.01	.28	.01	.16		–	–	–	–		22
23	.01	–	–	.08	.01	–	.02		–	.1	–	–		23
24	.11	.09	.11	.15	–	.1	.01		.01	.3	–	.16		24
25	.07	–	–	.14	–	.2	.13		.17	–	–	–		25
26	Tra	.12	.3	.02	–	–	}		–	.22	–	.02		26
27	.15	.04	.03	–	–	–	~~.5~~ .72		.22	.08	–	–		27
28	.67	Tra	.11	–	–	.15	} x		–	–	–	.03		28
29	.1	.1	.08	–	–	.21	.02		–	Tra	.11	.01		29
30	.09	✕	–	–	.01	.16	.04		–	.2	–	.04		30
31	.23	✕	.29	✕	–	✕	.13		✕	.63	✕	.42	d	31
													Year's Total	
TOTAL	4.13 ✓	1.81 ✓	1.28 ✓	1.35 ✓	.49 ✓	3.42 ✓	3.68 ✓	.49 ✓	2.48 ✓	1.73 ✓	2.71 ✓	1.54 ✓	25.11 ✓	
* Days with .01 in. or more.	20 ✓	14 ✓	13 ✓	14 ✓	6 ✓	19 ✓	22	(6)	15 ✓	8 ✓	12 ✓	12 ✓	(161) ~~133~~	
* Days with .04 in. or more.	19 ✓	14 ✓	10 ✓	11 ✓	3 ✓	17 ✓	17	(5)	~~12~~ 11	8 ✓	12 ✓	9 ✓	(136) ~~115~~	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) W. J. Bennett
per pro J. P. Morrison.

[P.T.O.

872

Section **A** for the entry of Da

AIR MINISTRY.—

FOR OFFICIAL USE.

NFALL ORGANIZATION.

FORM 1090.

REGIST

93/.

872

STANMORE

1931 ONLY

78 02 04

Kept at Stanmore (Th

in the County of Middl

Diameter of Funnel of Gauge 5"

Height of top of Gauge above Ground

,, Ground ,, Sea Leve

THE MORNING MEASURE **DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·12	·02		·17	·02								1
2		·04		·39					·67	·05		·01	2
3			·02	·31	·45			·35	·72		·05	·23	3
4					·02		·03	·48	·15		·09	·01	4
5				·16	·13	·54	·07	·13				·27	5
6		·12		·12						·33	·42		6
7				·01	·03	·04		·66		·06	·20	·06	7
8		·12				·10		·47		·03	·17	·02	8
9		·05	·14	·02		·02					·40	·02	9
10		·09				·06	·07	·25			·27		10
11	·16	·30							·05		·17		11
12		·03						·06	·39			·01	12
13							·11	·07					13
14		·10			·01		·86	·95					14
15	·05	·05		·06	·16		·20	·17			·02	·04	15
16		·06		·10	·25	·03	·02	·03	·08				16
17		·02		·20	·12		·15		·06	·02			17
18	·04	·09		·24		·20	·06	·65			·60		18
19	·02			·45		·51	·30	·20	·03				19
20		·04		·16			·09	·26			·01	·02	20
21	·03				·47				·02				21
22	·20								·01				22
23	·26	·01		·04	·45	·02			·01		·19	·04	23
24				·25	·19	·07	·06						24
25	·09			·50			·38				·05	·01	25
26		·05		·23			·47				·17		26
27	·19	·42		·01	·27		·15				·06		27
28	·05	·22		·06								·26	28
29	·06	×			·10		·18			·26		·06	29
30	·05	×			·01		·07	·24					30
31	·20	×		×	·04	×			×		×		31
TOTAL	1·62	1·83	·16	3·48	2·72	1·59	3·27	4·97	2·19	·75	2·87	1·53	YEAR'S TOTAL 26·48
*Days with ·01 in. or more.	14	18	2	19	16	10	17	15	11	6	15	13	166
*Days with ·04 in. or more.	12	14	1	15	11	7	15	14	7	4	13	8	122

1·13

40-9999

(Signed) [P.T.O.

*See Instruction 2 (f) on other side.

872

Section **A** for the entry of Daily Observations. 7546 2/29 **FOR OFFICIAL USE.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Stanmore (The Gardens)

in the County of Middlesex.

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground – ft 9 in.

,, Ground ,, Sea Level 435·00 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·12	·02		·17	·02								1
2		·04		·39					·67	·05		·01	2
3			·02	·31	·45			·35	·72		·05	·23	3
4					·02		·03	·48	·15		·09	·01	4
5				·16	·13	·54	·07	·13				·27	5
6		·12		·12						·33	·42		6
7				·01	·03	·04		·66		·06	·20	·06	7
8		·12				·10		·47		·03	·17	·02	8
9		·05	·14	·02		·02					·40	·02	9
10		·09				·06	·07	·25			·27		10
11	·16	·30							·05		·17		11
12		·03						·06	·39			·01	12
13							·11	·07					13
14		·10			·01		·86	·95					14
15	·05	·05		·06	·16		·20	·17			·02	·04	15
16		·06		·10	·25	·03	·02	·03	·08				16
17		·02		·20	·12		·15		·06	·02			17
18	·04	·09		·24		·20	·06	·65			·60		18
19	·02			·45		·51	·30	·20	·03				19
20		·04		·16			·09	·26			·01	·02	20
21	·08				·47				·02				21
22	·20								·01				22
23	·26	·01		·04	·45	·02			·01		·19	·04	23
24				·25	·19	·07	·06						24
25	·09			·50			·38				·05	·01	25
26		·05		·23			·47				·17		26
27	·19	·42		·01	·27		·15				·06		27
28	·05	·22		·06								·27	28
29	·06	×			·10		·18			·26		·06	29
30	·05	×			·01		·07	·24					30
31	·20	×		×	·04	×			×		×		31
TOTAL	1·62	1·83	·16	3·48	2·72	1·59	3·27	4·97	2·19	·75	2·87	1·53	YEAR'S TOTAL 26·48
*Days with ·01 in. or more.	14	18	2	19	16	10	17	15	11	6	15	18	166
*Days with ·04 in. or more.	12	14	1	16	11	7	15	14	7	4	13	8	122

1·13

40-9999

(*Signed*) .... [P.T.O.

*See Instruction 2 (*f*) ou other side.

EDGWARE (FRANCKLYN GD

872/5
EDGEWARE
FRANKLYN GDNS
1938-1940

480204

Section **A** for the entry of Da

AIR MINISTRY.-

Station No. 872/5

NFALL ORGANIZATION

FORM 1090

REGIST 1938

823765/28

Kept at Edgware

in the County of Middlesex

Diameter of Funnel of Gauge.........

Height of top of Gauge above Groun

,, Ground ,, Sea L

THE MORNING MEASUREM VIOUS DAY

An observer who does not conform to of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1									⊗ ·02	·02	–	–		1
2									–	·02	·02	–		2
3									·02	·44	–	–		3
4									–	·13	–	·13		4
5									–	·4	–	·01		5
6									tr	tr	–	–		6
7									·02	·30	–	–		7
8									–	·26	–	·03		8
9									–	–	–	·59		9
10									–	–	–	·03		10
11									–	–	·19	–		11
12									–	–	·02	–		12
13									–	·24	·14	·13		13
14									–	·02	–	tr		14
15									–	·30	–	tr		15
16									–	·03	tr	·48		16
17									–	·02	tr	–		17
18									·10	–	·32	–		18
19									·03	–	·18	–		19
20									·01	–	·52	–		20
21									–	–	·02	✗	One Reading	21
22									–	–	·20	✗		22
23									–	–	–	✗		23
24									·47	–	·07	✗		24
25									·01	·03	·07	✗		25
26									·20	·21	–	·85		26
27									·26	·18	·33	–		27
28									·04	tr	–	·02		28
29									·07	tr	·19	·22		29
30		×							·02	·07	–	–		30
31		×		×		×			×	·15	×	·35		31
Total									1·27	2·46	2·27	2·84	Year's Total ~~19·68~~	
* Days with .01 in. or more.									~~13~~	~~17~~	~~13~~	~~?~~		
* Days with .04 in. or more.									5	~~10~~	~~10~~	~~?~~		

Previously at Wembley Stn. No. 85-6/7

w/p
mc
GB
21/3/39

A.R. BILL ESQ.

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed .... [P.T.O.

EDGWARE (FRANCKLYN GD

Section **A** for the entry of Daily Observations

Station No. 872/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Edgware

in the County of Middlesex

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

823765/28

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	⊗ in.	in.	in.	in.	†	
1									·02	·02	–	–		1
2									–	·02	·02	–		2
3									·02	·44	–	–		3
4									–	·13	–	·13		4
5									–	·4	–	·01		5
6									tr	tr	–	–		6
7									·02	·30	–	–		7
8									–	·26	–	·03		8
9									–	–	–	·59		9
10									–	–	–	·03		10
11									–	–	·19	–		11
12									–	–	·02	–		12
13									–	·24	·14	·13		13
14									–	·02	–	tr		14
15									–	·30	–	tr		15
16									–	·03	tr	·48		16
17									–	·02	tr	–		17
18									·10	–	·32	–		18
19									·03	–	·18	–		19
20									·01	–	·52	–		20
21									–	–	·02	+	One reading	21
22									–	–	·20	+		22
23									–	–	–	+		23
24									·47	–	·07	+		24
25									·01	·03	·07	+		25
26									·20	·21	–	·85		26
27									·26	·18	·33	–		27
28									·04	tr	–	·02		28
29									·07	tr	·19	·22		29
30		×							·02	·07	–	–		30
31		×		×		×			×	·15	×	·35		31
TOTAL									1·27	2·46	2·27	2·84	Year's Total ~~19·68~~	
* Days with .01 in. or more.									~~13~~	~~17~~	~~13~~	~~?~~		
* Days with .04 in. or more.									5	~~10~~	~~10~~	?		

Previously at Wembley Stn. No. 856/7

Up
mic
GB
21/3/39

A.R. BILL ESQ.

* See Instruction 3 (f) on other side.

† Spare column, o entries required.

(Signe .... [P.T.O.

EDGWARE (FRANCKLYN GARDENS)

COPY FOR OFFICIAL USE A

Section **A** **for the entry of Daily Observations**

Station No. ~~8567~~

872/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at Edgware (Francklyn Gdns)

in the County of Middlesex

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

ap inc 1938

f.823765/38

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	–	tr	·50	·30	–	·02	·34	·49	–	tr	·02		1
2	–	–	–	·03	·02	–	–	·79	·80	·02	·03	·02		2
3	·28	tr	–	·20	–	–	–	·45	–	·02	·25	·15		3
4	·04	tr	·20	·37	–	–	·02	·68	–	·36	·03	·01		4
5	·58	tr	–	·30	·08	–	tr	·11	–	·18	·25	·04		5
6	–	–	–	·02	–	–	·24	·05	–	–	·53	·04		6
7	·09	–	–	–	–	–	–	·01	–	–	·11	·60 +		7
8	tr	·09	·08	–	–	–	·03	·04	–	·46	·50	+		8
9	·02	·10	–	–	–	–	–	·02	–	·44	·04	·28		9
10	·22	·09	–	–	–	·47	–	·27	·01	·05	–	–		10
11	–	tr	·24	–	·91	·18	–	–	·01	·73	–	·01		11
12	–	·02	–	tr	–	·02	–	–	·01	–	tr	tr		12
13	–	–	tr	–	–	tr	·04	–	·04	·75	·06	–		13
14	·44	–	–	·10	+	–	·03	–	·01	·19	·39	·01		14
15	·25	–	tr	–	+	·29	·05	–	·06	·81	·03	·01		15
16	·42	–	·10	·04	+	·15	·05	–	–	–	·39	–		16
17	·20	·02	–	tr	+	–	·03	–	–	–	·04	–		17
18	·33	tr	·02	–	–	·13	·20	–	tr	·11	·33	–		18
19	·23	–	·02	–	–	–	·05	–	–	·10	–	–		19
20	·22	–	·01	–	–	·23	·80	–	–	–	–	·02		20
21	·02	–	·35	·01	–	–	·15	1·50	·06	–	–	–		21
22	·11	·24	·19	–	–	–	tr	–	tr	tr	·11	–		22
23	·03	–	–	·07	–	·02	tr	–	tr	·03	·77	–		23
24	·18	–	·03	·01	–	–	·23	·02	tr	·17	–	–		24
25	·54	·15	·05	–	–	–	tr	·18	–	·22	·63	·01		25
26	·27	·03	·01	·02	–	tr	–	–	–	–	·40	·02		26
27	–	·01	·13	·05	–	–	–	·04	–	·22	·16	–		27
28	·02	·14	·05	tr	–	·01	·25	–	–	·07	·17	·07		28
29	–	X	–	·30	–	–	tr	–	–	·16	·18	–		29
30	–	X	–	1·03	–	·10	–	–	–	–	·18	tr		30
31	–	X	–	X	–	X	·02	–	X	–	X	tr	"d"	31
TOTAL	4·51	·89	1·48	3·05	1·31	1·60	2·21	4·50	1·49	5·09	5·58	1·31	Year's Total 33·02	
* Days with .01 in. or more.	21	10	14	15	7	10	16	14	9	19	22	16	173	
* Days with .04 in. or more.	16	6	5	10	6	7	10	11	5	16	19	7	118	

Print

WH

N

† Spare column, no entries required.

* See Instruction 3 (f) on other side. A.R. BILL, Esq.

(Signed) A.R. Bill [P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations — Station No. ※ ~~856/7~~ 872/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Alias.

Kept at 13, Francklyn Gdns- Edgware.
in the County of Middlesex.
Diameter of Funnel of Gauge..................in.
Height of top of Gauge above Ground.........ft..........in.
,, Ground ,, Sea Level ....ft.

※ Entered as previously known— Your letter of the 24th ult. gave Stn No. as 872/5 - of which have had no previous notification, please. A.K.B.

Observer informed 3-1-40

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-		-	-	tr	-	-	-	-	-	·12	-		1
2	-	·18	-	·20	-	-	·10	-	-	·11	·63	-		2
3	-	·23	-	·12	-	-	-	-	-	·07	·94	·10		3
4	-	·12	-	·04	-	-	-	-	-	·23	·12	·02		4
5	-	·01	-	-	-	-	·02	-	-	·10	·52	·15		5
6	·15	·13	-	-	·03	-	·40	-	-	·18	-	-		6
7	·25	·08	-	-	·08	-	·03	-	·01	·02	-	-		7
8	-	tr	-	·02	-	tr	-	-	-	·08	-	·10		8
9	-	-	-	-	-	·59	-	·21	-	·21	·11	·01		9
10	-	-	-	-	-	-	·20	-	-	·02	·18	·02		10
11	-	-	-	·02	-	-	-	-	-	tr	·99	tr		11
12	-	-	·13	-	-	·03	·07	-	·20	tr	·01	-		12
13	-	-	·50	-	-	-	-	-		tr	·77	tr		13
14	-	-	·17	·03	-	-	-	-	·01	-	-	·27		14
15	-	-	-	-	·14	-	·21	-	tr	1·32	·83	-		15
16	·05	·05	·40	tr	-	·02	·45	-	·29			·03		16
17	-	tr	·28	-	-	-	·05	-		-	·68	-		17
18	tr	·47	·19	·29	-	-	·01	-	-	·05	·28	·14		18
19	-	·17	·02	·07	-	-	tr	-	·48	·02	·07	tr		19
20	-	·02	-	·01	-	tr	·05	·01	-	tr	·06	-		20
21	·02	-	-	-	·21	-	·06	-	-	·05	·28	-		21
22	·03	tr	·04	-	·46	·35	-	-	·15	·01	-	-		22
23	-	·06	·03	·17	·14	·04	-	-	-	-	-	tr		23
24	-	-	-	·18	tr	-	·20	-	-	-	-	·02		24
25	-	-	·30	-	-	-	·15	-	-	-	-	-		25
26	1·05	·08	·35	·01	·17	·02	-	-	-	-	-	-		26
27	·45	·15	-	·11	·08	-	·06	-	-	-	-	tr		27
28	·38	-	-	·01	·02	-	-	-	-	-	-	-		28
29	-	-	·12	-	·15	tr	-	-	tr	-	-	·29		29
30	-	×	-	·20	-	-	-	-	-	tr	-			30
31	-	×	-	×	-	×	-	-	×	·77	×	·01		31
TOTAL	2·38	1·75	2·53	1·48	1·48	1·05	2·06	·22	1·14	3·24	6·59	1·16	Year's Total 25·08	
* Days with .01 in. or more.	8	13	~~12~~ 13	15	10	6	15	2	8 6	16 ~~15~~	17 ~~16~~	13 ~~12~~	~~130~~ 133	136
* Days with .04 in. or more.	6	·11	11 ~~12~~	9	8	3	12	1	6 ~~4~~	12 ~~11~~	16 ~~15~~	6	~~96~~ 98	109

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) A. K. Bill.

P.T.O.

873

Section **A** for the entry
AIR MINIST

COPY FOR OFFICIAL USE.
RAINFALL ORGANIZATION.

FORM 1090.

REGI 1931.

873

MILL HILL
"HIGHWOOD HILL"
1931 - 1932

780204

Kept at "ESKDALE", Hig
in the County of Mid

Diameter of Funnel of Gauge
Height of top of Gauge above Gro
,, Ground ,, Sea

THE MORNING MEAS OUS DAY.

An observer who does not conform made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	·07	tr. Snow	·24	-	tr.	·01	·53	·07	-	-	-	1
2	·07	·07	-	·43	-	tr.	-	tr.	·60	·02	-	·10	2
3	·01	tr.	·01	·37	·41	-	-	Thunder ·29	Thunder 1·56	tr.	·03	·22	3
4	-	tr. Snow	-	·01	·02	-	·04	Thunder ·38	·16	·01	·07	-	4
5	-	tr. Snow	-	·21	·06	Thunder ·62	·10	·15	·04	-	tr.	·25	5
6	·01	Snow ·13	-	·08	-	-	·02	tr.	·01	·32	·47	-	6
7	-	·01	-	-	·05	·10	-	·77	-	·05	·11	·05	7
8	Snow ·01	·09	Snow ·01	-	-	·16	-	·48	-	·05	·13	·02	8
9	-	·06	Snow ·06	-	-	tr.	·69	tr.	·01	[illegible]	·38	·01	9
10	·02	·08	Snow ·02	-	tr.	·05	-	·20	-	tr.	·23	-	10
11	·15	·30	tr. Snow	-	-	-	·01	tr.	·04	·01	·13	-	11
12	tr.	Snow ·02	-	tr.	-	-	tr.	-	·35	tr.	-	·01	12
13	tr.	-	-	-	-	-	tr.	·06	·01	-	·01	-	13
14	Snow ·02	Snow ·01	-	-	tr.	tr.	·88	·90	-	-	tr.	-	14
15	·03	·11	-	·07	·12	-	·21	·14	-	-	·01	·04	15
16	-	Dark Snow ·03	-	·11	·29	·03	·01	·05	·11	-	-	-	16
17	·01	Snow ·02	-	Snow ·20	·08	-	·15	-	·04	·02	-	-	17
18	·04	·08	-	·22	tr.	Thunder ·13	·01	·64	-	-	·56	·02	18
19	·01	-	-	·57	-	-	Thunder ·35	·01	·10	-	·01	-	19
20	tr.	·02	tr.	·12	-	-	·07	·27	-	·01	-	-	20
21	·01	-	tr.	-	·54	-	tr.	·01	·01	-	-	-	21
22	·20	·01	·01	-	-	-	-	-	·03	-	·02	-	22
23	·20	-	-	·07	·55	·05	-	-	·09	-	·15	·02	23
24	-	-	-	·39	·06	·03	·07	-	·01	-	-	·02	24
25	·08	·05	-	·34	·06	-	Thunder ·35	-	tr.	-	·03	·01	25
26	-	-	-	·26	-	-	·53	-	·01	-	·13	-	26
27	·17	·40	-	tr.	Thunder ·25	-	Thunder ·16	-	-	-	·04	·01	27
28	·05	Snow ·26	-	·09	-	-	-	-	-	-	-	·25	28
29	·06	×	-	tr.	·03	-	·19	-	-	·38	·01	·01	29
30	·05	×	-	-	·02	-	·04	·24	-	-	-	-	30
31	·22	×	-	×	·08	×	tr.	tr.	×	-	×	·02	31
TOTAL	1·42	1·92	0·11	3·78	2·62	1·17	3·29	4·62	3·25	0·87	2·52	1·06	YEAR'S TOTAL 26·63
*Days with ·01 in. or more.	20	19	5	17	15	8	19	16	18	9	18	16	180
*Days with ·04 in. or more.	11	13	1	16	12	6	14	13	11	4	11	6	118
40-9999	✓	✓	✓	✓	✓	✓	✓	✓				✓	

*See Instruction 2 (*f*) on other side.

(*Signed*) T.B. Norgate

[P.T.O.]

873

Section **A** for the entry

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at "Eskdale", Highwood Hill, Mill Hill
in the County of Middlesex.
Diameter of Funnel of Gauge 5" in.
Height of top of Gauge above Ground - ft. 10½" in.
,, Ground ,, Sea Level 375 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	·07	tr. Snow	·24	-	tr.	·01	·03	·07	-	-	-	1
2	·07	·07	-	·43	-	tr.	-	tr.	·60	·02	-	·10	2
3	·01	tr.	·01	·37	·41	-	-	Thunder ·29	Thunder 1·56	tr.	·03	·22	3
4	-	tr. Snow	-	·01	·02	-	·04	Thunder ·38	·16	·01	·07	-	4
5	-	tr. Snow	-	·21	·06	Thunder ·62	·10	·15	·04	-	tr.	·25	5
6	·01	Snow ·13	-	·08	-	-	·02	tr.	·01	·32	·47	-	6
7	-	·01	-	-	·05	·10	-	·77	-	·05	·11	·05	7
8	Snow ·01	·09	Snow ·01	-	-	·16	-	·48	-	·05	·13	·02	8
9	-	·06	Snow ·06	-	-	tr.	·69	tr.	·01	-	·38	·01	9
10	·02	·08	Snow ·02	-	tr.	·05	-	·20	-	tr.	·23	-	10
11	·15	·30	tr. Snow	-	-	-	·01	tr.	·04	·01	·13	-	11
12	tr.	Snow ·02	-	tr.	-	-	tr.	-	·35	tr.	-	·01	12
13	tr.	-	-	-	-	-	tr.	·06	·01	-	·01	-	13
14	Snow ·02	Snow ·11	-	-	tr.	tr.	·88	·90	-	-	tr.	-	14
15	·03	·11	-	·07	·12	-	·21	·14	-	-	·01	·04	15
16	-	Pink Snow ·03	-	·11	·29	·03	·01	·05	·11	-	-	-	16
17	·01	Snow ·02	-	Snow ·20	·08	-	·15	-	·04	·02	-	-	17
18	·04	·08	-	·22	tr.	Thunder ·13	·01	·64	-	-	·56	·02	18
19	·01	-	-	·57	-	-	Thunder ·35	·01	·10	-	·01	-	19
20	tr.	·02	tr.	·12	-	-	·07	·27	-	·01	-	-	20
21	·01	-	tr.	-	·54	-	tr.	·01	·01	-	-	-	21
22	·20	·01	·01	-	-	-	-	-	·03	-	·02	-	22
23	·20	-	-	·07	·55	·05	-	-	·09	-	·15	·02	23
24	-	-	-	·39	·06	·03	·07	-	·01	-	-	·02	24
25	·08	·05	-	·34	·06	-	Thunder ·35	-	tr.	-	·03	·01	25
26	-	-	-	·26	-	-	·53	-	·01	-	·13	-	26
27	·17	·40	-	tr.	Thunder ·25	-	Thunder ·16	-	-	-	·04	·01	27
28	·05	Snow ·26	-	·09	-	-	-	-	-	-	-	·25	28
29	·06	×	-	tr.	·03	-	·19	-	-	·38	·01	·01	29
30	·05	×	-	-	·02	-	·04	·24	-	-	-	-	30
31	·22	×	-	×	·08	×	tr.	tr.	×	-	×	·02	31
TOTAL	1·42	1·92	0·11	3·78	2·62	1·17	3·29	4·62	3·25	0·87	2·52	1·06	YEAR'S TOTAL 26·63
*Days with ·01 in. or more.	20	19	5	17	15	8	19	16	18	9	18	16	180
*Days with ·04 in. or more.	11	13	1	16	12	6	14	13	11	4	11	6	118

40-9999

(*Signed*) T.B. Norgate

P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 873

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at HIGHWOOD HILL, MILL HILL. N.W.7

in the County of MIDDLESEX

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground ft 10" in.

,, Ground ,, Sea Level 375 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·20	·01	-	·23										1
2	·05	-	-	·10										2
3	-	-	-	·10										3
4	·01	tr.	-	-										4
5	·20	·01	·02	-										5
6	·54	-	·01	·15										6
7	-	-	·13	·02										7
8	-	-	·03	·04										8
9	·07	} ·13	-	·06										9
10	·38	} snow	·02	·20										10
11	·02	-	tr.	·03										11
12	·07	-	-	·02										12
13	·09	-	-	·16										13
14	·16	-	-	·19										14
15	tr.	-	tr.	·05										15
16	·51	-	-	·20										16
17	-	-	-	tr.										17
18	tr	-	-	-										18
19	-	-	-											19
20	·01	-	-	·14										20
21	·02	-	-	1·69										21
22	-	-	·39											22
23	-	-	·09											23
24	-	-	-											24
25	-	-	-											25
26	-	-	-											26
27	-	-	·25											27
28	-	-	·05											28
29	·01	-	·36											29
30	-	×	·07											30
31	-	×	·07	×		×			×		×			31
TOTAL	2·34	·15	1·49	-									Year's Total	
*Days with ·01 in. or more.	15	4	12											
*Days with .04 in. or more.	10	2	8											

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*)

[P.T.O.

874

Section A for the entry of Da

AIR MINISTRY.— NFALL ORGANIZATION.

FORM 1090.

REGIST 931.

874

HIGHFIELD

1931-1934

78 02 04

Kept at Highfield . Bu

in the County of Middle

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Lev

THE MORNING MEASUR DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	0.04	—	0.17	—	0.02	—	—	0.06	—	—	—	1
2	0.12	0.04	—	0.41	—	—	0.01	—	0.66	0.03	—	0.14	2
3	0.02	—	0.01	0.35	0.47	—	—	0.25	0.59	—	0.03	0.19	3
4	—	—	—	0.01	0.01	—	0.03	0.36	0.26	0.01	0.07	—	4
5	—	—	—	0.19	0.12	0.58	0.06	0.10	0.01	—	—	0.27	5
6	—	0.12	—	0.11	—	—	—	—	—	} 0.39	0.48	—	6
7	—	—	—	0.01	0.06	0.03	0.01	0.65	—		0.28	0.05	7
8	0.01	0.07	0.09	—	—	0.11	—	0.45	—	0.02	0.15	—	8
9	—	0.07	0.04	0.02	—	—	—	—	—	—	0.41	—	9
10	0.01	0.03	0.02	—	—	0.05	0.06	0.23	—	—	0.45	—	10
11	0.10	0.24	—	—	—	—	—	0.01	0.04	—	0.17	—	11
12	—	0.02	—	—	—	—	—	0.05	0.40	—	—	0.01	12
13	—	—	—	—	—	—	0.06	0.06	—	—	—	—	13
14	0.02	0.08	—	—	—	—	0.76	0.91	—	0.01	—	—	14
15	0.02	0.05	—	0.08	0.17	—	0.25	0.13	—	—	0.03	0.04	15
16	—	0.08	—	0.09	0.29	0.02	0.02	0.10	0.02	—	—	—	16
17	0.01	—	—	0.18	0.10	—	0.12	—	0.14	0.02	—	—	17
18	0.03	0.09	—	0.23	—	0.19	0.01	0.67	—	—	0.60	—	18
19	0.01	—	—	0.52	—	0.42	0.39	0.08	0.05	—	—	—	19
20	—	0.02	—	0.14	—	—	0.11	0.23	—	—	0.01	—	20
21	0.02	—	—	—	0.53	—	—	0.01	—	—	—	—	21
22	0.19	—	—	—	—	—	—	—	0.02	—	0.01	—	22
23	0.23	0.03	—	0.01	0.49	0.01	—	—	0.06	—	0.17	—	23
24	—	—	—	0.23	0.09	0.05	0.06	—	0.01	—	0.01	—	24
25	0.08	—	—	0.46	0.09	—	0.42	—	—	—	0.04	—	25
26	—	0.03	—	0.20	—	—	0.48	—	—	—	0.15	—	26
27	0.17	0.42	—	—	0.27	—	0.09	—	—	—	0.06	—	27
28	0.02	0.23	—	0.06	—	—	—	—	—	—	—	0.36	28
29	0.06	X	—	—	0.05	—	0.16	—	—	0.26	—	0.01	29
30	0.05	X	—	—	0.01	—	0.03	0.18	—	—	—	—	30
31	0.21	X	—	X	0.04	X	—	—	X	—	X	0.01	31
TOTAL	1.38	1.66	0.16	3.47	2.79	1.43	3.13	4.47	2.32	0.74	3.12	1.08	YEAR'S TOTAL 25.75
*Days with ·01 in. or more.	19	17	4	19	15	10	19	17	13	~~7~~ 8?	17	9	167
*Days with ·04 in. or more.	9	12	2	15	13	6	13	15	9	3 ~~2~~?	12	6	115

40-9999

*See Instruction 2 (*f*) on other side

(*Signed*) W. B. Worthington

P.T.O.

874

Section **A** for the entry of Da

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Highfield, Bushey Heath

in the County of Middlesex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 503 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	0.04	–	0.17	–	0.02	–	–	0.06	–	–	–	1
2	0.12	0.04	–	0.41	–	–	0.01	–	0.66	0.03	–	0.14	2
3	0.02	–	0.01	0.35	0.47	–	–	0.25	0.59	–	0.03	0.19	3
4	–	–	–	0.01	0.01	–	0.03	0.36	0.26	0.01	0.07	–	4
5	–	–	–	0.19	0.12	0.58	0.06	0.10	0.01	–	–	0.27	5
6	–	0.12	–	0.11	–	–	–	–	–	} 0.39 x	0.48	–	6
7	–	–	–	0.01	0.06	0.03	0.01	0.65	–	x	0.28	0.05	7
8	0.01	0.07	0.09	–	–	0.11	–	0.45	–	0.02	0.15	–	8
9	–	0.07	0.04	0.02	–	–	–	–	–	–	0.41	–	9
10	0.01	0.03	0.02	–	–	0.05	0.06	0.23	–	–	0.45	–	10
11	0.10	0.24	–	–	–	–	–	0.01	0.04	–	0.17	–	11
12	–	0.02	–	–	–	–	–	0.05	0.40	–	–	0.01	12
13	–	–	–	–	–	–	0.06	0.06	–	–	–	–	13
14	0.02	0.08	–	–	–	–	0.76	0.91	–	0.01	–	–	14
15	0.02	0.05	–	0.08	0.17	–	0.25	0.13	–	–	0.03	0.04	15
16	–	0.08	–	0.09	0.29	0.02	0.02	0.10	0.02	–	–	–	16
17	0.01	–	–	0.18	0.10	–	0.12	–	0.14	0.02	–	–	17
18	0.03	0.09	–	0.23	–	0.19	0.01	0.67	–	–	0.60	–	18
19	0.01	–	–	0.52	–	0.42	0.39	0.08	0.05	–	–	–	19
20	–	0.02	–	0.14	–	–	0.11	0.23	–	–	0.01	–	20
21	0.02	–	–	–	0.53	–	–	0.01	–	–	–	–	21
22	0.19	–	–	–	–	–	–	–	0.02	–	0.01	–	22
23	0.23	0.03	–	0.01	0.49	0.01	–	–	0.06	–	0.17	–	23
24	–	–	–	0.23	0.09	0.05	0.06	–	0.01	–	0.01	–	24
25	0.08	–	–	0.46	0.09	–	0.42	–	–	–	0.04	–	25
26	–	0.03	–	0.20	–	–	0.48	–	–	–	0.15	–	26
27	0.17	0.42	–	–	0.27	–	0.09	–	–	–	0.06	–	27
28	0.02	0.23	–	0.06	–	–	–	–	–	–	–	0.36	28
29	0.06	X	–	–	0.05	–	0.16	–	–	0.26	–	0.01	29
30	0.05	X	–	–	0.01	–	0.03	0.18	–	–	–	–	30
31	0.21	X	–	X	0.04	X	–	–	X	–	X	0.01	31
TOTAL	1.38	1.66	0.16	3.47	2.79	1.43	3.13	4.47	2.32	0.74	3.12	1.08	YEAR'S TOTAL 25.75
*Days with ·01 in. or more.	19	17	4	19	15	10	19	17	13	7 8?	17	9	167
*Days with ·04 in. or more.	9	12	2	15	13	6	13	15	9	3 2?	12	6	115

40-9999

(Signed) W. B. Worthington

P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 874

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at HIGHFIELD BUSHEY HEATH

in the County of MIDDLESEX

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level O.D. 503 ft.

da/10

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.06	–	–	}0.39 +	0.48	0.04	}0.10	0.07	0.03	0.16	0.04	0.01	1
2	0.04	–	–	+	0.07	–	–	0.01	0.54	0.02	0.04	0.18	2
3	–	–	–	0.06	0.13	0.10	–	–	0.46	–	–	–	3
4	–	–	–	–	–	–	–	–	–	–	0.10	–	4
5	0.20	–	0.02	–	0.02	–	0.16	–	0.09	–	–	–	5
6	0.40	–	–	0.12	0.03	–	–	–	0.17	–	–	–	6
7	–	–	0.12	0.04	–	–	0.06	–	0.05	–	–	–	7
8	–	–	0.03	0.09	0.12	–	–	–	0.09	0.21	–	0.01	8
9	0.11	–	–	0.03	0.71	–	–	–	–	–	–	–	9
10	0.35	0.01	–	0.19	0.11	0.02	–	–	0.01	0.15	0.04	–	10
11	0.01	–	0.04	0.01	0.03	–	0.34	0.25	0.02	0.07	0.07	0.01	11
12	0.07	–	–	–	0.05	–	0.01	0.04	0.02	0.14	0.03	–	12
13	0.03	–	–	0.17	0.01	–	–	–	0.02	0.11	0.04	0.02	13
14	0.17	–	–	0.16	–	–	–	–	–	0.02	0.03	–	14
15	}0.30 –	–	–	0.05	0.36	–	–	–	–	0.08	0.01	–	15
16		–	–	0.21	0.15	–	–	–	–	–	–	–	16
17	–	–	–	0.01	–	–	0.10	–	–	0.08	–	–	17
18	–	–	–	–	–	–	0.02	–	0.26	–	0.10	–	18
19	–	–	–	0.13	–	–	–	–	–	0.29	0.01	–	19
20	–	–	–	0.11	0.05	–	–	0.22	0.08	0.76	0.16	–	20
21	0.01	–	0.15	–	0.77	–	0.07	0.16	–	0.24	–	0.05	21
22	–	–	0.23	–	0.06	–	0.36	0.01	0.14	0.22	0.37	–	22
23	–	0.05	0.01	–	0.18	–	–	–	0.06	0.69	0.01	0.12	23
24	–	0.01	–	–	–	–	0.28	–	0.04	0.02	0.07	–	24
25	–	0.01	–	–	–	–	0.45	–	0.04	0.47	0.01	0.02	25
26	–	–	0.09	0.15	0.07	–	0.02	–	–	0.03	–	–	26
27	–	–	0.23	0.25	0.42	0.01	0.08	–	–	0.39	0.13	0.02	27
28	–	–	0.08	0.01	0.09	0.03	0.23	–	–	0.16	–	0.01	28
29	–	–	0.31	0.02	0.36	0.02	–	0.12	0.05	0.30	0.05	0.01	29
30	–	×	0.01	–	0.01	0.92	–	–	0.11	0.02	0.32	0.17	30
31	–	×	0.05	×	0.01	×	0.03	–	×	–	×	0.05	31
TOTAL	1.75	0.08	1.37	2.20	4.29	1.14	2.31	0.88	2.28	4.63	1.63	0.68	YEAR'S TOTAL 23.24
*Days with ·01 in. or more.	12	4	13	~~19 or~~ 20	23	7	15 ~~or 16~~	8	19	22	19	13	175
*Days with .04 in. or more.	~~8~~ 9	1	9	~~14 or~~ 15	17	3	11 ~~or 12~~	6	14	17	13	5	120

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

Jan. 3rd 1933

[P.T.O.

Section **A** for the entry of Daily Observations. Station No. 8/4

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Highfield, Bushey Heath

in the County of Middlesex

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground one ft — in.

,, Ground ,, Sea Level O.D. 503 ft.

J.W.C. 25/1/34.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.05	0.14	0.13	-	0.09	-	-	-	-	0.01	0.03	-		1
2	0.33	-	0.36	-	0.14	-	-	-	-	-	-	-		2
3	-	0.18	0.13	-	0.13	-	-	-	-	-	-	-		3
4	0.25	0.01	0.02	-	0.15	-	-	-	-	-	0.02	-		4
5	0.02	-	0.23	-	0.14	-	-	-	-	-	0.01	-		5
6	0.01	0.07	0.02	-	0.43	-	-	-	-	0.04	0.04	0.01		6
7	0.14	0.13	0.09	-	0.01	-	-	-	-	0.06	0.01	-		7
8	0.04	0.01	0.01	-	0.04	-	0.04	-	-	0.03	-	-		8
9	-	-	-	-	0.13	0.01	0.17	-	-	0.14	0.10	-		9
10	-	0.32	-	-	0.02	-	0.23	-	-	0.22	-	-		10
11	0.14	-	-	-	0.03	0.02	0.07	0.06	-	-	0.01	-		11
12	0.01	-	-	0.04	-	0.07	0.02	-	0.48	-	-	-		12
13	0.05	-	-	-	0.22	-	0.23	-	0.10	-	0.12	-		13
14	-	-	0.17	-	0.01	-	0.01	0.02	-	0.04	0.57	-		14
15	0.38	-	}0.70	-	-	0.47	0.20	0.08	-	-	0.05	-		15
16	-	0.02		-	-	0.15	0.22	-	-	0.01	0.05	-		16
17	-	}0.09	0.28	-	-	-	0.03	-	0.08	-	0.01	-		17
18	0.05		0.14	-	-	0.11	-	-	-	-	0.01	-		18
19	-	0.03	0.17	0.01	-	0.25	-	-	0.54	-	0.01	-		19
20	-	0.02	0.06	0.20	-	0.26	-	-	-	-	0.01	-		20
21	-	0.04	-	-	-	0.01	-	0.06	0.25	-	0.01	-		21
22	-	-	-	-	0.02	0.03	-	0.21	-	0.18	0.03	-		22
23	-	-	-	0.13	-	-	-	-	0.39	0.01	-	-		23
24	-	0.21	-	0.15	0.03	0.20	-	-	0.26	-	0.02	-		24
25	-	0.29	-	0.32	-	-	-	-	0.08	0.01	0.03	0.06		25
26	-	0.35	-	0.08	-	-	-	-	0.29	0.08	-	0.14		26
27	-	-	-	-	0.10	-	-	-	0.01	0.15	0.01	0.07		27
28	-	-	-	-	0.06	-	-	-	-	0.32	-	0.02		28
29	0.12	×	-	0.25	-	-	0.11	-	-	0.09	-	-		29
30	0.08	×	-	-	-	-	0.02	-	-	-	-	0.08		30
31	0.15	×	0.07	×	-	×	-	0.15	×	0.02	×	-		31
TOTAL	1.82	1.91	2.58	1.18	1.75	1.61	1.35	0.58	2.58	1.41	1.15	0.38	Year's Total 18.30	
*Days with ·01 in. or more.	15	15	~~15~~ 16	8	17	11	12	6	10	16	20	6	152	
*Days with .04 in. or more.	12	10	~~12~~ 13	7	11	8	8	5	9	10	6	4	103	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) W. B. Worthington

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 874

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Highfield, Bushey Heath

in the County of Middlesex

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground one ft — in.

,, Ground ,, Sea Level O.D. 503 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0.02	–	–	–	–	–	–	0.21	0.02	0.03	0.18	0.52		1
2	0.06	–	0.07	–	–	–	–	–	0.80	0.14	0.01	0.15		2
3	0.02	0.03	–	–	0.13	–	–	–	–	0.32	–	0.02		3
4	0.12	–	0.08	0.09	0.01	–	–	–	–	0.14	0.09	0.34		4
5	0.01	–	0.02	0.02	0.02	–	–	0.04	–	–	0.01	0.44		5
6	–	–	0.21	–	0.36	0.06	–	0.05	–	0.15	–	0.54		6
7	0.03	–	–	–	–	–	–	0.11	–	0.22	–	0.21		7
8	–	–	–	–	0.10	–	–	0.03	0.11	–	0.35	0.01		8
9	–	–	0.02	–	–	–	–	–	–	–	0.96	0.37		9
10	0.02	–	0.11	0.11	–	–	–	0.01	–	0.01	0.21	0.01		10
11	0.29	–	0.29	0.05	–	–	–	0.01	–	–	–	0.13		11
12	0.05	–	0.06	0.01	0.02	–	0.11	0.29	–	–	0.01	0.03		12
13	0.32	–	0.07	0.01	–	–	0.01	0.05	–	–	0.02	0.07		13
14	0.06	–	0.27	0.01	0.01	–	–	–	–	0.03	0.16	0.40		14
15	0.04	–	0.08	–	0.07	–	–	–	0.02	–	0.06	0.28		15
16	0.17	–	0.14	–	0.01	–	–	–	–	0.12	0.01	–		16
17	0.02	–	–	0.03	–	–	–	–	–	0.01	0.02	0.11		17
18	0.11	–	–	0.25	–	–	0.32	–	0.01	0.01	–	0.10		18
19	–	–	0.21	–	–	–	–	–	0.08	0.01	–	0.09		19
20	–	–	0.40	0.05	–	–	0.21	0.01	0.01	–	–	–		20
21	–	–	0.02	0.10	–	0.11	–	0.03	–	0.03	–	–		21
22	–	–	–	–	–	–	0.01	0.37	0.23	–	–	0.06		22
23	–	–	–	0.26	–	0.15	–	–	–	–	0.01	0.08		23
24	–	0.01	–	0.12	–	0.05	0.46	–	0.19	–	–	–		24
25	0.13	0.05	0.05	0.12	–	0.07	–	–	–	0.04	–	0.39		25
26	0.01	–	–	0.36	–	0.07	–	–	0.03	0.01	–	0.53		26
27	–	0.12	–	0.18	–	0.10	–	–	–	0.10	–	0.41		27
28	–	0.25	–	0.49	–	0.14	0.01	1,04	–	–	–	0.21		28
29	–	×	–	–	–	–	0.02	–	0.15	–	–	0.02		29
30	0.04	×	–	–	–	–	–	0.06	0.01	–	0.04	0.13		30
31	0.02	×	–	×	–	×	0.01	–	×	0.01	×	0.06		31
TOTAL	1,54	0.46	2,10	2.26	0.73	0.75	1.16	2.31	1.66	1.48	2,14	5.71	Year's Total. 22.30	
* Days with .01 in. or more.	19	5	16	17	9	8	9	14	12	17	15	27	168	
* Days with .04 in. or more.	11	2	13	12	4	8	5	9	6	9	8	22	109	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) W.B. Worthington

[P.T.O.

875

ESTREE

1931-1940

480204

875

Section **A** for the entry of Daily

AIR MINISTRY.—ME

FALL ORGANIZATION.

COPY FOR OFFICIAL USE.

FORM 1090.

REGISTER 931..

Kept at Elstree

Year 10" [illegible]

Apr 2" [illegible]

Letter 28/4/32

[illegible] conforms original except Apr 1931

DAY.

e reading made on January 1st of the following

Jan. 1, following

s and Instructions Overleaf.

The months Jan to May of the

Records are all wro

June to Dec agree very well

Year 10"

		Aldenham	Elstree	Bushey Heath
Jan	1.50	1.48	2.52	1.38
Feb	1.50	1.08	3.75	1.66
Mar	.15	.14	2.48	.16
Apr	3.45	3.46	5.98	3.47
May	2.50	2.34	3.23	2.79
		8.50	17.96	9.46

get fee [illegible] letter

						e	July	August	Sept.	Oct.	Nov.	Dec.	Date
							in.	in.	in.	in.	in.	in.	
						l	Nil	·010	·035	Nil	Nil	Nil	1
						5	·010	Trace	·652	·038	·010	·115	2
						il	Nil	=	·638	Trace	·052	·235	3
							·068	·618	·435	·015	·090	Nil	4
						20	·070	·125	·020	Nil	Nil	·310	5
						il	Nil	=	·035	·346	·440	Trace	6
						025	·065	=	Nil	·065	·245	·030	7
						110	Nil	1·280	"	·010	·020	·025	8
						015	Trace	Nil	"	·025	·490	·012	9
10	·048	·458	"			·070	·070	·280	"	Trace	·348	Trace	10
11	Nil	·110	"	"	"	Trace	Nil	Nil	·035	·010	·150	·010	11
12	·020	·0[illegible]0	·065	·010	"	Nil	"	·050	·375	·015	Nil	·020	12
13	·235	·350	·742	Nil	"	Trace	·150	·082	Nil	Trace	"	Nil	13
14	·115	·485	·168	"	Trace	Nil	·965	·948	"	·010	·015	"	14
15	·426	·290	·305	"	·060	"	=	·165	"	Nil	·030	·050	15
16	·305	·085	·030	·023	·458	·028	·238	·060	·085	"	Nil	Nil	16
17	·118	·132	·253	·050	·040	Nil	·160	Nil	·098	·020	"	"	17
18	·080	·065	Trace	·438	Nil	·221	Trace	·652	·010	Nil	·670	"	18
19	Nil	·070	"	1·15 ~~1·450~~	"	·365	·250	·095	·062	"	·010	·015	19
20	Trace	·040	·020	·120	·290	Trace	=	·260	Nil	Trace	·018	Nil	20
21	·085	Nil	·450	Nil	·475	Nil	·118	·010	Trace	·010	Nil	"	21
22	·112	Trace	·360	·132	Nil	"	Nil	Nil	·025	Nil	"	"	22
23	Trace	·030	·055	·040	·508	·030	"	"	·045	"	·215	·032	23
24	"	Trace	·010	·428	·112	·065	·120	"	·018	·010	·010	Trace	24
25	·065	·012	Nil	·645	·100	Nil	·540	"	Trace	Nil	·060	·018	25
26	·321	·046	Trace	·365	Nil	"	=	"	·018	"	·165	Nil	26
27	·265	·455	·020	·255	·220	"	=	"	Nil	"	Nil	"	27
28	Nil	·265	Nil	Nil	Trace	"	=	"	"	·010	"	"	28
29	"	~~×~~	"	·020	·062	"	·785	"	·010	·275	·010	"	29
30	·010	×	"	Nil	·010	"	·030	·215	Nil	Nil	Nil	Trace	30
31	·035	×	"	×	·032	×	Trace	Nil	×	Nil	×	Trace	31 34·67
TOTAL	2·525	3·749	2·478	5·983	3·235	1·464	3·639	4·850	2·567	·859	3·048	·872	YEAR'S TOTAL ~~35·269~~
*Days with ·01 in. or more.	19	20	12	19	17	11	19	16	17	14	19	12	195
*Days with ·04 in. or more.	13	17	8	15	12	6	15	14	8	3	11	5	127

40-9999

*See Instruction 2 (f) on other side.

(Signed) G.V. Maxted M.I.C.E.

34,669

Section **A** for the entry of Daily Observations. 875

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Elstree ~~[illegible]~~ M'sex.

Jean 10" high

Apr 2½ high

dafp

Letter 28/4/32

Observer confirms original except Apr 19th.

The months Jean 10" high
Jan to May of this
record are all wrong
June to Dec agree very well

		Aldenham	Elstree	Bushey Heath
Jan	1·50	1·48	2·52	1·38
Feb	1·50	1·08	3·75	1·66
Mar	·15	·14	2·48	·16
Apr	3·45	3·46	5·98	3·47
May	2·50	2·34	3·23	2·79
		8·50	17·96	9·46

get file
[illegible] letter

…TED TO THE PREVIOUS DAY.

…e reading made on January 1st of the following

Jan. 1, following

…s and Instructions Overleaf.

						e	July	August	Sept.	Oct.	Nov.	Dec.	Date
							in.	in.	in.	in.	in.	in.	
						l	Nil	·010	·035	Nil	Nil	Nil	1
						5	·010	Trace	·652	·038	·010	·115	2
						il	Nil	=	·638	Trace	·052	·235	3
							·068	·618	·435	·015	·090	Nil	4
						20	·070	·125	·020	Nil	Nil	·310	5
						il	Nil	=	·035	·346	·440	Trace	6
						25	·065	=	Nil	·065	·245	·030	7
						110	Nil	1·280	"	·010	·020	·025	8
						015	Trace	Nil	"	·025	·490	·012	9
10	·048	·458	"			·070	·070	·280	"	Trace	·348	Trace	10
11	Nil	·110	"	"	"	Trace	Nil	Nil	·035	·010	·150	·010	11
12	·020	·020	·065	·010	"	Nil	"	·050	·375	·015	Nil	·020	12
13	·235	·350	·742	Nil	"	Trace	·150	·082	Nil	Trace	"	Nil	13
14	·115	·485	·168	"	Trace	Nil	·965	·948	"	·010	·015	"	14
15	·426	·290	·305	"	·060	"	=	·165	"	Nil	·030	·050	15
16	·305	·085	·030	·023	·458	·028	·238	·060	·085	"	Nil	Nil	16
17	·118	·132	·253	·050	·040	Nil	·160	Nil	·098	·020	"	"	17
18	·080	·065	Trace	·438	Nil	·221	Trace	·652	·010	Nil	·670	"	18
19	Nil	·076	"	~~1·450~~ 1·15	"	·365	·250	·095	·062	"	·010	·015	19
20	Trace	·040	·020	·120	·290	Trace	=	·260	Nil	Trace	·018	Nil	20
21	·085	Nil	·450	Nil	·475	Nil	·118	·010	Trace	·010	Nil	"	21
22	·112	Trace	·360	·132	Nil	"	Nil	Nil	·025	Nil	"	"	22
23	Trace	·030	·055	·040	·508	·030	"	"	·045	"	·215	·032	23
24	"	Trace	·010	·428	·112	·065	·120	"	·018	·010	·010	Trace	24
25	·065	·012	Nil	·645	·100	Nil	·540	"	Trace	Nil	·060	·018	25
26	·321	·046	Trace	·365	Nil	"	=	"	·018	"	·165	Nil	26
27	·265	·455	·020	·255	·220	"	=	"	Nil	"	Nil	"	27
28	Nil	·265	Nil	Nil	Trace	"	=	"	"	·010	"	"	28
29	"	×	"	·020	·062	"	·785	"	·010	·275	·010	"	29
30	·010	×	"	Nil	·010	"	·030	·215	Nil	Nil	Nil	Trace	30
31	·035	×	"	×	·032	×	Trace	Nil	×	Nil	×	Trace	31 34·67
	3	5	8	3			4		7	6	5		YEAR'S TOTAL
TOTAL	2·525	3·749	2·478	5·983	3·235	1·464	3·639	4·850	2·567	·859	3·048	·872	~~35·269~~
*Days with ·01 in. or more.	19	20	12	19	17	11	19	16	17	14	19	12	195
*Days with ·04 in. or more.	13	17	8	15	12	6	15	14	8	3	11	5	127

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) G.V. Maxted M.I.C.E.

34669

The months   Year 10" high

Jan to May of this record are all wrong.

June to Dec agree very well

		Aldenham	Elstree	Bushey Heath
Jan	1.50	1.48	2.52	1.38
Feb	1.50	1.08	3.75	1.66
Mar	.15	.14	2.48	.16
Apr	3.45	3.46	5.98	3.47
May	2.50	2.34	3.23	2.79
		8 50	17.96	9 46

get fee
send letter

METEOROLOGICAL OFFICE,
CROYDON AERODROME,

12th JULY 1930.

records and tabulations for June
-

Nos. 21-26
152-184
152-182
152-182

+ 566571/28

875

Section **A** for the entry of Daily Observations.

COPY FOR ~~OFFICIAL~~ USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090

REGISTER OF RAINFALL IN 1932.

Middlesex /1

Kept at Elstree (BARNET LANE)

in the County of ~~Hertfordshire~~ M^dsex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 490 about ft.

Letter sent 20/2/33 re large totals.

1931 big rept.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·050	nil	nil	·325	·495	·060	·125	·025	·035	·160	·050	·360	1
2	·390	"	"	·163	·232	nil	nil	·130	·545	·025	·055	·200	2
3	nil	"	"	·215	} ·115	"	"	nil	·482	nil	nil	nil	3
4	·010	"	"	nil	}	·080	"	"	nil	"	·104	"	4
5	·290	"	·025	"	·025	nil	·140	"	·115	"	nil	"	5
6	·530	"	·015	·115	·020	"	nil	"	·185	-	"	"	6
7	nil	"	·148	·020	nil	"	·040	"	·045	-	"	"	7
8	"	"	nil	·060	·150	"	nil	"	·075	✗ -	"	"	8
9	·135	"	"	·092	·612	"	"	"	Trace	-	"	"	9
10	·330	"	"	·230	·120	·025	"	"	·042	✗ -	·030	"	10
11	·020	"	"	nil	·060	"	·350	·360	nil	✗ -	·060	·015	11
12	nil	"	"	} ·245	·065	"	nil	·030	"	1·275 }	} ·055	nil	12
13	·090	"	"	}	·020	"	"	nil	·040	✗ -	}	"	13
14	·270	"	"	·250	·045	"	"	"	nil	/ -	nil	"	14
15	nil	"	"	·060	·320	"	"	"	"	✗ -	·028	·030	15
16	·352	"	"	·215	·110	"	"	"	"	-	nil	nil	16
17	nil	"	"	Trace	nil	"	·095	"	"	✗ -	"	"	17
18	"	"	"	"	·020	"	·010	"	·250	-	·100	"	18
19	"	"	"	"	nil	"	nil	"	Trace	✗ -	nil	"	19
20	"	"	"	·165	·025	"	"	·135	·080	·783	·180	"	20
21	Trace	"	"	·145	·770	"	·020	·195	nil	·253	"	"	21
22	"	"	·385	nil	·085	"	·295	nil	·170	·220	·410	·050	22
23	·020	·080	nil	"	·040	"	nil	"	·065	·765	nil	·130	23
24	nil	·015	"	"	nil	"	·270	"	·045	·032	·105	nil	24
25	"	"	"	Trace	"	"	·470	"	·072	·470	·025	"	25
26	"	"	·065	·185	·050	"	·010	"	nil	·040	nil	Trace	26
27	"	"	·290	·255	·390	"	·085	"	"	·455	·140	·040	27
28	"	"	·138	·010	·085	·025	·295	"	"	·155	nil	·020	28
29	"	"	·360	nil	·145	·032	nil	·192	·040	·335	·065	·015	29
30	"	×	·020	·030	nil	1·020	"	nil	·178	·015	nil	·190	30
31	"	×	·045	×	nil	×	·050	"	×	nil	×	·052	31
TOTAL	2.49 ~~2·487~~	·10 ~~·095~~	1.49 ~~1·491~~	2.78 ~~2·778~~	4.00 ~~3·999~~	1.24 ~~1·242~~	2.25 ~~2·255~~	1.07 ~~1·067~~	2.46 ~~2·464~~	4.98 ~~4·983~~	1.41 ~~1·407~~	1.10 ~~1·102~~	25·37 YEAR'S TOTAL ~~25·372~~
*Days with ·01 in. or more.	12	2	10	19	24	6	14	7	17	(22)	15	11	159
*Days with ·04 in. or more.	9	1	7	17	18	3	11	5	16	(18)	11	7	125

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) G. V. Maxted ESQ., C.E.

[P.T.O.

Probably [illegible]

875

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. **Station No.** ~~875~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Elstree

in the County of Hertfordshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 470 (about) ft.

Est. ~~[illegible]~~

March 1st - 25th estimated by surrounding stns. No rain Aug 4 - 11th. Observer informed. 6/4/34 [illegible]

[illegible] agrees 9/4/34

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in	in	in.	in.	in.		
1	·065		·125	Nil	·065	Nil	Nil	Nil	Nil	}·020	Nil	Nil		1
2	·438	}·765	·385	"	·135	"	"	"	"	3 days	Trace	"		2
3	Nil	·170	·240	"	·080	"	"	"	"	Nil	·025	"		3
4	·310	Trace	·030	"	·150	"	"		"	"	·030	"		4
5	Nil	Trace	·240	"	·135	"	"		"	"	·015	"		5
6	Nil	·150	Nil	"	·465	"	"		"	·035	·020	"	"	6
7	·185	·120		"	·015	"	"		"		·030	"		7
8	·025	Nil	}·090	"	·030	"	·040		"		Nil	"		8
9	Nil	Nil	Nil	"	·110	"	·185		"	}·545	·152	"		9
10	"	·215	"	"	Nil	·050	·260		"		Nil	"		10
11	·110	·010	"	"	·010	Nil	·085	⊕	"	Nil	·010	"		11 ⊕
12		Nil	"	"	Trace	·045	·015	·065	·430	"	Nil	"		12
13	}·055	"	"	"	·220	Nil	·230	Nil	·075	"	·130	"		13
14	Nil	"		"	·030	"	Trace	·025	Nil	·055	·575	"		14
15	·395	Trace		"	Nil	·285	·025	·115	"	Nil	·058	"		15
16	·015	"		"	"	·175	·230	Nil	"	·025	·050	"		16
17	·025	·020		"	"	·020	·025	"	·105	Nil	·010	"		17
18	·050	·150		"	"	·120	Nil	"	Nil	"	Trace	"		18
19	Nil	·110	(1.75)	·020	"	·105	"	"	·645	"	"	·095		19
20	"	Nil		·270	Trace	·525	"	"	Nil	"	·020	Nil		20
21	"	"		Nil	·010	·015	"	·055	·250	"	Nil	"		21
22	"	Trace		"	·010	·088	"	·215		·145	·040			22
23	"	·045		·190	Nil	Nil	"	Nil	}·595	Trace	Nil			23
24	"	·180		·175	Trace	·255	"	"	·290	"				24
25	"	·245			"	Nil	"	"	·045	·015	}·035	}·210		25
26	"	·380	Nil		·010	·010	"	"	·270	·110				26
27	"	Nil	"	}·465	·265	Nil	·015	"	Trace	·155	Nil			27
28	"	"	"		·020	"	Nil	"	"	·320	Nil	·010		28
29	·110	✕	"	·285	Nil	"	·065	"	"	·085	"	Nil		29
30	·090	✕	"	Nil	"	"	·070	"	"	Trace	"	·100		30
31	·195	✕	"	✕	"	✕	Nil	·151	✕	·025	✕	Nil		31
TOTAL	2.07 ~~2·065~~	1.96 ~~1·960~~	(2.86) ?	1.41 ~~1·405~~	1.75 ~~1·750~~	1.69 ~~1·693~~	1.24 ~~1·245~~	·63 ~~·626~~	2.71 ~~2·705~~	1.53 ~~1·535~~	1.20 ~~1·200~~	·42 ~~·415~~	Year's Total 19.47	~~[illegible]~~ ~~Total~~ missing
*Days with ·01 in. or more.	~~14~~	~~13~~	~~?~~	~~?~~	~~16~~	~~12~~	~~12~~	~~?~~	~~?~~	~~?~~	~~?~~	~~?~~		
*Days with .04 in. or more.	~~11~~	~~11~~	~~?~~	~~?~~	~~9~~	~~9~~	~~8~~	~~?~~	~~?~~	~~?~~	~~?~~	?		

Gauge away for testing by meteorological office

[illegible] away

'065 is the total from Aug 3.

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) G. V. Maxted

[P.T.O.

File 886571/28

Section **A** **for the entry of Daily Observations.**

COPY FOR OFFICIAL USE.

Station No 875

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Elstree

in the County of Hertfordshire

Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 470 ft.

Days estimated by surrounding stations adjustments made for three place reading.

26/4/35.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	nil	nil	nil	nil	nil	nil	nil	·210	✓	Trace	Nil	·545		1
2	·085	"	·072	"	·172	"	"	nil	}·790✗	·180	"	·145		2
3	·020	"	nil	·095	nil	"	"		nil	·275	"	·025		3
4	·135	"	·085	·015	·010	"	"		"	·130	·080	·440		4
5	nil	"	✓	nil	nil	"	"	✗	"	nil	·010	·460		5
6	·030	"	}·255✗	"	·440	·118	"	}·240	"	·165	nil	·610		6
7	·025	"	nil	"	–	nil	"	✗	"	·175	"	·200		7
8	nil	"	"	"	}·105✗	"	"	✓	·090	nil	·400	·010		8
9	"	"	·030	"	nil	"	"	–	nil	"	·945	·385		9
10	"	"	·098	·130	"	"	"	✓	"	·010	·285	·015		10
11	·360	"	·263	·078	"	"	"	·025	"	nil	nil	·135		11
12	·040	"	·070	nil	"	"	·155	·290	"	"	"	·030		12
13	·360	"	·105	"	"	"	✓	·028	"	Trace	·040	✗		13
14	·065	"	·268	Trace	·040	"		nil	"	"	·155	}·765		14
15	nil	"	·060	"	·085	"		"	·220	·020	·060	✗		15
16	·255	"	·132	"	nil	"		"	nil	·115	nil	Trace		16
17	·030	"	nil	·035	"	"	}·640	"	"	·080	·015	·135		17
18	·130	"	"	·190	"	"	✗	"	Trace	nil	nil	·120		18
19	nil	"	·215	nil	"	·025		"	·085	·010	"	·160		19
20	"	"	·370	·080	"	nil	✗	·010	·010	nil	"	nil		20
21	"	"	·010	·160	"	·105	nil	·035	nil	·045	"	"		21
22	"	"	nil	nil	"	nil	·095	✗	·270	nil	"	·070		22
23	"	"	"	·328	"	·230	nil	}·340	nil	"	·020	·085		23
24	"	·020	·050	·148	"	·025	·625	nil	·200	"	nil	nil		24
25	·170	·030	nil	·120	"	·060	nil	"	nil	·035	"	·385		25
26	·020	nil	"	·264	"	·075	"	·020	·050	nil	"	·564		26
27	nil	"	"	·095	"	·120	"	nil	Trace	·080	Trace	·390		27
28	"	SNOW ·195	"	·240	"	·250	·030	·935	"	nil	·040	·290		28
29	"	✕	"	nil	"	nil	nil	·	·155	"	nil	·025		29
30	·040	✕	"	"	"	"	"	}·055✗	·010	"	"	·150		30
31	·020	✕	"	✕	"	✕	"	nil	✕	SNOW ·190	✕	·035	23.30	31 ✓
TOTAL	1.79 ~~[illegible]~~	·24 ~~·245~~	2.08 ~~[illegible]~~	1.98 ~~[illegible]~~	·85 ~~[illegible]~~	1.01 ~~1.005~~	1.55 ~~1.515~~	2.19 ~~2.185~~	1.88 ~~1.880~~	1.51 ~~1.510~~	2.05 ~~2.050~~	6.17 ~~[illegible]~~	Year's Total ~~[illegible]~~ ✓	
*Days with ·01 in. or more.	16	3	16	14	7	9	?(7)	?(15)	11	13	11	27	(149)	
*Days with .04 in. or more.	10	1	~~(15✗)~~ (13)	12	6	7	?(5)	?(8)	9	9	8	19	(108)	

40-9999
*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) G. V. Meaded
M.I.C.E.

[P.T.O.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 875

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Values corrected by obs.

Herts 12

Kept at Elstree (Barnet Lane)

in the County of Hertfordshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 470 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	‡	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	×	·085	nil	·035	nil	·135	·770	nil	nil	·160	·014	nil		1
2	·145	nil	"	·060	"	nil	nil	"	·345	·230	nil	"		2
3	nil	·075	·100	·085	"	·100	"	"	·150	·605	·019	Trace		3
4	"	nil	nil	Snow ·110	"	·230	"	"	·125	·135	nil	·120		4
5	"	·350	·040	·075	"	·130	"	"	·390	Trace	·025	nil		5
6	·028	nil	nil	·330	"	·560	"	"	nil	·010	Trace	·015		6
7	nil	"	"	~~·210~~ ·55	"	·125	"	"	"	·070	1·165	·120		7
8	"	"	"	·300	"	nil	"	"	"	·290	·160	·135		8
9	·015	"	"	·210	"	·745	"	"	"	·655	·110	·040		9
10	nil	nil	"	·040	"	nil	"	"	nil	nil	·075	·015		10
11	·338	"	"	nil	"	·105	·225	"	"	"	·190	·010		11
12	·060	"	"	"	"	·145	nil	·060	"	"	·520	nil		12
13	·110	·175	"	·200	·160	·025	"	nil	"	Trace	·010	"		13
14	Trace	nil	"	Trace	·180	·070	"	"	"	"	·055	·140		14
15	nil	·325	"	·500	nil	·300	"	"	·145	"	·195	·080		15
16	"	·145	·025	·025	"	·330	"	"	·145	"	·435	Snow nil		16
17	"	nil	nil	·035	"	·225	"	"	nil	"	·420	"		17
18	"	"	"	·270	·095	·105	·220	"	·580	·045	·162	"		18
19	"	"	"	·095	·155	·050	·070	"	·190	nil	·160	·130		19
20	·015	·250	"	·045	·300	·090	nil	"	·080	"	·110	nil		20
21	·015	× ·325	"	nil	nil	nil	"	"	·020	·030	·035	"		21
22	nil	×	·075	"	"	"	"	·320	·285	nil	nil	"		22
23	"	nil	·240	"	"	"	"	·400	·040	·025	"	·195		23
24	×	·580	nil	"	"	"	"	·035	·735	nil	"	·295		24
25	·100 ✓	·205	"	·300	"	·255	"	nil	nil	"	"	·155		25
26	·085	·085	"	nil	"	nil	"	·260	·090	Trace	"	·390		26
27	Snow ·025	·410	"	"	"	"	"	nil	·238	"	·165	·275		27
28	Snow nil	nil	"	"	"	"	"	"	·170	·060	·010	·18 × ~~·095~~		28
29	nil	—	"	"	"	"	"	"	·582	nil	nil	·20 ×		29
30	"	×	"	·095	·095	"	"	·620	·060	·340	·395	~~·410~~ ·37		30
31	"	×	"	×		×	"	nil	×	·330	×	~~·375~~ ·345		31 o.k.
TOTAL	~~·936~~ ·94	3·018	·480	~~3·020~~ 3·36	1·000	3·7~~15~~ 3	1·285	1·695	4·378	2·9~~85~~ 9	4·438	~~3·595~~ 3·21	Year's Total. ~~30·55~~ 30·49	
* Days with .01 in. or more.	13	13	5	19	7	18	4	6	18	14	21	19	157	
* Days with .04 in. or more.	6	13	4	18	6	14	4	5	16	11	15	16	131	

40-9999

† Spare column, no entries required.

(*Signed*) G. Y. MAXTED ESQ C.E. [P.T.O.

* See Instruction 2 (f) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 875.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Elstree

in the County of ~~Hertfordshire~~ Middlesex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 470 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·506	·215	·045	·295	Nil	·185	·145	·011	Nil	Nil	·065	·070		1
2	·030	Nil	·025	·020	"	·340	·345	Trace	"	"	·110	Trace		2
3	Nil	"	Nil	·055	·020	·075	·015	·065	·180	"	·295	·035		3
4	"	"	·120	Nil	Nil	·215	Nil	Nil	·450	"	·040	·040		4
5	·140	"	·010	"	"	Nil	"	"	·205	"	·045	·140		5
6	·245	"	Nil	"	·065	·170	"	Trace	Nil	"	·055	·010		6
7	·470	"	·055	"	Nil	·070	·026	·135	·100	"	·045	·030		7
8		"	·035	"	"	Nil	·090	Nil	Nil	"	·470	·200		8
9	·375	"	·140	"	·010	"	·570	"	·220	·055	Trace	Nil		9
10	·160	"	Nil	"	Nil	"	·215	·050	·325	Nil	"	"		10
11	Nil	"	"	·110	"	"	·055	·025	Nil	"	·945	"		11
12	"	"	"	·115	"	·420	·350	Nil	·095	"	·365	·110		12
13	"	"	"	·085	"	·460	Nil	"	Nil	Trace	·170	·130		13
14	"	"	"	Nil	"	·110	·395	"	·020	·090	·015	·245		14
15	"	·190	"	"	"	Nil	·010	"	·075	Nil	·020	·045		15
16	·225	·065	"	"	"	"	·060	"	·055	"	·390	·010		16
17	snow Nil	·570	"	"	·085	·015	Trace	"	Nil	·015	·125	·155		17
18	"	·115	"	"	Nil	·325	·180	"	"	·085	·025	·060		18
19	·465	·060	·015	Trace	"	·140	·015	·150	"	·105	Nil	Nil		19
20	Nil	·055	Trace	·305	"	Nil	·045	Nil	·795	Nil	"	"		20
21	"	Nil	·005	·165	·040	·265	Trace	"	·095	"	"	"		21
22	·150	·355	Trace	·015	·285	·025	·205	"	Nil	"	"	·150		22
23	snow ·020	Nil	·045	·075	Nil	Nil	·095	"	"	·115	·015	Nil		23
24	·120	·070	Nil	Nil	"	"	·010	"	·035	·400	Nil	"		24
25	·070	Nil	·140	·190	"	·180	·140	"	·260	·095	·050	"		25
26	Trace	·165	·250	·130	"	·090	Nil	"	·010	·175	·010	·060		26
27	Nil	·045	·015	Nil	"	Nil	·015	"	·220	·105	Nil	Nil		27
28	·995	·015	·150	"	"	·035	·710	"	Nil	Nil	"	·065		28
29		·100	Nil	"	"	·090	·045	"	"	·025	·155	·025		29
30	·110	✕	Trace	"	·055	·215	Nil	"	"	·290	Nil	Nil		30
31	·345	✕	·280	✕	·010	✕	Trace	"	✕	·465	✕	·300		31 28·02
TOTAL	4·436	2·020	1·330	1·560	·570	3·425	3·736	·466	3·140	2·020	3·440	1·880	Year's Total 28·023	
* Days with .01 in. or more.	16	13	14	12	8	19	22	6	16	13	20	19	178	
* Days with .04 in. or more.	14	12	9	9	5	16	16	4	13	10	15	14	137	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

Jan 9/37

COPY FOR OFFICIAL USE

Section A **for the entry of Daily Observations** **Station No.** 875

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

File No 886571/28

Kept at Elstree

in the County of Hertfordshire

Diameter of Funnel of Gauge 8" in.

Height of top of Gauge above Ground ft. 12 in.

,, Ground ,, Sea Level 470 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·305	nil	·021	·030	nil	nil	nil	nil	·045	nil	·550	·815		1
2	·010	·265	nil	·309	"	"	"	"	·030	"	nil	·570		2
3	nil	·250	·035	nil	"	"	"	"	nil	"	"	·075		3
4	·060	·380	nil	"	"	"	"	"	"	"	"	·425		4
5	·285	·070	·140	"	·040	"	·040	"	"	·015	"	nil		5
6	·020	·040	nil	"	nil	"	·145	"	"	·070	·002	"		6
7	nil	·710	·250	·165	·165	"	·025	"	·060	Trace	nil	"		7
8	"	·075	nil	nil	nil	·075	nil	"	nil	nil	·055	·230 snow		8
9	"	·020	"	·320	·095	·030	·130	"	·295	"	nil	·030 snow	- - - - ·030	9
10	"	nil	·720	nil	Trace	·385	·080	Trace	nil	"	"	·320		10
11	"	"	·155	"	·430	nil	nil	nil	"	Trace	"	nil		11
12	·265	·030	·115	"	·390	·850	"	Trace	·035	nil	"	·110		12
13	·140	·065	·385	"	·200	·115	·015	·430	·003	"	"	·935		13
14	·025	·040	·225	·165	nil	·010	nil	·735	·010	"	"	·020		14
15	·175	·180	nil	·190	"	·045	·220	nil	·016	"	"	nil		15
16	·020	·145	·270	·430	"	·115	nil	·170	·345	"	"	·045		16
17	·300	nil	·175	·140	"	·010	Trace	nil	·190	"	·045	nil		17
18	·235	·090	·030	nil	"	·200	nil	"	·015	"	·150	"		18
19	·105	·085	·085	·185	·152	·175	·110	"	·070	"	nil	"		19
20	·430	nil	·015	·595	·765	·040	nil	"	·085	"	"	"		20
21	·275	·365	nil	·075	-	·545	·075	"	nil	·015	"	·175		21
22	·340	·055	"	nil	Trace	nil	·055	"	"	·625	·365	·060		22
23	·255	nil	·090	"	·055	"	·070	"	"	·545	·010	·015		23
24	·365	·470	nil	"	·110	"	nil	"	·215	·115	nil	nil		24
25	·015	·365	·130	"	- ·280	"	"	"	·090	·360	"	·030		25
26	nil	·295	·055	"	-	"	"	"	nil	·050	"	nil		26
27	"	·120	nil	"	·230	"	"	"	·015	·545	"	"		27
28	"	·105	"	"	nil	"	"	"	nil	·095	"	·025		28
29	"	✕	"	·010	"	"	"	"	"	·095	·065	nil		29
30	·350	✕	"	Trace	"	"	"	"	"	·270	·170	"		30
31	·255	✕	"	✕	"	✕	"	"	✕	nil	✕	·045		31
TOTAL	4·239	4·26 4·255	2·40 2·896	2·724	2·917	2·595	·47 ·965	1·335	1·37 1·364	2·800	1·412	3·93 3·925	Year's Total 31·42 31·418	✓ ✓
* Days with .01 in. or more.	21	22	17	12	12	13	11	3	15	12	8	17	163	✓ ✓
* Days with .04 in. or more.	16	20	15	11	12	10	8	3	9	10	7	12	133	✓ ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) G. V. Maxted [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 875

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

File No 886571/28

Kept at Elstree

in the County of ~~Hertfordshire~~ middl.

Diameter of Funnel of Gauge 8" in.

Height of top of Gauge above Ground — ft. 12 in.

,, Ground ,, Sea Level 470 ft.

Ad

W.E.R.

Snow W.J.F.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·035	nil	nil	nil	nil	·105	·110	nil	·060	·040	·030	nil		1
2	nil	·045	"	"	·065	nil	nil	"	nil	·160	·020	"		2
3	·025	Trace	"	"	·210	"	"	"	·035	·840	·065	"		3
4	·040	nil	"	"	nil	"	·065	"	nil	·100	nil	·160		4
5	nil	"	"	"	"	Trace	·290	"	"	·145	"	nil		5
6	·055	"	"	"	"	nil	·050	"	"	·060	·020	"		6
7	·015	"	"	"	"	"	·045	970	·075	·440	nil	·030		7
8	·170	"	"	"	"	"	·040	nil	nil	·365	"	nil		8
9	·085	·020	"	"	"	·010	·070	·340 ✓	"	nil	"	·670		9
10	·210	·035	"	"	"	·140	·025	✓	"	"	"	·035		10
11	·325	nil	"	"	"	nil	nil	nil	"	"	·225	·055		11
12	·375	"	"	"	·025	"	"	1·200	"	·310	·025	Trace		12
13	·100	·025	"	"	nil	"	"	nil	"	·050	·265	·150		13
14	·265	nil	"	"	·070	"	·055	"	·010	nil	nil	·025		14
15	·180	·015	"	"	nil	"	·140	"	nil	·310	·020	·315		15
16	·515	nil	·040	"	"	"	·020	"	"	·095	·015	·525		16
17	nil	·070	nil	"	·150	"	Trace	"	·015	·065	nil	nil		17
18	·070	nil	"	"	·080	"	nil	·030	·080	·035	·325	"		18
19	nil	"	"	"	nil	"	"	·140	·095	nil	·205	"		19
20	"	"	"	"	"	"	"	·035	·045	"	·530	" ✓		20
21	·030	"	"	"	"	"	"	·025	·060	"	·100	Snow ✓		21
22	Trace	"	"	"	"	·025	"	·015	nil	"	·325 ✓	" ✓		22
23	nil	"	"	·035	"	nil	"	nil	·015	"	✓	~~(·80)~~		23
24	"	"	·225	nil	·015	"	"	"	·445	"	·060	"		24
25	·100	·030	·080	·095	·140	"	·010	"	·010	·040	1·100	" ✓		25
26	·265	·180	·155	nil	nil	"	nil	"	·215	·195	nil	" ✓		26
27	·125	·055	nil	·050	·050	·220	·290	"	·620	·195	·365	"		27
28	·250	Trace	"	nil	·805	·080	nil	·290	·035	nil	·025	1·170 ✓	✓	28
29	·290	✕	"	"	·115	nil	"	nil	·060	·010	·165	·220		29
30	·002	✕	"	·035	·015	·100	"	"	·050	·065	·220	nil		30
31	·190	✕	"	✕	·140	✕	"	"	✕	·195	✕	·375		31
TOTAL	3·717	·475	·500	·215	1·880	·680	1·210	3·045	1·925	3·715	4·105	~~4·53~~ 3·730	Year's Total ~~25·197~~	~~25·997~~
* Days with .01 in. or more.	23	9	4	4	13	7	13	10 ~~9~~	17	20	~~20~~ 21	~~12~~ 18	~~151~~	~~157~~ 159
* Days with .04 in. or more.	18	4	4	2	10	5	10	6 ~~5~~	11	18	~~13~~ 14	~~9~~ 14	~~109~~	~~114~~ 116

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) G. V. Marsted

[P.T.O.

COPY FOR OFFICIAL USE C

Section A for the entry of Daily Observations

Station No. 875

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

File No 886571/28

Kept at Elstree

in the County of Hertfordshire

Diameter of Funnel of Gauge 8" in.

Height of top of Gauge above Ground — ft. 12 in.

" Ground " Sea Level 470 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·025	Nil	·020	·580	·375	Nil	Nil	·125	·485	Nil	Nil	Nil		1
2	·435	"	Nil	Nil	·020	"	"	·509	·860	"	"	·200		2
3	48hrs	"	"	·235	Nil	"	"	·370	Nil	·060	·310	48hrs		3
4	·030	"	·240	·335	"	"	·035	·567	"	·570	Nil	Trace		4
5	Nil	"	Nil	·400	·110	"	Nil	·210	"	48hrs	·320	·130		5
6	·580	"	"	·035	Nil	"	·420	48hrs	"	Nil	·570	Nil		6
7	·095	·120	"	Nil	"	"	Nil	·170	"	"	48hrs	·400		7
8	·020	·115	·090	"	"	"	·052	48hrs	"	·870	·230	·340		8
9	·035	·105	Nil	"	"	"	Nil	Trace	"	48hrs	Nil			9
10	·230	Nil	"	"	"	·530	"	·280	"	·090	"	·255		10
11	Nil	"	·245	"	·010	·180	"	Nil	"	·400	"	72hrs		11
12	"	"	Nil	"	Nil	·025	"	"	Trace	·950	"	Nil		12
13	"	"	"	·020	"	·045	·035	"	Nil	48hrs	"	"		13
14	·495	"	"	·055	·110	48hrs	Nil	"	"	1·750	·450	"		14
15	·280	"	"	Trace	·715	·330	·080	"	·140	48hrs	·100	"		15
16	·435	"	·100	·040	·115	·195	·060	"	Nil	Nil	·370	"		16
17	·215	"	·020	·050	·090	Nil	·050	"	"	"	Trace	"		17
18	·410	·040	·050	Nil	·010	·185	·180	"	"	·300	·370	"		18
19	·220	Nil	Nil	"	Nil	Nil	·075	"	"	Nil	48hrs	"		19
20	·220	"	"	"	"	·185	·670	"	"	"	Nil	"		20
21	·065	"	·340	"	"	·020	·120	1·745	·075	"	"	"		21
22	·170	·220	·295	"	"	Trace	·010	Nil	Nil	"	·150	"		22
23	·045	Nil	·015	·050	"	·015	Trace	·025	"	Trace	·885	"		23
24	Nil	"	·020	·045	"	Trace	·155	Nil	"	Nil	Nil	"		24
25	Snow	·155	·035	·030	"	"	Trace	·130	"	·280	1·135	"		25
26	1·290	Nil	·015	Nil	"	"	"	·010	"	·200	48hrs	"		26
27	Nil	·045	·130	·025	"	·015	"	Nil	"	·090	·090	"		27
28	"	·180	·060	·025	"	·035	·260	"	"	·280	·190	Snow		28
29	"	✕	Nil	·335	"	Nil	·055	"	"	48hrs	·200	Nil	" d	29
30	"	✕	"	1·280	"	·185	Nil	"	"	Nil	·175	"		30
31	"	✕	"	✕	"	✕	·025	"	✕	"	✕	"	(·15)	31
TOTAL	5·285	·980	1·675	3·540	1·555	1·945	2·282	4·141	1·560	5·840	5·545	1·475 ~~1·325~~	Year's Total	36·823 ~~35·929~~
* Days with .01 in. or more.	20 ~~4~~	8	15	16 ~~5~~	9 ~~3~~	14 ~~5~~	16 ~~4~~	12 ~~2~~	4	17	17	12		160
* Days with .04 in. or more.	15	8	9	11	6	8	12	9	4	15 ~~12~~	16 ~~15~~	5		118

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) G. V. Maxted

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 875

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

File no. 886571/28

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Elstree

in the County of Herts

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" Ground " Sea Level 470 ft.

Jan & Feb ests for snow

Jan & Feb snow

? Days snow circ sent 5-5-41

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	nil	nil	Trace	nil	nil	nil	nil	nil	nil	nil	·125	nil		1
2	"	"	nil	·180	"	"	·110	"	"	"	·840	"		2
3	"	·240	"	·120	"	"	nil	"	"	·255	·880	"	48 days drought in Aug. & Sept.	3
4	"		"	·100	"	"	"	"	"	·257	·120	"		4
5	"	nil	nil	nil	"	"	·490	"	"	·140	·470	·370		5
6	" (·40)	·125	"	"	Trace	"	·135	"	"	–	·110	nil		6
7	"	nil	"	"	·070	"	nil	"	"	–	nil	"		7
8	"	"	"	Trace	nil	"	Trace	"	"	–	"	·295		8
9	"	"	"	nil	"	·610	nil	"	"	–	–			9
10	"	"	"	"	"	nil	·230	"	"	–	–			10
11	"	"	"	"	"	"	Trace	"	"	–	1·43	·365		11
12	"	SNOW	"	"	"	"	nil	"	"	–	–	–		12
13	"	"	·475	"	"	"	·150	"	·120	–	–	–		13
14	"	nil	·080	·080	"	"	nil	"	nil	–	Trace	nil		14
15	"	"	nil	nil	·180	"	·170	"	"	–	·180	"		15
16	Snow (·10)	" (1·30)	·810	"	nil	"	·385	"	"	–	·220	"		16
17	nil	"	–	"	"	"	Trace	"	–	2·01	·240	"		17
18	"	"	·120	·310	"	"	"	"	·700	–	·820	"		18
19	"	"	nil	·090	"	"	"	"	–	–	·280	"		19
20	"	"	"	Trace	"	"	"	"	nil	–	Trace	·180		20
21	Snow	"	"	nil	·280	"	"	"	·050	–	·315	nil		21
22	"	"	"	"	·370	·355	"	"	·070	–	nil	"		22
23	nil	"	·115	·200	·085	–	"	"	nil	–	"	"		23
24	"	"	nil	·160	nil	nil	·220	"	"	–	"	"		24
25	"	"	·620	nil	"	"	·165	"	"	–	"	"		25
26	·800	"	·360	"	·350	"	nil	"	"	–	"	"		26
27	Snow	·100	nil	·035	nil	"	"	"	"	–	"	"		27
28	"	nil	"	nil	"	"	"	"	"	–	"	"		28
29	" (·90)	"	·150	"	·330	"	"	"	"	–	"	·290		29
30	"	✗	nil	"	Trace	"	"	"	"	·750	"	nil		30
31	"	✗	"	✗	nil	✗	"	"	✗	–	✗	"		31
TOTAL	(2·20) ~~·800~~	(1·76) ~~[illegible]~~	2·73	1·275	1·665	·995	2·055	—	·940	3·412	6·030	1·50	Year's Total ~~[illegible]~~	(24·56)
* Days with .01 in. or more.	7	3 11	8 9	9	7	2 3	9	—	4 5	? 12	? 16	? 7	?	95
* Days with .04 in. or more.	6	3 9	8 9	8	7	2 3	9	—	4 5	? 11	? 16	? 6	?	89

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

Jan 5. 1941 (Signed) G. J. Marted

P.T.O.

875/5

ELSTREE

'RIDGEWAY'

1936- 1940

78 02 04

Section | A | for the entry of

AIR MINIST

H RAINFALL ORGANIZATION.

Station No. 875/5

FORM 1090.

REGIS N 1936.

593121/36

Kept at X Elstree (Ridgew

in the County of Herts. (Aechn

Diameter of Funnel of Gauge......

Height of top of Gauge above Gr

,, Ground ,, Se

THE MORNING MEASU S DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·11	·18	/	·23	/	·14	·15	·03	/	/	·06	·08		1
2	·18	·02	·06	/	·07	·42	·26	/	/	/	·12	/		2
3	·16	/	/	·08	/	·04	·02	/	·22	/	·29	/		3
4	·21	/	/	/	/	·18	/	/	·38	/	·07	·06		4
5	·07	/	/	/	/	/	/	·05	·15	/	·04	·18		5
6	·21	/	/	/	/	·20	/	·15	·07	/	·09	/		6
7	·15	/	·16	/	/	·03	·54	tr	·01	/	·02	·01		7
8	·25	/	·04	/	·03	/	·05	/	·02	/	·49	·16		8
9	·49	/	·10	/	/	/	·53	/	·20	·05	/	/		9
10	/	/	trace	/	/	/	·12	·10	·27	/	/	/		10
11	/	/	/	·14	/	/	·05	·03	·07	/	·84	/		11
12	/	/	/	·10	/	·46	·32	tr	tr	/	·30	·11		12
13	/	/	/	·06	/	·33	/	/	/	tr	·05	·07		13
14	/	·07	/	/	/	·09	·39	/	·05	·07	·14	·22		14
15	/	·09	/	/	/	·02	/	/	·09	/	·04	·04		15
16	/	·10	/	/	/	/	·06	/	·02	/	·40	/		16
17	·33	·53	/	/	·15	·03	/	/	/	·02	·19	·13		17
18	/	·10	/	/	/	·31	·18	/	/	/	/	·07		18
19	·45	·02	/	/	/	·12	·02	·14	/	·15	tr	/		19
20	/	·06	/	·28	/	/	·06	/	·64	/	/	/		20
21	/	/	/	·20	·06	·26	/	/	·12	/	/			21
22	tr	·37	·02	·04	·15	/	·20	/	/	/	/	·13		22
23	·09	/	·10	/	·15	/	·10	/	/	·10	/	/		23
24	·27	/	/	·09	/	/	/	/	·04	·39	/	/		24
25	·01	·10	/	·17	/	·21	/	/	·28	·11	/	/		25
26	tr	·15	·50	·13	/	·09	·38	/	·07	·14	·08	/		26
27	·19	/	·02	/	/	/	/	/	·26	·10	/	/		27
28	·67	·07	·14	/	/	/	·56	/	/	/	/	·02		28
29	·10	·11	·02	/	/	·16	·02	/	/		·14	/		29
30	·10	✕	/	/	·07	·27	·05	/	/	·29	/	·01		30
31	·39	✕	·31	✕	/	✕	·11	/	✕	·57	✕	·30		31
TOTAL	4·44	1·97	1·47	1·54	·62	3·36	4·17	·50	2·96	1·99	3·33	1·59	Year's Total 27·94	
* Days with .01 in. or more.	19	14	11	11	7	18	21	6	18	11	17	15	168	178
* Days with .04 in. or more.	18	11	8	11	5	15	18	4	15	10	14	12	141	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

N

(*Signed*) N.G. Brett-James [P.T.O.

X MAJOR N. G. BRETT-JAMES X

COPY FOR OFFICIAL USE. Middx | 1

Section **A** for the entry of Daily Observations. Station No. 875/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

593124/36

Kept at X Elstree (Ridgeway) X

in the County of Herts. (technically) but actually in Middx.

Diameter of Funnel of Gauge ... 5 ... in.

Height of top of Gauge above Ground ... 0 ... ft. ... 10 ... in.

,, Ground ,, Sea Level ... 440 ... ft.

~~Lat. = 51.40. N. !!~~
~~Long. = 0. 10. W.~~

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·11	·18	/	·23	/	·14	·15	·03	/	/	·06	·08		1
2	·18	·02	·06	/	·01	·42	·26	/	/	/	·12	/		2
3	·16	/	/	·08	/	·04	·02	/	·22	/	·29	/		3
4	·21	/	/	/	/	·18	/	/	·38	/	·07	·06		4
5	·07	/	/	/	/	/	/	·05	·15	/	·04	·18		5
6	·21	/	/	/	/	·20	/	·15	·07	/	·09	/		6
7	·15	/	·16	/	/	·03	·54	tr	·01	/	·02	·01		7
8	·25	/	·04	/	·03	/	·05	/	·02	/	·49	·16		8
9	·49	/	·10	/	/	/	·53	/	·20	·05	/	/		9
10	/	/	trace	/	/	/	·12	·10	·27	/	/	/		10
11	/	/	/	·14	/	/	·05	·03	·07	/	·84	/		11
12	/	/	/	·10	/	·46	·32	tr	tr	/	·30	·11		12
13	/	-	/	·06	/	·33	/	/	/	tr	·05	·07		13
14	/	·07	/	/	/	·09	·39	/	·05	·07	·14	·22		14
15	/	·09	/	/	/	·02	/	/	·09	/	·04	·04		15
16	/	·10	/	/	/	/	·06	/	·02	/	·40	/		16
17	·33	·53	/	/	·15	·03	/	/	/	·02	·19	·13		17
18	/	·10	/	/	/	·31	·18	/	/	/	/	·07		18
19	·45	·02	/	/	/	·12	·02	·14	/	·15	tr	/		19
20	/	·06	/	·28	/	/	·06	/	·64	/	/	/		20
21	/	/	/	·20	·06	·26	/	/	·12	/	/			21
22	tr	·37	·02	·04	·15	/	·20	/	/	/	/	·13		22
23	·09	/	·10	/	·15	/	·10	/	/	·10	/	/		23
24	·27	/	/	·09	/	/	/	/	·04	·39	/	/		24
25	·01	·10	/	·17	/	·21	/	/	·28	·11	/	/		25
26	tr	·15	·50	·13	/	·09	·38	/	·07	·14	·08	/		26
27	·19	/	·02	/	/	/	/	/	·26	·10	/	/		27
28	·67	·07	·14	/	/	/	·56	/	/	/	/	·02		28
29	·10	·11	·02	/	/	·16	·02	/	/		·14	/		29
30	·10	×	/	/	·07	·27	·05	/	/	·29	/	·01		30
31	·39	×	·31	×	/	×	·11	/	×	·57	×	·30		31
TOTAL	4·44	1·97	1·47	1·54	·62	3·36	4·17	·50	2·96	1·99	3·33	1·59	Year's Total 27·94	
* Days with .01 in. or more.	19	14	11	11	7	18	21	6	18	11	17	15	168	178
* Days with .04 in. or more.	18	11	8	11	5	15	18	4	15	10	14	12	141	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

N

(*Signed*) N.G. Brett-James [P.T.O.

X MAJOR N. G. BRETT-JAMES X

COPY FOR OFFICIAL USE

Section A **for the entry of Daily Observations**

Station No. 875/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Ridgeway - Elstree

in the County of Herts

Diameter of Funnel of Gauge 5 ~~4~~ in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 450 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·05	·01	·03	·04	—	—	—	—	·05	·03	·68	·85		1
2	·20	·24	—	·55	—	—	—	—	·62	—	—	·56		2
3	·08	·21	—	—	—	—	—	—	—	—	—	·05		3
4	—	·35	—	—	·01	—	—	—	—	—	—	·43		4
5	·30	·06	·01	—	—	—	·03	—	—	·03	·06	—		5
6	—	—	·22	—	·15	—	·10	—	—	·08	—	—		6
7	—	·75	·21	·13	—	—	·02	—	·07	—	—	—		7
8	—	·02	—	—	·07	·08	—	—	—	—	·06	·12		8
9	—	·02	—	·32	·14	·02	·12	—	·28	—	—	30		9
10	—	—	·50	·04	·17	·40	·12	trace	—	—	—	·33		10
11	—	—	·26	—	·53	—	trace	—	—	—	—	·08		11
12	·25	·29	·08	—	·18	·46	—	—	·05	—	—	·84		12
13	·15	·05	·53	·02	—	·11	—	·72	—	—	—	—		13
14	—	·04	·14	·14	—	trace	—	·52	·10	—	—	·01		14
15	·17	·16	—	·18	—	·22	·23	—	·08	—	—	—		15
16	·02	·15	·24	·47	—	·14	—	·15	·20	—	—	·04		16
17	·27	—	·25	·14	—	—	—	—	·56	—	·05	—		17
18	·25	·09	·03	trace	·18	·17	—	—	—	—	·15	—		18
19	·04	·11	·10	·15	·02	·14	·12	—	—	—	—	·07		19
20	·27	·35	·01	·55	·75	·10	—	—	·14	—	—	·06		20
21	·24	·05	·08	·07	—	—	—	—	—		—	—		21
22	·33	—	·03	trace	·05	·44	·04	—	—	·67	·30	·06		22
23	·23	—	·02	—	·09	—	·06	—	—	·48	—	·01		23
24	·32	·50	—	—	—	—	—	—	·19	·16	—	—		24
25	trace	·37	·10	✓	·32	—	—	—	·08	·23	—	—		25
26	—	·26	·10	—	·31	—	—	—	—	·10	—	—		26
27	—	·06	—	10	—	—	—	—	—	·50	·06	—		27
28	·04	·08	—	·02	—	—	—	—	—	·09	—	·07		28
29	trace	—	—	—	—	—	—	trace	—	·08	·04			29
30	·31	×	—	·01	—	—	—	trace	—	—	·16			30
31	·27	×	—	×	—	×	—	—	×	·20	×	·06		31
TOTAL	3·79	4·22	2·94	2·93	2·97	2·28	·84	1·39	1·82	2·65	1·56	3·94	Year's Total 31·33	✓
* Days with .01 in. or more.	19	22	19	16	14	11	9	3	12	12	9	17	163	✓
* Days with .04 in. or more.	18	19	14	13	12	10	7	3	11	10	9	16	142	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) N. G. Brett-James. M.A., B.Litt., F.S.A. [P.T.O.

COPY FOR OFFICIAL USE

Section A **for the entry of Daily Observations** **Station No.** 875/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Elstree (Ridgeway)
in the County of Herts
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground — ft. 9 in.
,, Ground ,, Sea Level 450 ft.

Lat. 51° 40 N
long. ·10 W

Average for the 3 years that I have observed here 27·35.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	—		·10	·39	—	—	·13	—	—		1
2	·16	—	—	—	·06	—	·03	—	·02	·20	·02	—		2
3	·01	—	—	—	·23	—	—	—	—	·78	·04	—		3
4	·05	—	—	—	—	—	·06	—	—	·10	—	·15		4
5	—	—	—	trace	—	—	—	—	—	·07	—	—		5
6	·06	—	—	—	—	—	·29	—	—	·10	—	·05		6
7	·16	—	—	—	—	—	·10	·73	·04	·38	—	—		7
8	—	—	—	—	—	—	·03	—	—	·35	—	—		8
9	·14	trace	—	—	—	—	·04	·15	—	·01	—	·62		9
10	·10	·08	—	—	—	—	·01	·17	—	—	—	·03		10
11	·35	—	—	—	—	—	—	·02	—	—	·15	·05		11
12	·34	—	—	—	·02	—	·03	1·00	—	·28	·10	—		12
13	·11	·05	—	—	·08	—	—	—	—	·04	·27	·12		13
14	·23	—	—	—	—	—	·03	—	·09	·20	·01	·03		14
15	·13	—	—	—	—	—	·15	—	—	—	—	·30		15
16	·47	—	·04	—	—	—	·02	—	—	·07	—	·51		16
17	—	·10	—	—	·10	—	—	—	trace	·07	·34	·02		17
18	·06	—	—	—	·08	—	—	—	·05	—	·20	·01		18
19	~~·05~~	—	—	trace	—	—	—	·09	·10	—	—	·01		19
20	—	—	—	—	·01	—	—	—	—	—	·49	·30		20
21	·03	—		—	—	—	—	—	·05	—	—	·28		21
22	—	—		trace	—	·03	—	—	—	—	·28	—		22
23	—	—		·04	—	—	—	—	—	—	·09	·10		23
24	—	—	·21	—	·01	—	—	—	·40	—	·07	—		24
25	·11	·03	·10	·10	—	—	·01	—	·03	—	·98	·09		25
26	·29	·20	·09	trace	·18	—	—	—	·21	·28	—	·06		26
27	·10	·05	—	·05	·07	·23	·28	·03	·60	·19	·31			27
28	·20	—	—	·04	·08	·06	—	·20	·06	—	—	·06		28
29	·28	—	—	—	·13	—	—	—	—		·28	—		29
30	·02	✕	—	·03	·07	·11	—	—	—	·06	·06	—		30
31	·20	✕	—	✕	·18	✕	—	—	✕	·14	✕	·60		31
TOTAL	3·60	·51	·44	·26	1·84	·53	1·47	2·39	1·65	3·45	3·69	3·33	Year's Total 23·16	✓
* Days with .01 in. or more.	22	6	4	5	14	5	14	8	11	18	16	18	141	✓
* Days with .04 in. or more.	19	5	4	4	10	4	7	6	8	17	14	13	110	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) N. G. Brett James

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 875/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

File No. 593121/36

Kept at Ridgeway, Elstree. Herts

in the County of Herts

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 9 in.

,, Ground ,, Sea Level 450 ft.

Lat: 51° 40N.
Long: 10W.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1					·40		·01	·12	·53					1
2					·03			·63	·96			·03		2
3				·16				·41			·27	·13		3
4	·25		·36	1·00			·01	·89		·33	·04	·03		4
5				·31	·07		·02	·15		·24	·25	·05		5
6	·85			·16			·30	·04		·04	·45	·05		6
7		·10	·11					·01			·09	·15		7
8	·04	·09					·04	·08		·35	·17	·47		8
9								·03		·51	·06	·21		9
10	·22					·52		·32		·07				10
11						·15				·73				11
12		·03								·03	·02	·01		12
13				trace		·02			·09	·93	·32			13
14	·49			·07	·13	·01	·04		·05	·26				14
15	·30			trace	·73	·28	·10		·07	·72		·02		15
16	·32		·15	·03	·14	·19	·01			1·27	·40			16
17	·23	·04	trace	·06	·06		·01				·06			17
18	·34	·01	·01			·13	·18			·03	·31			18
19	·02		·02				·15			·28				19
20	·40					·14	·66	·02				·02		20
21	·06		·36				·14	1·16						21
22	·06	·26	·19				·13		·05		·06			22
23	·22			·06				·01		·28	·74			23
24	·84						·17			·17				24
25	·10	·15						·23			·52			25
26	·10		·01	·01						·03	·28	·06		26
27		·03	·13	·10						·11	·19			27
28			·01	·04			·24			·15	·15	·03		28
29				·36			·04				·13			29
30		✕		1·36		·17					·11	·01		30
31		✕		✕		✕	·01		✕		✕			31
TOTAL	4·84	·71	1·35	3·72	1·56	1·61	2·26	4·10	1·75	6·53	4·62	1·27	Year's Total 34·32	
* Days with .01 in. or more.	17	8	10	13	7	9	18	14	6	19	20	14	155	
* Days with .04 in. or more.	16	5	6	11	6	7	12	10	6	16	19	7	121	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) N.G. Brett-James. Major. T.F.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 875/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

1936. 27.56
1937. 31.33
1938. 22.55
1939. ~~[illegible]~~ 34.33
4 | 115.77
28.94

Kept at Ridgeway. Elstree
in the County of Herts
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground – ft. 10 in.
,, Ground ,, Sea Level 450 ft.

Latitude. 51° 40' N
Longitude. 10' W

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1											·32			1
2				·14	·01		·10			·03	1·13			2
3		·20		·14			·03			·13	·55	·09		3
4		·21								·27	·14			4
5		·08					·01				·35	·16		5
6	·21	·05		·06	·03		·08			·38				6
7	·24	·06			·08		·03							7
8				·03		·03			·02	·10		·28		8
9						·45	·01		·03	·08	·16			9
10			·01				·20	·07		·14	·32	·07		10
11			·06	·03							1.11			11
12			·03				·09		·10					12
13		·03	·12	·03					·29		1.13			13
14			·60	·07					·02	·05		·26		14
15					·20		·19		·22	·04	·29			15
16	·10	·01	·41			·02	·39			1·08	·72			16
17		·02	·27	·13			·04	·02	·05		·62			17
18		·32	·12	·04					·54		·23			18
19		·31	·04	·14						·18	·22			19
20	·02	·02				·02					·03			20
21			·03	·02	·48						·23			21
22	·01		·01	·20	·14				·14		·03			22
23		·08	·06	·14	·09	·03	·05							23
24				·02			·20							24
25			·40			·07	·20							25
26	·80		·54		·12									26
27	·47	·26		·25	·22		·12							27
28	·06	·02		~~[illegible]~~	·04									28
29	·02	·07	·12		·15							·51		29
30	·01	✕		·21						·15				30
31		✕		✕		✕			✕	·35	✕			31
TOTAL	1·94	1·75	2.82	1·65	1·56	1·02	1·74	·09	1.32	2.84	7·49	1·37	Year's Total 25.59	✓
* Days with .01 in. or more.	10	15	16	16	11	7	18	2	9	13	17	6	137	✓
* Days with .04 in. or more.	6	10	11	12	9	3	12	1	6	12	15	6	103	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.